

Revision Number: 001.3 Issue date: 04/09/2018

1. IDENTIFICATION OF THE SUBSTANCE OR MIXTURE AND OF THE SUPPLIER

Product identifier used on the label: Purex Fels-Naptha Laundry Bar

Recommended use of the chemical and restrictions on use: Additional treatment, No restrictions on use.

Name, address and telephone number of the chemical manufacturer:

Henkel Corporation One Henkel Way

Rocky Hill, Connecticut 06067

Telephone: For medical emergencies 1-833-359-6299 For transportation CHEMTREC: 1-800-424-9300

Internet: www.henkel-northamerica.com

2. HAZARDS IDENTIFICATION

The hazards described in this Globally Harmonized System Safety Data Sheet (SDS) are not intended for consumers, and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Classification of the substance or mixture in accordance with paragraph (d) of §1910.1200

HAZARD CLASS	HAZARD CATEGORY
EYE IRRITATION	2B

Signal word, hazard statement(s), symbol(s) and precautionary statement(s) in accordance with paragraph (f) of §1910.1200

Signal word: WARNING

Hazard Statement(s): Causes eye irritation.

Symbol(s): None

Precautionary Statements:

Prevention: Wash thoroughly after handling.

Response: IF IN EYES: Rinse cautiously with waterfor several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing.

If eye irritation persists: Get medical attention.

Storage: Not prescribed
Disposal: Not prescribed

Hazards not otherwise Not available.

classified:

Classification complies with OSHA Hazard Communication Standard (29 CFR 1910.1200) and is consistent with the provisions of the United Nations Globally Harmonized System of Classification and Labeling of Chemicals (GHS).

See Section 11 for additional toxicological information.

3. COMPOSITION / INFORMATION ON INGREDIENTS

The following chemicals are classified as health hazards in accordance with paragraph (d) of § 1910.1200.

Chemical Name*	CAS Number (Unique Identifier)	Concentration
Fatty acids, tallow	61790-37-2	1 - 5 %

Polyethylene glycol MW 400	25322-68-3	1 - 5 %	
1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan- 1-one	54464-57-2	0.1 - 1 %	

^{*}The specific chemical identity and/or exact percentage (concentration) of composition has been withheld because a trade secret is claimed in accordance with paragraph (i) of §1910.1200.

4. FIRST AID MEASURES

Description of necessary measures

Inhalation: Remove from exposure area to fresh air. Contact physician or local poison control center.

Skin contact: Rinse affected area with large amounts of water until no evidence of product remains. Get

medical attention if irritation persists.

Eye contact: Rinse eyes with plenty of water until no evidence of product remains. Get medical attention if

pain or irritation persist.

Ingestion: Dilution by rinsing the mouth and giving a glass of w ater to drink is generally recommended.

Contact physician or local poison control center.

Most important symptoms and effects, both acute and delayed

After eye contact: Can cause mild to moderate eye irritation. After skin contact: Can cause mild skin irritation with prolonged contact. After inhalation: Breathing high vapor concentrations may produce anesthetic effects, nausea, dizziness, headache. After ingestion: Ingestion may cause irritation of mouth, throat, digestive tract, diarrhea and vomiting.

Indication of any immediate medical attention and special treatment needed

After eye contact: Rinse eyes with plenty of w ateruntil no evidence of product remains. After skin contact: Rinse affected area with large amounts of w ater until no evidence of product remains. After inhalation: Remove from exposure area to fresh air. After ingestion: Administer immediately plenty of w ater. With ingestion of larger quantities (in adults one tablespoon) or in the case of discomfort or pain seek immediate medical attention.

5. FIRE FIGHTING MEASURES

Suitable (and unsuitable) extinguishing media

Suitable extinguishing media: Dry chemical, carbon dioxide, w ater spray or regular foam.

Unsuitable extinguishing media: None

Specific hazards arising from the chemical

Not available.

Special protective equipment and precautions for fire-fighters

In case of fire, we are full-face positive-pressure self-contained breathing apparatus and protective suit. Shut off all ignition sources Apply cooling water to sides of containers that are exposed to flames until well after fire is out. Avoid breathing vapors, keep upw ind. Keep unnecessary personnel away.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Wear skin, eye and respiratory protection as recommended in Section 8. Stop or reduce any leaks if it is safe to do so. Spills present a slipping hazard. Keep unnecessary personnel away. Ensure clean-up is conducted by trained personnel only. Make sure area is slip-free before re-opening to traffic.

Environmental precautions

Small or household quantities may be disposed in regular domestic trash. For larger quantities check with your local disposal authorities.

Methods and materials for containment and cleaning up

SMALL SPILLS: Sweep or scoop up and place into containers for later disposal. Wash site of spillage thoroughly with water. LARGE SPILLS: Sweep or scoop up. Dispose in suitable waste container. Keep unnecessary people away from spill.

7. HANDLING AND STORAGE

Precautions for safe handling

Do not ingest. Do not get in eyes. Use with adequate ventilation. Keep the containers closed when not in use.

Conditions for safe storage, including any incompatibilities

Store in original containers in a cool dry area. Storage areas for large quantities (w arehouse) should be well ventilated. Keep the containers tightly closed when not in use.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

OSHA permissible exposure limit (PEL), American Conference of Governmental Industrial Hygienists (ACGIH) Threshold Limit Value (TLV), and any other exposure limit used or recommended by the chemical manufacturer, importer, or employer preparing the safety data sheet, where available.

Hazardous Component(s)	ACGIH TLV	OSHA PEL	AIHA WEEL	OTHER
Fatty acids, tallow	None	None	None	None
Polyethylene glycol MW 400	None	None	10 mg/m3 TWA Particulate.	None

Appropriate engineering controls

Provide local exhaust or general dilution ventilation to keep exposure to airborne contaminants below the permissible exposure limits where mists or vapors may be generated.

Individual protection measures

If respiratory protection is required, it must be based on the contamination levels found in the Respiratory:

w orkplace, must not exceed the w orking limits of the respirator and be jointly approved by the National Institute for Occupational Safety and Health and the Mine Safety and Health

Administration (NIOSH-MSHA).

Eye: Safety glasses are required to prevent eye contact where dusty conditions may occur.

Hand/Body: Chemical-resistant gloves are required where repeated or prolonged skin contact may occur.

Protective clothing is required where repeated or prolonged skin contact may occur.

9. PHYSICAL AND CHEMICAL PROPERTIES

piece

Appearance: light green Odor: characteristic Odor threshold: Not available. Not available. Melting point/ range: Not available. Boiling point/range: Not available. Flash point: Not available. Evaporation rate: Not available. Flam mable/Explosive limits - low er: Not available. Flam mable/Explosive limits - upper: Not available. Vapor pressure: Not available. Vapor density: Not available. Solubility in water: Not available. Partition coefficient (n-octanol/water): Not available. Autoignition temperature: Not available. Decomposition temperature: Not available. Viscosity: Not available. **VOC** content: Not available.

10. STABILITY AND REACTIVITY

Reactivity: This product reacts with acids.

Chemical stability: Stable under normal ambient temperature (70°F, 21°C) and pressure (1 atm).

Possibility of hazardous

reactions:

Hazardous polymerization does not occur under normal temperatures and pressures.

Conditions to avoid: Avoid storing in direct sunlight and avoid extremes of temperature.

Incompatible materials: Strong oxidizers, acids.

Hazardous decomposition

products:

Thermal decomposition products may include oxides of carbon.

11. TOXICOLOGICAL INFORMATION

Likely routes of exposure including symptoms related to characteristics

Inhalation: Unlikely to occur due to the physical properties of the product.

Skin contact: Repeated or prolonged excessive exposure may cause irritation or dermatitis.

Eye contact: Can cause mild to moderate eye irritation.

Ingestion: Ingestion of large quantities may cause gastrointestinal irritation with nausea, vomiting and

diarrhea.

Physical/Chemical: No physical/chemical hazards are anticipated for this product.

Other relevant toxicity

information:

This product is a laundry care product. The use of this product by consumers is safe under

normal and reasonable foreseen use.

Numerical measures of toxicity, including delayed and immediate effect

Hazardous Component(s)	LD50s and LC50s	Immediate and Delayed Health Effects
Fatty acids, tallow	None	Irritant
Polyethylene glycol MW 400	None	Irritant
1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one	None	No Data

Carcinogenicity information

Hazardous Component(s)	NTP Carcinogen	IARC Carcinogen	OSHA Carcinogen
Fatty acids, tallow	No	No	No
Polyethylene glycol MW 400	No	No	No
1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8- tetramethyl-2-naphthyl)ethan-1-one	No	No	No

Carcinogenicity

None of the ingredients in this product are listed as carcinogens by the International Agency for

Research on Cancer (IARC), the National Toxicology Program (NTP) or the Occupational

Safety and Health Administration (OSHA).

Mutagenicity None of the ingredients in this product are known to cause mutagenicity.

Toxicity for reproductionNone of the ingredients in this product are known as reproductive, fetal, or developmental

nazards.

12. ECOLOGICAL INFORMATION

Aquatic Toxicity:

This product is anticipated to be safe for the environment at concentrations predicted in household settings under normal use conditions.

Toxicity to fish:

The aquatic toxicity profile of this product has not been determined.

Toxicity to aquatic invertebrates:

The aquatic toxicity profile of this product has not been determined.

Toxicity to algae:

The aquatic toxicity profile of this product has not been determined.

Persistence and degradability

Hazardous substances CAS-No.	Result value	Route of application	Species	Method
Polyethylene glycol MG 400	inherently	aerobic	> 99.9 %	OECD Guideline 302 B
25322-68-3	biodegradable			(Inherent biodegradability:
	_			Zahn-Wellens/EMPA Test)
	readily biodegradable	aerobic	91 %	OECD Guideline 301 F (Ready
				Biodegradability: Manometric
				Respirometry Test)
Tetramethyl		aerobic	0 %	OECD Guideline 301 F (Ready
Acetyloctahydronaphthalen				Biodegradability: Manometric
es				Respirometry Test)
54464-57-2				

Bioaccum ulative potential

The bioaccumulation potential of this product has not been determined.

Mobility in soil

The mobility of this product (in soil and water) has not been determined.

13. DISPOSAL CONSIDERATIONS

Description of waste residues:

Hazardous waste number: Not regulated

Safe handling and disposal methods:

Recommended method of disposal: This product is not a RCRA hazardous waste and can be disposed of in

accordance with federal, state and local regulations.

Disposal of uncleaned packages: Do not reuse this container.

14. TRANSPORT INFORMATION

The information in this section is for reference only and should not take the place of a shipping paper (bill of lading) specific to an order. Please note that the proper shipping classification may vary by packaging, properties, and mode of transportation.

U.S. Department of Transportation Ground (49 CFR)

 Proper shipping name:
 Not regulated

 Hazard class or division:
 None

 Identification number:
 None

 Packing group:
 None

International Air Transportation (ICAO/IATA)

Proper shipping name:
Hazard class or division:
Identification number:
Packing group:
Not regulated
None
None

Water Transportation (IMO/IMDG)

Proper shipping name: Not regulated Hazard class or division: None

Identification number:NonePacking group:None

15. REGULATORY INFORMATION

Occupational safety and health act: Hazard Communication Standard, 29 CFR 1910.1200(g) Appendix D: The Occupational Safety and Health Administration (OSHA) require that the Safety Data Sheets (SDSs) are readily accessible to employees for all hazardous chemicals in the workplace. Since the use pattern and exposure in the workplace are generally not consistent with those experienced by consumers, this SDS may contain health hazard information not relevant to consumer use.

United States Regulatory Information

TSCA 8 (b) Inventory Status: All components are listed or are exempt from listing on the Toxic Substances Control Act

inventory.

TSCA 12 (b) Export Notification:

CERCLA/SARA Section 302 EHS: None above reporting de minimis.

CERCLA/SARA Section 311/312: Not available.

CERCLA/SARA Section 313: None above reporting de minimis.

California Proposition 65: No California Proposition 65 listed chemicals are known to be present.

Canada Regulatory Information

CEPA DSL/NDSL Status: One or more components are not listed on, and are not exempt from listing on either the

Domestic Substances List or the Non-Domestic Substances List.

16. OTHER INFORMATION

DISCLAIM ER: The data contained herein are furnished for information only and are believed to be reliable. How ever, Henkel Corporation and its affiliates ("Henkel") does not assume responsibility for any results obtained by persons over whose methods Henkel has no control. It is the user's responsibility to determine the suitability of Henkel's products or any production methods mentioned herein for a particular purpose, and to adopt such precautions as may be advisable for the protection of property and persons against any hazards that may be involved in the handling and use of any Henkel's products. In light of the foregoing, Henkel specifically disclaims all w arranties, express or implied, including w arranties of merchantability and fitness for a particular purpose, arising fromsale or use of Henkel's products. Henkel further disclaims any liability for consequential or incidental damages of any kind, including lost profits.

This safety data sheet contains changes from the previous version in sections: New Safety Data Sheet format.

Prepared by: R&D Support Services

Issue date: 04/09/2018