



# Advanced Repair Technology, Inc.

## *The Science of Repair*

### 1. Identification

<b>Product identifier</b>	ART 401 - Part B
<b>Other means of identification</b>	
<b>SKU#</b>	IE408H
<b>Recommended use</b>	Not available.
<b>Recommended restrictions</b>	None known.
<b>Manufacturer/Importer/Supplier/Distributor information</b>	
<b>Manufacturer</b>	
<b>Company name</b>	Advanced Repair Technology, Inc.
<b>Address</b>	PO Box 510 Cherry Valley, New York 13320 USA
<b>Telephone</b>	(607) 264-9040
<b>Website</b>	www.advancedrepair.com
<b>E-mail</b>	contactadvancedrepair@gmail.com
<b>Contact person</b>	Lisa Salvo
<b>Emergency phone number</b>	CHEMTREC 800-424-9300, International 703-527-3887

### 2. Hazard(s) identification

<b>Physical hazards</b>	Not classified.	
<b>Health hazards</b>	Acute toxicity, oral	Category 4
	Acute toxicity, dermal	Category 4
	Skin corrosion/irritation	Category 1
	Serious eye damage/eye irritation	Category 1
	Sensitization, skin	Category 1A
	Reproductive toxicity	Category 2
<b>Environmental hazards</b>	Hazardous to the aquatic environment, acute hazard	Category 1
	Hazardous to the aquatic environment, long-term hazard	Category 1
<b>OSHA defined hazards</b>	Not classified.	

#### Label elements



**Signal word** Danger

**Hazard statement** Harmful if swallowed. Harmful in contact with skin. Causes severe skin burns and eye damage. May cause an allergic skin reaction. Causes serious eye damage. Suspected of damaging fertility or the unborn child. Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects.

#### Precautionary statement

##### Prevention

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe mist or vapor. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Contaminated work clothing must not be allowed out of the workplace. Avoid release to the environment. Wear protective gloves/protective clothing/eye protection/face protection.

ADVANCED REPAIR TECHNOLOGY • PO Box 510 • Cherry Valley, NY 13320  
 Phone: 607-264-9040 • Tech Support: 866-859-2787 • Fax: 607-264-8307 • Email: contactadvancedrepair@gmail.com

VISIT US ON THE WEB! [WWW.ADVANCEDREPAIR.COM](http://WWW.ADVANCEDREPAIR.COM) FOR TECH SUPPORT & HOW TO DEMOS



# Advanced Repair Technology, Inc.

## *The Science of Repair*

<b>Response</b>	If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If inhaled: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If exposed or concerned: Get medical advice/attention. Call a poison center/doctor if you feel unwell. If skin irritation or rash occurs: Get medical advice/attention. Take off contaminated clothing and wash before reuse. Collect spillage.
<b>Storage</b>	Store locked up.
<b>Disposal</b>	Dispose of contents/container in accordance with local/regional/national/international regulations.
<b>Hazard(s) not otherwise classified (HNOC)</b>	None known.
<b>Supplemental information</b>	9.09% of the mixture consists of component(s) of unknown acute oral toxicity. 62.83% of the mixture consists of component(s) of unknown acute inhalation toxicity. 37.87% of the mixture consists of component(s) of unknown acute hazards to the aquatic environment. 18.79% of the mixture consists of component(s) of unknown long-term hazards to the aquatic environment.

### 3. Composition/information on ingredients

#### Mixtures

Chemical name	Common name and synonyms	CAS number	%
nonyl phenol		84852-15-3	10 - 30
1-(2-aminoethyl)piperazine		140-31-8	7 - 13
Poly(oxypropylene)diamine		9046-10-0	7 - 13
Fatty Acids, C18-unsatd., Dimers		61788-89-4	5 - 10
Silicon Dioxide		112945-52-5	5 - 10
TETRAETHYLENEMPENTAMINE		112-57-2	1 - 5
4,4'-Isopropylidenediphenol		80-05-7	1 - < 3
Diethylenetriamine		111-40-0	1 - < 3
Other components below reportable levels			10 - 30

\*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

### 4. First-aid measures

<b>Inhalation</b>	Move to fresh air. Call a physician if symptoms develop or persist.
<b>Skin contact</b>	Remove contaminated clothing immediately and wash skin with soap and water. Chemical burns must be treated by a physician. Get medical advice/attention if you feel unwell. In case of eczema or other skin disorders: Seek medical attention and take along these instructions. Wash contaminated clothing before reuse.
<b>Eye contact</b>	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately.
<b>Ingestion</b>	Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.
<b>Most important symptoms/effects, acute and delayed</b>	Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result.
<b>Indication of immediate medical attention and special</b>	Provide general supportive measures and treat symptomatically. Chemical burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an

ADVANCED REPAIR TECHNOLOGY • PO Box 510 • Cherry Valley, NY 13320  
 Phone: 607-264-9040 • Tech Support: 866-859-2787 • Fax: 607-264-8307 • Email: [contactadvancedrepair@gmail.com](mailto:contactadvancedrepair@gmail.com)

VISIT US ON THE WEB! [WWW.ADVANCEDREPAIR.COM](http://WWW.ADVANCEDREPAIR.COM) FOR TECH SUPPORT & HOW TO DEMOS



# Advanced Repair Technology, Inc.

## *The Science of Repair*

<b>treatment needed</b>	ambulance. Continue flushing during transport to hospital. Keep victim warm. Keep victim under observation. Symptoms may be delayed.
<b>General information</b>	IF exposed or concerned: Get medical advice/attention. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Wash contaminated clothing before reuse.
<b>5. Fire-fighting measures</b>	
<b>Suitable extinguishing media</b>	Alcohol resistant foam. Powder. Carbon dioxide (CO2).
<b>Unsuitable extinguishing media</b>	Do not use water jet as an extinguisher, as this will spread the fire.
<b>Specific hazards arising from the chemical</b>	During fire, gases hazardous to health may be formed.
<b>Special protective equipment and precautions for firefighters</b>	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
<b>Fire fighting equipment/instructions</b>	Move containers from fire area if you can do so without risk.
<b>Specific methods</b>	Use standard firefighting procedures and consider the hazards of other involved materials.
<b>General fire hazards</b>	No unusual fire or explosion hazards noted.
<b>6. Accidental release measures</b>	
<b>Personal precautions, protective equipment and emergency procedures</b>	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not breathe mist or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
<b>Methods and materials for containment and cleaning up</b>	Prevent entry into waterways, sewer, basements or confined areas.  Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.  Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.  Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.
<b>Environmental precautions</b>	Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.
<b>7. Handling and storage</b>	
<b>Precautions for safe handling</b>	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not get in eyes, on skin, or on clothing. Do not taste or swallow. Avoid prolonged exposure. When using, do not eat, drink or smoke. Pregnant or breastfeeding women must not handle this product. Should be handled in closed systems, if possible. Provide adequate ventilation. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Avoid release to the environment. Wash contaminated clothing before reuse. Observe good industrial hygiene practices.
<b>Conditions for safe storage,</b>	Store locked up. Store in tightly closed container. Store away from incompatible materials (see

ADVANCED REPAIR TECHNOLOGY • PO Box 510 • Cherry Valley, NY 13320

Phone: 607-264-9040 • Tech Support: 866-859-2787 • Fax: 607-264-8307 • Email: [contactadvancedrepair@gmail.com](mailto:contactadvancedrepair@gmail.com)

VISIT US ON THE WEB! [WWW.ADVANCEDREPAIR.COM](http://WWW.ADVANCEDREPAIR.COM) FOR TECH SUPPORT & HOW TO DEMOS



# Advanced Repair Technology, Inc.

## The Science of Repair

including any incompatibilities Section 10 of the SDS).

### 8. Exposure controls/personal protection

#### Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

#### US. OSHA Table Z-3 (29 CFR 1910.1000)

Components	Type	Value
Silicon Dioxide (CAS 112945-52-5)	TWA	0.8 mg/m <sup>3</sup>
		20 mppcf

#### US. ACGIH Threshold Limit Values

Components	Type	Value
Diethylenetriamine (CAS 111-40-0)	TWA	1 ppm

#### US. NIOSH: Pocket Guide to Chemical Hazards

Components	Type	Value
Diethylenetriamine (CAS 111-40-0)	TWA	4 mg/m <sup>3</sup>
		1 ppm
Silicon Dioxide (CAS 112945-52-5)	TWA	6 mg/m <sup>3</sup>

#### US. Workplace Environmental Exposure Level (WEEL) Guides

Components	Type	Value	Form
TETRAETHYLENEPENTA MINE (CAS 112-57-2)	TWA	5 mg/m <sup>3</sup>	Aerosol.

#### US. Workplace Environmental Exposure Level (WEEL) Guides

Components	Type	Value	Form
		1 ppm	Aerosol.

**Biological limit values** No biological exposure limits noted for the ingredient(s).

#### Exposure guidelines

##### US - California OELs: Skin designation

Diethylenetriamine (CAS 111-40-0) Can be absorbed through the skin.

##### US - Minnesota Haz Subs: Skin designation applies

Diethylenetriamine (CAS 111-40-0) Skin designation applies.

##### US ACGIH Threshold Limit Values: Skin designation

Diethylenetriamine (CAS 111-40-0) Can be absorbed through the skin.

##### US NIOSH Pocket Guide to Chemical Hazards: Skin designation

Diethylenetriamine (CAS 111-40-0) Can be absorbed through the skin.

##### US WEEL Guides: Skin designation

TETRAETHYLENEPENTAMINE (CAS 112-57-2) Can be absorbed through the skin.

ADVANCED REPAIR TECHNOLOGY • PO Box 510 • Cherry Valley, NY 13320

Phone: 607-264-9040 • Tech Support: 866-859-2787 • Fax: 607-264-8307 • Email: [contactadvancedrepair@gmail.com](mailto:contactadvancedrepair@gmail.com)

VISIT US ON THE WEB! [WWW.ADVANCEDREPAIR.COM](http://WWW.ADVANCEDREPAIR.COM) FOR TECH SUPPORT & HOW TO DEMOS



# Advanced Repair Technology, Inc.

## *The Science of Repair*

<b>Appropriate engineering controls</b>	Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product.
<b>Individual protection measures, such as personal protective equipment</b>	
<b>Eye/face protection</b>	Chemical respirator with organic vapor cartridge and full facepiece.
<b>Skin protection</b>	
<b>Hand protection</b>	Wear appropriate chemical resistant gloves.
<b>Other</b>	Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.
<b>Respiratory protection</b>	Chemical respirator with organic vapor cartridge and full facepiece.
<b>Thermal hazards</b>	Wear appropriate thermal protective clothing, when necessary.
<b>General hygiene considerations</b>	Observe any medical surveillance requirements. Keep away from food and drink. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.

## 9. Physical and chemical properties

<b>Appearance</b>	Liquid.
<b>Physical state</b>	Liquid.
<b>Form</b>	Liquid.
<b>Color</b>	Amber
<b>Odor</b>	Ammoniacal.
<b>Odor threshold</b>	Not available.
<b>pH</b>	Not available.
<b>Melting point/freezing point</b>	Not available.
<b>Initial boiling point and boiling range</b>	500 °F (260 °C)
<b>Flash point</b>	255.0 °F (123.9 °C)
<b>Evaporation rate</b>	Not available.
<b>Flammability (solid, gas)</b>	Not applicable.
<b>Upper/lower flammability or explosive limits</b>	
<b>Flammability limit - lower (%)</b>	Not available.
<b>Flammability limit - upper (%)</b>	Not available.
<b>Explosive limit - lower (%)</b>	Not available.
<b>Explosive limit - upper (%)</b>	Not available.
<b>Vapor pressure</b>	< 0.5 mm Hg
<b>Vapor density</b>	> 1
<b>Relative density</b>	Not available.

ADVANCED REPAIR TECHNOLOGY • PO Box 510 • Cherry Valley, NY 13320  
 Phone: 607-264-9040 • Tech Support: 866-859-2787 • Fax: 607-264-8307 • Email: [contactadvancedrepair@gmail.com](mailto:contactadvancedrepair@gmail.com)

VISIT US ON THE WEB! [WWW.ADVANCEDREPAIR.COM](http://WWW.ADVANCEDREPAIR.COM) FOR TECH SUPPORT & HOW TO DEMOS



# Advanced Repair Technology, Inc.

## *The Science of Repair*

### Solubility(ies)

<b>Solubility (water)</b>	Not available.
<b>Partition coefficient (n-octanol/water)</b>	Not available.
<b>Auto-ignition temperature</b>	Not available.
<b>Decomposition temperature</b>	Not available.
<b>Viscosity</b>	Not available.

### Other information

<b>Density</b>	8.38 lb/gal
<b>Explosive properties</b>	Not explosive.
<b>Flammability class</b>	Combustible III B estimated
<b>Oxidizing properties</b>	Not oxidizing.
<b>Specific gravity</b>	1.01

## 10. Stability and reactivity

<b>Reactivity</b>	The product is stable and non-reactive under normal conditions of use, storage and transport.
<b>Chemical stability</b>	Material is stable under normal conditions.
<b>Possibility of hazardous reactions</b>	Hazardous polymerization does not occur.
<b>Conditions to avoid</b>	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Contact with incompatible materials.
<b>Incompatible materials</b>	Alkaline metals. Chlorine. Fluorine. Peroxides. Phenols.
<b>Hazardous decomposition products</b>	No hazardous decomposition products are known.

## 11. Toxicological information

### Information on likely routes of exposure

<b>Inhalation</b>	May cause irritation to the respiratory system. Prolonged inhalation may be harmful.
<b>Skin contact</b>	Causes severe skin burns. Harmful in contact with skin. May cause an allergic skin reaction.
<b>Eye contact</b>	Causes serious eye damage.
<b>Ingestion</b>	Causes digestive tract burns. Harmful if swallowed.

<b>Symptoms related to the physical, chemical and toxicological characteristics</b>	Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result.
---	---

### Information on toxicological effects

<b>Acute toxicity</b>	Harmful in contact with skin. Harmful if swallowed.
-----------------------	---

Components	Species	Test Results
4,4'-Isopropylidenediphenol (CAS 80-05-7)		
<b>Acute</b>		
<b>Oral</b>		
LD50	Rat	3300 mg/kg

ADVANCED REPAIR TECHNOLOGY • PO Box 510 • Cherry Valley, NY 13320  
 Phone: 607-264-9040 • Tech Support: 866-859-2787 • Fax: 607-264-8307 • Email: [contactadvancedrepair@gmail.com](mailto:contactadvancedrepair@gmail.com)

VISIT US ON THE WEB! [WWW.ADVANCEDREPAIR.COM](http://WWW.ADVANCEDREPAIR.COM) FOR TECH SUPPORT & HOW TO DEMOS



# Advanced Repair Technology, Inc.

## The Science of Repair

Diethylenetriamine (CAS 111-40-0)

**Acute**

**Oral**

LD50	Rat	1080 mg/kg
------	-----	------------

nonyl phenol (CAS 84852-15-3)

**Acute**

**Dermal**

LD50	Rabbit	2140 mg/kg
------	--------	------------

**Oral**

LD50	Rat	1600 mg/kg
------	-----	------------

Components	Species	Test Results
------------	---------	--------------

Silicon Dioxide (CAS 112945-52-5)

**Acute**

**Oral**

LD50	Rat	> 22500 mg/kg
------	-----	---------------

TETRAETHYLENEPENTAMINE (CAS 112-57-2)

**Acute**

**Dermal**

LD50	Rabbit	0.66 g/kg
------	--------	-----------

**Oral**

LD50	Rat	2.1 g/kg
------	-----	----------

**Skin corrosion/irritation** Causes severe skin burns and eye damage.

**Serious eye damage/eye irritation** Causes serious eye damage.

**Respiratory or skin sensitization**

**Respiratory sensitization** Not a respiratory sensitizer.

**Skin sensitization** May cause an allergic skin reaction.

**Germ cell mutagenicity** No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.

**Carcinogenicity** Not classifiable as to carcinogenicity to humans.

**IARC Monographs. Overall Evaluation of Carcinogenicity**

Silicon Dioxide (CAS 112945-52-5) 3 Not classifiable as to carcinogenicity to humans.

**OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)**

Not regulated.

**US. National Toxicology Program (NTP) Report on Carcinogens**

Not listed.

**Reproductive toxicity** Suspected of damaging fertility or the unborn child.

**Specific target organ toxicity - single exposure** Not classified.

**Specific target organ toxicity - repeated exposure** Not classified.

ADVANCED REPAIR TECHNOLOGY • PO Box 510 • Cherry Valley, NY 13320

Phone: 607-264-9040 • Tech Support: 866-859-2787 • Fax: 607-264-8307 • Email: [contactadvancedrepair@gmail.com](mailto:contactadvancedrepair@gmail.com)

VISIT US ON THE WEB! [WWW.ADVANCEDREPAIR.COM](http://WWW.ADVANCEDREPAIR.COM) FOR TECH SUPPORT & HOW TO DEMOS



# Advanced Repair Technology, Inc.

## *The Science of Repair*

**Aspiration hazard** Not an aspiration hazard.  
**Chronic effects** Prolonged inhalation may be harmful.

### 12. Ecological information

**Ecotoxicity** Very toxic to aquatic life with long lasting effects.  
**Persistence and degradability** No data is available on the degradability of any ingredients in the mixture.  
**Bioaccumulative potential**

**Partition coefficient n-octanol / water (log Kow)**

4,4'-Isopropylidenediphenol	3.32
nonyl phenol	5.71
TETRAETHYLENEMPENTAMINE	1.503

**Mobility in soil** No data available.

**Other adverse effects** No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

### 13. Disposal considerations

**Disposal instructions** Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Incinerate the material under controlled conditions in an approved incinerator. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or usec container. Dispose of contents/container in accordance with local/regional/national/international regulations.

**Local disposal regulations** Dispose in accordance with all applicable regulations.

**Hazardous waste code** D002: Waste Corrosive material [pH <=2 or =>12.5, or corrosive to steel]  
 The waste code should be assigned in discussion between the user, the producer and the waste disposal company.

**Waste from residues / unused products** Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).

**Contaminated packaging** Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

### 14. Transport information

#### DOT

<b>UN number</b>	UN3066
<b>UN proper shipping name</b>	Paint
<b>Transport hazard class(es)</b>	
<b>Class</b>	8
<b>Subsidiary risk</b>	-
<b>Label(s)</b>	8
<b>Packing group</b>	III
<b>Special precautions for user</b>	Read safety instructions, SDS and emergency procedures before handling.
<b>Special provisions</b>	B52, IB3, T4, TP1, TP29
<b>Packaging exceptions</b>	154
<b>Packaging non bulk</b>	173
<b>Packaging bulk</b>	241

#### IATA

ADVANCED REPAIR TECHNOLOGY • PO Box 510 • Cherry Valley, NY 13320  
 Phone: 607-264-9040 • Tech Support: 866-859-2787 • Fax: 607-264-8307 • Email: [contactadvancedrepair@gmail.com](mailto:contactadvancedrepair@gmail.com)

VISIT US ON THE WEB! [WWW.ADVANCEDREPAIR.COM](http://WWW.ADVANCEDREPAIR.COM) FOR TECH SUPPORT & HOW TO DEMOS





# Advanced Repair Technology, Inc.

## *The Science of Repair*

<b>UN number</b>	UN3066
<b>UN proper shipping name</b>	Paint
<b>Transport hazard class(es)</b>	
Class	8
Subsidiary risk	-
<b>Packing group</b>	III
<b>Environmental hazards</b>	Yes
<b>ERG Code</b>	8L
<b>Special precautions for user</b>	Read safety instructions, SDS and emergency procedures before handling.
<b>Other information</b>	
<b>Passenger and cargo aircraft</b>	Allowed with restrictions.
<b>Cargo aircraft only</b>	Allowed with restrictions.

### IMDG

<b>UN number</b>	UN3066
<b>UN proper shipping name</b>	PAINT, MARINE POLLUTANT
<b>Transport hazard class(es)</b>	
Class	8
Subsidiary risk	-
<b>Packing group</b>	III
<b>Environmental hazards</b>	
<b>Marine pollutant</b>	Yes
<b>EmS</b>	F-A, S-B
<b>Special precautions for user</b>	Read safety instructions, SDS and emergency procedures before handling.
<b>Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code</b>	Not established.

### DOT



### IATA; IMDG



ADVANCED REPAIR TECHNOLOGY • PO Box 510 • Cherry Valley, NY 13320  
 Phone: 607-264-9040 • Tech Support: 866-859-2787 • Fax: 607-264-8307 • Email: [contactadvancedrepair@gmail.com](mailto:contactadvancedrepair@gmail.com)


VISIT US ON THE WEB! [WWW.ADVANCEDREPAIR.COM](http://WWW.ADVANCEDREPAIR.COM) FOR TECH SUPPORT & HOW TO DEMOS



# Advanced Repair Technology, Inc.

## *The Science of Repair*

### Marine pollutant



**General information** IMDG Regulated Marine Pollutant.

### 15. Regulatory information

**US federal regulations** This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

#### TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

nonyl phenol (CAS 84852-15-3) 1.0 % One-Time Export Notification only.

#### TSCA Chemical Action Plans, Chemicals of Concern

4,4'-Isopropylidenediphenol (CAS 80-05-7) Bisphenol A Action Plan  
nonyl phenol (CAS 84852-15-3) Nonylphenol (NP) and Nonylphenol Ethoxylates (NPEs) Action Plan

#### CERCLA Hazardous Substance List (40 CFR 302.4)

4,4'-Isopropylidenediphenol (CAS 80-05-7) Listed.

#### SARA 304 Emergency release notification

Not regulated.

#### OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

#### US EPCRA (SARA Title III) Section 313 - Toxic Chemical: De minimis concentration

4,4'-Isopropylidenediphenol (CAS 80-05-7) % 1.0  
nonyl phenol (CAS 84852-15-3) % 1.0

#### US EPCRA (SARA Title III) Section 313 - Toxic Chemical: Listed substance

4,4'-Isopropylidenediphenol (CAS 80-05-7) Listed.  
nonyl phenol (CAS 84852-15-3) Listed.

#### Superfund Amendments and Reauthorization Act of 1986 (SARA)

##### SARA 302 Extremely hazardous substance

Not listed.

**SARA 311/312 Hazardous chemical** Yes

**Classified hazard categories** Acute toxicity (any route of exposure)  
Skin corrosion or irritation  
Serious eye damage or eye irritation  
Respiratory or skin sensitization  
Reproductive toxicity

ADVANCED REPAIR TECHNOLOGY • PO Box 510 • Cherry Valley, NY 13320  
Phone: 607-264-9040 • Tech Support: 866-859-2787 • Fax: 607-264-8307 • Email: [contactadvancedrepair@gmail.com](mailto:contactadvancedrepair@gmail.com)

VISIT US ON THE WEB! [WWW.ADVANCEDREPAIR.COM](http://WWW.ADVANCEDREPAIR.COM) FOR TECH SUPPORT & HOW TO DEMOS



# Advanced Repair Technology, Inc.

## The Science of Repair

### SARA 313 (TRI reporting)

Chemical name	CAS number	% by wt.
4,4'-Isopropylidenediphenol	80-05-7	1 - < 3
nonyl phenol	84852-15-3	10 - 30

### Other federal regulations

#### Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

4,4'-Isopropylidenediphenol (CAS 80-05-7)

#### Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

**Safe Drinking Water Act (SDWA)** Not regulated.

### US state regulations

#### California Proposition 65



**WARNING:** This product can expose you to 4,4'-Isopropylidenediphenol, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

#### California Proposition 65 - CRT: Listed date/Female reproductive toxin

4,4'-Isopropylidenediphenol (CAS 80-05-7) Listed: May 11, 2015

#### US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

4,4'-Isopropylidenediphenol (CAS 80-05-7)

### International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

### 16. Other information, including date of preparation or last revision

Issue date 05-24-2018

ADVANCED REPAIR TECHNOLOGY • PO Box 510 • Cherry Valley, NY 13320  
Phone: 607-264-9040 • Tech Support: 866-859-2787 • Fax: 607-264-8307 • Email: [contactadvancedrepair@gmail.com](mailto:contactadvancedrepair@gmail.com)

VISIT US ON THE WEB! [WWW.ADVANCEDREPAIR.COM](http://WWW.ADVANCEDREPAIR.COM) FOR TECH SUPPORT & HOW TO DEMOS



# Advanced Repair Technology, Inc.

## *The Science of Repair*

<b>Version #</b>	01
<b>HMIS® ratings</b>	Health: 3* Flammability: 1 Physical hazard: 1 Personal protection: B
<b>NFPA ratings</b>	Health: 3 Flammability: 1 Instability: 1
<b>Disclaimer</b>	ITW Performance Polymers cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release.
<b>Revision information</b>	Product and Company Identification: Product and Company Identification Accidental release measures: Personal precautions, protective equipment and emergency procedures Accidental release measures: Methods and materials for containment and cleaning up Handling and storage: Precautions for safe handling Handling and storage: Conditions for safe storage, including any incompatibilities Physical & Chemical Properties: Multiple Properties Stability and reactivity: Conditions to avoid Toxicological information: Inhalation Ecological information: Persistence / degradability Transport information: General information Regulatory information: California Proposition 65 Other information, including date of preparation or last revision: References Other information, including date of preparation or last revision: Disclaimer

ADVANCED REPAIR TECHNOLOGY • PO Box 510 • Cherry Valley, NY 13320  
Phone: 607-264-9040 • Tech Support: 866-859-2787 • Fax: 607-264-8307 • Email: [contactadvancedrepair@gmail.com](mailto:contactadvancedrepair@gmail.com)

VISIT US ON THE WEB! [WWW.ADVANCEDREPAIR.COM](http://WWW.ADVANCEDREPAIR.COM) FOR TECH SUPPORT & HOW TO DEMOS