

SAFETY DATA SHEET

Version 1

Revision Date 09-Apr-2015

1. IDENTIFICATION

<u>Product identifier</u> Product Name	Black Magic Tire Wet Foam	
Other means of identification Product Code Document Synonyms	11884 SKU 800002220 None	
<u>Recommended use of the chemical</u> Recommended Use Uses advised against	and restrictions on use Wheel Cleaner Consumer Use All other applications	
Details of the supplier of the safety Supplier Address ITW Global Brands 6925 Portwest Dr., Suite 100 Houston, TX 77024	<u>data sheet</u> <u>Manufacturer Address</u>	<u>Distributor</u>
Company Phone Number	1-855-888-1988 (CHEMTREC) 1-800-424-9300 or 1-703-527-3 (RMPDC) 1-877-504-9352 (U.S.)	3887 (U.S.)
E-mail address	SDS@itwgb.com	

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

NOTE: This product is a consumer product and is labeled in accordance with the US Consumer Product Safety Commission regulations which take precedence over OSHA Hazard Communication labeling. The actual container label will not include the label elements below. The labeling below applies to industrial/professional products.

Germ cell mutagenicity	Category 1B
Carcinogenicity	Category 1B
Gases under pressure	Dissolved gas

Label elements

Emergency Overview

Danger
May cause genetic defects
May cause cancer Contains gas under pressure; may explode if heated

Appearance Opaque white

Physical state Liquid Aerosol

Precautionary Statements - Prevention

Obtain special instructions before use Do not handle until all safety precautions have been read and understood Use personal protective equipment as required Contents under pressure and can explode when exposed to heat or open flame

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention IF INHALED: Remove victim to fresh air and keep at rest IF SWALLOWED: Rinse mouth. DO NO induce vomiting IF SKIN irritation occurs: rinse thoroughly and get medical advice

Precautionary Statements - Storage

Store locked up Protect from sunlight. Store in a well-ventilated place Do not expose to temperatures exceeding 122 °F (50 °C) Keep out of reach of children

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Not applicable

Other Information

- May be harmful in contact with skin

- Harmful to aquatic life with long lasting effects

3. COMPOSITION/INFORMATION ON INGREDIENTS

substance(s)

Chemical Name	CAS No	Weight-%	Trade Secret
WATER	7732-18-5	30 - 60	*
POLYDIMETHYLSILOXANE	63148-62-9	15 - 40	*
ISOBUTANE	75-28-5	3 - 7	*
PROPANE (PROPELLANT)	74-98-6	1 - 5	*
MORPHOLINE	110-91-8	<0.1	*

*The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Description of first aid measures

General advice	Get medical advice/attention if you feel unwell.
Eye contact	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
Skin contact	IF ON SKIN:. Wash skin with soap and water. If skin irritation persists, call a physician. Wash contaminated clothing before reuse.
Inhalation	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If symptoms persist, call a physician.

Ingestion	IF SWALLOWED:. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a physician.
Self-protection of the first aider	Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.
Most important symptoms and effe	ects, both acute and delayed
Symptoms	See section 2 for more information.
Indication of any immediate medic	al attention and special treatment needed
Note to physicians	Treat symptomatically.
	5. FIRE-FIGHTING MEASURES
Suitable extinguishing media Dry chemical, CO2, water spray or re	gular foam, Water spray or fog
<u>Unsuitable extinguishing media</u> None.	
Specific hazards arising from the c Contents under pressure and can exp	chemical blode when exposed to heat or flames.
<u>Explosion data</u> Sensitivity to Mechanical Impact Sensitivity to Static Discharge	None. May be ignited by heat, sparks or flames.
Protective equipment and precauti As in any fire, wear self-contained bre protective gear.	ons for firefighters eathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions, protective e	quipment and emergency procedures
Personal precautions	Remove all sources of ignition.
Environmental precautions	
Environmental precautions	Do not flush into surface water or sanitary sewer system. See Section 12 for additional ecological Information.
Methods and material for containm	ent and cleaning up
Methods for containment	Prevent further leakage or spillage if safe to do so.
Methods for cleaning up	Ensure adequate ventilation. Soak up with inert absorbent material. Sweep up and shovel into suitable containers for disposal.
Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.
	7. HANDLING AND STORAGE
Precautions for safe handling	
Advice on safe handling	Do not puncture or incinerate cans. Contents under pressure. Remove all sources of ignition. Handle in accordance with good industrial hygiene and safety practice. Avoid breathing vapors or mists. Avoid contact with skin, eyes or clothing. Wash thoroughly after handling. Use personal protective equipment as required.

Page 3/8

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a cool, well-ventilated place. Keep away from sunlight, ignition sources and other sources of heat. Keep out of the reach of children.

Incompatible materials Strong oxidizing agents

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
ISOBUTANE 75-28-5	STEL: 1000 ppm	-	TWA: 800 ppm TWA: 1900 mg/m ³
PROPANE (PROPELLANT) 74-98-6	TWA: 1000 ppm	TWA: 1000 ppm TWA: 1800 mg/m ³ (vacated) TWA: 1000 ppm (vacated) TWA: 1800 mg/m ³	IDLH: 2100 ppm TWA: 1000 ppm TWA: 1800 mg/m ³
MORPHOLINE 110-91-8	TWA: 20 ppm S*	TWA: 20 ppm TWA: 70 mg/m ³ (vacated) TWA: 20 ppm (vacated) TWA: 70 mg/m ³ (vacated) STEL: 30 ppm (vacated) STEL: 105 mg/m ³ (vacated) S* S*	IDLH: 1400 ppm TWA: 20 ppm TWA: 70 mg/m ³ STEL: 30 ppm STEL: 105 mg/m ³

NIOSH IDLH Immediately Dangerous to Life or Health

Other Information

G

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

Appropriate engineering controls

Boiling point / boiling range

Engineering Controls	Showers
	Eyewash stations
	Ventilation systems

Individual protection measures, such as personal protective equipment

	Eye/face protection	Wear safety glasses with side shields (or goggles).
	Skin and body protection	Wear protective gloves and protective clothing.
	Respiratory protection	Use NIOSH-approved air-purifying respirator with organic vapor cartridge or canister, as appropriate.
Ge	eneral Hygiene Considerations	Handle in accordance with good industrial hygiene and safety practice. Regular cleaning of equipment, work area and clothing is recommended.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state	Liquid; Aerosol
Appearance	Opaque white
Odor	Cherry
Odor threshold	No information available
Property_	<u>Values</u>
pH	10
Melting point / freezing point	No information available

100 °C / 212 °F

Remarks • Method

Flash point **Evaporation rate** Flammability (solid, gas) Flammability Limit in Air Upper flammability limit: Lower flammability limit: Vapor pressure Vapor density **Relative density** Water solubility Solubility in other solvents Partition coefficient Autoignition temperature **Decomposition temperature** Kinematic viscosity **Dvnamic viscositv Explosive properties Oxidizing properties**

Other Information

Softening point Molecular weight VOC Content (%) Density Bulk density

No information available Typical 0.994 @ 20°C Soluble in water No information available No information available

>93 °C / 200 °F

No information available No information available 7% Typical 0.9 g/cm3 @ 20°C No information available

10. STABILITY AND REACTIVITY

Reactivity No data available

Chemical stability

Stable under recommended storage conditions

Possibility of Hazardous Reactions None under normal processing.

None under hormal processing.

<u>Conditions to avoid</u> Heat, flames and sparks. Excessive heat.

Incompatible materials

Strong oxidizing agents

Hazardous Decomposition Products

Carbon oxides

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Shamiaal Nama	Oral LDE0	Dormol J DE0	Inholation I CE0
Ingestion	Ingestion may cause irritat	ion to mucous membranes.	
Skin contact	May cause skin irritation a	nd/or dermatitis.	
Eye contact	Contact with eyes may cau	use irritation. May cause redness	and tearing of the eyes.
Inhalation	May cause irritation of resp	biratory tract.	

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
WATER 7732-18-5	> 90 mL/kg (Rat)	-	-

POLYDIMETHYLSILOXANE 63148-62-9	> 17 g/kg (Rat)	> 2 g/kg (Rabbit)	-
ISOBUTANE 75-28-5	-	-	= 658 mg/L (Rat)4 h
PROPANE (PROPELLANT) 74-98-6	-	-	= 658 mg/L (Rat)4 h
MORPHOLINE 110-91-8	= 1050 mg/kg (Rat)	310 - 810 mg/kg (Rabbit)	= 8000 ppm (Rat)8 h

Information on toxicological effects

Symptoms

No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization Germ cell mutagenicity Carcinogenicity	carcinogenic	on available. contains one or more subs	stances which are classifie ably carcinogenic to huma	d by IARC as ns (Group 2A) or possibly
Chemical Name	ACGIH	IARC	NTP	OSHA

Chemical Name	ACGIH	IARC	NTP	OSHA
MORPHOLINE	-	Group 3	-	-
110-91-8				
	- ·			

Target Organ Effects

Central nervous system.

The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (oral)	19503 mg/kg
ATEmix (dermal)	4414 mg/kg
ATEmix (inhalation-gas)	4095644 mg/l
ATEmix (inhalation-dust/mist)	32.5 mg/l

12. ECOLOGICAL INFORMATION

Ecotoxicity

Chemical Name	Algae/aquatic plants	Fish	Crustacea
MORPHOLINE 110-91-8	28: 96 h Pseudokirchneriella subcapitata mg/L EC50 static	350: 96 h Lepomis macrochirus mg/L LC50 static 375 - 460: 96 h Oncorhynchus mykiss mg/L LC50 1000: 96 h Brachydanio rerio mg/L LC50 static	100: 24 h Daphnia magna mg/L EC50

Persistence and degradability

No information available.

Bioaccumulation

No information available.

Mobility

Disperses in water.

Chemical Name	Partition coefficient
ISOBUTANE 75-28-5	2.88
PROPANE (PROPELLANT) 74-98-6	2.3
MORPHOLINE 110-91-8	-2.55

Other adverse effects

No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods	
Disposal of wastes	Recover or recycle if possible. Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated packaging	Do not reuse container.
US EPA Waste Number	Not applicable

14. TRANSPORT INFORMATION

<u>DOT</u> UN/ID no Proper shipping name: Hazard Class	UN 1950 Aerosols, Limited Quantity (LQ) 2.2
<u>IATA</u> UN/ID no Proper shipping name: Hazard Class	UN 1950 Aerosols, Limited Quantity (LQ) 2.2
IMDG UN/ID no Proper shipping name: Hazard Class	UN 1950 Aerosols, Limited Quantity (LQ) 2.2

15. REGULATORY INFORMATION

International Inventories	
TSCA	Complies
DSL/NDSL	Complies
EINECS/ELINCS	Complies
ENCS	Not determined
IECSC	Not determined
KECL	Not determined
PICCS	Not determined
AICS	Not determined

Legend:

 TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

 DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

 EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

 ENCS - Japan Existing and New Chemical Substances

 IECSC - China Inventory of Existing Chemical Substances

 KECL - Korean Existing and Evaluated Chemical Substances

 PICCS - Philippines Inventory of Chemicals and Chemical Substances

 AICS - Australian Inventory of Chemical Substances

US Federal Regulations

<u>SARA 313</u>

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories	
Acute health hazard	No
Chronic Health Hazard	No

Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
ISOBUTANE 75-28-5	X	X	Х
PROPANE (PROPELLANT) 74-98-6	X	X	Х
MORPHOLINE 110-91-8	X	X	Х

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

WHMIS Hazard Class

Non-controlled

<u>NFPA</u>	Health hazards 2	Flammability 2	Instability 1	-
HMIS	Health hazards 2	Flammability 2	Physical hazards 1	Personal protection B
(e Protection Association) Material Information System)			

HMIS (Hazardous Material Information System)

Revision Date	09-Apr-2015
Revision Note	-

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

2

End of Safety Data Sheet