SAFETY DATA SHEET

16-Aug-2016

1. IDENTIFICATION

Product identifier

Product Name CLOROX POOL&SPA ALGAECIDE XTRA BLUE

Other means of identification

Product Code 43040CLX UN/ID no. UN1760

Recommended use of the chemical and restrictions on use
Recommended Use
Uses advised against
Swimming pool algaecide.
Do not mix with other chemicals

Details of the supplier of the safety data sheet

Supplier Address Easy 123 Pool Care LLC 1725 N. Brown Road Lawrenceville, GA 30043 Telephone: 800-767-7665

Emergency telephone number

Emergency Telephone Chemtrec (Transportation) 1-800-424-9300, 703-527-3887

Poison Control Center (Medical): (877) 800-5553

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Oral	Category 5
Serious eye damage/eye irritation	Category 2A
Corrosive to metals	Category 1

Label elements

Emergency Overview

Warning

Hazard statements

May be harmful if swallowed Causes serious eye irritation May be corrosive to metals



Color Blue green Physical state liquid Odor acidic

Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling Wear protective gloves/protective clothing/eye protection/face protection Keep only in original container

Precautionary Statements - Response

Call a POISON CENTER or doctor/physician if you feel unwell

Specific treatment (see back panel on this label)

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention

Absorb spillage to prevent material damage

Precautionary Statements - Storage

Store in original plastic container. Store in a well-ventilated place. Keep cool

Hazards not otherwise classified (HNOC)

Not applicable

Other Information

23.3% of the mixture consists of ingredient(s) of unknown toxicity

3. COMPOSITION/INFORMATION ON INGREDIENTS

Mixture

Chemical Name	CAS No.	Weight-%
Copper (metallic)	7440-50-8	3.3*

^{*} Derived from Copper sulfate pentahydrate (CAS # 7758-99-8)

4. FIRST AID MEASURES

Description of first aid measures

Eye contact Immediately flush with plenty of water. After initial flushing, remove any contact lenses and

continue flushing for at least 15 minutes. Call a physician.

Skin contact Wash off immediately with plenty of water for at least 15 minutes. Remove contaminated

clothing and shoes. If skin irritation persists, call a physician.

Inhalation Remove to fresh air. Oxygen or artificial respiration if needed. If symptoms persist, call a

physician.

Ingestion Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Clean

mouth with water and drink afterwards plenty of water. Call a physician.

Most important symptoms and effects, both acute and delayed

Symptoms No information available.

Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media None known.

Specific hazards arising from the chemical

No information available.

Explosion data

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

Ensure adequate ventilation, especially in confined areas.

Environmental precautions

Environmental precautionsDo not allow into any sewer, on the ground or into any body of water. See Section 12 for

additional ecological information.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up

Use personal protective equipment as required. Soak up with inert absorbent material. Pick

up and transfer to properly labeled containers.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with

skin, eyes or clothing. Do not mix with other chemicals.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep out of the reach of children. Keep in a dry, cool and well-ventilated place.

Incompatible materials Incompatible with oxidizing agents. Do not mix with other swimming pool/spa chemicals in

their concentrated forms.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines .

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Copper (metallic)	TWA: 0.2 mg/m ³ fume TWA: 1	TWA: 0.1 mg/m ³ fume	IDLH: 100 mg/m ³ dust, fume and
7440-50-8	mg/m³ Cu dust and mist	TWA: 1 mg/m ³ dust and mist	mist IDLH: 100 mg/m ³ Cu dust and
	-	(vacated) TWA: 0.1 mg/m ³ Cu dust,	mist
		fume, mist	TWA: 1 mg/m ³ dust and mist
			TWA: 0.1 mg/m ³ fume TWA: 1
			mg/m³ Cu dust and mist

NIOSH IDLH Immediately Dangerous to Life or Health

Other Information Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962

(11th Cir., 1992).

Appropriate engineering controls

Engineering Controls Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin and body protection Wear protective gloves and protective clothing.

Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state liquid

Appearance aqueous solution Odor acidic

Color Blue green Odor threshold No information available

Property Values Remarks • Method

pH 2 - 3

Melting point/freezing point
Boiling point / boiling range
Flash point
Evaporation rate

No information available
No information available
No information available

Flammability (solid, gas)

No information available

Flammability Limit in Air

Upper flammability limit:
Lower flammability limit:
Vapor pressure
Vapor density

No information available
No information available
No information available

Specific Gravity 1.18

Water solubility Miscible in water

Solubility in other solvents No information available **Partition coefficient** No information available **Autoignition temperature** No information available No information available **Decomposition temperature** No information available Kinematic viscosity No information available **Dynamic viscosity** Density No information available **Bulk density** No information available **Explosive properties** No information available

Oxidizing properties Not applicable

Other Information

Softening pointNo information availableMolecular weightNo information availableVOC Content (%)No information available

10. STABILITY AND REACTIVITY

Reactivity

No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to avoid

Extremes of temperature and direct sunlight.

Incompatible materials

Incompatible with oxidizing agents. Do not mix with other swimming pool/spa chemicals in their concentrated forms.

Hazardous Decomposition Products

Carbon oxides. Sulphur oxides. copper oxides.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation Not an expected route of exposure.

Eye contact Severely irritating to eyes.

Skin contact Not expected to cause skin irritation under normal use conditions.

Ingestion May be harmful if swallowed.

Information on toxicological effects

Symptoms No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

SensitizationNo information available.Germ cell mutagenicityNo information available.CarcinogenicityNo information available.

Reproductive toxicity
STOT - single exposure
STOT - repeated exposure
Chronic toxicity
No information available.
No information available.
No information available.

Target Organ Effects Eyes.

Aspiration hazard No information available.

Numerical measures of toxicity - Product Information

 Oral LD50
 3501 mg/kg (rat)

 Dermal LD50
 > 5000 mg/kg (rat)

12. ECOLOGICAL INFORMATION

Ecotoxicity

Very toxic to aquatic life with long lasting effects

29% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Copper (metallic)	0.0426 - 0.0535: 72 h	0.0068 - 0.0156: 96 h Pimephales	0.03: 48 h Daphnia magna mg/L
7440-50-8	Pseudokirchneriella subcapitata	promelas mg/L LC50 0.3: 96 h	EC50 Static
	mg/L EC50 static 0.031 - 0.054: 96	Pimephales promelas mg/L LC50	
	h Pseudokirchneriella subcapitata	static 0.2: 96 h Pimephales	
	mg/L EC50 static	promelas mg/L LC50 flow-through	
		0.052: 96 h Oncorhynchus mykiss	
		mg/L LC50 flow-through 1.25: 96 h	
		Lepomis macrochirus mg/L LC50	
		static 0.3: 96 h Cyprinus carpio	
		mg/L LC50 semi-static 0.8: 96 h	
		Cyprinus carpio mg/L LC50 static	
		0.112: 96 h Poecilia reticulata mg/L	
		LC50 flow-through	

Persistence and degradability

No information available.

Bioaccumulation

No information available.

Mobility

No information available.

Other adverse effects No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated packaging Do not reuse container. Refer to all federal, state and local regulations prior to disposal of

container and unused contents by reuse, recycle or disposal.

14. TRANSPORT INFORMATION

Note: Limited quantity (LQ) exception is possible

DOT

UN/ID no. UN1760

Proper shipping name Corrosive liquids, n.o.s. (D-glucono-1,5-lactone)

Hazard Class 8
Packing Group III
Emergency Response Guide 154

Number

IATA

UN/ID no. UN1760

Proper shipping name Corrosive liquid, n.o.s. (D-glucono-1,5-lactone)

Hazard Class 8
Packing Group III

IMDG

UN/ID no. UN1760

Proper shipping name Corrosive liquid, n.o.s. (D-glucono-1,5-lactone)

Hazard Class

Packing Group III

EmS-No. F-A, S-B

Marine pollutant This product contains a chemical which is listed as a marine pollutant according to

IMDG/IMO

15. REGULATORY INFORMATION

International Inventories

TSCA Complies DSL/NDSL Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	SARA 313 - Threshold Values %	
Copper (metallic) - 7440-50-8	1.0	
SARA 311/312 Hazard Categories		
Acute health hazard	Yes	
Chronic Health Hazard	No	
Fire hazard	No	
Sudden release of pressure hazard	No	
Reactive Hazard .	No	

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Copper (metallic) 7440-50-8	-	X	X	-

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Copper (metallic)	5000 lb	-	RQ 5000 lb final RQ
7440-50-8			RQ 2270 kg final RQ

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Copper (metallic) 7440-50-8	X	X	Х

U.S. EPA Label Information

EPA Pesticide Registration Number 5185-473-90106

EPA Statement

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling

requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

Difference between SDS and EPA Pesticide label

WARNING: Causes substantial, but temporary, eye injury. Harmful if swallowed. Harmful if inhaled. Do not get in eyes or on clothing. Avoid breathing vapors. Wear safety glasses or goggles. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash clothing before reuse.

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

NFPA Health hazards 2 Flammability 0 Instability 0 Physical and Chemical

Properties -

HMIS Health hazards 2 Flammability 0 Physical hazards 0 Personal protection X

Prepared By Regulatory Affairs Revision Date Regulatory Affairs

Revision Note No information available

Disclaimer

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet