

### PRODUCT CATALOGUE 2021







- 04 Our Story
- 06 EGO Power<sup>+</sup> System
- **08** EGO Power<sup>+</sup> Warranties
- 10 What's new for 2021
- 12 EGO Power<sup>+</sup> Range
- 14 EGO Power<sup>+</sup> Professional-X Range
- 19 EGO Power<sup>+</sup> vs. Petrol
- 20 EGO Power<sup>+</sup> Batteries & Chargers
- **36** EGO Power<sup>+</sup> Nexus Escape
- 38 EGO Power<sup>+</sup> Mowers
- **46** EGO Power<sup>+</sup> Chainsaws

EGO

- 52 EGO Power<sup>+</sup> Professional-X Top Handle Chainsaw
- 54 EGO Power<sup>+</sup> Professional-X Telescopic Pole System

- 60 EGO Power<sup>+</sup> Line Trimmers / Brush Cutters
- 68 EGO Power<sup>+</sup> Professional-X Line Trimmer / Brush Cutter
- 70 EGO Power<sup>+</sup> Professional-X Rotocut
- 72 EGO Power<sup>+</sup> Hedge Trimmers
- 74 EGO Power<sup>+</sup> Shrub / Grass Shears
- 80 EGO Power<sup>+</sup> Professional-X Hedge Trimmers
- 82 EGO Power<sup>+</sup> Blowers
- 90 EGO Power<sup>+</sup> Professional-X Blower
- 92 EGO Power<sup>+</sup> Snow Thrower
- 94 EGO Power<sup>+</sup> Multi-Tool
- **106** EGO Power<sup>+</sup> Accessories
- 110 EGO Power<sup>+</sup> Product Features



# CORDLESS TECHNOLOGY FOR A GREENER FUTURE

EGO is part of a global manufacturing business established in 1993, employing over 7,000 people and producing over 10 million units each year, which are sold in over 30,000 outlets in 65 countries worldwide. As the specialists in cordless outdoor power equipment, our strength in depth and desire to break new ground has helped EGO achieve exceptional growth while being environmentally conscious.

Launched into Europe in 2014, EGO continues to push the boundaries of cordless technology with a range of award-winning products that are creating a cleaner, quieter and safer future whilst delivering superior performance.

# Our commitment to a greener environment

EGO's commitment to innovation is driven by a talented team of over 400 highly qualified technicians responsible for developing and delivering clean, reliable power tools for today's switched-on customers. Our desire to create a greener future isn't limited to the products we develop, it also pervades the ways we operate and the places we work.

In 2004 we installed a 7,000m<sup>2</sup> Green Roof system to our dedicated R&D facility. This has saved the equivalent of 5 litres of petrol per m<sup>2</sup> each year. The roof of our Green Power Industrial Park features a 2-megawatt photovoltaic power station. Known as 'The Blue Roof' the power this generates, yearon-year, saves the equivalent of 755 tonnes of coal, as well as cutting Sulphur Dioxide emissions by 50 tonnes and Carbon Dioxide emissions by 1677 tonnes annually. The Green Power Industrial Park also utilises the latest in ground-source heating, air-conditioning and waterstorage technologies. The ground-source heating system alone saves a massive 1 million KWh of electricity annually, the equivalent of 378 tonnes of coal. This cuts Sulphur Dioxide emissions by around 25 tonnes and Carbon Dioxide emissions by 839 tonnes each year.

Our passion for improving the environment won't stop here. This is only the beginning.





Challenge 2025 is our commitment to changing the future of gardening for the better.

If each of us made the small change to batterypowered outdoor tools, it would have a huge positive impact on our environment. Petrol-powered outdoor tools produce more nitric oxide, nitrogen dioxide and carbon dioxide than cars engines.\* This insight drives EGO's mission to right this wrong and create a better environment for all.



We believe the future is battery powered - join us in making battery power the number one choice within five short years.

Together, we will build a cleaner, quieter, safer future.



For more information on Challenge 2025 and our five-year vision, visit our website **challenge2025.eu**.

\*(https://www.challenge2025.eu/our-manifesto/the-journey-begins/)



# ONE

Our industry-leading 56V Arc Lithium batteries work with all EGO Power<sup>+</sup> tools, even our Professional-X range. With great performance and long run times, simply select your tool, click in and go



















# THE Power to Outperform Petrol

Introducing the innovative EGO Power<sup>+</sup> system from the cordless specialists. EGO Power<sup>+</sup> delivers petrol-matching power, just without the noise, fuss or emissions.

Our industry-leading 56V Arc Lithium battery technology offers a new level of performance, giving you the power you need to keep working hard until the job's done.

With impressive run times and fast recharge, there is no need to purchase or store highly flammable fuel, instead, you get the freedom to work emission-free. For total flexibility, all of EGO's 56V Arc Lithium batteries fit every tool in the EGO Power<sup>+</sup> 56V range.\* Just click in the battery and you're ready to go. When you try this revolutionary cordless system you'll never look back.



Download our latest whitepaper to find out how to increase safety, productivity, sustainability and cost-effectiveness egopowerplus.co.uk/whitepaper

# The support of our service dealer network

EGO approved service dealers can help you select the most suitable tools for your needs, give you face-to-face advice and provide a diagnostic service to keep your tools running for years to come. With a nationwide network of EGO approved service dealers, you're never too far from the support you need.

### Satisfaction guaranteed

We offer a 30-day money back guarantee for any domestically used EGO Power+ tools, so if you're not completely satisfied you can return your product for a full refund.<sup>†</sup>




### Industry-leading warranties

### Domestic user

For domestic users we offer a 5-year warranty on all tools and a 3-year warranty on batteries when registered within 30 days of purchase.\*\*

### **Professional user**

We offer professional users a 3-year warranty on the Professional-X range, and a 2-year warranty on the Professional range when tools are registered within 30 days of purchase.\*\*



\* 12V Shrub Shears are not compatible with Arc Lithium 56V battery system.

\* For defects caused by material or manufacturing fault. This does not cover wear and tear. Full terms and conditions are available on our website. † 30 day morey-back guarantee is not available on tools used for professional purposes, 12V shrub/grass shears, batteries and chargers (unless purchased as part of a set).

# SO MANY Reasons to switch



The EGO Power<sup>+</sup> system delivers petrol-matching

power without any of the downsides. It's simpler,

cleaner, quieter, and with less vibration, it's

more comfortable to use. Lower running and

maintenance costs means switching to EGO

reduce your impact on the environment.

Power<sup>+</sup> will lead to long term savings. Plus, with

zero emissions during use, you can do your bit to

EGO



1











8 | EGO POWER\* VS. PETROL

# WHY CHANGE FROM PETROL TO EGO POWER+?



### **FLEXIBLE BATTERY SYSTEM**

One EGO battery can power all of your EGO tools



### **BETTER FOR THE ENVIRONMENT**

With zero emissions during use, our 56V Arc Lithium battery gives petrol-matching power but without the fuss and fumes



### **BETTER FOR YOUR HEALTH**

EGO Power<sup>+</sup> tools always operate at lower noise and vibration levels than traditional petrol-powered tools



### EASY SET UP AND STARTING

No filling up with fuel; with EGO Power<sup>+</sup> just click in the battery and get to work



### LOWER RUNNING COSTS

The cost of running an EGO Power<sup>+</sup> product for a month is around the same as using a 2 stroke product for a day<sup>°</sup>

### SAVE TIME

No more trips to the petrol station. EGO's rapid charger refuels batteries in as little as 30 minutes

### FOLD FLAT, EASY STORE DESIGN

Unlike large, heavy petrol mowers, the EGO Power<sup>+</sup> fold-flat design makes storage, cleaning and transportation simple



### NO PETROL TO STORE

No more dangerous fuel in storage, no more fumes, make more space available for other things

^Based on average daily use of 3 litres of post mix fuel per day

<u>E</u>GO

# *NEW FOR 2021*

THE LATEST LAUNCHES FROM **CORDLESS ECIALISTS** 

The 2021 range has been engineered to meet a variety of outdoor needs, from harnessing power on the go, to the best in intelligent tree surgery, each new product has EGO's unrivaled Arc Lithium technology at its core.

Complete compatibility with the EGO battery system means impressive run times and superfast recharge as standard.

PAD1500E NEXUS ESCAPE **POWER INVERTOR** P36

HT2000E 51cm HEDGE TRIMMER

FOWERLOAD" TECHNOLOGY

P78

ST1400E-ST

35cm LINE TRIMMER P64

P26





# CHOOSE THE Right tool For any task

EGO's range of outdoor power equipment is designed to deliver an outstanding level of performance for every outdoor job, providing the right balance of power and usability for domestic, professional and specialist users.

EGO's unique Arc-Lithium cordless technology combines with best-in-class ergonomic design to deliver maximum power and efficiency for working outdoors.

### Work smarter. Work healthier.

Any EGO battery will fit any EGO tool (see pages 6-7), so you can choose the right combination to suit your challenge:

- Range of 5 batteries and 1 backpack battery available, so you can choose the optimum power-to-weight ratio for any task
- Belt and back harness-mounted options for lighter working
- Backpack battery options for the most demanding jobs in all weathers

EGO outdoor power equipment allows you to work in a cleaner, quieter and safer way. EGO delivers the power of petrol, without the emissions, noise and vibration associated with petrol-powered products - better for you and better for the environment.

The best battery power, from the cordless specialists.



# PETROL-MATCHING PERFORMANCE FOR SMALL TO MEDIUM SIZED GARDENS



### A complete range of cordless outdoor power tools, ideal for regular domestic use.

EGO Power<sup>+</sup> tools are designed for regular use in small to medium sized gardens. EGO Power<sup>+</sup> tools gives domestic users, cordless, petrol-matching power without the noise, fuss or emissions. With EGO's outstanding level of performance built-in as standard tackle every garden maintenance task with ease.



# HARD-WEARING TOOLS FOR LARGE GARDENS AND PROFESSIONAL USE



### A range designed for heavy-duty use, perfect for large garden maintenance and landscaping professionals.

Ideal for everyday use, the EGO Power<sup>+</sup> Professional range gives you the edge when facing tougher tasks for longer periods. This range includes additional features, designed to make light work of larger garden maintenance tasks. Whether working in a large garden or tackling commercial jobs, you can rely on EGO Power<sup>+</sup> Professional tools to be powerful, hard-wearing and robust.



### SUPER-TOUGH, SUPER-POWERFUL RANGE FOR PROFESSIONAL AND SPECIALIST USE

### A super-tough, super-powerful range of tools designed for garden maintenance professionals, facilities management and specialists.

The EGO Power<sup>+</sup> Professional-X range is engineered to work harder, all-day-every-day, in the most challenging conditions. Ergonomic design meets unrivalled power and performance in the Professional-X range. These tools push the boundaries of battery technology, with the power and performance to surpass petrol-powered equivalents. Built to last, the Professional-X range delivers clean, quiet, safe and productive working.



# SUPER TOUGH. SUPER Powerful. The ego Professional-x range

When we created the EGO Power<sup>+</sup> Professional-X range we set our standards high. Not content with developing a range of tools that redefined what cordless tools can do - we looked to deliver power and performance that exceeds their petrol-powered equivalents.

Designed to work harder, all-day every day, in the most challenging conditions. This range of high-spec tools and backpack batteries takes petrol-free working to a whole new level, ensuring productivity levels remain high.


### Built to last and last

All tools in the Professional-X range are engineered to last longer, so you can cut maintenance time down to a minimum. And because they are quieter, lighter, with no emissions and less vibration, you can work comfortably for longer.

### **Ultimate flexibility**


EGO is a name you can rely on. With a history of cordless power innovation, we know the ability to mix and match batteries, backpacks, harnesses and tools is vital. This level of complete flexibility continues with the Professional-X range.





CUTTING CAPACITY: 33MM Tool Depth: 20MM









# LESS VIBRATION, LESS NOISE, LESS COST



Another great reason for choosing EGO is that you can power through any job, without the excess physical stresses and strains associated with heavy, noisy and vibrating petrol-powered tools.

A big benefit of choosing EGO's low-vibration cordless tools is how they help users avoid the risk of Hand-Arm Vibration Syndrome (HAVS). Also known as 'Vibration White Finger' it causes painful and disabling disorders of the blood vessels, nerves and joints.

### Designed so you can work comfortably all day long

With a smooth brushless motor and fewer moving parts, all EGO Power<sup>+</sup> Professional-X tools have been designed to operate with low levels of vibration, often under the 2.5m/s<sup>2</sup> Exposure Action Value limit (EAV) and well below the Exposure Limit Value (ELV).


This allows you to comfortably work with them all day long without any risk to your health. So, choose EGO Power<sup>+</sup> Professional-X and protect yourself every working day.



### They are much quieter too

Let's face it. Petrol tools are noisy and daily exposure can lead to hearing loss and also tinnitus – a permanent ringing sensation in the ears. Fortunately the EGO Power<sup>+</sup> Professional-X range is much quieter than petrol-powered alternatives, reducing the risk of potential damage, especially over long-term use.

Operating noisy equipment can also lead to an increase in work-related stress. Many factors are known to contribute to this condition and rarely there is a single cause. However, because EGO Power<sup>+</sup> Professional-X tools operate at lower sound levels, the working environment is quieter and less stressful for the user.







Download our latest whitepaper to find out how to increase safety, productivity, sustainability and cost-effectiveness

egopowerplus.co.uk/whitepaper

Based on a professional user purchasing a hedge trimmer, line trimmer and blower.

PROFESSIONA

**INITIAL OUTLAY YEAR 1** 



COST YEAR 1 COST YEAR 2 **COST YEAR 3 COST YEAR 4** 

COST YEAR 5



· Cost estimates are based on purchasing a brush cutter, hedge trimmer and blower in year 1 and replacing again in year 4 · Petrol fuel equivalents are daily usage of 4 litres per day and 170 days per year



# EGO POWER<sup>+</sup> VS PETROL

L X	PETROL	
T00LS £1,094	TOOLS £2,059	
BATTERIES & CHARGERS £2,654	SERVICING £263	
ELECTRICITY E140	FUEL £894	
<b>£3,888</b>	<b>£3,216</b>	- <mark>£672</mark>
Inc purchase of tools	Inc purchase of tools	Year 1 saving
<b>£136</b>	<b>£1,158</b>	<b>£1,022</b>
Recharge cost only	Fuel and servicing	Year 2 saving
<b>£122</b>	<b>£1,158</b>	<b>£1,036</b>
Recharge cost only	Fuel and servicing	Year 3 saving
<b>£1,207</b>	<b>£3,217</b>	<b>£2,010</b>
les purchase of new set of tools	Includes purchase of new set of tools	Year 4 saving
<b>£112</b>	<b>£1,158</b>	<b>£1,046</b>
Recharge cost only	Fuel and servicing	Year 5 saving
£5,465	(£9,907) SAV Investi £	ng at year 5 by ng in cordless 4,442













# EGO POWER<sup>+</sup> ARC **LITHIUM DELIVERS THE INDUSTRY'S HIGHEST ENERGY CAPACITY**\*

Our unique patented 56V Arc Lithium technology is designed like no other battery. It's why it performs like no other battery

The innovative design of EGO's 56V Arc Lithium battery out-performs petrol-powered products. It is simpler, cleaner, quieter, safer for the environment and with no emissions and less vibration, safer for you too. Impressive run-times and fast charge-times offer the ultimate in flexibility.

### Unique Arc design

Unlike conventional brick-shaped batteries where the cells are packed together, the Arc shaped design increases surface area, places the cells close to the surface and fits onto the outside of EGO tools. This dissipates heat more effectively, preventing overheating and shut-downs.

### Why 56V?

Our team of experts has completely revolutionised battery technology to deliver the optimum power and performance for outdoor cordless equipment. Our 56V batteries deliver more usable power than any other hand-held battery. The five portable batteries in our range optimally cover all applications, from leaf blowing to heavy duty cutting.

### Fast recharge

All this clever thinking not only delivers the industry's highest energy capacity in a portable hand-held battery. It also means when it's time to recharge, the EGO Power<sup>+</sup> 56V Arc Lithium battery is the quickest around.



FUEL GAUGE

remaining nower level

360° AIRFLOW Keeps the battery cool for a faster charge time

ROBUST OUTER CASING To protect the battery if accidentally dropped Shows battery's POWER MANAGEMENT SYSTEM Prevents over-discharging

and extends battery life

\*For portable handheld batteries










For more information on how EGO Power<sup>+</sup> batteries work, and what

makes them so revolutionary, download the Battery FAQ document on our website.

egopowerplus.co.uk/FAQdownload








# EGO POWER<sup>+</sup> ARC LITHIUM BATTERY, DESIGNED TO MAXIMISE PERFORMANCE

### The patented 56V Arc Lithium battery doesn't just manage heat, it maximises cooling

A battery gets hotter the longer it's used. The more power it generates, the more heat is released. Too much heat and the battery will shut down for safety. Heat also degrades cells over time, reducing battery life. That's why batteries must be cooled effectively to increase performance, run time and battery life.


Our batteries have been designed to cool effectively in three innovative ways: mechanically, chemically and electronically.





### Increased surface area


The battery Arc shape has been carefully designed to optimise cooling and reduce overheating. Unlike "brick shaped" batteries, the individual battery cells are positioned adjacent to the external housing so heat can be easily transferred away from the cells.



### Intelligent power


Power is nothing without control. It's why the EGO Power<sup>+</sup> 56V Arc Lithium battery is continuously controlled by software and microprocessors within the battery and by the tools' intelligent power management systems. These constantly monitor and optimise each individual cell, to deliver the very best power, performance and run time.





### Keep Cool™ Technology

It's not just the innovative Arc design that helps prevent overheating. The battery has another clever way to keep cool. Each and every cell is surrounded by our unique Keep Cool™ phase change material that absorbs heat energy and keeps individual cells at their optimum temperature for longer run times.



### **Exterior mounted battery**

Unlike other manufacturers, EGO batteries fit onto the outside of the tools and are not encased within the tool, which means they stay cool to deliver longer lasting power. To keep them safe and sound, the electronics are protected from dust and moisture by a resin coating and the cells are packaged in a robust case that absorbs shocks and vibrations.





### EGO Power<sup>+</sup> 56V Arc Lithium batteries

From the lightest 2.5Ah to the largest 10Ah in the range, as the batteries go up in size, so does the power capacity and run time. Whichever model you choose they have all been engineered for optimal performance and designed to fit all EGO tools\*.

See page 32-33 for more details.



BA1400T 2.5AH BATTERY 140WH, 1P NEW FOR 2021



BA2240T 4.0AH BATTERY 224WH, 1P



BA2800T 5.0AH BATTERY 280WH, 2P



BA4200T 7.5AH BATTERY 420WH, 3P

# **INDUSTRY-LEADING TECHNOLOGY**





OPTIMUM Performance

EGO's 56V Arc Lithium technology is perfectly optimised to provide the best balance between required performance and usable power.

### INNOVATIVE ARC SHAPE

With a larger heat sink area the Arc shape battery helps to transfer heat away from every cell to stop overheating and maximise run-times.



### KEEP COOL™ TECHNOLOGY

Unique phase-change material (on 5.0Ah and below) works to manage the heat transfer on every cell to keep the temperature lower for longer. EXTERIOR MOUNTED BATTERY Unique to EGO, helps keep the battery cool for longer

lasting power.

### INTELLIGENT Power Monitoring

Internal microprocessors and software control every cell for delivery of optimal power, performance and runtime.

\*For portable handheld batteries. \*\*12V Shrub Shears not compatible with Arc Lithium 56V battery system







BA5600T 10.0AH BATTERY 560WH, 4P

### SUPER-FAST Recharge

When you finally run out of power an EGO battery can be fully recharged in as little as 30 minutes.

### COMPLETE Compatibility

Every EGO battery works with every EGO tool.\*\*







# POWER, COMFORT AND EASE OF USE COMBINED

The ergonomic EGO Power<sup>+</sup> backpack harnesses and battery holster are the most comfortable way to enjoy EGO's industry-leading power. An alternative option to attaching the battery directly to the tool, weight is distributed evenly for a lighter, more comfortable way to work.

CARRYING

HANDLE



### BH1000 Backpack Harness

The BH1000 is ideal for taking the weight of the battery from your arms. This provides greater stability and comfort especially when using our larger batteries over prolonged periods.



### BHX1000 PROFESSIONAL-X BACKPACK HARNESS

The BHX1000 has been designed with the professional user in mind and when used together with the AFH1500 harness (supplied separately or as part of a kit) provides exceptional comfort for all day use. The BHX1000 is compatible with the Professional-X series and with the ADB1000 adaptor can be used with all other EGO tools. The AFH1500 Harness (supplied separately) is compatible with the BHX1000 and the BAX1500 Professional-X backpack battery.



### ABH3000 PROFESSIONAL-X BATTERY HOLSTER, CABLE AND ARBORIST'S STROP

The holster is designed to house the EGO BA224OT 4.0Ah, Battery which is perfectly matched for use with the EGO Power<sup>+</sup> Professional-X Top-handle Chainsaw, to deliver optimal torque and power for professional arborists. The safety-strop attachment integrates with the battery cable and belt or harness to keep you and your team safe in the trees.



### SAFETY STRAP INTEGRATES With Battery Cable

CONNECTION METHOD
CARRYING HANDLE
HIP PAD FOR BRUSH CUTTER
UPRIGHT STAND STORAGE
WEIGHT WITHOUT BATTERY
DOMESTIC WARRANTY
PROFESSIONAL WARRANTY

AVAILABLE AS A KIT

Image shown as a kit BH1001



SHOULDER STRAP Soft padded double shoulders

WATER RESISTANT Harness


**BACK CUSHIONING** For extra comfort

CARRYING HANDLE

HIGH CURRENT Capacity Cable

ADJUSTABLE WAIST AND SHOULDER





BH1000	BHX1000	ABH3000
Quick plug-in and out for EGO Power+ Professional-X tools. Adapter ADB1000 for all other EGO Power+ tools	Quick plug-in and out for EGO Power+ Professional-X tools. Adapter ADB1000 for all other EGO Power+ tools	Quick plug-in and out for EGO Power <sup>+</sup> Professional-X tools. Adapter ADB1000 for all other EGO Power <sup>+</sup> tools
Yes	Yes	No - fixed to belt or harness
AHP1300 (optional)	AHP1500 (optional)	No
Yes	Yes	No
2.2kg	2.9kg	1.1kg
3 years	3 years	3 years
2 years	3 years	3 years
BH1001: Includes ADB1000 adapter	BHX1000-K0002: Includes AFH1500 harness/hip belt and ADB1000 adapter	-







# **BACKPACK BATTERIES** THAT WORK AS HARD AS YOU DO

### Team up your EGO Power<sup>+</sup> tools with one of our Lithium-ion backpacks

Balancing exceptional run time with user comfort, EGO's Lithium-ion BAX1500 backpack is ergonomically designed to keep you working all day long. The battery pack can be removed from the harness\* allowing the battery to be shared amongst multiple users, each with their own harness for improved hygiene. To ensure optimum performance, efficiency and longevity, these highenergy capacity batteries incorporate intelligent individual cell monitoring and balancing, both when it's powering a tool and when it's recharging.

### Designed to perform, huilt to last

Delivering the run times you demand, EGO Power+ backpack batteries can give you a full day's work\*\* from a single charge. The high-quality cells, with high power rating and high energy density, can handle in excess of 1,000 charge cycles. Plus, with fast recharging, you can go from empty to full in just 3.5 hours.

### Flexible performance

They're compatible with all EGO Power<sup>+</sup> tools, and as the battery is on the harness and not on the tool, the tools are even lighter and easier to use.



### BAX1500 **PROFESSIONAL-X BACKPACK BATTERY**

The EGO Power<sup>+</sup> Professional-X backpack battery delivers the power output and run times needed for demanding jobs. In fact, it outperforms many of the petrol products currently in use. All minus the noise, emissions and vibration.

To ensure the battery's toughness and durability, we tested it to the extreme too. The Professional-X backpack battery can handle the heaviest downpours and still power the tool. Plus, the super robust casing is designed to take all of the knocks you can throw at it.

	BAX1500
CAPACITY	1568Wh at 56V rated
CONNECTION METHOD	Adapter / Plug-in
BATTERY WEIGHT	9.0kg w/o harness
HARNESS	Supplied separately or as part of a kit
WEATHERPROOF PROTECTION	IP56
CHARGER	CHX5500E
CYCLE LIFE	In excess of 1000 cycles
DOMESTIC WARRANTY	3 years
PROFESSIONAL WARRANTY	3 years
AVAILABLE AS A KIT	BAX1501: Includes a AFH1500 harness and ADB1000 adapter



ROBUST CABLE AND PLUG Designed for the toughest conditions

\*Note the harness straps are supplied with padded comfort straps and may appear different. \*\*Dependent on the tool and based on an 8 hour working day.

HIGH CURRENT CAPACITY CABLE

# SO MUCH POWER, FFIIS..

COMPATIBLE **WITH EVERY** EGO POWER<sup>+</sup> TOOL

### **HIGH-EFFICIENCY BATTERY LIFE**

### **DETACHABLE BATTERY** AND HARNESS

Every user should have their own harness for optimised health benefits and improved comfort

### **WORK HEALTHIER**

without strains. musculoskeletal problems or emissions

### **MASSIVE SAVINGS**

based on 1,000 charge cycles versus daily fuel costs of £5, the backpack batteries will pay for themselves in just over 200 charges (cost per charge of backpack is 30p). Total return on investment on the lifetime of the battery is £4,442





## **A BATTERY** FOR EVERY TOOL AND EVERY JOB

With a choice of five batteries and one battery backpack, choose the one that gives you the power and run time\* you need.

### KEY

**RECOMMENDED / OPTIMAL** COMPATIBLE / NOT OPTIMAL

- NOT RECOMMENDED

		BATTERY							
CODE	PRODUCT NAME								
			BA1400T 2.5Ah / 140Wh (Up to)		BA2240T 4.0Ah / 224Wh (Up to		-		
EGO Power+ M	owers								
LM1700E	42cm Mower	Cuts	up to 40	Osqm	Cuts	up to 64	Osqm		
LM1700E-SP	42cm Self-Propelled Mower	Cuts	up to 30	Osqm	Cuts	up to 48	Osqm		
LM1900E-SP	47cm Self-Propelled Mower	Cuts	up to 40	Osqm	Cuts	up to 64	Osqm		
LM2020E-SP	50cm Self-Propelled Mower	Cuts	up to 35	Osqm	Cuts	up to 56	Osqm		
LM2130E-SP	52cm Self-Propelled Mower with Select Cut Technology	Cuts	up to 33	3sqm	Cuts	up to 53	3sqm		
EGO Power+ Li	ne Trimmers, Brush Cutter and Rotocut								
ST1300E-S	33cm Line Trimmer		70 mins			110 min	s		
ST1400E-ST	35cm Telescopic Line Trimmer with Powerload Technology		60 mins			90 mins	;		
ST1510E	38cm Line Trimmer with Powerload Technology		30 mins			50 mins	;		
ST1530E	38cm Loop Handled Line Trimmer		18 mins			36 mins	;		
BC3800E	38cm Bike Handled Brush Cutter		20 mins			32 mins	;		
BCX3800	Bike Handled Line Trimmer/Brush Cutter***		-			40 mins	;		
STX3800	Loop Handled Line Trimmer/Brush Cutter***		_			40 mins	;		
RTX2300	Rotocut (Assembled on BCX/STX3800) ***		25 mins			40 mins	;		
EGO Power+ H	· · · · ·								
HT2000E	51cm Hedge Trimmer		75 mins			120 min	s		
HT2410E	61cm Hedge Trimmer		75 mins		120 mins				
HT5100E	51cm Hedge Trimmer		40 mins		70 mins		-		
HT6500E	65cm Hedge Trimmer		33 mins		60 mins				
HTX6500	65cm Hedge Trimmer***		_		55 mins				
HTX7500	75cm Hedge Trimmer***		_		45 mins				
EGO Power+ Cl									
CS1400E	35cm Chainsaw		130 cuts	;		220 cuts	\$		
CS1600E	40cm Chainsaw		130 cuts		220 cuts				
CS1800E	45cm Chainsaw with Auto Chain Tensioning		130 cuts		220 cuts				
CSX3000	30cm Top Handle Chainsaw		90 cuts	,		186 cuts	-		
	owers/Snow Thrower		00 0010			100 000	, 		
Run time in Mir		Low	High	Мах	Low	High	Мах		
LB5300E	Blower 900m <sup>3</sup> /h	75	22	10	120	35	16		
LB5800E	Blower 986m <sup>3</sup> /h	100	15	9	160	24	14		
LB6000E	Blower 900m //h Backpack Blower 1020m <sup>3</sup> /h	75	13	9	96	17	12		
LBX6000	Blower 1014m <sup>3</sup> /h***	10	-	5	00	36 mins			
SNT2400E	2 Stage Snow Thrower		- 14 mins	,		22 mins			
EGO Power+ M									
STA1500	Multi-Tool Line Trimmer Attachment		18 mins			35 mins			
BCA1200	Multi-Tool Brush Cutter Attachment		27 mins						
HTA2000	Multi-Tool Hedge Trimmer Attachment		37 mins			50 mins 65 mins			
HTA2000S	Multi-Tool Short Hedge Trimmer Attachment				65 mins				
PSA1000**	Multi-Tool Pole Saw Attachment				65 mins 110 cuts				
EA0800	Multi-Tool Edger Attachment				50 mins				
CTA9500	Multi-Tool Cultivator Attachment			64 mins					
BBA2100	Multi-Tool Bristle Brush Attachment								
0SA1000	Multi-Tool Olive Shaker Attachment	40 mins 64 mins							
	Multi-Tool Snow Shovel Attachment	50 mins 80 mins			,				
SSA1200 RTA2300	Multi-Tool Rotocut Attachment	TBC TBC							
11A2300			25 mins			40 mins	,		
ECO Dowert T-									
EGO Power+ Te PSX2500	Pole Saw Attachment		110 cuts 18			182 cuts			

		All of the second secon			100		3	C H	G	5	Ľ
						BATTERY					BACKPACK BATTERY
CODE	PRODUCT NAME	P	<b>GO</b> Dwer	Ð	P	<b>GO</b> DWE	Z ₽	P	<b>GO</b> DWEI	₽	EGO POWER
			FESSICH BA2800T / 280Wh			FESSID BA42001 / 420Wh	г		FESSICI BA5600T I / 560Wh		BAX1500 28Ah / 1568Wh (Up to
EGO Power+ Mo	wers	0.041	/ 200111	(00 10)	7.0/11	7 42011	(op to)	10.0/4		(op to)	
LM1700E	42cm Mower	Cuts	up to 800	sam	Cutsu	up to 120	)Osam	Cuts	up to 160	Osam	-
LM1700E-SP	42cm Self-Propelled Mower		up to 600	•		up to 90			up to 120		_
LM1900E-SP	47cm Self-Propelled Mower		up to 800	•		up to 120	•		up to 160		_
LM2020E-SP	50cm Self-Propelled Mower		up to 700	•		up to 105	•		up to 140		_
LM2130E-SP	52cm Self-Propelled Mower with Select Cut Technology		up to 666	•		up to 100	•		up to 133		_
EGO Power <sup>+</sup> Lin	e Trimmers, Brush Cutter and Rotocut										
ST1300E-S	33cm Line Trimmer		140 mins			210 min:	6		280 mins	;	_
ST1400E-ST	35cm Telescopic Line Trimmer with Powerload Technology		120 mins			165 mins			240 mins		300 mins
ST1510E	38cm Line Trimmer with Powerload Technology		60 mins			90 mins			120 mins		_
ST1530E	38cm Loop Handled Line Trimmer		45 mins			72 mins			90 mins		240 mins
BC3800E	38cm Bike Handled Brush Cutter		40 mins			65 mins			80 mins		280 mins
BCX3800	Bike Handled Line Trimmer/Brush Cutter***		50 mins			75 mins			97 mins		420 mins
STX3800	Loop Handled Line Trimmer/Brush Cutter***		50 mins			72 mins			97 mins		420 mins
RTX2300	Rotocut (Assembled on BCX/STX3800) ***		52 mins		80 mins		105 mins		;	325 mins	
EGO Power+ Hee	dge Trimmers										
HT2000E	51cm Hedge Trimmer		150 mins			225 min:	5		300 mins	;	_
HT2410E	61cm Hedge Trimmer		150 mins		225 mins			300 mins	;	_	
HT5100E	51cm Hedge Trimmer		82 mins		125 mins		164 mins		;	490 mins	
HT6500E	65cm Hedge Trimmer		72 mins		110 mins		144 mins		;	420 mins	
HTX6500	65cm Hedge Trimmer***		70 mins		105 mins		140 mins		;	420 mins	
HTX7500	75cm Hedge Trimmer***		60 mins			90 mins		120 mins		;	380 mins
EGO Power+ Cha	ainsaws										
CS1400E	35cm Chainsaw		300 cuts			450 cuts	;		600 cuts		_
CS1600E	40cm Chainsaw	300 cuts			450 cuts	5		600 cuts		_	
CS1800E	45cm Chainsaw with Auto Chain Tensioning		300 cuts			450 cuts	5		600 cuts		_
CSX3000	30cm Top Handle Chainsaw		265 cuts			375 cuts 530 cuts			_		
EGO Power <sup>+</sup> Blo	wers/Snow Thrower										
Run time in Mins	3	Low	High	Max	Low	High	Max	Low	High	Max	Max*
LB5300E	Blower 900m <sup>3</sup> /h	150	44	20	225	66	30	300	88	40	110 mins
LB5800E	Blower 986m <sup>3</sup> /h	200	30	18	300	45	27	400	60	36	110 mins
LB6000E	Backpack Blower 1020m <sup>3</sup> /h	120	22	15	180	33	23	240	44	30	_
LBX6000	Blower 1014m <sup>3</sup> /h***		60 mins			90 mins			120 mins	;	350 mins
SNT2400E	2 Stage Snow Thrower		28 mins <sup>*</sup>			44 mins			56 mins		_
EGO Power+ Mu	lti-Tool										
STA1500	Multi-Tool Line Trimmer Attachment		45 mins			72 mins			93 mins		300 mins
BCA1200	Multi-Tool Brush Cutter Attachment		60 mins		95 mins				125 mins	5	375 mins
HTA2000	Multi-Tool Hedge Trimmer Attachment	82 mins			122 mins			157 mins	;	490 mins	
HTA2000S	Multi-Tool Short Hedge Trimmer Attachment	82 mins			122 mins	5	157 mins		;	490 mins	
PSA1000**	Multi-Tool Pole Saw Attachment	140 cuts		210 cuts		;	285 cuts			660 cuts	
EA0800	Multi-Tool Edger Attachment	60 mins		100 mins		6		132 mins	;	530 mins	
CTA9500	Multi-Tool Cultivator Attachment	80 mins		120 mins		120 mins 160 min		160 mins	;	480 mins	
BBA2100	Multi-Tool Bristle Brush Attachment		80 mins			120 mins	6		160 mins	;	420 mins
0SA1000	Multi-Tool Olive Shaker Attachment		100 mins			160 mins	5		210 mins	;	600 mins
SSA1200	Multi-Tool Snow Shovel Attachment		TBC			TBC			TBC		TBC
RTA2300	Multi-Tool Rotocut Attachment		52 mins			80 mins			105 mins	;	325 mins
EGO Power+ Tele	escopic Pole System										
PSX2500	Pole Saw Attachment		231 cuts			379 cuts	5		455 cuts		1200 cuts
PTX5100	Hedge Trimmer Attachment		120 mins			210 mins			260 mins		720 mins

\*\*Run time based on a 10cm x 10cm timber

harnesses

\*Run time may vary and depend on battery used, charge level of battery, condition of grass/hedge and user's operation technique

\*\*\*Portable batteries must be used with either BH1000 or BHX1000

<sup>\*</sup>Run times shown are for clearing up to 10cm of dry snow with 2x the battery listed. Run times vary based on snow depth, snow type and battery combinations









FROM EMPTY TO FULLY CHARGED IN JUST 30 MINS With a range of battery sizes available from 2.5Ah to 28Ah, you can choose the power you need to tackle any task. When it's time to recharge, the EGO Power<sup>+</sup> rapid charger is the fastest on the market. The intelligent battery control system constantly monitors each cell's power and temperature to deliver the most efficient and quickest charge.

Plus, the fan-cooling system allows the battery to start charging sooner and finish faster. As a result, the time it takes to refuel the battery is often less than the run time you get from a full charge. In fact with the rapid charger, the 2.5Ah battery takes just 30 minutes. CH5500E RAPID CHARGER



### CHX5500E PROFESSIONAL-X CHARGER



### PERFORMANCE STATISTICS

PERFORMANCE STATISTICS							
BATTERY	NODEL	BA1400T	BA2240T	BA2800T	BA4200T	BA5600T	BAX1500
BATTERY (	Ah)	2.5Ah	4.0Ah	5.0Ah	7.5Ah	10.0Ah	28.0Ah
CAPACITY	(Wh)	140	224	280	420	560	1568Wh at 56V rated
	RAPID CHARGER: CH5500E	30 mins	30 mins	40 mins	60 mins	70 mins	210 mins
CHARGE TIMES	STANDARD CHARGER: CH2100E	50 mins	80 mins	100 mins	145 mins	190 mins	-
	PROFESSIONAL-X CHARGER: CHX5500E	-	-	-	-	-	Default: 420 mins Rapid: 210 mins
WEIGHT		1.2kg	1.9kg	2.2kg	2.8kg	3.4kg	9.0kg
DOMESTIC	WARRANTY	3 years	3 years	3 years	3 years	3 years	3 years
PROFESSIO	NAL WARRANTY	2 years	2 years	2 years	2 years	2 years	3 years



### CH2100E Standard Charger

### LED CHARGING / DIAGNOSTICS INDICATOR Constant feedback on battery status and recharge levels



LED CHARGING / DIAGNOSTICS INDICATOR Constant feedback on battery status and recharge levels







# INSTANT POWER When you need it

# Harness the unrivalled power of EGO's arc lithium battery technology with the EGO Power<sup>+</sup> Nexus Escape.

Compatible with any EGO battery the Nexus Escape provides power wherever you need it, whenever you need it.

Built tough with a 240V AC power outlet and 2 USB ports, the Nexus Escape provides flexible power to charge mobile phones, laptops, cameras, lights and other electrical devices up to a maximum output of 150Watts. Ideal for camping trips, beach visits, festivals or for use at home, the Nexus Escape is lightweight and small enough to carry in a rucksack or store in a tent.

With the power to run a 42" television for up to ten hours, charge 27 mobile phones or 5 laptops, the EGO Power<sup>+</sup> Nexus Escape can deliver all the power you need, when you need it. **EGO** POWER

### PAD1500E NEXUS ESCAPE POWER INVERTOR

The EGD Power<sup>+</sup> Nexus Escape's 240V (150W) AC power outlet and 2 USB ports enable you to charge or power devices such as mobiles, laptops, cameras, lights and other electrical devices, wherever you are.



	PAD1500E
CAPACITY	150W
CONNECTION METHOD	Compatible with any EGO portable batteries
WEIGHT WITHOUT BATTERY	0.5kg
DOMESTIC WARRANTY	5 years
PROFESSIONAL WARRANTY	-
AVAILABLE AS A KIT	PAD1501E: Includes 2.5Ah battery and standard charger

AVAILABLE WITH A 2.5AH BATTERY AS A KIT but compatible with all Arc Lithium 56V EGO batteries **0.5KG AND WITH CARRY HANDLE** lightweight and easy to transport



LOW NOISE AND ZERO EMISSIONS fuss-free power with no emissions

2 USB PORTS provides flexible access to power

240V AC POWER OUTLET provides flexible

. access to power

Based on 7.5Ah battery BA4200T

**5 LAPTOPS** 

**27 MOBILE PHONES** 


**36** | EGO POWER<sup>+</sup> NEXUS ESCAPE






CLICK IN AND POWER UP simply click battery into place to use

### CAPABLE OF POWERING OR CHARGING



C









EGO POWER⁺ MOWERS | **39** 





# THE POWER OF PETROL WITHOUT THE EMISSIONS

With lower running costs, zero emissions and significantly quieter than a petrol mower, the EGO Power<sup>+</sup> mower range offers a variety of key features and cutting capacities to suit any lawn.

The self-propelled motor keeps you in control and makes light work of slopes and undulations. On a single charge our battery gives you up to 1,600 sqm cutting area\* (significantly more than the size of 4 tennis courts). Automatic Variable Speed on selected models, delivers optimal cutting speed to maximise battery run time whilst maintaining grass cutting performance for different conditions.

The 3-in-1 functionality lets you drop, bag or mulch clippings (mulching kits are sold separately), while the LED headlights let you work further into the day. The efficient grass collection system, uses all available space in the collection bag, meaning less-frequent emptying. And when you're done, the easy-fold design makes cleaning and storage simple.

suit any size of lawn -

\*Based on a 10.0Ah battery using LM1900E-SP. Cutting area can vary depending on model and battery as well as condition of grass and user operation technique.









ADJUSTABLE HANDLE HEIGHT Easily adjusts to suit you, and the job in hand

LARGE CAPACITY BAG Collects more grass and requires emptying less frequently



Model shown: LM1900E-SP Please note: some features are not available on all models







# **A MOWER FOR EVERY LAWN**. HF RIGHT FOR THE JOB

The EGO Power<sup>+</sup> mower range showcases a variety of specifications designed to make lawn care quicker, easier and more efficient. And with model sizes ranging from 42cm to 52cm cutting width, there's an option for every task and size of lawn.

Technologically advanced in every way, each mower packs incredible petrol-matching power as standard. Thanks to our revolutionary Arc Lithium 56V battery system, they make minimal noise, emit zero emissions, and start up at the touch of a button.

While these benefits apply to all EGO Power<sup>+</sup> mowers, key differences make some models better suited to specific kinds of gardens.

Check out our handy diagram above to identify the size of lawn you can cut on a single charge, and therefore the mowers that are suitable for you.

# **CHOOSING THE RIGHT MOWER:**



Small, tight spaces, or close to trees

For smaller spaces and improved precision around obstacles, mowers with a smaller cutting capacity are ideal.

LESS ROOM TO WORK WITH? Our compact 42cm models LM1700E or LM1700E-SP are perfect for smaller spaces.



### **Bigger, open spaces**

A mower with a wider cutting capacity will help you cover more ground in fewer passes. Opting for a bigger battery will increase run time, as will variable automatic cutting speed control. For a faster cut, a larger capacity bag can collect more grass and needs emptying less often.

### LARGER LAWN?

Try our 52cm model LM2130E-SP which makes even the biggest jobs feel small.



**Sloping ground** Using a self-propelled mower takes the strain out of pushing the mower uphill.







### Additional comfort

If comfort is a priority, poly deck models are the lightest option. Self-propelled mowers require less effort, and with an adjustable handle, you can decide on the most suitable height.



### **Finishes**

The EGO Rear Roller Kit is a simple and effective way of enabling your EGO mower to stripe your lawn, giving you a manicured look whilst keeping the versatility of being able to mulch and rear discharge clippings.

Only available for certain models. AR1900 - LM1900E-SP AR1700 - LM1700E and LM1700E-SP



### **Grass collection**

There are 3 different ways that EGO Power<sup>+</sup> mowers deal with cut grass. Great for lawns that aren't too thick, mulching redistributes grass particles and fertilising nutrients. Drop cuttings or rear discharge (only available on the metal deck mower) allows for quicker mowing through thick and long grass. Bag collection keeps lawns clear of any cuttings.



### LM1700E 42cm MOWER

Perfect for precision mowing in smaller spaces and medium sized gardens with level ground. Includes a 55L collection bag.

EGO POWER

EGO POWER





### LM1900E-SP 47cm SELF-PROPELLED MOWER

The wider cutting width is perfect for precision mowing of medium sized gardens. Self-propelled for tackling sloping lawns with ease. Includes a 55L collecton bag.



### LM1700E-SP 42cm SELF-PROPELLED MOWER



Perfect for mowing in smaller spaces and medium sized gardens. Self-propelled for tackling sloping and undulating lawns with ease. Includes a 55L collection bag.





### LM2020E-SP **50cm SELF-PROPELLED MOWER**

POWER

The wide cutting width is perfect for precision mowing of medium and larger-sized gardens. Self-propelled with automatic variable cutting speed, ideal for large and sloping lawns. Includes a larger GOL collecton bag.



### LM2130E-SP 52cm SELF-PROPELLED MOWER



The wide cutting width is perfect for precision mowing of larger gardens and wider spaces. Self-propelled with automatic variable cutting speed, ideal for large and sloping lawns. Includes an extra-large 70L collection bag.



		LM1700E	LM1700E-SP	LM1900E-SP	LM2020E-SP	LM2130E-SP
CUTTING CA	PACITY	42cm	42cm	47cm	50cm	52cm
SELF-PROPE	ELLED SPEED	No	0.5-1.4m/s (1.8-5.0km/h)	0.6-1.4m/s (2.2-5.0km/h)	0.6-1.4m/s (2.2-5.0km/h)	0.4 -1.4 m/s (1.4 -5km/h)
CUTTING DE	CK MATERIAL	Poly	Poly	Poly	Steel	Poly
CUTTING	2.5Ah	Cuts up to 400sqm	Cuts up to 300sqm	Cuts up to 400sqm	Cuts up to 350sqm	Cuts up to 333sqm
AREA	4.0Ah	Cuts up to 640sqm	Cuts up to 480sqm	Cuts up to 640sqm	Cuts up to 560sqm	Cuts up to 533sqm
	5.0Ah	Cuts up to 800sqm	Cuts up to 600sqm	Cuts up to 800sqm	Cuts up to 700sqm	Cuts up to 666sqm
	7.5Ah	Cuts up to 1200sqm	Cuts up to 900sqm	Cuts up to 1200sqm	Cuts up to 1050sqm	Cuts up to 1000sqm
	10.0Ah	Cuts up to 1600sqm	Cuts up to 1200sqm	Cuts up to 1600sqm	Cuts up to 1400sqm	Cuts up to 1333sqm
UTTING SP	EED CONTROL	Constant speed	Constant speed	Constant speed	Automatic Variable Speed**	Automatic Variable Speed**
IO LOAD SP	EED	3,000rpm	3,000rpm	2,850rpm	2,700 - 3,000rpm	2,700 - 3,000rpm
UT HEIGHT	SETTINGS	20/27/35/45/58/70/80mm	20/27/35/45/58/70/80mm	20/27/35/45/58/70/80mm	25/35/50/65/80/95mm	25/32/40/51/64/77/90mm
HANDLE HEI	GHTS	Three - user adjustable	Three - user adjustable	Three - user adjustable	Three - user adjustable	Three - user adjustable
REAR COLLE	CTION	55L	55L	55L	60L	70L
UNCTIONS		Mulch <sup>†</sup> , collect, rear discharge	Mulch <sup>†</sup> , collect, rear discharge	Mulch <sup>†</sup> , collect, rear discharge	Mulch, collect, side discharge	Mulching and collect
NOISE RATIN _pa/lwa	IG	78dB(A) 95dB(A)	78dB(A) 95dB(A)	80dB(A) 95dB(A)	80dB(A) 93dB(A)	80dB(A) 90dB(A)
/IBRATION (	(M/S²)	2.4	1.5	1.36	1.0	0.61
ERTICAL S	TORAGE	Yes	Yes	Yes	Yes	Yes
NEIGHT WIT	HOUT BATTERY	22kg	25kg	25kg	27kg	26kg
NOTOR TYP	E	Brushless	Brushless	Brushless	Brushless	Brushless
OMESTIC V	VARRANTY	5 years	5 years	5 years	5 years	5 years
ROFESSION	VAL WARRANTY	1 year	1 year	1 year	2 years	2 years
AVAILABLE	AS A KIT	LM1701E: Inc. 2.5Ah battery & standard charger	LM1701E-SP: Inc. 2.5Ah battery & standard charger	LM1903E-SP: Inc. 5.0Ah battery & rapid charger	LM2021E-SP: Inc. 5.0Ah battery & rapid charger	LM2135E-SP: Inc. 7.5Ah battery & rapid charger

\*Run time may vary and depend on the battery used, charge level of battery, condition of grass, and user's operation technique. \*\*Automatic Variable Speed delivers optimal cutting speed to maximise battery run time whilst maintaining grass cutting performance †Please note, mulching kits for models LM1700E, LM1700E-SP, LM1900E-SP and LM2130E-SP are available separate to purchase (ABP1700 and ABP1900).







### BUILT FOR THE TOUGHEST JOBS, POWERED BY OUR 56V ARC LITHIUM BATTERY TECHNOLOGY, Nothing gets in their way.







The EGO Power<sup>+</sup> chainsaws are built to tackle even the hardest jobs. Trunks, logs, branches, nothing gets in their way.

Choose simple, safe Auto Chain Tensioning to maintain proper tension during use or opt for tool-free chain tensioning for easy set up and adjustment. Check the lubrication level through the oil inspection window and you're ready to go.

> CHAIN BRAKE for safe operation

> > 5

The electronic chain brake protects against kickback while you work. And the auto-lubrication system keeps the chain spinning freely at all times.

Plus with EGO's 56V Arc Lithium battery delivering such an impressive run time and incredible power on a single charge, it'll keep you working cut after cut after cut.

EGO

ARCA HARCA

Then a the second of the

BUMPER SPIKES for control when

cutting logs

OPAQUE OIL LEVEL Inspection

WINDOW



MARCA WA

and H. M. and

LED LIGHT for use in low light conditions

A.W. son A.W. son A.W.

AUTOMATIC CHAIN OILING for better cutting performance

BRUSHLESS

POWER

EFFICIENT AND POWERFUL

**BRUSHLESS MOTOR** 

0

AUTO CHAIN TENSIONING

For simple chain tensioning\*

Please note: some features are not available on all models.
Model shown: CS1800E
\*Available on selected models



# SIMPLE, Safe Chain Tensioning

The EGO Power<sup>+</sup> 18 inch chainsaw with Auto Chain Tensioning is built to tackle tough jobs. With a high speed 20m/s chain speed and a powerful motor, nothing will get in its way.

All guesswork is removed when it comes to the correct chain tension thanks to an auto tensioning feature. When replacing or tensioning the chain, simply loosen the sprocket cover on the saw, re-tighten and you're ready to go.



**SIMPLE ADJUSTMENT** For safe and effective chain tensioning

DURABLE 45CM, 18" guide bar







### CS1400E **35cm CHAINSAW**

Perfect for easily cutting through branches and medium-sized logs up to 35cm (approx. 12ins) in width.






### EGO POWER

### CS1600E 40cm CHAINSAW

Perfect for easily cutting through branches and medium-sized logs up to 40cm (approx. 15ins) in width.





### EGO POWER PROFESSI

### CS1800E 45cm CHAINSAW

(17.5ins) in width.





### BCS1000 CHAINSAW BAG

Durable bag with oil tray and folding scabbard cover for safely transporting chainsaws. Separate pockets for storing accessories.

	C\$1400E	CS1600E	CS1800E
BLADE LENGTH	35cm	40cm	45cm
CHAIN SPEED	13.5m/s	13.5m/s	20m/s
CUTS UP TO*	2.5Ah Up to 130 cuts 4.0Ah Up to 220 cuts 5.0Ah Up to 300 cuts 7.5Ah Up to 450 cuts 10.0Ah Up to 600 cuts	2.5Ah Up to 130 cuts 4.0Ah Up to 220 cuts 5.0Ah Up to 300 cuts 7.5Ah Up to 450 cuts 10.0Ah Up to 600 cuts	2.5Ah Up to 130 cuts 4.0Ah Up to 220 cuts 5.0Ah Up to 300 cuts 7.5Ah Up to 450 cuts 10.0Ah Up to 600 cuts
CHAIN BAR	AG1400	AG1600	AG1800
CHAIN TYPE	AC1400 (90PX - 3/8" x 1.1mm)	AC1600 (90PX - 3/8" x 1.1mm)	AC1800 (91PX - 3/8" x 1.3mm)
OIL RESERVOIR	150ml	150ml	200ml
CHAIN OIL	Automatic	Automatic	Automatic
CHAIN BRAKE	Yes	Yes	Yes
NOISE RATING	86dB(A)	85dB(A)	93dB(A)
LpA/LwA	100dB(A)	99dB(A)	104dB(A)
VIBRATION (M/S <sup>2</sup> )	5.4/4.1	3.0/3.2	5.1/3.5
CHAIN TENSIONING	Tool free	Tool free	Automatic
WEIGHT WITHOUT BATTERY	3.8kg	3.9kg	4.5kg
MOTOR TYPE	Brushless	Brushless	Brushless
DOMESTIC WARRANTY	5 years	5 years	5 years
PROFESSIONAL WARRANTY	1 year	1 year	2 years
AVAILABLE AS A KIT	CS1401E: Includes 2.5Ah battery and standard charger	-	-





An industry-leading chain speed of 20m/s, provides all the power and torque needed to quickly cut through thick branches and larger logs up to 45cm



Available separately, see page 109.

\*Number of cuts may vary and depend on the battery used, charge level of battery and user's operation technique. Based on 100mm x 100mm cuts.







# INTELLIGENT RFF SURGERY

UNRIVALLED POWER AND CHAIN SPEED

'Best in class' power, performance and design. EGO's arborist-specialist tool from the Professional-X range, the EGO CSX3000 Top Handle Chainsaw is designed to tackle the challenges of all-day professional use.

With industry-leading Arc-Lithium battery technology at its heart, the Top Handle Chainsaw provides unrivalled power, torque and chain speed, whilst benefitting from long run-times and fast recharge. And with no pull-chord, no need to run the tool in idle and no hot exhaust, switching to EGO Arc-Lithium power makes more sense than ever.

A unique Chain-Brake Safety System is a cuttingedge combination of mechanical and electronic technology reducing the risk of injury, stopping the tool's motor faster if kickback occurs.

> තාල පිළු පාල පිළු පාල පිළු පාල පිළු පාල පිළු පාල පිළි පාල පිළු පාල පිළු පාල CHAIN SPEED: 20.0M/S

Additional features on the tool make working at height even easier - the Battery-Level Indicator Light alerts you when 10% of battery power is left, while the visible Oil Indicator Light comes on when the tool needs a top up.

Suitable for every tree-top job with a range of chain bars available, from 12"- 16", the EGO Top Handle Chainsaw makes the task in hand, easier. cleaner, quieter and safer.

It's time to get to grips with the new best in class.



IMPRESSIVE USER COMFORT AND SAFETY Low vibration and noise levels and zero emissions

EGO

NEW FOR 2021

### ABH3000 **BATTERY HOLSTER** BA2240T **4.0Ah BATTERY**

Battery holster cable integrates with the safety strop to securely attach to the belt and harness. The new 4.0Ah battery has been designed with the optimal power-to-weight ratio for use by professional arborists.



CHAIN BRAKE 30CM BAR LENGTH 20.0M/S CHAIN SPEED • BATTERY LEVEL USE WITH EGO POWER+ HOL STER OIL INDICATOR

EGO POWER

PROFESSIONAL-X Top handle chainsaw

CSX3000

Available separately, see pages 26 and 29.



Provides power when you need it. No need for a pull chord.

COMPATIBLE WITH A Range of Chain Bars from 12"- 16"

Designed to deliver best-in-class power, torque and chain speed for the professional arborist.



	CSX3000
BLADE LENGTH	30cm
CHAIN SPEED	20m/s
CUTS UP TO*	2.5Ah Up to 90 cuts 4.0Ah Up to 186 cuts 5.0Ah Up to 265 cuts 7.5Ah Up to 375 cuts 10.0Ah Up to 530 cuts
CHAIN BAR	AG1200
CHAIN TYPE	AC1200 (90PX - 3/8" x 1.1mm)
OIL RESERVOIR	200ml
CHAIN OIL	Automatic - Worm drive adjustable
CHAIN BRAKE	Yes - Mechanical and Electronic
NOISE RATING Lpa/lwa	88dB(A) 98dB(A)
VIBRATION (M/S <sup>2</sup> )	1.7/2.2
CHAIN TENSIONING	Side
WEIGHT WITHOUT BATTERY	3.5kg
MOTOR TYPE	Brushless
DOMESTIC WARRANTY	Not suitable
PROFESSIONAL WARRANTY	3 years
AVAILABLE AS A KIT	CSX3002: Includes 4.0Ah battery and rapid charger

\*Number of cuts may vary and depend on the battery used, charge level of battery and user's operation technique. Based on 100mm x 100mm cuts.



# MAXIMUM REACH, MANOEUVRABILITY AND CUTTING POWER FOR HIGH BRANCHES AND HEDGES



 $\boldsymbol{\succ}$ 

EGO POWER $^+$  professional-x telescopic pole system | 55

### EGO POWER PROFESSIONAL X TELESCOPIC POLE SYSTEM

# THE FLEXIBILITY TO CUT **HIGH BRANCHES OR HEDGES**

EGO's telescopic pole system enables you to work on those harder to reach jobs without the need for platforms or ladders.

The telescopic pole has a tool-free interchangeable head system which can be set up to work with either the pruning saw or hedge trimmer attachment in just a few seconds.

The telescopic pole houses the battery and dual-trigger controls and has an extendable reach up to 4 metres.

There are several trigger points to provide great reach and maneuverability relevant to the application.

When fully extended the tool meets the maximum allowable lengths, with great balance, articulation and ergonomics.

IN-LINE BATTERY POSITION For optimum balance during use

### **REAR FOOT** Replaceable carrying handle, protection against bumping and dropping

# EGO POWER

### PPX1000 **PROFESSIONAL-X TELESCOPIC POLE**

Use with the EGO Power<sup>+</sup> Professional-X Pruning Saw and Hedge Trimmer attachments\*, and with any of EGO's 56V Arc Lithium batteries. Extends up to 4m\*\* in length to easily reach high branches and hedges, and ideal for low hedges when set to a shorter extension.



DOUBLE TRIGGER CONTROLS Comfortable, safe and reliable

**tivi** Extention



### ALUMINIUM OVAL SHAFT Robust design for comfort, grip and reach

PPX1000 LENGTH 172 - 265cm IP CLASS IPX4 Variable speed 2 SPEED CONTROL triggers SHAFT SHAPE Oval, rubber sleeve WEIGHT WITHOUT 3.5kg BATTERY DOMESTIC WARRANTY 5 years PROFESSIONAL WARRANTY 3 years

NEW FOR 2021

\*The Telescopic Pruning Saw attachment and the Telescopic Hedge Trimmer can be purchased separately \*\*Depending on which attachment.



DUAL LOCKING SYSTEM Easy to change attachment with thumb screw locking





PROFESSIONAL-X TELESCOPIC Hedge trimmer attachment The power, torque and chain-speed to cut branches up to 26mm in diameter. 6-position articulation, and additional twist rotation



PROFESSIONAL-X TELESCOPIC PRUNING SAW ATTACHMENT Cut hedge branches up to 200mm in diameter. 0°-180° articulation, and additional twist rotation

PPCX1000: Includes PPX1000, PSX2500 pruning saw attachment and PTX5100 hedge trimmer attachm







**TELESCOPIC ADJUSTMENT** Long reach for cutting high branches

BRUSHLESS MOTOR To deliver maximum power and run time for tough jobs



FAST CHAIN SPEED A best in class 22m/s cuts thick branches with ease

**EGO** POWER

### NEW FOR 2021

### PSX2500 PROFESSIONAL-X TELESCOPIC PRUNING SAW ATTACHMENT

For use with the EGO Power<sup>+</sup> Professional-X Telescopic Pole (purchased separately). The brushless motor delivers the power and cutting speed to cut branches up to 200mm in diameter, with ease. Tackle even the most difficult tasks with 0° - 180° articulation, and additional twist rotation.



	PSX2500
BAR LENGTH	25cm
CHAIN TYPE	Oregon 90PX040X (Pitch <sup>3</sup> /8", Gauge 1.1mm)
CHAIN SPEED	22m/s
RUN TIME*	2.5Ah Up to 110 cuts 4.0Ah Up to 182 cuts 5.0Ah Up to 231 cuts 7.5Ah Up to 379 cuts 10.0Ah Up to 455 cuts
SPEED CONTROL	Variable Speed
TOTAL LENGTH	140cm
TOTAL EXTENDED LENGTH	400cm
OIL TANK CAPACITY	180ml with worm gear
NOISE RATING LpA/LwA	85 dB(A) / 99 dB(A)
WEIGHT WITHOUT BATTERY	2.2kg
MOTOR TYPE	Brushless
VIBRATION (M/S <sup>2</sup> )	1.2 m/s <sup>2</sup>
DOMESTIC WARRANTY	5 years
PROFESSIONAL WARRANTY	3 years
AVAILABLE AS A KIT	PPCX1000: Includes PPX1000, PSX2500 pruning saw attachment and PTX5100 hedge trimmer attachment

\*Number of cuts may vary and depend on the battery used, charge level of battery and user's operation technique. Based on 100mm x 100mm cuts.

### **E**GO TELESCOPIC HEDGE TRIMMER ATTACHMENT







NEW FOR 2021

### PTX5100 PROFESSIONAL-X TELESCOPIC Hedge trimmer attachment

For use with the EGO Power<sup>+</sup> Professional-X Telescopic Pole (purchased separately). The brushless motor delivers the power, torque and chain-speed to cut branches up to 26mm in diameter, with ease. Tackle even the most difficult tasks with 6-position articulation, and additional twist rotation.







BLADE LENGTH: 51CM

BRUSHLESS MOTOR To deliver maximum power and run time for tough jobs

DUAL ACTION BLADES For less vibration when cutting

	PTX5100
BLADE LENGTH	51cm
BLADE GAP	26mm
BLADE TOOTH DEPTH	1.8mm
RUN TIME*	2.5Ah Up to 65 mins 4.0Ah Up to 95 mins 5.0Ah Up to 120 mins 7.5Ah Up to 210 mins 10.0Ah Up to 260 mins
SPEED CONTROL	Variable speed
NO LOAD SPEEDS	3,000spm
BLADE TYPE	Laser cut; diamond ground
CUTTING ACTION	Dual action double sided
BLADE TIP PROTECTOR	No
NOISE RATING LpA/LwA	83 dB(A) 94 dB(A)
ROTATING GEARHEAD	Up 45° to down 70° Left and right +90° to -90°
WEIGHT WITHOUT BATTERY	2.3kg
MOTOR TYPE	Brushless
VIBRATION (M/S <sup>2</sup> )	1.3 m/s <sup>2</sup> - 1.5 m/s <sup>2</sup>
DOMESTIC WARRANTY	5 years
PROFESSIONAL WARRANTY	3 years
AVAILABLE AS A KIT	PPCX1000: Includes PPX1000, PSX2500 pruning saw attachment and PTX5100 hedge trimmer attachment











 $\boldsymbol{\succ}$ 



# **TRIM WITH** POWER **AND CONTROL**

Powered by the 56V Arc Lithium battery, EGO Power<sup>+</sup> line trimmers give you all the power you need to tackle the toughest jobs. The quick-adjust loop-handle can be positioned for optimum balance and control, while the large cutting swathe cuts any task down to size. Plus, the variable speed control ensures consistent trimming every time.

Built with ease-of-use in mind, ergonomic design, super-fast charging and groundbreaking Powerload<sup>™</sup> technology<sup>\*</sup> combine to create a truly revolutionary tool.

EGO's range of Line Trimmers includes options suitable for different types of terrain and even the toughest rough ground; wider handles for control over larger areas and bigger tasks, single-shoulder and double-shoulder harnesses for extra comfort and support, plus a Brush Cutter blade head for tackling tougher undergrowth.



**POWERLOAD**" TECHNOLOGY At the press of a button, loads new line in seconds\*

QUICK-ADJUST HANDLE For balanced,

comfortable operation

VARIABLE Speed trigger for optimised control





LARGE CUTTING SWATHE For faster, more efficient trimming

STEP 1 Thread the line

**BRUSHLESS MOTOR** Delivers more power and greater run time, soft-start extends motor life

Please note: some features are not available on all models Model shown: ST1510E \*Available on selected models.

# POWERLOAD TECHNOLOGY

Solving one of the biggest frustrations of line replacement, EGO's ground-breaking Powerload™ technology automatically loads the line into the trimmer head. Just thread the line, press the Powerload™ button and let the tool do the rest. Available on ST1510E and ST1400E-ST.





STEP 2 Press the Powerload™ button to load new line





### 

### ST1300E-S 33cm LINE TRIMMER

Two-speed, 33cm cutting swathe with bump head line feed and easy line replacement. Ideal for the smaller garden.



### EGO POWER



### ST1400E-ST 35cm LINE TRIMMER

35cm cutting swathe with Powerload<sup>™</sup> technology for automatic line replacement. Features a telescopic shaft for adjustment to fit any user and adjustable handle for edge-trimming of lawns.



### **EGO** Power



### ST1510E 38cm LINE TRIMMER

The world's first line trimmer with Powerload™ technology for automatic line replacement. Features variable speed and large 38cm cutting swathe.



	ST1300E-S	ST1400E-ST	ST1510E	ST1530E
CUTTING WIDTH – Line trimmer head	33cm	35cm	38cm	38cm
TOTAL LENGTH	173cm	165-183cm	173cm	167cm
RUN TIME <sup>*</sup>	2.5Ah Up to 70 mins 4.0Ah Up to 110 mins 5.0Ah Up to 140 mins 7.5Ah Up to 210 mins 10.0Ah Up to 280 mins	2.5Ah Up to 60 mins 4.0Ah Up to 90 mins 5.0Ah Up to 120 mins 7.5Ah Up to 165 mins 10.0Ah Up to 240 mins	2.5Ah Up to 30 mins 4.0Ah Up to 50 mins 5.0Ah Up to 60 mins 7.5Ah Up to 90 mins 10.0Ah Up to 120 mins	2.5Ah Up to 18 mins 4.0Ah Up to 36 mins 5.0Ah Up to 45 mins 7.5Ah Up to 72 mins 10.0Ah Up to 90 mins
SPEED CONTROL	Constant speed	Variable speed	Constant speed	Constant speed
SPEED GONTHOL	Two-speed	Two-speed	Variable speed	Two-speed
NO LOAD SPEEDS	5,200/6,500rpm	3,500-5,800rpm	4,000-5,800rpm	6,000/7,000rpm
LINE DIAMETER SUPPLIED	2.0mm	2.4mm	2.4mm	2.4mm
LINE FEED	Bump feed head	Powerload <sup>™</sup> head	Powerload <sup>™</sup> head	Rapid reload bump feed head
DUAL LINE	Yes	Yes	Yes	Yes
ROTATING DIRECTION	Clockwise	Clockwise	Clockwise	Anti clockwise
AUXILIARY HANDLE	Loop and quick-adjust	Loop and quick-adjust	Loop and quick-adjust	Loop and quick-adjust
HARNESS	N/A	N/A	Single shoulder	Single shoulder
WEIGHT WITHOUT BATTERY	2.7kg	3.4kg	3.2kg	4.2kg
VIBRATION (M/S <sup>2</sup> )	2.1/1.2	3.2/2.3	1.1/1.5	3.9/2.7
MOTOR TYPE	Brushless	Brushless	Brushless	Brushless
NOISE RATING LpA/LwA	75dB(A) 93dB(A)	69dB(A) 89dB(A)	79.3dB(A) 93dB(A)	82.6dB(A) 96dB(A)
DOMESTIC WARRANTY	5 years	5 years	5 years	5 years
PROFESSIONAL WARRANTY	1 year	1 year	1 year	2 years
AVAILABLE AS A KIT	ST1301E-S: Includes 2.5Ah battery and standard charger	ST1401E-ST: Includes 2.5Ah battery and standard charger	ST1511E: Includes 2.5Ah battery and standard charger	-



### 

### ST1530E 38cm LINE TRIMMER

Variable speed, large 38cm cutting swathe with bump head line feed and rapid reload line replacement.



\*Run time may vary and depend on the battery used, charge level of battery, condition of grass and user's operation technique







EGO POWER PROFESSIONAL

### BC3800E 30/38cm BRUSH CUTTER / LINE TRIMMER

The three-sided blade and brushless motor has the power to clear virtually any ground. Can be used as either a brush cutter or line trimmer.



Bannan	

CUTTING WIDTH

- Line trimmer head38cmTOTAL LENGTH186cmRUN TIME'2.5Ah Up to 20 mins 4.0Ah Up to 32 mins 5.0Ah Up to 40 mins 7.5Ah Up to 40 mins 10.0Ah Up to 80 minsBLADE MATERIALThree-sided steel bladeSPEED CONTROLConstant variable speedLINE DIAMETER SUPPLIED2.4mmLINE FEEDRapid reload bump feed headROTATING DIRECTIONAnti clockwiseWEIGHT WITHOUT BATTERY Three-sided blade4.6kg- Line trimmer head4.4kgVIBRATION (M/S') Three-sided blade1.5/1.9- Line trimmer head2.3/2.4MOTOR TYPEBrushlessNOISE RATING LPA/LWA80dB(A)DOMESTIC WARRANTY5 yearsPROFESSIONAL WARRANTY2 years	<ul> <li>Three-sided blade</li> </ul>	30cm
RUN TIME*2.5Ah Up to 20 mins 4.0Ah Up to 32 mins 5.0Ah Up to 40 mins 7.5Ah Up to 65 mins 10.0Ah Up to 80 minsBLADE MATERIALThree-sided steel bladeSPEED CONTROLConstant variable speedLINE DIAMETER SUPPLIED2.4mmLINE FEEDRapid reload bump feed headROTATING DIRECTIONAnti clockwiseWEIGHT WITHOUT BATTERY - Three-sided blade4.6kgUIBRATION (M/S?)1.5/1.9- Line trimmer head1.5/1.9- Line trimmer head80dB(A)NOISE RATING LpA/LwABrushlessNOISE RATING LpA/LwA5 years	- Line trimmer head	38cm
RUN TIME'4.0Ah Úp to 32 mins 5.0Ah Up to 40 mins 7.5Ah Up to 65 mins 10.0Ah Up to 80 minsBLADE MATERIALThree-sided steel bladeSPEED CONTROLConstant variable speedLINE DIAMETER SUPPLIED2.4mmLINE FEEDRapid reload bump feed headROTATING DIRECTIONAnti clockwiseWEIGHT WITHOUT BATTERY- - Three-sided blade- Line trimmer head4.6kg- Line trimmer head1.5/1.9- Three-sided blade2.3/2.4MOTOR TYPEBrushlessNOISE RATING LIPA/LWA80dB(A)96dB(A)96dB(A)OMESTIC WARRANTY5 years	TOTAL LENGTH	186cm
SPEED CONTROL       Constant variable speed         LINE DIAMETER SUPPLIED       2.4mm         LINE FEED       Rapid reload bump feed head         ROTATING DIRECTION       Anti clockwise         WEIGHT WITHOUT BATTERY       -         - Three-sided blade       4.6kg         - Line trimmer head       4.4kg         VIBRATION (M/S²)       -         - Three-sided blade       1.5/1.9         - Line trimmer head       2.3/2.4         MOTOR TYPE       Brushless         NOISE RATING LPA/LwA       80dB(A)         96dB(A)       DOMESTIC WARRANTY	RUN TIME*	4.0Ah Up to 32 mins 5.0Ah Up to 40 mins 7.5Ah Up to 65 mins
LINE DIAMETER SUPPLIED       2.4mm         LINE FEED       Rapid reload bump feed head         ROTATING DIRECTION       Anti clockwise         WEIGHT WITHOUT BATTERY       -         - Three-sided blade       4.6kg         - Line trimmer head       4.4kg         VIBRATION (M/S?)       -         - Three-sided blade       1.5/1.9         - Line trimmer head       2.3/2.4         MOTOR TYPE       Brushless         NOISE RATING LPA/LWA       96dB(A)         DOMESTIC WARRANTY       5 years	BLADE MATERIAL	Three-sided steel blade
LINE FEEDRapid reload bump feed headROTATING DIRECTIONAnti clockwiseWEIGHT WITHOUT BATTERY Three-sided blade4.6kg- Line trimmer head4.4kgVIBRATION (M/S²) Three-sided blade1.5/1.9- Line trimmer head2.3/2.4MOTOR TYPEBrushlessNOISE RATING LpA/LwA80dB(A) 96dB(A)DOMESTIC WARRANTY5 years	SPEED CONTROL	Constant variable speed
ROTATING DIRECTION     Anti clockwise       WEIGHT WITHOUT BATTERY     -       - Three-sided blade     4.6kg       - Line trimmer head     4.4kg       VIBRATION (M/S²)     -       - Line trimmer head     1.5/1.9       - Line trimmer head     2.3/2.4       MOTOR TYPE     Brushless       NOISE RATING LpA/LwA     80dB(A)       DOMESTIC WARRANTY     5 years	LINE DIAMETER SUPPLIED	2.4mm
WEIGHT WITHOUT BATTERY         - Three-sided blade       4.6kg         - Line trimmer head       4.4kg         VIBRATION (M/S²)       -         - Three-sided blade       1.5/1.9         - Three-sided blade       2.3/2.4         MOTOR TYPE       Brushless         NOISE RATING LpA/LwA       80dB(A)         96dB(A)       96dB(A)         DOMESTIC WARRANTY       5 years	LINE FEED	Rapid reload bump feed head
- Three-sided blade     4.6kg       - Line trimmer head     4.4kg       VIBRATION (M/S?)     -       - Three-sided blade     1.5/1.9       - Line trimmer head     2.3/2.4       MOTOR TYPE     Brushless       NOISE RATING LpA/LwA     80dB(A)       96dB(A)     96dB(A)       DOMESTIC WARRANTY     5 years	ROTATING DIRECTION	Anti clockwise
- Line trimmer head     4.4kg       VIBRATION (M/S?)     -       - Three-sided blade     1.5/1.9       - Line trimmer head     2.3/2.4       MOTOR TYPE     Brushless       NOISE RATING LpA/LwA     80dB(A)       96dB(A)     96dB(A)       DOMESTIC WARRANTY     5 years	WEIGHT WITHOUT BATTERY	
VIBRATION (M/S²)     1.5/1.9       - Three-sided blade     1.5/1.9       - Line trimmer head     2.3/2.4       MOTOR TYPE     Brushless       NOISE RATING     80dB(A)       LpA/LwA     96dB(A)       DOMESTIC WARRANTY     5 years	- Three-sided blade	4.6kg
- Three-sided blade     1.5/1.9       - Line trimmer head     2.3/2.4       MOTOR TYPE     Brushless       NOISE RATING LpA/LwA     80dB(A) 96dB(A)       DOMESTIC WARRANTY     5 years	- Line trimmer head	4.4kg
Line trimmer head     2.3/2.4      MOTOR TYPE     Brushless      NOISE RATING     LpA/LwA     96dB(A)      96dB(A)      5 years	VIBRATION (M/S <sup>2</sup> )	
MOTOR TYPE     Brushless       NOISE RATING LpA/LwA     80dB(A) 96dB(A)       DOMESTIC WARRANTY     5 years	- Three-sided blade	1.5/1.9
NOISE RATING 80dB(A) LpA/LwA 96dB(A) DOMESTIC WARRANTY 5 years	- Line trimmer head	2.3/2.4
LpA/LwA 96dB(A) DOMESTIC WARRANTY 5 years	MOTOR TYPE	Brushless
PROFESSIONAL WARRANTY 2 years	DOMESTIC WARRANTY	5 years
	PROFESSIONAL WARRANTY	2 years

BC3800E

\*Run time may vary and depend on the battery used, charge level of battery, condition of grass and user's operation technique.

PART Rotocut	DESCRIPTION		ST1300E	ST1400E-ST	ST1500E-F	ST1510E	ST1530E	BC1500E-F	BC3800E	BCX3800	STX3800	STA1500	BCA1200	RTA2300
RTX2300	Professional-X Rotocut Attachment						0		0	0	0	0	0	0
ABR2300	Replacement blades (pair) - ROTOCUT RTX2300						0		0	0	0	0	0	0
TRIMMER SPI	RTX2300 DOLS (WITH LINE)						Ū				0	0	0	0
AS1300	Spool with 2.4mm twist line for standard bump feed cutting head - ST1500E, BC1500E				0			0						
AS1302	Spool with 2.0mm twist line for standard bump feed cutting head - ST1300E		0											
AS3800	Spool w/o line for bump feed cutting head - BCX3800, STX3800									$\bigcirc$	$\bigcirc$			
TRIMMER LIN	-													
AL2015T	15m 2.0mm twist line - ST1300E (green)			0										
AL2050T	50m 2.0mm twist line - ST1300E (green)		•	0										
AL2415T	15m 2.4mm twist line [orange/green] -	•		•		$\bullet$		•			•	•		
AL2715T	15m 2.7mm twist line [red/green] - STX3800, BCX3800	\$								0	0			
AL3012T	12m 3.0mm twist line [yellow/green] - STX3800, BCX3800	•								$\bigcirc$	0			
AL2475T	75m 2.4mm twist line [orange/green] - ALL 35cm & 38cm cutting diameter grass trimmers	•		•	٠	٠	•	•	•	٠	•	•		
AL2760T	60m 2.7mm twist line [red/green] - STX3800, BCX3800									0	0			
AL3050T	50m 3.0mm twist line [yellow/green] - STX3800, BCX3800	<b>♦</b>								0	0			
AL2415R	15m 2.4mm round line [orange] - ALL 35cm & 38cm cutting diameter grass trimmers	•		0	0	0	0	0	0	0	0	0		
AL2715R	15m 2.7mm round line [red] - STX3800, BCX3800	•								$\bigcirc$	$\bigcirc$			
AL3012R	12m 3.0mm round line [yellow] - STX3800, BCX3800	•								0	0			
AL2490R	90m 2.4mm round line [orange] - ALL 35cm & 38cm cutting diameter grass trimmers	•		0	0	0	0	0	0	0	0	0		
AL2780R	80m 2.7mm round line [red] - STX3800, BCX3800	•								$\bigcirc$	0			
AL3060R	60m 3.0mm round line [yellow] - STX3800, BCX3800	•								$\bigcirc$	$\bigcirc$			
AL2416P	4 x 4.0m 2.4mm Pre-cut twisted line [black/orange] - ST1400E-ST, ST1510E	¢				٠								
CUTTING HEA	DS												1	1
AH1520	POWERLOAD cutting head - ST1510E					0								
AH1522	POWERLOAD cutting head - ST1400E- ST			0										
AH1530	ANY INSERT cutting head - CLOCKWISE - ST1500E-F, BC1500E-F				0			0						
AH1531	ANY INSERT cutting head - ANTI- CLOCKWISE - ST1530E, BC3800E, STA1500						0		0			0		
AH3800	Bump feed cutting head - STX3800, BCX3800									$\bigcirc$	0			
AH3810	ANY INSERT cutting head - ANTI- CLOCKWISE - ST1530E, BC3800E, STX3800, BCX3800, STA1500, BCA1200									0	0			
ABT3800	Bump feed button - AH3800									0	0			
CUTTING BLA Abb1203	3 point brush cutter blade - STX3800,						0		0	0	0	0	0	
ABB0903P	BCX3800, ST1530E, BC3800, BCA1200 Elastoblade - STX3800, BCX3800, ST1530E, BC3800, BCA1200						0		0	0	0	0	0	
STRAPS AND														
AP1500	Single-shoulder harness with one hook - multi-tool and all grass trimmers.		0	0	0	0	0	0	0	0	0	0	0	0
AP1500D	Double-shoulder harness with guard pad - multi-tool & all grass trimmers except BCX3800 & STX3800 (cannot be used with BH1000 or BHX1000)		0	0	0	0	0	0			0	0	0	0
AHP1300	Leg protector / line trimmer harness attachment - Only to be used with AFH1300, BH1000		0	0	0	0	0	0	0	0	0	0	0	0
AHP1500	Leg protector / line trimmer harness attachment - Only to be used with AFH1500, BHX1000									0	0			



		$\cup$	$\cup$			
	$\bigcirc$	$\bigcirc$	$\bigcirc$	0	0	
	0	$\bigcirc$	0	0	0	
0	0	$\bigcirc$	0	0	0	0
0			0	0	0	0
0	0	0	0	0	0	0
		0	0			
		E G O	POWER <sup>+</sup> AC	CESSORY CO	MPATABILI	TY   67








### STX3800 PROFESSIONAL-X LINE TRIMMER / BRUSH CUTTER (LOOP HANDLE)

Our Professional-X line trimmer provides the same power and performance as petrol. Now with a quick adjustable handle, pair up with our Professional-X backpack battery BAX1500 for all-day power and comfort.



A A A A A A A A A A A A A A A A A A A

BCX3800		STX3800				
38cm		38cm				
30cm		30cm				
186cm		186cm				
With trimmer head	With brush cutter head	With trimmer head	With brush cutter head			
Up to 300 mins	Up to 420 mins	Up to 300 mins	Up to 420 mins			
Three-sided steel bla	de	Three-sided steel bla	de			
Constant variable spe	ed	Constant variable spe	eed			
5800rpm		5800rpm				
Yes		Yes				
2.4mm		2.4 mm				
Manual wind bump fe	eed head	Manual wind bump feed head				
Yes		Yes				
Anti clockwise		Anti clockwise				
Bike handle		Quick adjustable loop handle				
Hip pad (AHP1500)		-				
6.8kg	6.5kg	6.5kg 6.2kg				
Brushless		Brushless				
With trimmer head	With brush cutter head	With trimmer head	With brush cutter head			
81dB(A) 94 dB(A)	83 dB(A) 96 dB(A)	81 dB(A) 94 dB(A)	83dB(A) 96dB(A)			
1.9/1.5	1.9/1.3	2.3/1.5 1.9/4.3				
5 years		5 years				
3 years		3 years				

\*Run time may vary and depend on the battery used, charge level of battery, condition of grass and user's operation technique



NOISE: LpA 93dB(A) | VIBRATION: 1.1/1.5m/s<sup>2</sup>



# PROTECT THE AREA AROUND YOU

230MM Cutting Width

2 BLADE COUNT

000

 $\bigcirc$ 

Erocort



Featuring two counter-rotating blades instead of line, it maximises run-time and reduces vibration. Most importantly, it prevents debris from being thrown, making it ideal for use in built-up areas where risk of damage or injury is particularly acute. With a low profile on the gear box, it can take on the most difficult to reach areas.

The base plate is mounted on bearings, increasing the overall life of the tool and reducing pavement damage. The blades have been designed to ensure clean and efficient cutting performance whilst maintaining durability.

Rotocut can be used with any rear motored tools or EGO line trimmer multi tools, making it the ultimate attachment for added precision and protection. **BEARING MOUNTED BASE** for free movement and longer life



### RTX2300 PROFESSIONAL-X ROTOCUT

Rotocut's flat design and simple attachment process means it can fit to most rear motor brush cutters and line trimmers on the market.



70 EGO POWER<sup>+</sup> PROFESSIONAL-X ROTOCUT



	RTX2300
CUTTING WIDTH	23cm
RUN TIME*	2.5Ah Up to 25 mins 4.0Ah Up to 40 mins 5.0Ah Up to 52 mins 7.5Ah Up to 80 mins 10.0Ah Up to 105 mins BAX1500 Up to 325 mins
ROTATING DIRECTION	Two blades counter rotation
BLADE TYPE	High strength alloy steel
WEIGHT	1.9kg
VIBRATION (M/S <sup>2</sup> )	1.1/1.5
NOISE RATING Lpa/lwa	79.3dB(A) 93dB(A)
CUTTING SPEED	450rpm
COMPATIBLE EGO TOOLS	STX3800 / BCX3800 / ST1530E / BC3800E / STA1500 / BCA1200
DOMESTIC WARRANTY	5 years
PROFESSIONAL WARRANTY	3 years
	*Run time may vary and depend on the battery used,

\*Run time may vary and depend on the battery used, charge level of battery and user's operation technique.

no debris is thrown



LIGHT, YET POWERFUL, OUR NEXT GENERATION OF Cordless hedge trimmers give you all the comfort and control you need to get the Job Done.



 $\boldsymbol{\succ}$ 







POWERFUL MOTOR 2400 spm 2.0Ah battery

560

# COMPACT WITHOUT COMPROMISE

They may be compact, but they don't compromise on power. Brought to life by a 12V Lithium-Ion battery, the EGO Power<sup>+</sup> shrub/grass shears are ideal for everyday garden maintenance.

With two attachments included, use the shrub blade to shape and maintain smaller hedges and ornamental trees, or switch to the grass trimmer blade to tackle areas of grass that mowers can't reach. A lightweight, ergonomic design allows for unparalleled precision in either mode, so you can get the perfect result every time.

Simple to use and easy to store, they're are an essential addition to every gardener's arsenal.

HEDGE SHRUB SHEAR ATTACHMENT Easy to change 20cm laser cut blade with 8mm blade gap

a a a a a a a a






#### CHT2001E 12V SHRUB/GRASS SHEARS

GRASS TRIMMER ATTACHMENT Quick and easy edge trimming -11.5cm cutting width

Single speed 20cm blade length, 8mm blade gap with single knife edge cutting action. Can be used as either shrub or grass shears.





Model Shown: CHT2001E



**COMFORTABLE GRIP** Excellent comfortable controls for easy use

> 12V LITHIUM-ION Battery



SIMPLE ATTACHMENT For different blade sets

	CHT2001E
GRASS CUTTER BLADE WIDTH	11.5cm
HEDGE TRIMMER BLADE LENGTH	20cm
HEDGE TRIMMER BLADE GAP	8mm
RUN TIME	Up to 70 mins
SPEED CONTROL	Single-speed
NO LOAD SPEEDS	2400 spm
BLADE TYPE	Laser cut
CUTTING ACTION	Dual action; single-sided cutting blade
BLADE TIP PROTECTOR	No
STANDARD BATTERY	2.0Ah
CHARGE TIME	3.5 hours
WEIGHT WITH BATTERY	1.1kg
DOMESTIC WARRANTY	5 years
PROFESSIONAL WARRANTY	-





# BALANCED, PRECISE, Powerful

Engineered to deliver impressive cutting ability from a single charge, the EGO Power<sup>+</sup> Hedge Trimmer's well-balanced design and clever features makes working outdoors easier and more comfortable.

The rotating handle and dual trigger system provide enhanced user comfort and safety. While the smooth and quiet brushless motor and gearbox gives you all the power you need, without the vibration, emissions and noise of a petrol engine.

EGO hedge trimmer blades are laser cut, diamond ground and double sided for clean, precise cutting. All blades have large cutting capacities for tackling thicker hedges and are available in 51cm to 65cm lengths, to suit every size of hedge. Blade-tip protection stops damage from fences and walls.

For safer working, the safety blade guard helps prevent injuries while the electric brake stops the blades when the trigger is released.

**BLADE TIP PROTECTOR** Prevents blades becoming damaged by fences and walls

LASER CUT, DIAMOND GROUND, DOUBLE-SIDED CUTTING BLADES Cleaner, more precise cutting

> LARGE CUTTING CAPACITY For tackling thicker hedges and large branches



DUAL ACTION BLADES For less vibration when cutting

ROBUST METAL ALLOY Brushless motor Housing and gearbox

ELECTRIC SAFETY BRAKE Stops blade when trigger is released

> SAFETY BLADE GUARD Helps prevent injuries



Model Shown: HT6500E





TWO-SPEED SELECTOR Select the correct speed for each trimming task

ROTATING REAR HANDLE Adjustable for comfort and control in use

Please note: some features are not available on all models





# 

#### HT2000E 51cm HEDGE TRIMMER

Single-speed, single knife-edge cutting action, powerful brushless motor, ideal for cutting narrower small-to-medium hedges with thick stem widths.





#### **EGO** POWER

#### HT2410E 61cm HEDGE TRIMMER

Single-speed, single knife-edge cutting action, powerful brushless motor, ideal for cutting wider medium hedges with thick stem widths.






#### 

#### HT5100E 51cm HEDGE TRIMMER

Two-speed, double knife-edge cutting action, adjustable rotating rear handle for additional control, ideal for cutting narrower/long hedges with thicker stem widths.






	HT2000E	HT2410E	HT5100E	HT6500E
BLADE LENGTH	51cm	61cm	51cm	65cm
BLADE GAP	25mm	26mm	33mm	33mm
BLADE TOOTH DEPTH	20mm	20mm	20mm	20mm
RUN TIME <sup>*</sup>	2.5Ah Up to 75 mins 4.0Ah Up to 120 mins 5.0Ah Up to 150 mins 7.5Ah Up to 225 mins 10.0Ah Up to 300 mins	2.5Ah Up to 75 mins 4.0Ah Up to 120 mins 5.0Ah Up to 150 mins 7.5Ah Up to 225 mins 10.0Ah Up to 300 mins	2.5Ah Up to 40 mins 4.0Ah Up to 70 mins 5.0Ah Up to 82 mins 7.5Ah Up to 125 mins 10.0Ah Up to 164 mins	2.5Ah Up to 33 mins 4.0Ah Up to 60 mins 5.0Ah Up to 72 mins 7.5Ah Up to 110 mins 10.0Ah Up to 144 mins
SPEED CONTROL	Single speed	Single speed	Two-speed	Two-speed
NO LOAD SPEEDS	3,000spm	3,000spm	2,800/3,200spm	2,800/3,200spm
BLADE TYPE	Laser cut; diamond ground	Laser cut; diamond ground	Laser cut; diamond ground	Laser cut; diamond ground
CUTTING ACTION	Dual action; single-sided cutting blade	Dual action; single-sided cutting blade	Dual action; double-sided cutting blade	Dual action; double-sided cutting blade
BLADE TIP PROTECTOR	Yes	Yes	Yes	Yes
NOISE RATING LpA/LwA	81dB(A) 94dB(A)	83 dB(A) 96dB(A)	81dB(A) 92dB(A)	81.4 dB(A) 93 dB(A)
ROTATING HANDLE	No	No	45° and 90° left and right	45° and 90° left and right
WEIGHT WITHOUT BATTERY	2.8kg	3kg	3.6kg	3.8kg
MOTOR TYPE	Brushless	Brushless	Brushless	Brushless
VIBRATION (M/S <sup>2</sup> )	2/1.5	1.8/1.7	3.4/1.9	5.3/3.1
DOMESTIC WARRANTY	5 years	5 years	5 years	5 years
PROFESSIONAL WARRANTY	1 year	1 year	2 years	2 years
AVAILABLE AS A KIT	-	HT2411E: Includes 2.5Ah battery and standard charger	-	-





#### HT6500E 65cm HEDGE TRIMMER

Two-speed, double knife-edge cutting action, adjustable rotating rear handle for additional control, ideal for cutting wider/long hedges with thicker stem widths.





\*Run time may vary and depend on the battery used, charge level of battery, condition of hedge and user's operation technique. \*Available on selected models.





# CUTS CLEANER, RUNS Longer. Makes Cutting **HEDGES SHORT WORK**

Designed for professionals, the Professional-X hedge trimmers are precision engineered to tackle the toughest hedges with ease.

A single charge delivers impressive run times, while the smooth and quiet brushless motor and gearbox give you all the power you need, without the vibration, emissions and noise of a petrol engine.

### **Blades that cut cleanly**

The high-quality EGO Power<sup>+</sup> blades are made from laser-cut steel with diamond-ground edges to provide the cleanest cut and promote healthier hedges.

Model Shown: HTX7500



## EGO POWER

#### HTX6500 65CM PROFESSIONAL-X HEDGE TRIMMER

Variable speed, double-knife edge cutting action makes light work of any job, big or small. Dual trigger system provides enhanced user comfort and safety.





CUTTING CAPICITY: 33MM Tooth Depth: 20MM



LASER CUT DIAMOND **GROUND BLADES** 

THE REAL OF

UNIQUE HANDLE And trigger design For switching effortlessly between horizontal and vertical cutting

LASER CU

DIAMOND GROUND

mmm 

LOW CUTTER GUARD For safe and easy access

65CM/75CM BLADE LENGTH WITH 33MM **CUTTING CAPACITY** 





#### HTX7500 **75CM PROFESSIONAL-X HEDGE TRIMMER**

Ideal for wider, larger hedges, variable speed, double-knife edge cutting action makes light work of any garden job. Dual trigger system provides enhanced user comfort and safety.



	HTX6500	HTX7500
BLADE LENGTH	65cm	75cm
BLADE GAP	33mm	33mm
BLADE TOOTH DEPTH	20mm	20mm
RUN TIME <sup>*</sup> WITH Bax1500 Battery	Up to 420 mins	Up to 380 mins
SPEED CONTROL	Variable speed	Variable speed
NO LOAD SPEEDS	3200spm	3200spm
BLADE TYPE	Double-sided cutting	Double-sided cutting
CUTTING ACTION	Dual action; double-sided cutting	Dual action; double-sided cutting
BLADE TIP PROTECTOR	Yes	Yes
ROTATING HANDLE	No	No
WEIGHT	3.9kg	4.0kg
MOTOR TYPE	Brushless	Brushless
NOISE RATING	80 dB(A)	83.9 dB(A)
LpA/LwA	90.1dB(A)	95.4dB(A)
VIBRATION (M/S <sup>2</sup> )	3.2/3.9	2.9/3.5
DOMESTIC WARRANTY	5 years	5 years
PROFESSIONAL WARRANTY	3 years	3 years

\*Run time may vary and depend on the battery used, charge level of battery, condition of hedge and user's operation technique.





WITH HIGH-EFFICIENCY BRUSHLESS MOTORS AND JET TURBINE TECHNOLOGY, EGO POWER<sup>+</sup> BLOWERS AND SNOW THROWER OFFER MAXIMUM AIRFLOW WITH MINIMUM EFFORT.



 $\boldsymbol{\succ}$ 









VARIABLE SPEED CONTROL Adjust between 440m<sup>3</sup>/h and 675m<sup>3</sup>/h output

GC

# BLOWS PETROL-Powered blowers out of the park

Powered by a high-efficiency brushless motor, EGO Power<sup>+</sup> blowers feature jet turbine technology and a large diameter tube to give maximum airflow.

Significantly quieter and with zero emissions, the EGO range of blowers offer a genuine alternative to petrol power.

Designed to keep you in control - from low speed, low volume airflow for those delicate areas, to high speed, high volume airflow for hard-to-shift wet leaves and objects. With more power than most handheld petrol blowers on the market, that's more than enough to clear up even the biggest windfall.

> LARGE BLOWER TUBE Greater diameter delivers maximum airflow

FLAT NOZZLE ATTACHEMENT Ideal for wet leaves

> TURBINE FAN ENGINEERING Utilises advanced aeronautics technology





**BOOST MODE** For a 986m<sup>3</sup>/h petrol-blower beating output

> HIGH-EFFICIENCY BRUSHLESS MOTOR Delivers more power and greater run time

> > Please note: some features are not available on all models









## EGO POWER

#### LB5300E BLOWER

Variable speed setting, large blower tube, up to 900m³/h output in Boost, for clearing small to medium-sized spaces.



Includes AN5300 Flat Nozzle



	LB5300E				LB5800E					
RUN TIME*	BATTERY SIZE				BATTERY SIZE					
	2.5Ah	4.0Ah	5.0Ah	7.5Ah	10.0Ah	2.5Ah	4.0Ah	5.0Ah	7.5Ah	10.0Ah
LOW SPEED High speed	Up to 75 mins Up to 22 mins Up to	Up to 120 mins Up to 35 mins Up to	Up to 150 mins Up to 44 mins Up to	Up to 225 mins Up to 66 mins Up to	Up to 300 mins Up to 88 mins Up to	Up to 100 mins Up to 15 mins Up to	Up to 160 mins Up to 24 mins Up to	Up to 200 mins Up to 30 mins Up to	Up to 300 mins Up to 45 mins Up to	Up to 400 mins Up to 60 mins Up to
BOOST	10 mins	16 mins	20 mins	30 mins	40 mins	9 mins	14 mins	18 mins	27 mins	36 mins
	Max			Мах						
AIR VOLUME (M <sup>3</sup> /H)	900				986					
AIR SPEED (KM/H)		176				270				
FORCE (N)			16			18				
SPEED SETTING	Variable sp	eed with boo	st			Constant variable speed with lock-on + boost				
WEIGHT WITHOUT BATTERY	2.2kg					2.2kg				
MOTOR TYPE	Brushless					Brushless				
NOISE RATING LpA/LwA	82 dB(A) 100 dB(A)					78.4 dB(A) 95 dB(A)				
VIBRATION (M/S <sup>2</sup> )	1.35				0.18					
DOMESTIC WARRANTY	5 years				5 years					
PROFESSIONAL WARRANTY	1 year				2 years					
AVAILABLE AS A KIT	LB5301E: Ir	LB5301E: Includes 2.5Ah battery and standard charger			-					



#### **EGO** POWER PROFESSION

#### LB5800E BLOWER

Variable speed thumb selector for added airflow control with single handed use, 986m³/h output in Boost, for completing bigger tasks across wider areas and large gardens.



Includes AN6000R (Round) and AN6000F (Flat) Nozzels



\*Run time may vary and depend on the battery used, charge level of battery and user's operation technique





# THE BACKPACK Blower that Packs a punch

Big jobs need big power. And that's what the EGO Power<sup>+</sup> backpack blower delivers. With the ability to blow over 1020m<sup>3</sup> of air per hour on Max mode, the leaves don't stand a chance. With up to 2 hours run time<sup>\*</sup> you can cover plenty of ground too.

But there's more to this clever blower than simply packing a punch. The smooth brushless motor significantly reduces vibration compared to its petrol-powered equivalents. It's a lot quieter too. The comfortable padded backpack frame supports the blower, taking the strain off your arm and distributing the weight more ergonomically, making the backpack blower perfect for those really big jobs. COMFORTABLE AND STURDY BACKPACK FRAME For comfort during long periods of use



## 

#### LBGOODE BACKPACK BLOWER

The hugely powerful, yet ergonomic design is easy to use and packed with all the features you need.







HIGH POWERED BRUSHLESS MOTOR Delivers high air volume and speed, but with much lower levels of vibration and a lot quieter than petrol-powered equivalents.

ADJUSTABLE HANDLE For greater reach, control and comfort





#### **POWER SETTING SWITCH** For efficient power management



VARIABLE LENGTH TUBE For greater comfort and control

FLEXIBLE TUBE Gives greater movement and comfort whilst in use

	LBGOOOE				
	Low	High	Max		
RUN TIME <sup>**</sup> WITH 5.0Ah BATTERY	120 mins	22 mins	15 mins		
RUN TIME <sup>**</sup> WITH 10.0Ah BATTERY	240 mins	44 mins	30 mins		
AIR VOLUME (M <sup>3</sup> /H)	440	850	1020		
AIR SPEED (KM/H)	80	160	193		
SPEED SETTING	Variable speed v	with boost			
FORCE (N)	19.2 Max				
MOTOR TYPE	Brushless				
NOISE RATING LpA/LwA	83dB(A) 97dB(A)				
VIBRATION (M/S <sup>2</sup> )	1.5				
WEIGHT WITHOUT BATTERY	5.7kg				
DOMESTIC WARRANTY	5 years				
PROFESSIONAL WARRANTY	2 years				
AVAILABLE AS A KIT	LB6002E: Includes 5.0Ah battery and rapid charger, LB6000E-K1103 Includes 10.0Ah battery and rapid charger				

\*\*Run time may vary and depend on the battery used, charge level of battery and user's operation technique









#### LBX6000 PROFESSIONAL-X BLOWER

Designed to be used with the Professional-X Backpack Battery BAX1500, this powerful blower is light and easy to handle. Plus, the smooth brushless motor reduces vibration and noise compared to its petrol-powered equivalents.



Includes ANGOOOR (Round) and ANGOOOF (Flat) Nozzles





# OUTPOWERS PETROL POWERED BLOWERS


The LBX6000 is our most powerful handheld blower yet. Delivering more blowing time, more power and more comfort than petrol.

Designed with the professional user in mind, engineered to minimise noise and vibration, making it ideal for extended use.

With the ability to blow over 1014m<sup>3</sup> of air per hour on Boost mode - for the toughest tasks.

MODE SELECTOR WITH BOOST More power to move the most difficult debris

LOCK OFF SWITCH For extra safety



ADDITIONAL ROUND AND FLAT NOZZLE For greater reach and when tackling wet leaves

ZGO


1.67m/s<sup>2</sup>

Model Shown: LBX6000



	LBX6000		
CONSTANT SPEED	Yes		
	Level 1	Up to 350 mins	
	Level 2	Up to 210 mins	
RUN TIME <sup>®</sup> WITH Bax1500 Battery	Level 3	Up to 140 mins	
	Level 4	Up to 100 mins	
	Boost	Up to 70 mins	
AIR VOLUME (M <sup>3</sup> /H)	1014m <sup>3</sup> /h Max		
AIR SPEED (KM/H)	212km/h		
FORCE (N)	19.2 Max		
SPEED SETTING	4 level settings and boost		
WEIGHT	2.7kg		
MOTOR TYPE	Brushless		
NOISE RATING	80 dB(A)		
LpA/LwA	93dB(A)		
VIBRATION (M/S <sup>2</sup> )	1.2		
DOMESTIC WARRANTY	5 years		
PROFESSIONAL WARRANTY	3 years		

\*Run time may vary and depend on the battery used, charge level of the battery and user's operation technique







# **EFFICIENT SNOW CLEARANCE IN THE** IST FXTRFMF CONDITIONS

The new EGO POWER<sup>+</sup> Professional 2-Stage Snow Thrower delivers the power and performance of equivalent petrol-powered products, without the noise, fuss and emissions.

Peak Power™ technology combines the power of any two EGO 56V Arc Lithium<sup>™</sup> batteries to tackle the toughest snow conditions with ease - two batteries are used to provide maximum power when tackling tougher jobs. Variable-speed self-propelled control ensures ease of use, while a reverse gear makes getting out of tight spots easier.


The 61cm clearing-width and 51cm intake-height can handle even the deepest snow quickly. More than 35cm depth of snow can be cleared with ease from an 8-car driveway, while the 4 LED lights help make early morning or evening clearing easy. Variable-speed augers and 200° chute adjustment give you complete control of direction and throwing distance of up to 13 metres, while the on-board controls are easy to operate, even when wearing bulky winter gloves.





#### SNT2400E **61 CM SELF-PROPELLED 2-STAGE** SNOW THROWER WITH PEAK POWER™

Peak Power<sup>™</sup> technology delivers maximum power so the EGO Snow Thrower can tackle the deepest snow with ease. The generous clearing width and intake-height work with the multi-directional shoot to clear snow quickly even in extreme conditions.



	SNT2400E
CLEARING AREA @ 15CM DEPTH	223m <sup>2</sup>
PLOUGHING CAPACITY	950kg/min
NUMBER OF BATTERY PORTS	2 parallel
CLEARING WIDTH	61cm
INTAKE HEIGHT	51cm
CHUTE ROTATION	200° Joystick control
THROWING DISTANCE (MAX)	13m
THROWING DISTANCE (HEAVY SNOW)	7.6m
AUGER MATERIAL & DIAMETER	Steel 28cm
NUMBER OF STAGES	2
SELF PROPELLED SPEED	0.4-1.2m/s
REVERSE	Yes
WEIGHT WITHOUT BATTERY	68kg
MOTOR TYPE	Brushless
NOISE RATING	83dB(A)
LpA/LwA	97dB(A)
VIBRATION (M/S <sup>2</sup> )	0.3/0.4
DOMESTIC WARRANTY	5 years
PROFESSIONAL WARRANTY	2 years
AVAILABLE AS A KIT	SNT2400E-K2753: Includes 2x BA4200T, 2x CH5500E

**ERGONOMIC HANDLE** Adjustable height and folds for storage

**PEAKPOWER**<sup>®</sup> Accommodates dual batteries to deliver maximum power when needed

INDEPENDENT BRUSHLESS MOTORS For self-propel and snow augers, means greater reliability

> WHEEL DRIVE SYSTEM High traction tyres, self propel system with differential for tight turning

**ADJUSTABLE SKID SHOES** 

EGO

CONTROL PANEL FOR SELF-PROPEL SPEED AND SNOW THROWING Easy-to-use controls including forward speed, reverse gear, snow-throwing

direction and distance

EGO



THROWS SNOW UP TO 13M Multi-directional chute, remotely controlled for direction and distance of throwing

> 4 LED LIGHTS Enhanced visibility for early morning and evening clearing

**DUAL-STAGE AUGER** For clearing and throwing of snow

EFFICIENT OPERATION FOR TOUGH CONDITIONS 61cm clearing width, 51cm intake height

Model Shown: SNT2400E



## WE'VE RE-DEFINED FLEXIBLE WORKING. CUT, SAW, Edge and more. All with one power unit and All without the fuss and fumes of petrol.



 $\boldsymbol{\boldsymbol{\succ}}$ 



# THE EGO Power+ Multi-tool.

The EGO Power<sup>+</sup> multi-tool is the outdoor power tool you can't do without. With a single power unit and a large range of high-tech attachments, you can easily tackle every garden task, whether you're trimming grass, edging lawns, cutting hedges, sawing branches, tilling soil or sweeping the patio.

Switching between different jobs is easy thanks to the simple and secure tool-free coupling system on every attachment.

And with our carbon fibre extension pole, even the hardest to reach places are no challenge for the multi-tool. Combined with the innovative 56V Arc Lithium battery, you have all the power you need, without the noise, fuss or emissions of petrolpowered tools.





#### EGO POWER+ **04** EGO POWER<sup>+</sup> Brush cutter

Cuts through tough undergrowth, thick grass and weeds with ease



Cuts through grass, weeds and moss on concrete, pathways and verges without throwing up stones and debris

## **06** EGO POWER<sup>+</sup>

Achieving a perfect edge to any lawn has never been easier





# THE POWER To tackle any task

## 

#### PH1400E Multi-tool Power Head

With a powerful and smooth high-efficiency brushless motor, it's lightweight, perfectly balanced and ready for any job, big or small.



#### BRUSHLESS MOTOR BRUSHLESS

	PH1400E
MOTOR TYPE	Brushless
SPEED CONTROL	Two speed Variable speed
DRIVE SHAFT MATERIAL	7mm solid steel
DRIVE TUBE TYPE	Aluminium
COUPLING MECHANISM	Tool-free quick change
WEIGHT	2.7kg
TOTAL LENGTH	97cm
DOMESTIC WARRANTY	5 years
PROFESSIONAL WARRANTY	2 years

SOLID STEEL DRIVE SHAFT Robust and very strong

> SIMPLE AND SECURE COUPLING MECHANISM Makes switching attachments quick and easy



ADJUSTABLE LOOP HANDLE For comfortable use

> VARIABLE SPEED TRIGGER With safety lock-off

TWO-SPEED RANGE SELECTOR Works with the variable speed trigger to select the correct speed for each task





#### POWERFUL REAR MOUNTED MOTOR

Smooth, lightweight high-efficiency brushless motor, provides the power for all EGO Power+ multi-tool attachments.

#### EP7501 EXTENSION POLE

Nothing is out of reach with this strong yet lightweight extension pole. Just click in the attachment you need and off you go.





# ONE REVOLUTIONARY POWER UNIT. SO MANY WAYS TO USE IT.



## **01** HEDGE TRIMMERS

With a choice of standard or short pole lengths available, tackling high or low hedges is made easy. The head angle is adjustable to suit the job at hand and allows for compact storage.





**07** CULTIVATOR

Removing weeds and introducing

the growth of healthy plant life.

**09** OLIVE SHAKER

air, it creates a loose bed, encouraging

## **OG EDGER**

## **O2** POLE SAW

Slices through tree branches fast and efficiently. Combine with the carbon fibre extension pole to reach further and cut more.





## **03** LINE TRIMMER

Trim grass along fences and walls with precision. Includes our Rapid Reload head, making it easy to replace line.





Shake ripe olives off branches at approximately 2000

strokes per minute, with 10 replaceable carbon fibre

fingers, a durable and market tested gearbox and

integrated lubrication for simple maintenance.

The cultivator prepares soil prior to planting.

## **O4** BRUSH CUTTER

The brush cutter is built to deal with difficult undergrowth. From thick grass to tough weeds, it cuts through the toughest tasks with ease.



# **O5** ROTOCUT

Cuts through grass, weeds and moss on concrete, pathways and verges with ease. Featuring two counterrotating blades, preventing debris from being thrown.







**10** SNOW SHOVEL



Give lawns a professional finish with the edger attachment. Ideal for neatening edges along paths, driveways or flowerbeds.





## **08** BRISTLE BRUSH & PADDLE BROOM

The bristle brush makes short work of sweeping away moss, wet leaves and ingrained dirt, whilst the paddle broom makes it easy to clear away standing water.



The Snow Shovel is excellent for clearing snow quickly from patios, decks and driveways.





#### HTA2000 **HEDGE TRIMMER ATTACHMENT**

Laser cut, diamond ground blades and simple angle adjustment makes this trimmer as precise as it is powerful.




#### STA1500 LINE TRIMMER ATTACHMENT

This attachment is packed with features to save you time and help you work safely, quickly and efficiently.



#### HTA2000S SHORT HEDGE TRIMMER ATTACHMENT

With the same sharp blades and quick cutting action, this attachment makes short work of low, deep hedges.



#### BCA1200 **BRUSH CUTTER ATTACHMENT**

Tough enough to take on anything, the three-sided metal blade makes short work of any overgrown area.





#### PSA1000 POLE SAW ATTACHMENT

25cm guide bar and chain make cutting branches fast and efficient.





#### RTA2300 ROTOCUT ATTACHMENT

Cuts through grass, weeds and moss with ease. Featuring two counter rotating blades which prevent debris from being thrown make it ideal for use in delicate areas.





#### EA0800 EDGER ATTACHMENT

With quick depth adjustment and handy guide, this attachment makes achieving a perfect edge easy.



#### CTA9500 **CULTIVATOR ATTACHMENT**

The easier way to prepare soil for planting, the cultivator's rotating teeth remove weeds and aerates soil.





OSA1000 **OLIVE SHAKER ATTACHMENT** 

10 carbon fibre fingers shake and drop olives from their branches in no time at all.



SSA1200 **SNOW SHOVEL ATTACHMENT** 

> The Snow Shovel is excellent for clearing snow quickly from patios, decks and driveways.





Available Winter 2021







#### BBA2100 **BRISTLE BRUSH ATTACHMENT**

Clear moss and wet leaves from hard surfaces easily with the new bristle brush attachment.



#### BMH1000 WHEELED MULTI-TOOL BAG

Wheeled bag for easily transporting multi-tool power head and attachments. Separate pockets for storing accessories.

Available separately see page 109.





	HTA2000 / HTA2000S	PSA1000	STA1500	BCA1200	RTA2300
WEIGHT	2.3kg / 2.2kg	1.9kg	1.6kg	1.8kg	2kg
TOTAL LENGTH	160cm (99cm folded) / 120cm	142cm	97cm	102cm	-
RUN TIME*	2.5Ah Up to 37 mins 4.0Ah Up to 65 mins 5.0Ah Up to 82 mins 7.5Ah Up to 122 mins 10.0Ah Up to 157 mins	2.5Ah Up to 70 cuts 4.0Ah Up to 110 cuts 5.0Ah Up to 140 cuts 7.5Ah Up to 210 cuts 10.0Ah Up to 285 cuts	2.5Ah Up to 18 mins 4.0Ah Up to 35 mins 5.0Ah Up to 45 mins 7.5Ah Up to 72 mins 10.0Ah Up to 93 mins	2.5Ah Up to 27 mins 4.0Ah Up to 50 mins 5.0Ah Up to 60 mins 7.5Ah Up to 95 mins 10.0Ah Up to 125 mins	2.5Ah Up to 25 mins 4.0Ah Up to 40 mins 5.0Ah Up to 52 mins 7.5Ah Up to 80 mins 10.0Ah Up to 105 mins
BLADE LENGTH	51cm	-	-	-	-
CUTTING WIDTH	-	-	38cm	30cm	23cm
LINE DIAMETER SUPPLIED	-	-	2.4mm dual line	-	-
CUTTING HEAD	-	-	Rapid reload trimmer head	-	-
SHAFT TYPE	-	-	Straight	-	-
ARBOUR SIZE	-	-	-	25.4mm	-
CUTTING CAPACITY	26mm	-	-	-	-
BLADE MATERIAL AND TYPE	Double-sided laser cut steel blade	-	-	Three-sided steel blade	-
FIXED CUTTING ANGLES	12 / 9 articulating cutting angles	-	-	-	-
GUIDE BAR LENGTH	-	25cm	-	-	-
CHAIN PITCH / GAUGE	-	9.5mm, 1.1mm	-	-	-
MAX. CUTTING DIAMETER	-	200mm	-	-	-
OIL TANK CAPACITY	-	220ml	-	-	-
ROTATING DIRECTION	-	-	-	-	Two blades counter rotation
BLADE TYPE	-	-	-	-	High strength alloy steel
VIBRATION (M/S <sup>2</sup> )	-	-	-	-	1.1/1.5
NOISE RATING	-	-	-	-	83dB(A) / 96dB(A)
CUTTING SPEED	-	-	-	-	450rpm
DOMESTIC WARRANTY	5 years	5 years	5 years	5 years	5 years
PROFESSIONAL WARRANTY	2 years	2 years	2 years	2 years	2 years

	EA0800	CTA9500	BBA2100	OSA1000	SSA1200
WEIGHT	2.3kg	3.9kg	5kg	2.2kg	TBC
TOTAL LENGTH	92cm	92cm	102cm	140cm	TBC
RUN TIME*	2.5Ah N/A 4.0Ah Up to 50 mins 5.0Ah Up to 60 mins 7.5Ah Up to 100 mins 10.0Ah Up to 132 mins	2.5Ah Up to 40 mins 4.0Ah Up to 64 mins 5.0Ah Up to 80 mins 7.5Ah Up to 120 mins 10.0Ah Up to 160 mins	2.5Ah Up to 40 mins 4.0Ah Up to 64 mins 5.0Ah Up to 80 mins 7.5Ah Up to 120 mins 10.0Ah Up to 160 mins	2.5Ah Up to 50 mins 4.0Ah Up to 80 mins 5.0Ah Up to 100 mins 7.5Ah Up to 160 mins 10.0Ah Up to 210 mins	TBC
BLADE LENGTH	20cm	24cm	-	-	-
ROD LENGTH / DIAMETER	-	-	-	33cm/0.5cm	-
CUTTING DEPTH	Up to 75mm	-	-	-	-
BLADE THICKNESS	3mm	-	-	-	-
ROD QUANTITY	-	-	-	10 (5+5)	-
DEBRIS GUARD MATERIAL	Aluminium with rubber skirt	Plastic	Plastic	-	TBC
CUTTING WIDTH	-	21/24cm	-	-	-
CLEANING SWATH	-	-	560mm	-	300mm
TILLING SPEED	-	-	High 240rpm, Low 210rpm	-	2000-1650rpm
WORKING RANGE	-	-	-	58cm-33cm	-
BRISTLE GAUGE	-	-	1.5mm	-	-
ARBOUR SIZE	25.4mm	-	-	-	-
DIMENSION	-	-	102 x 56.5 x 29.5cm	-	TBC
ROD MATERIAL	-	-	-	Carbon fibre	-
STROKES PER MINUTE	-	-	-	1780/2120spm	-
MAX THROWING DISTANCE	-	-	-	-	7.5m
DOMESTIC WARRANTY	5 years	5 years	5 years	5 years	5 years
PROFESSIONAL WARRANTY	2 years	2 years	2 years	2 years	2 years

#### \*Run time may vary and depend on the battery used, charge level of battery, condition of grass or hedge and user's operation technique.

# **BE READY FOR ANYTHING WITH** EGO POWER<sup>+</sup> MULTI-TOOL KITS

A great value way to enjoy all the benefits of petrol-free power. EGO Power<sup>+</sup> multi-tool kits combine the most popular tools you'll need, with the power and performance to get the job done

#### MHCC1002E MULTI-TOOL KIT

With everything you need to tackle all jobs above the ground, this kit includes the power head with hedge trimmer and pole saw attachments together with a 2.5Ah battery and rapid charger.

#### Includes:

PH1400E - Power head HTA2000 - Hedge trimmer attachment PSA1000 - Pole saw attachment BA1400T - 2.5Ah battery CH5500E - Rapid charger



#### MHSC2002E MULTI-TOOL KIT

Our ultimate multi-tool kit includes the power head with line trimmer, hedge trimmer, pole saw and edger attachments, along with a 5.0Ah battery and rapid charger.

#### Includes:

PH1400E - Power head STA1500 - Line trimmer attachment HTA2000 - Hedge trimmer attachment PSA1000 - Pole saw attachment EAO8OO - Edger attachment ABB1203 - Brush cutter blade BA2800T - 5.0Ah battery CH5500E - Rapid charger











# **EVERYTHING YOU NEED** TO KEEP YOU CUTTING, **MOWING AND BLOWING**

#### EGO POWER<sup>+</sup> **MULTI-TOOL BLADES, CHAINS, BARS AND TELESCOPIC POLE SAW**

#### AEB0800

Multi-tool edger blade for EA0800

#### AC1000

Pole saw chain for PSA1000 and PSX2500

#### AG1000

. L.EGO Pole saw bar for PSA1000 and PSX2500

#### ACB9500

Multi-tool cultivator blade set for CTA9500



60

#### ARB2100

Paddle broom (pair) for BBA2100

#### ABS2100

Bristle brush (pair) for BBA2100

AOF3300 Olive Shaker fingers (10pcs) for OSA1000

#### EGO POWER<sup>+</sup> **MOWER BLADES AND ROLLERS**

AB2001 Bagging blade for LM2010E, LM2010E-SP,LM2020E LM2020E-SP



LM2100E-SP, LM2120E-SP [fitted as standard]



#### Mulching blade for LM2000E, LM2010E, LM2010E-SP. LM2020E. LM2020E-SP









AB1900 Mulching blade for LM1900E, LM1900E-SP



We've got everything you need to keep you working. And everything in the EGO Power<sup>+</sup> accessories range is made with the same care and precision as our power tools.



AR1700 Rear roller kit for LM1700E. LM1700E-SP



### MULCHING KITS

ABP1700 Mulching kit (blade & mulching plug) for LM1700E, LM1700E-SP

#### **ABP1900** Mulching kit (blade & mulching plug) for LM1900E, LM1900E-SP

#### ABP2100D-E 52cm mulching kit (mulching blade set & mulching plug)

for LM2130E-SP

#### EGO POWER<sup>+</sup> ADAPTER

ADB1000 Adaptor for use with BH1000, BHX1000. BAX1300. BAX1500



## EGO POWER<sup>+</sup> TRIMMER LINES

## AL2015R

15m 2.0mm round line - ST1210E A12050R

50m 2.0mm round line - ST1210E

AI2050T

AL2015T 15m 2.0mm twist line - ST1300E and ST1400E-ST

50m 2.0mm twist line - ST1300E and ST1400E-ST

#### AL2415T 🔶 15m 2.4mm low-noise twist line [orange/green] - ALL 35cm & 38cm cutting diameter grass trimmers

AL2715T 🔶 15m 2.7mm low-noise twist line [red/green] - STX3800, BCX3800

AL3012T 🔶 12m 3.0mm low-noise twist line [yellow/green] -STX3800. BCX3800

#### AL2475T 🔶 75m 2.4mm low-noise twist line [orange/green] -ALL 35cm & 38cm cutting diameter grass trimmers

AL2760T 🔶 60m 2.7mm low-noise twist line [red/green] - STX3800, BCX3800

#### AL3050T 🔶 50m 3.0mm low-noise twist line [yellow/green] -STX3800, BCX3800

AL2415R 🔴 15m 2.4mm round line [orange] - ALL 35cm & 38cm cutting diameter grass trimmers

AL2715R 🔴 15m 2.7mm round line [red] - STX3800, BCX3800

AL3012R 📒 12m 3.0mm round line [yellow] - STX3800, BCX3800

AL2490R 🛑 90m 2.4mm round line [orange] - ALL 35cm & 38cm cutting diameter grass trimmers

AL2780R 🔴 80m 2.7mm round line [red] - STX3800, BCX3800

#### AL3060R 🔴 60m 3.0mm round line [yellow] - STX3800, BCX3800

AL2416P 🔶 4 x 4.0m 2.4mm twisted line [black/orange]

- ST1400E-ST, ST1510E

#### EGO POWER<sup>+</sup> LINE TRIMMER SPOOLS

AS3800

Spool w/o line for bump feed cutting head - BCX3800, STX3800

AS1301 Spool with 2.0mm round line for standard bump feed cutting head - ST1210E

#### AS1302

Spool with 2.0mm twist line for standard bump feed cutting head - ST1300E

AS1300

Spool with 2.4mm twist line for standard bump feed cutting head ST1500E. BC1500E

#### EGO POWER<sup>+</sup> LINE TRIMMER RAPID **RELOAD HEADS**

AH3800


Bump feed cutting head without line - STX3800, BCX3800

AH3810

ANY INSERT cutting head -ANTI-CLOCKWISE - STX3800, BCX3800, ST1530E, BC3800E, STA1500, BCA1200

#### AH1500

Rapid reload head (clockwise rotation) for ST1500E-F and BC1500E-F











#### AH1501

Rapid reload head (anti clockwise rotation) for BC3800E, ST1530E and STA1500

#### AH1520

Powerload<sup>™</sup> cutting head for ST1510E

AH1522 Powerload<sup>™</sup> cutting head for ST1400E-ST

AH1530 ANY INSERT cutting head CLOCKWISE - ST1500E-F. BC1500E-F

AH1531 ANY INSERT cutting head ANTI-CLOCKWISE - ST1530E BC3800E, STA1500

ABT3800 Bump feed button - AH3800

ABR2300 Replacement blades (pair) - ROTOCUT RTX2300. RTA2300



















### EGO POWER<sup>+</sup> **BRUSH CUTTER BLADE**

#### ABB1203

3 point brush cutter blade - STX3800, BCX3800, ST1530E, BC3800E. BCA1200. STA1500



#### ABB0903P

Elastoblade Flexible trimming blade for - STX3800, BCX3800 ST1530E. BC3800E. BCA1200. STA1500







#### EGO POWER<sup>+</sup> **HEDGE TRIMMER TIP PROTECTOR**

ATP2000 Tip protector for HTA2000, PTX5100

#### EGO POWER<sup>+</sup> **GRASS SHEARS**

CCH0450E 12V charger for CHT2001E

CBA0240





AC1200 30cm 90PX chain for CSX3000

AC1400 35cm 90PX chain for CS1400E

AC1600 40cm 90PX chain for CS1600E

AC1800 45cm 91PX chain for CS1800E

## EGO POWER<sup>+</sup> **CHAINSAW BARS**

AG1200 30cm guide bar for CSX3000

AG1400 35cm guide bar for CS1400E

AG1600 40cm guide bar for CS1600E

AG1800 45cm guide bar for CS1800E

#### EGO POWER<sup>+</sup> **BLOWER TUBES AND NOZZLES**

ANGOOOR Round nozzle for LBX6000

ANGOOOF Flat nozzle for LBX6000



ANT6002 Connection tube & curved nozzle - LB6000E (2018)



AN5300 Flat nozzle for LB5300E, LB5750E and LB5800E

AN5801 Wide flat nozzle for LB5800E



## **GUTTER CLEANING PACK**

AGC1001 Gutter cleaning pack and glasses for LB5300E and +~ LB5800E

#### EGO POWER<sup>+</sup> **SNOW THROWER**

AKS2400D Skid shoes (pair) - SNT2400E

ACT2400 Chute cleaning tool - SNT2400E

#### EGO POWER<sup>+</sup> **SHOULDER STRAPS**

AP1300 Replacement double-shou comfort straps for BAX1300

AHP1500

attachment for AFH1500

#### AP1500

Single-shoulder harness with one hook - multi-tool, LB5300E, LB5750E and all grass trimmers except BCX3800





AP4800 Single-shoulder harness without loop, two hook - LB4800E only



AHP1300 Leg protector / line trimmer harness attachment for AFH1300, BH1000



#### EGO POWER<sup>+</sup> WALL HOOK

AWH1500 Wall mounted hanging frame for CHX5500E & BAX batteries

ACH1500 Cable routing clip for harness BH1000, AFH1500

with padded comfort straps

for BAX1500 and BHX1000

AFH1500



AP1500D Double-shoulder harness with guard pad for multi-tool & all grass trimmers except BCX3800



BCS1000 Durable Chainsaw kit bag


BMH1000 Multi-tool wheeler kit bag



CM001 Storage cover for lawnmowers









## EGO POWER<sup>+</sup> **PROTECTIVE CLOTHING**

#### GV001E

Multi-purpose synthetic work gloves. Sizes from Small to XX-Large available








GSO02E Essential grey safety glasses



GS003E Essential yellow safety glasses









## EGO POWER<sup>+</sup> **BATTERY STORAGE**

#### **BBOX2550**

Transportation box that can carry 5 portable batteries of all EGO sizes. Can be connected to BBOX3000





#### **BBOX3000** Transportation box for


BAX1500 excluding harness. Can be connected to BBOX2550







#### EGO POWER<sup>+</sup> MULTI-TOOL ICONS



#### EGO POWER<sup>+</sup> MOWER ICONS



#### EGO POWER<sup>+</sup> line trimmer and brush cutter icons

XXCM CUTTING WIDTH	Wide cutting swathe for faster, more efficient trimming	XXCM WIDTH	Wide cutting width for fast and effective trimming	TWO SPEED	Two-speed motor adjustable for task and economy needs
VARIABLE SPEED	Constantly adjustable speed to match the needs of the task	X.XMM LINE DIAMETER	ldeally suited to the tool for the best cutting results	POWERLOAD HEAD	Automatic line replacement in only 10 seconds
BUMP LINE FEED	Simple line feeding making work simple and efficient	RAPID RELOAD HEAD	Fast and tool-free line reloading	QUICK- ADJUST HANDLE	Adjust handle without additional tools
BRUSHLESS MOTOR	Highly efficient and powerful maintenance- free motor	CARBON FIBRE	Lightweight and extremely strong	USE WITH EGO POWER+ BACKPACK	Work all day in comfort
CAN BE USED WITH ROTOCUT	Can be used with Rotocut				

#### EGO POWER<sup>+</sup> TELESCOPIC HEDGE TRIMMER AND POLE SAW ICONS



#### EGO POWER<sup>+</sup> HEDGE TRIMMER ICONS





BRUSHLESS

BUMPER SPIKES

0 7

USE WITH EGO POWER<sup>+</sup> BACKPACK

Ś

EASY TURN

spikes















Constantly adjustable

Enables snow throwe

even in extreme conditions

#### EGO POWER<sup>+</sup> BLOWER AND SNOW THROWER ICONS



speed to match the needs of the task VARIABLE SPEED CONTROL







BRUSHLESS



High traction

tyres and self

propel system









Enabling precise and

clean cutting

less vihration

to tackle the

Work all day

in comfort

toughest jobs

XXMM BLADE GAP

DUAL ACTION DUAL KNIFE EDGE

4 

USE WITH EGO POWER+ BACKPACK



EGO WILL CONTINUE TO DELIVER INNOVATION IN NEW PRODUCT DEVELOPMENT - AND CLEAN, **RELIABLE POWER FOR A GREENER FUTURE.** 



Your local dealer:



www.egopowerplus.com













All rights reserved. Neither this catalogue nor its text, images, illustrations or part thereof, may be reproduced, stored in a retrieval system, photocopied, recorded or transmitted in any form, whether electronic or otherwise, without our consent. To the best of our knowledge, all descriptions, images and illustrations contained in this catalogue are correct at the time of going to print. We cannot, however, be held liable for any inaccuracies of description, image or illustration and reserve the right to change specifications without notification.

©EG0 2021