



Powering Business Worldwide

1303-7A

Switch Toggle 3-Way 15A 120V Grd AL

UPC: 032664543791

Brand Name: Cooper Wiring Devices

Sub Brand: ARROW HART

Type: Single, Straight Blade

Special Features: Wiring Type Back and Side Wire

Application: Hospital

Number Of Poles: 2

Number Of Wires: 3

Wire Size: 14 To 10 AWG

Amperage Rating: 20 Amp

Voltage Rating: 250 Vac

Material: Nylon

Color: Brown

NEMA Rating: 6-20R

Connection: Screw

Size: 4.19 In Height

Dielectric Strength: 2000 V

1303-7B

Switch Toggle 3-Way 15A 120V Grd BR

UPC: 032664542985

Brand Name: Cooper Wiring Devices

Sub Brand: ARROW HART

Type: Single, Straight Blade

Special Features: Wiring Type Back and Side Wire

Application: Hospital

Number Of Poles: 2

Number Of Wires: 3

Wire Size: 14 To 10 AWG

Amperage Rating: 20 Amp

Voltage Rating: 250 Vac

Material: Nylon

Color: Ivory

NEMA Rating: 6-20R

Connection: Screw

Size: 4.19 In Height

Dielectric Strength: 2000 V



Powering Business Worldwide

1303-7B-BOX

Switch Toggle 3-Way 15A 120V Grd BR

UPC: 032664186707

Brand Name: Cooper Wiring Devices
Sub Brand: ARROW HART
Type: Single, Straight Blade
Special Features: Wiring Type Back and Side Wire
Application: Hospital
Number Of Poles: 2
Number Of Wires: 3
Wire Size: 14 To 10 AWG
Amperage Rating: 20 Amp
Voltage Rating: 250 Vac
Material: Nylon
Color: White
NEMA Rating: 6-20R
Connection: Screw
Size: 4.19 In Height
Dielectric Strength: 2000 V

1303-7LA

Switch Toggle 3-Way 15A 120V Grd LA

UPC: 032664583636

Brand Name: Eaton
Sub Brand: ARROW HART
Type: (1) Duplex Receptacle
Special Features: Standard Grade, Flush Fitting
Application: Residential
Size: Standard, 2.75 In Width X 4.50 In Height
Gang: 1
Cutout: 1.34 In Width X 1.53 In Height X 1.13 Recp
Material: Thermoset
Thickness: 0.080 In
Color: Ivory
Mounting: Screw
Construction: Warp Resistant



Powering Business Worldwide

1303-7LA-SPL

Switch Toggle 3-Way 15A 120V Grd LA

UPC: 032664582424

Brand Name: Eaton

Sub Brand: ARROW HART

Type: (1) Toggle Switch

Special Features: Standard Grade, Flush Fitting

Application: Residential

Size: Standard, 2.75 In Width X 4.50 In Height

Gang: 1

Cutout: 0.40 In Width X 0.93 In Height

Material: Thermoset

Thickness: 0.080 In

Color: Ivory

Mounting: Screw

Construction: Warp Resistant

1303-7LTLABX

Switch Toggle 3-Way LT 15A 120V Grd LA

UPC: 032664583247

Brand Name: Eaton

Sub Brand: ARROW HART

Type: (1) Power Outlet

Special Features: Standard Size Wallplate

Application: Receptical Plate

Size: Standard, 2.75 In Width X 4.50 In Height

Gang: 1

Cutout: 2.15 In Hole Diameter

Material: Chrome

Color: Ivory/White

Mounting: Screw

Construction: Standard Size Extra Delph Walplates

1303-7LTVBOX

Switch Toggle 3-Way LT 15A 120V Grd IV

UPC: 032664519475

Brand Name: Eaton

Sub Brand: ARROW HART

Type: 1 Piece, Ceiling Receptacle

Special Features: Wattage 660 W, Size 4.50 In Diameter X 1.50 In Height, With Keyless Switch

Application: Keyless Lampholder

Standard: UL

Voltage Rating: 250 Vac

Amperage Rating: 660 Watts

Base: Medium

Connection: Screw

Material: High Strength Insulator Porcelain

Color: White

Mounting: 3.25 In Box



Powering Business Worldwide

1303-7LTWBOX

Switch Toggle 3-Way LT 15A 120V Grd WH

UPC: 032664519482

Brand Name: Eaton

Sub Brand: ARROW HART

Type: 2 Piece, Ceiling Receptacle

Special Features: Wattage 660 W, Size 4.50 In Diameter X 2.14 In Height, With Pull Chain Switch

Application: Porcelain Ceiling Receptacle Lampholder

Standard: UL

Voltage Rating: 250 Vac

Amperage Rating: 660 Watts

Base: Medium

Connection: Screw

Material: High Strength Insulator Porcelain

Color: White

Mounting: 3.25 In Box

1303-7V

Switch Toggle 3-Way 15A 120V Grd IV

UPC: 032664542992

Brand Name: Eaton

Sub Brand: Eaton

Type: Outlet Cube Tap, Plug In

Voltage Rating: 125 Vac

Amperage Rating: 15 Amp

Body: High Impact Resistant Plastic

1303-7VBXSPL

Switch Toggle 3-Way 15A 120V Grd IV

UPC: 032664186806

Brand Name: Eaton

Sub Brand: Color-Ivory

Special Features:

Application: Night Light Plug

Voltage Rating: 120 Vac

Contact Configuration: Night Light Plug

Action: Night Light Plug

Actuator: Night Light Plug

Enclosure: Night Light Plug



Powering Business Worldwide

1303-7W

Switch Toggle 3-Way 15A 120V Grd WH

UPC: 032664543005

1303-7WBXSPL

Switch Toggle 3-Way 15A 120V Grd WH

UPC: 032664186905

1303-9A

SWITCH TOGGLE SP 3W 15A 120V AG AL

UPC: 032664737213

Brand Name: Eaton

Sub Brand: ARROW HART

Type: Duplex, Straight Blade

Special Features: Tamper and Weather Resistant, Wiring Type Back and Side Wire

Application: Commercial grade

Standard: UL

Number Of Poles: 3

Number Of Wires: 3

Wire Size: 14 To 10 AWG

Amperage Rating: 50 Amp

Voltage Rating: 125/250 Vac

Material: Nylon

Color: Black

NEMA Rating: 10-50R

Mounting: Flush

Connection: Screw

Size: 0.79X 1.24X 3.28 X4.00IN

Environmental Conditions: See Spec Sheet

Dielectric Strength: 125 vac

Insulation: Nylon

Temperature Rating: -20C to 70C (-4F to 158F)



Powering Business Worldwide

1303-9B

SWITCH TOGGLE SP 3W 15A 120V AG BR

UPC: 032664737220

Brand Name: Eaton
Sub Brand: ARROW HART
Type: Single, Straight Blade
Special Features: Wiring Type Back Wire
Application: Commercial grade
Standard: 0
Number Of Poles: 3
Number Of Wires: 3
Wire Size: 10 To 4 AWG
Amperage Rating: 30 Amp
Voltage Rating: 125/250 Vac
Material: Urea Base, Polypropylene Face
Color: Black
NEMA Rating: 10-30R
Mounting: Surface
Connection: Screw
Size: 0
Environmental Conditions: See Spec Sheet
Dielectric Strength: 2000 V
Insulation: Nylon
Temperature Rating: -20C to 70C (-4F to 158F)

1303-9LA

SWITCH TOGGLE SP 3W 15A 120V AG LA

UPC: 032664737237

Brand Name: Eaton
Sub Brand: ARROW HART
Type: Straight Blade
Special Features: Angled Body, Wiring Type Back Wire
Application: Commercial
Number Of Poles: 4
Number Of Wires: 4
Wire Size: 10 To 4 AWG
Amperage Rating: 60 Amp
Voltage Rating: 120/20 Vac
Phase: 3
Material: PVC
Color: Black
NEMA Rating: 18-60P
Connection: Plug



Powering Business Worldwide

1303-9V

SWITCH TOGGLE SP 3W 15A 120V AG IV

UPC: 032664737244

Brand Name: Eaton
Sub Brand: ARROW HART
Type: Straight Blade
Special Features: Heavy Duty Grade
Application: Commercial
Number Of Poles: 4
Number Of Wires: 4
Wire Size: 10 To 4AWG
Amperage Rating: 60 Amp
Voltage Rating: 120/20 Vac
Cord Type: 1.0"(25.40mm)
Material: PVC
Color: Black
NEMA Rating: 18-60
Connection: Plug
Size: 2.87 In Width X 3.37 In Height
Environmental Conditions: -20 To 75 DegC

1303-9W

SWITCH TOGGLE SP 3W 15A 120V AG WH

UPC: 032664737251

Brand Name: Eaton
Sub Brand: ARROW HART
Type: Single, Straight Blade
Special Features: Flush, Non-Grounding
Application: Commercial grade
Standard: UL
Number Of Poles: 3
Number Of Wires: 3
Wire Size: 4 AWG
Amperage Rating: 50 Amp
Voltage Rating: 125/250 Vac
Material: High Strength Glass Reinforced Nylon
Color: Brown
NEMA Rating: 10-50R
Mounting: Flush
Connection: Plug
Size: 1.81 X 2.50 X 3.28 IN
Environmental Conditions: See Spec Sheet
Dielectric Strength: 125/250 Vac
Insulation: Receptacles
Temperature Rating: -20C to 70C (-4F to 158F)



Powering Business Worldwide

1303B

Switch Toggle 3Way 15A 120V NonGrd BR

UPC: 032664542954

Brand Name: Eaton
Sub Brand: ARROW HART
Type: Single, Straight Blade
Special Features: Flush, Non-Grounding
Application: Commercial grade
Standard: UL
Number Of Poles: 3
Number Of Wires: 3
Wire Size: 4 AWG
Amperage Rating: 30 Amp
Voltage Rating: 125/250 Vac
Material: High Strength Glass Reinforced Nylon
Color: Brown
NEMA Rating: 10-30R
Mounting: Flush
Connection: Screw
Size: 1.81 X 2.50 X 3.28 IN
Environmental Conditions: See Spec Sheet
Dielectric Strength: 125/250 Vac
Insulation: Receptacles
Temperature Rating: -20C to 70C (-4F to 158F)

1303B-BOX

Switch Toggle 3Way 15A 120V NonGrd BR

UPC: 032664186400

Brand Name: Eaton
Sub Brand: ARROW HART
Type: Universal, Angled, Straight Blade
Special Features: Heavy Duty Grade
Application: Commercial
Number Of Poles: 2
Number Of Wires: 3
Wire Size: 10 To 6 AWG
Amperage Rating: 30/50 Amp
Voltage Rating: 125 Vac
Cord Type: 1.10 In Diameter
Material: Abuse Resistant Thermoplastic
Color: Black
NEMA Rating: 5-30P, 5-50P
Connection: Plug
Size: 2.87 In Width X 3.37 In Height
Environmental Conditions: -20 To 75 Deg C



Powering Business Worldwide

1303V

Switch Toggle 3Way 15A 120V NonGrd IV

UPC: 032664542961

Brand Name: Cooper Wiring Devices
Sub Brand: ARROW HART
Type: Single, Straight Blade, Square
Special Features: With Screw Terminal Grounding
Application: Commercial
Number Of Poles: 2
Number Of Wires: 3
Wire Size: 14 To 12 AWG
Amperage Rating: 15 Amp
Voltage Rating: 125 Vac
Material: Urea Face, Polypropylene Base
Color: White
NEMA Rating: 5-15R
Connection: Quick Connect
Dielectric Strength: 2000 V

1303V-BOX

Switch Toggle 3Way 15A 120V NonGrd IV

UPC: 032664186509

Brand Name: Cooper Wiring Devices
Sub Brand: ARROW HART
Type: Single, Straight Blade, Square
Special Features:
Application: Commercial
Number Of Poles: 2
Number Of Wires: 3
Wire Size: 14 To 12 AWG
Amperage Rating: 15 Amp
Voltage Rating: 125 Vac
Material: Urea Face, Polypropylene Base
Color: White
NEMA Rating: 5-15R
Connection: Wire Lead
Dielectric Strength: 2000 V



Powering Business Worldwide

1303W

Switch Toggle 3Way 15A 120V NonGrd WH

UPC: 032664542978

Brand Name: Eaton
Sub Brand: ARROW HART
Type: Single, Straight Blade
Special Features: Wiring Type Back Wire and Side Wire
Application: Commercial grade
Standard: UL
Number Of Poles: 3
Number Of Wires: 4
Wire Size: 4 AWG
Amperage Rating: 50 Amp
Voltage Rating: 125/250 Vac
Material: High Strength Glass Reinforced Nylon
Color: Black
NEMA Rating: 14-50R
Mounting: Panel
Connection: Plug
Size: 2.80 In Diameter X 2.80 In Length
Environmental Conditions: Indoor
Dielectric Strength: 125/250 Vac
Insulation: Nylon Face
Temperature Rating: -20C to 70C (-4F to 158F)

1303W-BOX

Switch Toggle 3Way 15A 120V NonGrd WH

UPC: 032664186608

Brand Name: Cooper Wiring Devices
Sub Brand: ARROW HART
Type: Single, Straight Blade
Special Features: Wiring Type Back Wire
Application: Commercial
Number Of Poles: 3
Number Of Wires: 4
Wire Size: 10 To 4 AWG
Amperage Rating: 60 Amp
Voltage Rating: 125/250 Vac
Material: Urea
Color: Black
NEMA Rating: 14-60R
Mounting: Panel
Connection: Screw



Powering Business Worldwide

C1303-7B

Switch Toggle 3-Way 15A 120V Grd BR

UPC: 032664144509

Brand Name: Eaton

Sub Brand: Eaton

Type: 3-Way

Special Features: Lighted incandescent/halogen dimmer, single-pole/3way with present

Application: Residential

Voltage Rating: 120 Vac

Wattage: 600 W

Number Of Poles: Single-pole or 3-way wiring

Frequency Rating: 60 Hz

Load: Incandescent, Halogen

Connection: Wire Lead

Material: Polycarbonate

Size: 1.70 In Width X 1.30 In Depth X 3.28 In Length

Actuator: Rotary

Operating Temperature: 0 To 40 Deg C

Environmental Conditions: Indoor use

C1303-7LTAL1

Switch Toggle 3-Way LT 15A 120V Grd AL

UPC: 032664576423

Brand Name: Cooper Wiring Devices

Sub Brand: TRACE

Type: 3-Way

Voltage Rating: 120 Vac

Wattage: 1000 W

Number Of Poles: 1

Frequency Rating: 60 Hz

Load: Incandescent, Halogen

Connection: Wire Lead

Material: Polycarbonate

Actuator: Toggle

Operating Temperature: 0 To 40 Deg C



Powering Business Worldwide

C13037LTLAL1

Switch Toggle 3Way LT 15A 120V Grd LA

UPC: 032664651137

Brand Name: Eaton

Sub Brand: ARROW HART

Type: Receptacle Connector

Special Features: Wiring Type Back Wire

Application: Industrial grade

Standard: UL

Number Of Poles: 2

Number Of Wires: 3

Wire Size: 12 AWG

Amperage Rating: 20 Amp

Voltage Rating: 300 V

Material: Durable Polycarbonate

Color: Gray

NEMA Rating: 5-15R

Mounting: Flush

Connection: Push-in

Size: 1.70 In Width X 1.15 In Depth

Environmental Conditions: See Spec Sheet

Dielectric Strength: 1600 V

Insulation: Durable Polycarbonate

Temperature Rating: -20C to 70C, (-4F to 158F)

C1303-7V

Switch Toggle 3-Way 15A 120V Grd IV

UPC: 032664144608

Brand Name: Cooper Wiring Devices

Sub Brand: ARROW LINK

Type: Receptacle Connector



Powering Business Worldwide

C1303-7W

Switch Toggle 3-Way 15A 120V Grd WH

UPC: 032664144707

Brand Name: Eaton

Sub Brand: ARROW HART

Type: Receptacle Connector

Special Features: Wiring Type Back Wire

Application: Industrial grade

Standard: UL

Number Of Poles: 2

Number Of Wires: 3

Wire Size: 12 AWG

Amperage Rating: 20 Amp

Voltage Rating: 300 V

Material: Durable Polycarbonate

Color: Gray

NEMA Rating: 5-15R

Mounting: Flush

Connection: Push-in

Size: 1.70 In Width X 1.15 In Depth

Environmental Conditions: See Spec Sheet

Dielectric Strength: 1600 V

Insulation: Durable Polycarbonate

Temperature Rating: -20C to 70C, (-4F to 158F)