



Powering Business Worldwide

1301-73A

1301-7A W/O Ears Grd

UPC: 032664576966

Brand Name: Eaton

Sub Brand: ARROW HART

Type: Duplex, Straight Blade

Special Features: Premium Hospital Grade, Wiring Type Back and Side Wire

Application: Commercial grade

Standard: UL

Number Of Poles: 2

Number Of Wires: 3

Wire Size: 14 To 10 AWG

Amperage Rating: 20 Amp

Voltage Rating: 125 Vac

Material: Nylon

Color: Ivory

NEMA Rating: 5-20R

Mounting: Flush

Connection: Screw

Size: 4.19 In Height

Environmental Conditions: See Spec Sheet

Dielectric Strength: 125 Vac

Insulation: Nylon

Temperature Rating: -20C to 70C (-4F to 158F)



Powering Business Worldwide

1301-73B

1301-7B W/O Ears Grd

UPC: 032664149306

Brand Name: Eaton

Sub Brand: ARROW HART

Type: Duplex, Straight Blade

Special Features: Premium Hospital Grade, Wiring Type Back and Side Wire

Application: Commercial grade

Standard: UL

Number Of Poles: 2

Number Of Wires: 3

Wire Size: 14 To 10 AWG

Amperage Rating: 20 Amp

Voltage Rating: 125 Vac

Material: Nylon

Color: White

NEMA Rating: 5-20R

Mounting: Flush

Connection: Screw

Size: 4.19 In Height

Environmental Conditions: See Spec Sheet

Dielectric Strength: 125 Vac

Insulation: Nylon

Temperature Rating: -20C to 70C (-4F to 158F)



Powering Business Worldwide

1301-73LA

1301-7LA W/O Ears Grd

UPC: 032664582400

Brand Name: Eaton

Sub Brand: EATON

Type: Duplex, Decorator, Straight Blade

Special Features: Standard Grade, Wiring Type Side Wire and Push Wire

Application: Standard grade deco

Standard: UL

Number Of Poles: 2

Number Of Wires: 3

Wire Size: 14 To 10 AWG

Amperage Rating: 15 Amp

Voltage Rating: 125 Vac

Material: Impact Resistant Thermoplastic

Color: Brown

NEMA Rating: 5-15R

Mounting: Flush

Connection: Screw

Size: 5.75 X 3.62 X 4.5 IN

Environmental Conditions: Indoor

Dielectric Strength: 125 Vac

Insulation: Impact Resistant Thermoplastic

Temperature Rating: INDOOR



Powering Business Worldwide

1301-73W

1301-7W W/O Ears Grd

UPC: 032664517594

Brand Name: Eaton

Sub Brand: EATON

Type: Duplex, Decorator, Straight Blade

Special Features: Standard Grade, Wiring Type Side and Push Wire

Application: Standard grade deco

Standard: UL

Number Of Poles: 2

Number Of Wires: 3

Wire Size: 14 To 10 AWG

Amperage Rating: 15 Amp

Voltage Rating: 125 Vac

Material: Impact Resistant Thermoplastic

Color: Ivory

NEMA Rating: 5-15R

Mounting: Flush

Connection: Screw

Size: 6 X 3.62 X 4.5 IN

Environmental Conditions: Indoor

Dielectric Strength: 125 Vac

Insulation: Impact Resistant Thermoplastic

Temperature Rating: INDOOR



Powering Business Worldwide

1301-7A

Switch Toggle SP 15A 120V Grd AL

UPC: 032664543760

Brand Name: Eaton

Sub Brand: EATON

Type: Duplex, Decorator, Straight Blade

Special Features: Standard Grade, Wiring Type Side and Push Wire

Application: Standard grade deco

Standard: UL

Number Of Poles: 2

Number Of Wires: 3

Wire Size: 14 To 10 AWG

Amperage Rating: 15 Amp

Voltage Rating: 125 Vac

Material: Impact Resistant Thermoplastic

Color: White

NEMA Rating: 5-15R

Mounting: Flush

Connection: Screw

Size: 6 X 3.62 X 4.5 IN

Environmental Conditions: Indoor

Dielectric Strength: 125 Vac

Insulation: Impact Resistant Thermoplastic

Temperature Rating: INDOOR



Powering Business Worldwide

1301-7B

Switch Toggle SP 15A 120V Grd BR

UPC: 032664542794

Brand Name: Eaton
Sub Brand: ARROW HART
Type: Single, Straight Blade
Special Features: Wiring Type Side Wire
Application: Commercial grade
Standard: UL
Number Of Poles: 2
Number Of Wires: 3
Wire Size: 14 To 10 AWG
Amperage Rating: 20 Amp
Voltage Rating: 250 Vac
Material: Nylon
Color: Brown
NEMA Rating: 6-20R
Mounting: Flush
Connection: Screw
Size: 0.83 In Depth
Environmental Conditions: See Spec Sheet
Dielectric Strength: 2000 V
Insulation: Nylon
Temperature Rating: -20C to 70C (-4F to 158F)

1301-7LA

Switch Toggle SP 15A 120V Grd LA

UPC: 032664583629

Brand Name: Eaton
Sub Brand: ARROW HART
Type: Single, Straight Blade
Special Features: Wiring Type Side Wire
Application: Commercial grade
Standard: UL
Number Of Poles: 2
Number Of Wires: 3
Wire Size: 14 To 10 AWG
Amperage Rating: 20 Amp
Voltage Rating: 250 Vac
Material: Nylon
Color: Ivory
NEMA Rating: 6-20R
Mounting: Flush
Connection: Screw
Size: 0.83 In Depth
Environmental Conditions: See Spec Sheet
Dielectric Strength: 2000 V
Insulation: Nylon
Temperature Rating: -20C to 70C (-4F to 158F)



Powering Business Worldwide

1301-7LA-SPL

Switch Toggle SP 15A 120V Grd LA

UPC: 032664582417

Brand Name: Eaton
Sub Brand: ARROW HART
Type: Single, Straight Blade
Special Features: Wiring Type Side Wire
Application: Commercial grade
Standard: UL
Number Of Poles: 2
Number Of Wires: 3
Wire Size: 14 To 10 AWG
Amperage Rating: 20 Amp
Voltage Rating: 125 Vac
Material: Nylon
Color: Brown
NEMA Rating: 5-20R
Mounting: Flush
Connection: Screw
Size: 0.83 In Depth
Environmental Conditions: See Spec Sheet
Dielectric Strength: 2000 V
Insulation: Nylon
Temperature Rating: -20C to 70C (-4F to 158F)

1301-7LTLABX

Switch Toggle SP LT 15A 120V Grd AL

UPC: 032664583230

Brand Name: Eaton
Sub Brand: ARROW HART
Type: Single, Straight Blade
Special Features: Wiring Type Side Wire
Application: Commercial grade
Standard: UL
Number Of Poles: 2
Number Of Wires: 3
Wire Size: 14 To 10 AWG
Amperage Rating: 20 Amp
Voltage Rating: 125 Vac
Material: Nylon
Color: Ivory
NEMA Rating: 5-20R
Mounting: Flush
Connection: Screw
Size: 0.83 In Depth
Environmental Conditions: See Spec Sheet
Dielectric Strength: 2000 V
Insulation: Nylon
Temperature Rating: -20C to 70C (-4F to 158F)



Powering Business Worldwide

1301-7LTVBOX

Switch Toggle SP LT 15A 120V Grd IV

UPC: 032664519451

Brand Name: Eaton

Sub Brand: ARROW HART

Type: 3-Way

Special Features: Standard Grade, Wiring Type Side and Push Wire, Non-Grounding

Application: Industrial

Voltage Rating: 120 Vac

Amperage Rating: 15 Amp

Connection: Screw

Actuator: Framed Toggle

Color: Brown

Contact Configuration: Switches

Size: 0.75 In Width X .88 In DepthX 2.13 Back Length X 3.28 Screw to Screw

Mounting: Wall

Operating Temperature: -20 To 60 Deg C

1301-7LTWBOX

Switch Toggle SP LT 15A 120V Grd WH

UPC: 032664519468

Brand Name: Eaton

Sub Brand: ARROW HART

Type: 3-Way

Special Features: Standard Grade, Wiring Type Side and Push Wire, Non-Grounding

Application: Industrial

Voltage Rating: 120 Vac

Amperage Rating: 15 Amp

Connection: Screw

Actuator: Framed Toggle

Color: Ivory

Contact Configuration: Switches

Size: 0.75 In Width X .88 In DepthX 2.13 Back Length X 3.28 Screw to Screw

Mounting: Wall

Operating Temperature: -20 To 60 Deg C



Powering Business Worldwide

1301-7V

Switch Toggle SP 15A 120V Grd IV

UPC: 032664542800

Brand Name: Eaton

Sub Brand: ARROW HART

Type: 3-Way

Special Features: Standard Grade, Wiring Type Side and Push Wire, Non-Grounding

Application: Industrial

Voltage Rating: 120 Vac

Amperage Rating: 15 Amp

Connection: Screw

Actuator: Framed Toggle

Color: White

Contact Configuration: Switches

Size: 0.75 In Width X .88 In DepthX 2.13 Back Length X 3.28 Screw to Screw

Mounting: Wall

Operating Temperature: -20 To 60 Deg C

1301-7W

Switch Toggle SP 15A 120V Grd WH

UPC: 032664542817

Brand Name: Eaton

Sub Brand: ARROW HART

Type: 3-Way

Special Features: Standard Grade, Wiring Type Side and Push Wire, Grounding

Application: Industrial

Voltage Rating: 120 Vac

Amperage Rating: 15 Amp

Connection: Screw

Actuator: Framed Toggle

Color: Brown

Contact Configuration: Switches

Size: 0.75 In Width X .88 In DepthX 2.13 Back Length X 3.28 Screw to Screw

Mounting: Wall

Operating Temperature: -20 To 60 Deg C



Powering Business Worldwide

1301-9A

SWITCH TOGGLE SP 15A 120V AG AL

UPC: 032664737169

Brand Name: Eaton

Sub Brand: ARROW Hart

Special Features: Standard Grade, Wiring Type Side and Push Wire, Grounding

Application: Industrial

Voltage Rating: 120 Vac

Amperage Rating: 15 Amp

Connection: Screw

Actuator: Framed Toggle

Color: Ivory

Contact Configuration: Switches

Size: 0.75 In Width X .88 In DepthX 2.13 Back Length X 3.28 Screw to Screw

Mounting: Wall

Operating Temperature: -20 To 60 Deg C

1301-9B

SWITCH TOGGLE SP 15A 120V AG BR

UPC: 032664737176

Brand Name: Eaton

Sub Brand: ARROW HART

Special Features: Standard Grade, Wiring Type Side and Push Wire, Grounding

Application: Industrial

Voltage Rating: 120 Vac

Amperage Rating: 15 Amp

Connection: Screw

Actuator: Framed Toggle

Color: White

Contact Configuration: Switches

Size: 0.75 In Width X .88 In DepthX 2.13 Back Length X 3.28 Screw to Screw

Mounting: Wall

Operating Temperature: -20 To 60 Deg C



Powering Business Worldwide

1301-9LA

SWITCH TOGGLE SP 15A 120V AG LA

UPC: 032664737183

Brand Name: Cooper Wiring Devices

Sub Brand: ARROW HART

Type: Single, Straight Blade

Special Features: Wiring Type Back and Side Wire

Application: Hospital

Number Of Poles: 2

Number Of Wires: 3

Wire Size: 14 To 10 AWG

Amperage Rating: 15 Amp

Voltage Rating: 125 Vac

Material: Nylon

Color: Brown

NEMA Rating: 5-15R

Connection: Screw

Dielectric Strength: 2000 V

1301-9V

SWITCH TOGGLE SP 15A 120V AG IV

UPC: 032664737190

Brand Name: Cooper Wiring Devices

Sub Brand: ARROW HART

Type: Single, Straight Blade

Special Features: Wiring Type Back and Side Wire

Application: Hospital

Number Of Poles: 2

Number Of Wires: 3

Wire Size: 14 To 10 AWG

Amperage Rating: 15 Amp

Voltage Rating: 125 Vac

Material: Nylon

Color: Ivory

NEMA Rating: 5-15R

Connection: Screw

Dielectric Strength: 2000 V



Powering Business Worldwide

1301-9W

SWITCH TOGGLE SP 15A 120V AG WH

UPC: 032664737206

Brand Name: Cooper Wiring Devices

Sub Brand: ARROW HART

Type: Single, Straight Blade

Special Features: Wiring Type Back and Side Wire

Application: Hospital

Number Of Poles: 2

Number Of Wires: 3

Wire Size: 14 To 10 AWG

Amperage Rating: 15 Amp

Voltage Rating: 125 Vac

Material: Nylon

Color: White

NEMA Rating: 5-15R

Connection: Screw

Dielectric Strength: 2000 V

1301B

Switch Toggle SP 15A 120V NonGrd BR

UPC: 032664542732

Brand Name: Cooper Wiring Devices

Sub Brand: ARROW HART

Type: Single, Straight Blade

Special Features: Wiring Type Back and Side Wire

Application: Hospital

Number Of Poles: 2

Number Of Wires: 3

Wire Size: 14 To 10 AWG

Amperage Rating: 20 Amp

Voltage Rating: 125 Vac

Material: Nylon

Color: Brown

NEMA Rating: 5-20R

Connection: Screw

Dielectric Strength: 2000 V



Powering Business Worldwide

1301V

Switch Toggle SP 15A 120V NonGrd IV

UPC: 032664542749

Brand Name: Cooper Wiring Devices

Sub Brand: ARROW HART

Type: Single, Straight Blade

Special Features: Wiring Type Back and Side Wire

Application: Hospital

Number Of Poles: 2

Number Of Wires: 3

Wire Size: 14 To 10 AWG

Amperage Rating: 20 Amp

Voltage Rating: 125 Vac

Material: Nylon

Color: Ivory

NEMA Rating: 5-20R

Connection: Screw

Dielectric Strength: 2000 V

1301W

Switch Toggle SP 15A 120V NonGrd WH

UPC: 032664542756

Brand Name: Cooper Wiring Devices

Sub Brand: ARROW HART

Type: Single, Straight Blade

Special Features: Wiring Type Back and Side Wire

Application: Hospital

Number Of Poles: 2

Number Of Wires: 3

Wire Size: 14 To 10 AWG

Amperage Rating: 20 Amp

Voltage Rating: 125 Vac

Material: Nylon

Color: White

NEMA Rating: 5-20R

Connection: Screw

Dielectric Strength: 2000 V

C1301-7B

Switch Toggle SP 15A 120V Grd BR

UPC: 032664137105



Powering Business Worldwide

C1301-7LTV

Switch Toggle SP LT 15A 120V Grd IV

UPC: 032664517433

C1301-7LTW

Switch Toggle SP LT 15A 120V Grd WH

UPC: 032664519352

C1301-7V

Switch Toggle SP 15A 120V Grd IV

UPC: 032664137204

C1301-7W

Switch Toggle SP 15A 120V Grd WH

UPC: 032664137303