


FESTOOL®

FINISH LINE

SPRING 2017



A close-up, slightly blurred photograph of a painter's hands. One hand holds a paintbrush, applying white paint to a dark, textured surface. The other hand is visible in the background, also involved in the painting process. The lighting is dramatic, highlighting the texture of the paint and the skin.

OUR MISSION

It's our goal to help professional painters boost efficiency and productivity, while increasing profits and achieving higher quality results each and every day.

IFINISH LINE



02 Creating A Beautiful Canvas

Living up to the highest customer expectations with every job.



48 Sharing a Passion for the Craft

You're invited to Festool Connect at our USA headquarters.



54 A New Way to Learn

The Prep to Finish program emphasizes hands-on training.



32 Pursuing Perfection

Performing flawlessly under the pressures of lights, camera, action.



49 Festool Hits the Road

Sign up for a local event as our tool-packed trailer comes your way.



56 Festool Service Hotline

With Festool's service hotline, factory-trained team members are here to help.

SPRING 2017 CONTENTS

02 Creating A Beautiful Canvas

06 Hand Sanding Abrasives

10 Random Orbital Sanders

14 Orbital Sanders

16 Multi-Mode Sanders

20 Specialty Sanders

22 Drills / Drivers

24 Dust Extraction

32 Pursuing Perfection

36 SysRock

38 Work Lamps

42 Specialty Sanders

46 Cordless Drills

48 Sharing a Passion for the Craft

49 Festool Hits the Road

50 Mobility / Storage

54 A New Way to Learn

56 Festool Service Hotline

Customer Service

888-337-8600

Speak to a tool application specialist
(Asistencia y asesoría técnica en Español)

Festool USA

400 N. Enterprise Blvd.
Lebanon, IN, 46052

Find A Dealer

festoolpaint.com/where-to-buy

Online Tool Registration

festoolpaint.com/register

Service All-Inclusive

festoolpaint.com/sai

Website

festoolpaint.com

twitter.com/festoolusa

facebook.com/festoolpaint

festoolpaint.tv

FESTOOL®





CREATING A BEAUTIFUL CANVAS

THE CHALLENGE

Living up to the highest customer expectations with every job.

1 AN UNEXPECTED CAREER

How a computer programmer became his area's highest-rated painting contractor.

2 ACHIEVING PERFECT EXECUTION

Crews spend a majority of their time executing meticulous prep using Festool sanders, hand sanding abrasives and dust extractors.

3 SELLING AN EXPERIENCE

From the strong relationships it builds to the Festool equipment it uses, Paint Track ensures a superior experience for its customers.

Ray Rahni is one of those people who believes everything happens for a reason.

The former computer programmer put himself through college, painting houses on the weekends and every summer to earn money for his tuition, books, and room and board. The Westchester County native quickly endeared himself to suburban New York-area homeowners with his professional demeanor, sharp attention to detail and love for the craft. Rahni was so committed to his part-time job that he earned enough money to finish college with zero debt.



"Most painters look at your space, ask you what you'd like to have done, and give you a price. But Ray started by sharing how his approach to painting and the Festool equipment he uses would make a difference."

Lynn Centofanti, homeowner

1 AN UNEXPECTED CAREER

After graduation, Rahni went to work in an office, writing software programs and becoming fluent in the language of code. Then, the events of September 11, 2001, struck the nation. And like many other workers, Rahni lost his job.

Devastated by the attacks on the United States and the city he loved, Rahni reached out to some former customers from his college days, hoping his skill as a painter would help him put food on the table for his family until the economy recovered. He never envisioned what happened next.

"Within two years, I had so many painting customers that I decided to leave the computer world for good," Rahni said. "I've never looked back."

2 ACHIEVING PERFECT EXECUTION

Today Paint Track, Rahni's fully licensed, fully insured residential and commercial painting company, is the area's highest-rated painting contractor. And two decades after he first picked up a brush, Rahni still subscribes to the same principles that helped him earn enough business to fund his college education.

It's easy to assume that all painters are cut from the same cloth, but Rahni credits his team's meticulous preparation, creativity and problem-solving ability as the difference-makers that inspire repeat business and referrals.

"We aren't just applying paint to a surface," Rahni said. "From color and product selection to project management and cleanup, we're committed to perfect execution on every job."

"It's all in the details."

Every good painter understands that surface prep is crucial, and Rahni and his team devote extensive energy and resources to prep work. His crews use Festool sanders, hand sanding abrasives and dust extractors on every job. The tools help them ensure surfaces are completely smooth, with no visible seams or nail holes.

"It's impossible to apply a quality finish without a quality surface," he said. "Festool products allow us to make our customers' homes look beautiful."

"If you want to make a beautiful painting, you need to start with a beautiful canvas," he said. "We spend up to 70 percent of our time on prep work, and Festool products give us the quality surface required to deliver a quality finish." Since Festool also reduces prep time considerably, that 70 percent would arguably be much higher with any other tools.

Anyone who has ever walked through a home under construction understands sanding can be one of the messiest parts of the job, but Rahni loves giving his customers a dust-free, clean environment.

"Dust is typically the biggest complaint from homeowners who hire painting contractors," Rahni said. "But Festool's dust extractors are so effective that my customers actually go out of their way to mention the cleanliness of my crew's jobsites."

"We spend a lot of time sanding everything from large walls to tight corners, yet we've perfected the art of maintaining jobsites that are virtually dust-free."

TOOLS OF THE TRADE**SOME OF PAINT
TRACK'S TOP PICKS**

**RO 90 DX FEQ**


Compact, four-machines-in-one unit excels as a rotary sander, a random orbit finish sander, a delta-shaped detail sander, and even as a rotary polisher.

[See page 16 for details.](#)

**GRANAT COMBI SPONGE**

With its round side and 60-degree edge, allows you to get into hard-to-reach places.

[See page 7 for details.](#)

**GRANAT SANDING SPONGE**

Extremely flexible foam backing distributes pressure evenly while letting the abrasive sponge adapt to different shapes.

[See page 7 for details.](#)

**FESTOOL IN ACTION****CREATING A
BEAUTIFUL CANVAS**

Visit our website to watch Paint Track owner, Ray Rahni, and his team achieve the quality surface needed to deliver an exceptional finish using Festool sanders and dust extractors.

festoolpaint.com/painttrack

3 SELLING AN EXPERIENCE

These days the Paint Track founder spends most of his time managing the business, but he still loves to put on his painting suit and work with his crew whenever possible.

"I never thought I'd turn painting into a career," Rahni said. "But I love my job so much that I can't imagine doing anything else."

"More than anything, I value my relationships with my crew and my customers. People understand that when they hire Paint Track, they're buying an experience. Festool helps me deliver on that promise, and I'll never use anything else." [F](#)

WE HAVE TO HAND IT TO YOU

Hand Sanding Abrasives

For achieving perfect results, you know when hand sanding is needed for hard-to-reach places, unusual profiles or any spot difficult to access with a sander. That's why our Granat and Vlies abrasives are available in a variety of different designs and grits, including sandpaper, sanding blocks, sanding sponges, sanding pads and sanding cloths.




Granat can be used on any kind of paint, filler or clear-coat varnish (VOC lacquer and hard materials) and is particularly suited to the tough undercoats used in advanced painting and coating systems. Its synthetic resin bond and premium-quality fused aluminum oxide grit prevent grit breakage, so there is no need to worry about leaving scratches or score marks. Vlies flexible sanding fabrics are perfect for use on special shapes, rounded edges and beading.



NEW

GRANAT Sanding Sponges



Specially formed sponges feature different profiles and formats to adapt to different tasks, get into hard-to-reach places, reduce sanding time and protect surfaces. Synthetic resin bonding provides a tenacious grip for excellent cutting power without grooves or scratches. Long-lasting, high-performance abrasives are durable, washable and resistant to tearing.

BENEFITS



Versatile

Versatile combi sponge features one round side and a 60-degree edge.




Longevity

Durable high quality abrasive components with bonded and fused grits provide long service life.



Flexible

Extremely flexible sanding sponge easily adapts to different shapes.



NEW

GRANAT Abrasive Sheets

Flexible and universal hand sanding abrasive with paper backing is perfect for paint, putty, filler and lacquer (VOC lacquer and hard materials). Unmatched grit bonding means less grid break out when folding or adapting to your surface.



NEW

GRANAT Sanding Sponge Pads

One-sided, flexible abrasive sponge is ideal for working profiled or moulded surfaces. It is perfect for paint, putty, filler and lacquer (VOC lacquer and hard materials); suitable for wet and dry sanding; and excellent for fine sanding and matting of clear coats. Comes in a pack of 20 sheets.

NEW

VLIES Sanding Pads | \$36

Made from a flexible fabric, these pads adapt to contours extremely well and are ideal for use on special shapes, rounded edges and beading when touching up surfaces.









NEW

VLIES Sanding Rolls | \$46 GRANAT Rolls | \$46

Whether you need a flexible sanding fabric or a universal abrasive on paper backing, both come in rolls.

GRANAT SPONGES AND VLIES ABRASIVES

	Sponge 2-23/32" x 3-27/32" x 1" 36 6x	201080	\$22
	Sponge 2-23/32" x 3-27/32" x 1" 60 6x	201081	\$22
	Sponge 2-23/32" x 3-27/32" x 1" 120 6x	201082	\$22
	Sponge 2-23/32" x 3-27/32" x 1" 220 6x	201083	\$22
	Sponge 2-23/32" x 3-27/32" x 1" 120 CO 6x	201084	\$22
	Sponge 3-13/16" x 4-23/32" x 1/2" 60 6x	201112	\$10
	Sponge 3-13/16" x 4-23/32" x 1/2" 120 6x	201113	\$10
	Sponge 3-13/16" x 4-23/32" x 1/2" 220 6x	201114	\$10
	Sponge 3-13/16" x 4-23/32" x 1/2" 800 6x	201507	\$10
	Sponge 4-1/2" x 5-1/2" x 3/16" MD 280 20x	201769	\$36
	Sponge 4-1/2" x 5-1/2" x 3/16" EF 500 20x	201099	\$36
	Sponge 4-1/2" x 5-1/2" x 3/16" SF 800 20x	201100	\$36
	Sponge 4-1/2" x 5-1/2" x 3/16" UF 1000 20x	201101	\$36
	Sponge 4-1/2" x 5-1/2" x 3/16" MF 1500 20x	201102	\$36
	Vlies 115x152 MD 100 VL/25	201115	\$36
	Vlies 115x152 FN 320 VL/30	497088	\$36
	Vlies 115x152 SF 800 VL/30	497089	\$36
	Vlies 115x152 UF 1000 VL/30	497090	\$36
	Vlies 115x10m MD 100 VL	201116	\$46
	Vlies 115x10m FN 320 VL	201117	\$46
	Vlies 115x10m SF 800 VL	201118	\$46
	Vlies 115x10m UF 1000 VL	201119	\$46



BENEFITS

Reduced effort

The sanding sponges that are coated on four sides lets you sand multiple surfaces simultaneously.

Multi-shape design

The combi sanding sponge is perfect for concave profiles and v-grooves thanks to having one side at a 60-degree angle and the opposite side rounded off.

Larger area coverage

The double sided sanding sponges are extremely flexible and can easily adapt to different shapes thanks to its flexible foam backing that is extra soft and distributes pressure evenly. The material is wrinkle- and crease-resistant, protecting the surface of the workpiece.

Consistent results

The one-sided sanding pad is a new development and boasts an impressive ability to produce consistently uniform sanding results on larger concave and convex surfaces..

Flexible uses

The Vlies is made from a flexible fabric that adapts to contours extremely well, making it ideal for sanding special shapes, rounded edges and beading.

GRANAT SHEET ABRASIVES

	Sheet Paper 9" x 11" P40 GR/25	201085	\$22
	Sheet Paper 9" x 11" P60 GR/50	201087	\$22
	Sheet Paper 9" x 11" P80 GR/50	201088	\$22
	Sheet Paper 9" x 11" P100 GR/50	201089	\$22
	Sheet Paper 9" x 11" P120 GR/50	201090	\$22
	Sheet Paper 9" x 11" P150 GR/50	201091	\$36
	Sheet Paper 9" x 11" P180 GR/50	201093	\$36
	Sheet Paper 9" x 11" P220 GR/50	201094	\$36
	Sheet Paper 9" x 11" P240 GR/50	201095	\$36
	Sheet Paper 9" x 11" P320 GR/50	201096	\$36
	Sheet Paper 9" x 11" P400 GR/50	201097	\$36
	Sheet Paper 9" x 11" P40 GR/10	201256	\$9
	Sheet Paper 9" x 11" P60 GR/10	201257	\$9
	Sheet Paper 9" x 11" P80 GR/10	201258	\$9
	Sheet Paper 9" x 11" P100 GR/10	201259	\$9
	Sheet Paper 9" x 11" P120 GR/10	201260	\$9
	Sheet Paper 9" x 11" P150 GR/10	201261	\$9
	Sheet Paper 9" x 11" P180 GR/10	201262	\$9
	Sheet Paper 9" x 11" P220 GR/10	201263	\$9
	Sheet Paper 9" x 11" P240 GR/10	201264	\$9
	Sheet Paper 9" x 11" P320 GR/10	201265	\$9
	Sheet Paper 9" x 11" P400 GR/10	201266	\$9

GRANAT ROLL ABRASIVES

	Abrasive Roll 4-1/2" x 8' P40 GR	201103	\$46
	Abrasive Roll 4-1/2" x 8' P60 GR	201104	\$46
	Abrasive Roll 4-1/2" x 8' P80 GR	201105	\$46
	Abrasive Roll 4-1/2" x 8' P100 GR	201106	\$46
	Abrasive Roll 4-1/2" x 8' P120 GR	201107	\$46
	Abrasive Roll 4-1/2" x 8' P150 GR	201108	\$46
	Abrasive Roll 4-1/2" x 8' P180 GR	201109	\$46
	Abrasive Roll 4-1/2" x 8' P220 GR	201110	\$46
	Abrasive Roll 4-1/2" x 8' P240 GR	201111	\$46
	Abrasive Roll 4-1/2" x 8' P320 GR	201768	\$46



VIEW ALL OF THE ABRASIVES:
festoolpaint.com/power-tools/hand-sanding

TAKE EFFICIENCY TO NEW LEVELS

ETS Brushless Sanders

The ETS EC family of sanders offers a traditional round pad design available in 5" (125 mm) and 6" (150 mm) sizes with strokes ranging between 1/8" (3 mm) and 3/16" (5 mm). You'll achieve exceptional results in no time. These sanders run smoother than any sander you've ever owned, with custom-ground counterbalances. Packed with features and weighing only 2.6 lbs., the ETS EC is perfect for almost any job — even those tricky vertical sanding and overhead jobs.



ETS EC 125/3 EQ | \$385
571 897

Equipped with the EC-TEC® Brushless Motor, these low-profile, long-life and low-vibration sanders can run all day with multiple shifts. Offering air sander performance without the expense and bulk of an air system, these sanders are equipped with innovative features, which include Jetstream® dust extraction, extraction connection signal, electronic active vibration stop, carbide-tipped sanding brakes and much more — making them the ultimate high-demand sanding tools.




ETS EC 150/3 EO | \$485
571 880

ETS EC 150/5 EQ | \$485
571 892

Equipped with the EC-TEC® Brushless Motor, these low-profile, long-life, low-vibration sanders can run all day with multiple shifts. Available in a fine 1/8" (3 mm) stroke or a broader 3/16" (5 mm) stroke, these sanders offer the performance of an air sander without the expense and bulk of an air system. These sanders are equipped with innovative features, including multi-jetstream dust extraction, extraction connection signal, electronic active vibration stop, carbide-tipped sanding brakes, and much more—making them the ultimate high-demand sanding tools.

BENEFITS



Lower replacement costs

The EC-TEC® Brushless Motor delivers more power to the pad, with a higher degree of efficiency and lower replacement costs, so there's no downtime for brush replacement.



Better dust control

Electronic hose-detection sensor alerts the user if the dust extraction hose becomes disconnected, which helps to ensure a better finish result and cleaner work environment.

PRODUCT SPECIFICATIONS

ETS EC 125/3 EQ

Power Consumption	400 watts 3.3 amps, 120 V AC
Pad Size	5" (125 mm) dia.
Speed	6,000–10,000 rpm
Sanding Stroke	1/8" (3.0 mm)
Dust Extraction Port	27 mm
Weight	2.6 lbs. (1.2 kg)

Metric dimensions binding.

PRODUCT SPECIFICATIONS

ETS EC 150/3 EO

Power Consumption	400 watts 3.3 amps, 120 V AC
Pad Size	6" (150 mm) dia.
Speed	6,000–10,000 rpm
Sanding Stroke	1/8" (3.0 mm)
Dust Extraction Port	27 mm
Weight	2.6 lbs. (1.2 kg)

Metric dimensions binding.

PRODUCT SPECIFICATIONS

ETS EC 150/5 EQ

Power Consumption	400 watts 3.3 amps, 120 V AC
Pad Size	6" (150 mm) dia.
Speed	6,000–10,000 rpm
Sanding Stroke	3/16" (5.0 mm)
Dust Extraction Port	27 mm
Weight	2.6 lbs. (1.2 kg)

Metric dimensions binding.

Less fatigue

Active electronic vibration control constantly monitors sanding activity to ensure easy operation and a smooth surface, while minimizing arm strain for less fatigue.



ETS Accessories

		ETS 125 ¹ ETS EC 125 ¹ ETS 125 REQ ¹ 5" dia.	ETS 150/3 ² ETS 150/5 ² ETS EC 150/3 ² ETS EC 150/5 ² 6" dia.
1		Fusion-Tec StickFix® Sanding Pad – Long-Life (replacement ETS 125, ETS 150/5) High-temp resistant for heavy-duty applications. White ring feature on pad face for easy abrasive change. (1 piece)	\$40 492 280
2		Fusion-Tec StickFix Sanding Pad – Super-Soft (replacement ETS 125, ETS 150/3) For medium/fine sanding and finishing. The extra softness is more forgiving and allows the abrasive to float more easily on the surface for smoother results. (1 piece)	\$38 492 282
4		Interface Pad for Superfine Abrasive – Soft For profiles and contours. The extreme softness and give allow the abrasive to float more easily on the surface for smoother results. (1 piece)	\$24 492 271
6		Abrasive Systainer with Insert Systainer for storing, organizing and transporting ETS abrasives and pads.	\$88 497 685
			\$98 497 690

¹All ETS 125 accessories can be used on the ES 125.²All ETS 150 accessories can be used on the RO 150 E (not the RO 150 FEQ).



PRODUCT SPECIFICATIONS

ETS 125 REQ

Power Consumption	250 watts 2.08 amps, 120 V AC
Pad Size	5" (125 mm) dia.
Speed	6,000 - 12,000 rpm
Sanding Stroke	5/64" (2.0 mm)
Dust Extraction Port	27 mm
Weight	2.6 lbs (1.2 kg)

Metric dimensions binding.

ABRASIVE GRITS

Granat	40	1500
--------	----	------

BENEFITS

Vibration-stop

Balanced design delivers better finish results, smoother operation and greater comfort.

Plug-it power cord

Interchangeable cord design allows you to quickly switch between tools.

Ergonomic

Formed to fit comfortably in any size hand. Compact and lightweight enough for extended vertical and overhead use.

ETS 125 REQ | \$195

574 993

Compact and weighing only 2.6 lbs (1.2 kg), the ETS 125 REQ has the finest sanding stroke at 5/64" (2 mm). It's the ideal one-handed machine for maximum surface quality when pre-sanding or sanding in between coats. The versatile ETS 125 REQ is also perfect for sanding vertical surfaces and for doing overhead work. Technical features such as the sanding pad brake and vibration-stop balancing put the ETS 125 REQ in a category of its own.

BENEFITS

**Dust connection port**

Interlocking feature virtually eliminates becoming disconnected when coupled with Festool CT Dust Extractors featuring CLEANTEC connecting system.

**Jetstream® dust extraction**

Virtually eliminate dust at the source, resulting in cleaner air and better finishes while extending abrasive life up to 30%.

**StickFix® hook & loop design**

Fast and easy abrasive removal with resilient pad hooks and hard-wearing fabric backing, leading to longer abrasive and pad life.

EXCELLENCE IS IN THE DETAILS

RTS 400 REQ | \$260

201 221

A sander well-suited for a wide range of one-handed applications, the RTS 400 REQ features a compact design and weighs in at only 2.4 lbs. (1.1 kg). Its bumper guard makes it ideal for vertical applications and use against adjoining surfaces.



DTS 400 REQ | \$260

201 228

Compact and lightweight and a great all-around sander, the DTS 400 REQ is designed for fine sanding small, hard-to-reach, angular surfaces. Its bumper guard makes it ideal for vertical applications and use against adjoining surfaces. With a short 5/64" (2 mm) stroke, this sander provides a superfine finished surface without swirl marks.

BENEFITS




Save time

Easily and quickly remove abrasives thanks to resilient pad hooks and hard-wearing fabric backing, all of which lead to longer abrasive and pad life.



Minimize swirl marks

Produce smoother surfaces by combining full pad contact with the lowest CT suction position and one of the smallest stroke patterns combined with a fine orbital sanding motion.



Easy to use

Bumper guard lets you sand vertical surfaces quickly without worry.



Reduce vibration

The RTS 400 REQ is perfect for flat surfaces thanks to its balanced design and smooth operation.

PRODUCT SPECIFICATIONS

DTS 400 REQ

Power Consumption	250 watts 2.08 amps, 120 V AC
Pad Size	4" x 6" (100 x 150 mm)
Speed	6,000–12,000 opm
Sanding Stroke	5/64" (2 mm)
Dust Extraction Port	27 mm
Weight	2.6 lbs. (1.2 kg)

Metric dimensions binding.

PRODUCT SPECIFICATIONS

RTS 400 REQ

Power Consumption	250 watts 2.08 amps, 120 V AC
Pad Size	3-5/32" x 5-1/4" (80 x 133 mm)
Speed	6,000–12,000 opm
Sanding Stroke	5/64" (2 mm)
Dust Extraction Port	27 mm
Weight	2.6 lbs. (1.2 kg)

Metric dimensions binding.

DTS 400 REQ,
RTS 400 REQ

DTS / RTS Accessories

The DTS and RTS sanding pads are designed as carefully as the tools for optimum performance and long life. The orbital family of sanders features turbo dust extraction, allowing the use of filter bags for times when using CT dust extractor and hose arrangement may not be convenient.

ACCESSORIES	DTS 400 ¹ DTS 400 REQ ¹	RTS 400 ² RTS 400 REQ ²
1 StickFix® Sanding Pad (replacement)	\$30 493 723	\$30 489 252
2 Interface Pad Foam pad for profiles and contours.		\$24 490 160
3 Abrasive Systainer with Insert Systainer for storing, organizing and transporting abrasives.	\$88 497 686	\$88 497 684

¹All DTS 400 accessories are correct for use on the DS 400.

²All RTS 400 accessories are correct for use on the RS 400.

ABRASIVE GRITS

Granat 40 1500

PERFORMANCE MEETS VERSATILITY



RO 90 DX FEQ | \$440

571 823

Take versatility to new levels with a compact, four-machines-in-one unit. The RO 90 excels as an aggressive rotary sander, a random orbit finish sander and even a rotary polisher. With a twist of the dial and tool-free pad changeover, the RO 90 is the only Rotex that also functions as a delta-shaped detail sander.

BENEFITS



Versatile use

For heavy stock removal or polishing, use the Rotex gear-driven aggressive mode or switch easily to fine finishing in the random orbital mode.



Faster material removal

Power through the toughest tasks quickly and easily with handheld sanders in Rotex Mode.



Time-saving pad change

Minimize downtime as you change seamlessly between pads. With the Rotex's tool-free pad change, you'll spend less time looking for the right tool and save time on the job.

Rotex Multipurpose Sanders

Rotex multipurpose sanders are nothing short of an engineering marvel, allowing you to move seamlessly between rough sanding and finish sanding without switching sanders, making it one of the most versatile sanders available.

RO 125 FEQ | \$490
571 782

Compact yet lightweight and powerful, the RO 125 puts 500 watts of power, dual-mode sanding and triple-function performance into a comfortable 4.4 lbs. (2 kg). It's a 5" (125 mm) sander that does it all — coarse and fine sanding, plus polishing.



BENEFITS

Reliability you can trust

Built tough to withstand your roughest working conditions, Rotex sanders are made with the highest quality parts and demanding tolerances.

Less fatigue

Achieve better-quality outcomes more comfortably with multiple grip positions and sanding pads that are balanced to the tool, so they vibrate less.

RO 150 FEQ | \$595

571 810

The powerful, multifunctional Rotex RO 150 changes effortlessly from coarse sanding to fine sanding to polishing. Changing pads is simple and requires no extra tools. With 720 watts of power, the RO 150 allows you to take on any job.



	RO 90 FEQ	RO 125 FEQ	RO 150 FEQ
	\$440 571 823	\$490 571 782	\$595 571 810
SPECIFICATIONS			
Power Consumption	400 watts 3.3 amps, 120 V AC	500 watts 4.2 amps, 120 V AC	720 watts 6 amps, 120 V AC
Pad Size	3-1/2" (90 mm) dia.	5" (125 mm) dia.	6" (150 mm) dia.
Speed (Eccentric)	3,500–7,000 opm	3,000–6,000 opm	3,300–6,800 opm
Speed (Rotary)	260–520 rpm	300–600 rpm	320–660 rpm
Sanding Stroke	1/8" (3 mm)	9/64" (3.6 mm)	3/16" (5 mm)
Dust Extraction Port	27 mm	27 mm	27 mm
Weight	3.3 lbs. (1.5 kg)	4.4 lbs. (2 kg)	5 lbs. (2.3 kg)

Metric dimensions binding.

ABRASIVE GRITS		
Granat	40	1500



VIEW ALL OF THE ABRASIVES:
festoolpaint.com/abrasives

Rotex Accessories

Rotex sanders are the most versatile sanders you will find. With a tool-free pad change, switch quickly and easily between soft, supersoft and hard pads to match your application. Each Rotex is also an efficient polishing machine and is supported with a full complement of accessories, all of which can be found online at festoolpaint.com.

		RO 90 FEQ 3.5" (90 mm)	RO 125 FEQ 5" (125 mm)	RO 150 FEQ 6" (150 mm)
ACCESSORIES				
	1	StickFix® Sanding Pad – Soft (replacement) High-temp resistant for heavy-duty applications. (1 piece)	\$34 496 804	\$38 492 125
	2	StickFix Sanding Pad – Super-Soft For medium/fine sanding and finishing sanding. The extra softness allows the abrasive to float for smoother results. (1 piece)		\$38 492 126
	3	StickFix Sanding Pad – Hard Maintain a crisp and flat surface, especially on edges. (1 piece)	\$34 495 623	\$38 492 127
	4	Interface Pad for Super-Soft Abrasive For profiles and contours. The extreme softness provides smoother surfaces. (1 piece)	\$22 497 481	\$24 492 271
	5	Delta Sanding Pad (replacement) Triangular pad for detail sanding. (1 piece)	\$34 496 802	
	6	Extended Delta Sanding Pad For sanding in narrow places such as shutters and louvers. (1 piece)	\$34 496 803	
	7	StickFix Sanding Pad – Hard Snap stud. (2 pieces)	\$24 488 716	
	8	Protector Set Composed of small, medium and large protectors for the RO 90, which offset the sander from an abutting surface such as sanding window frames. (3 pieces)	\$36 497 936	
	9	Abrasives Systainer with Insert Systainer for storing, organizing and transporting abrasives for the Rotex sanders.	\$88 497 687	\$88 497 685
				\$98 497 690

A WHOLE NEW WALL GAME



PLANEX LHS 225 EQ
Drywall Sander

| \$1,150
571 579

CT 36 AC Dust Extractor | \$875
584 014

With the PLANEX LHS 225 Drywall Sander, you can sand walls and ceilings in a fraction of the time it takes with other tools or methods. In addition, you'll save countless hours on prep work and cleanup, since the PLANEX sander and CT 36 AC Dust Extractor will capture and contain virtually all the dust and mess. It's a revolutionary leap forward in fast, efficient and essentially dust-free drywall sanding.

BENEFITS



Less mess and cleaner air

Experience less cleanup time and a perfect finish when you pair a CT 36 AC Dust Extractor with the PLANEX. You'll not only see greatly reduced airborne dust, but also more satisfied customers.



Reach high and low

Reach high or difficult spaces with ease and spend less time moving and setting up ladders while achieving a more balanced finished surface. Reach even further with up to two extensions.



Control the speed

For both rapid material removal and fine finishes, adjust removal rate to the needs of the surface using variable speed and suction controls at your fingertips.



PLANEX LHS 225 EQ Shown with CT 36 AC Dust Extractor and optional accessory Blast Gate and PLANEX CT Mount.



BENEFITS

Save money and time

Realize a quick return on investment in time and materials savings. The PLANEX LHS 225 uses long-lasting, less expensive abrasives that reduce operating costs and total cost of ownership.

Reduce fatigue

Easily access the power switch, variable speed control and variable suction control via the rubberized handles, which offer any user greater comfort, ideal handling and control, and less fatigue.

Protect from dust

Drywall dust is intrusive and abrasive. Manage it with the robustly designed PLANEX LHS 225 — built to withstand the toughest demands with its dust-sealed controls and sealed two-speed gearbox.



Fine finish made easier

Achieve a fine finish while greatly reducing swirl marks using soft interface pads, variable speed, articulating head and adjustable suction (especially when paired with the CT 36 AC).

Sand right to the edges

Minimize hand sanding tasks and reduce surface prep time thanks to the quick-release dust shroud that allows for up-to-the-wall sanding.

PRODUCT SPECIFICATIONS

PLANEX LHS 225 EQ Drywall Sander

Power Consumption	500 watts 4.2 amps, 120 V AC
Pad Size	8-27/32" (225 mm)
Speed	310-920 rpm
Dust Port	36 mm (27 mm)
Length (No Extension)	3.6' (1.1 m)
Length (One Extension)	5.2' (1.6 m)
Weight (No Extension)	8.4 lbs. (3.8 kg)
Weight (One Extension)	10.1 lbs. (4.6 kg)

Metric dimensions binding.

ABRASIVE GRITS

Saphir	24	36
Granat	40	1500

FASTEN YOUR DRYWALL

Drywall Screw Gun

As with all our tools, it's about having the perfect equipment for fast, safe work and excellent results. With no cords to get in the way, a high-capacity Lithium-Ion battery and multiple features designed especially for working with drywall, our screw guns become essential every day.



DWC 18-4500 Plus Cordless Drywall Screw Gun

The cordless specialist for fastening plasterboards to metal and wooden substructures, the DWC 18 offers high speeds for making screw connections in series or uninterrupted in several series with maximum efficiency. Its precision, wear-free electronics switch-off function provides accurate screwing depths and long service life, while the energy-saving function allows starting and stopping without actuating the main switch. You can rapidly add the magazine attachment without using tools. The unit also features a robust, brushless EC motor and a Lithium-Ion battery for greater fastening capacity per battery charge.



The DWC 18-4500 Includes: Magazine Attachment, Depth Stop, 2x, Belt Clip, Scaffolding Holder, Magnetic Bit Holder, PH 2 Bit, Without Battery Pack, Without Charger, 2x Rubberized Frame for Battery Packs, Systainer SYS 2 T-LOC



LEARN MORE ABOUT DRYWALL SCREWDRIVERS:
festoolpaint.com/power-tools/cordless-drills



The Leader in Fine Finish Spraying

2017 Product Breakthroughs

NEW FOR 2017!

FinishPro HVLP

The preferred choice for small detailed jobs that require extreme control with automotive finish quality.



NEW FOR 2017!

Ultra Airless Handheld

The essential tool for turning small jobs around fast. RAC X™ FF LP delivers a perfect airless finish every time. Available in corded and cordless models.



NOW WITH RAC X FFLP TIPS

FinishPro GX Airless

The fast, portable and affordable solution for small finishing jobs that every finishing contractor encounters.



NOW WITH RAC X FFLP TIPS

FinishPro II Air-Assisted Airless

Complete large finish jobs fast by applying a professional finish at the speed of an airless.



RAC X Fine Finish Low Pressure (FF LP) SwitchTips™

- ▶ SPRAYS AT UP TO 50% LOWER PRESSURE
- ▶ EASIEST PATTERN OVERLAP
- ▶ UP TO 2X LIFE



SEE IT IN ACTION!



graco.com/FFLPfinish

Find your local distributor at graco.com

CLEANUP MADE SIMPLE

Cleantec Dust Extractors

Count on our dust extractors to be lightweight, nimble and organized. We offer a full line of dust extractors optimized for the way you work. Regardless of the size you choose, you'll get the performance you need.



CT MIDI | \$560 574 787

Compact and lightweight, the CT MIDI has ample capacity for common jobsite tasks while carrying Full Unit HEPA Certification. With 130 CFM and only 62 dB (on low setting), it quickly and quietly removes large amounts of debris. The integrated hose storage keeps hoses and cords well organized and makes Systainer transport simple and efficient. With large wheels and double casters, the CT MIDI easily navigates worksite obstacles.

CERTIFIED FULL UNIT
HEPA
DUST EXTRACTORS



BENEFITS



Take control

Reduce swirl marks by lowering the suction power to minimum.



Keep dust away

Every CT dust extractor comes with a kink-resistant and antistatic hose that prevents dust from collecting on its exterior while remaining flexible for easy storage and transport.



Enhanced mobility

Compact and lightweight with a recessed handle, your extractor has never been this effortless to transport.

CT MINI | \$510

574 786

The CT MINI transports easily and is ideal for tight spaces. The perfect mix of mobility, capacity, weight and price, it carries Full Unit HEPA Certification. The integrated hose storage keeps hoses and cords well organized and makes Systainer transport simple and efficient. Sporting large wheels and double casters, the CT MINI easily navigates worksite obstacles.

CERTIFIED FULL UNIT
HEPA
DUST EXTRACTORS

**CT SYS | \$380**

584 174

Carrying Full Unit HEPA Certification, the CT SYS Mobile Dust Extractor in a Systainer format is compact and lightweight while still having enough capacity for common jobsite tasks. Whether you're using the handle or shoulder strap, you'll find this dust extractor transports easily and allows for an organized systems approach. In addition, the unit's integrated hose and cable and nozzle storage makes everything readily accessible, allowing for increased efficiency and streamlined performance.

CERTIFIED FULL UNIT
HEPA
DUST EXTRACTORS

BENEFITS**Mobility and portability**

Integrated to stack and pack with Systainers, the CT SYS can be easily carried by the handle or configurable shoulder strap.

**Keeps its suction**

Maximize extraction efficiency and performance thanks to the collapsible design of the self-cleaning bag that minimizes dust caking and delivers total suction until the bag is full.

**HEPA certified**

Full Unit HEPA Certification, full-sized performance, compact and lightweight size, and system integration, all backed by our exclusive Service All-Inclusive that includes a 3-year warranty.



Optimized for the way you work. Festool dust extractors are among the best in the industry, with features not found on other vacuum systems.



DUST EXTRACTION

CT 26 E | \$700

583 492

CT 36 E | \$756

583 493

CT 48 E | \$795

584 084

The CT 26, CT 36 and CT 48 are Festool's most capable and versatile mobile dust extractors. These units can easily negotiate obstacles on the worksite and provide more economic dust bag consumption with each increase in volume. All three units carry Full Unit HEPA Certification.

CERTIFIED FULL UNIT
HEPA
DUST EXTRACTORS



CT 36 AC | \$875

584 014

Designed for the toughest high-volume dust environments, the CT 36 AC is built to capture the mess — especially drywall dust — before it becomes an issue. Built to accompany the PLANEX Drywall Sander, it features automatic filter cleaning, automatic start, variable suction, large casters and durable build quality.

Includes: Integrated Hose Garage, 1-7/16" x 11.5' (36 mm x 3.5 m) Antistatic Hose, Integrated Cord Wrap, Disposable Dust Collection Bag.

Specially built to accompany the PLANEX Drywall Sander featured on pg. 20.



CT SYS	CT MINI	CT MIDI	CT 26 E	CT 36 E	CT 48 E	CT 36 AC
\$380 584 174	\$510 574 786	\$560 574 787	\$700 583 492	\$756 583 493	\$795 584 084	\$875 584 014

STANDARD PACKAGE INCLUDES

Antistatic Suction Hose	1-1/16" x 9.8' (27 mm x 3.0 m)	1-1/16" x 11.5' (27 mm x 3.5 m) [1 piece]	1-1/16" x 11.5' (27 mm x 3.5 m) [1 piece]	1-1/16" x 11.5' (27 mm x 3.5 m) [1 piece]	1-1/16" x 11.5' (27 mm x 3.5 m) [1 piece]	1-1/16" x 11.5' (27 mm x 3.5 m) [1 piece]	1-7/16" x 11.5' (36 mm x 3.5 m) [1 piece]
Filters	HEPA (1 piece)	HEPA (1 piece)	HEPA (1 piece)	HEPA (1 piece)	HEPA (1 piece)	HEPA (1 piece)	1 Micron (1 piece)
Disposable Filter Bag	1 piece	1 piece	1 piece	1 piece	1 piece	1 piece	1 piece
Container / Filter Bag Capacity	1.2 gal / 0.9 gal 4.5 liters / 3.5 liters	2.6 gal / 2 gal 10 liters / 7.5 liters	3.96 gal / 3.3 gal 15 liters / 12.5 liters	6.9 gal / 6.3 gal 26 liters / 24 liters	9.5 gal / 8.9 gal 36 liters / 34 liters	12.7 gal / 12.2 gal 48 liters / 46 liters	9.5 gal / 36 liters

SPECIFICATIONS

Depth x Width x Height	15-9/16" x 11-5/8" x 10-5/8" (396 x 296 x 270 mm)	17.5" x 13.5" x 16.5" (440 x 340 x 420 mm)	17.5" x 13.5" x 18.5" (440 x 340 x 470 mm)	24.8" x 14.4" x 21.25" (630 x 365 x 540 mm)	24.8" x 14.4" x 23.4" (630 x 365 x 596 mm)	28.1" x 15.4" x 26.75" (715 x 392 x 680 mm)	24.8" x 14.4" x 23.4" (630 x 365 x 596 mm)
Weight	15.2 lbs. (6.9 kg)	19.2 lbs. (8.7 kg)	19.8 lbs. (9 kg)	28.7 lbs. (13 kg)	31.8 lbs. (14.4 kg)	35.9 lbs. (16.3 kg)	33.5 lbs. (15.2 kg)
Noise (Sound Level)	67 dBA	62 dBA (low setting) 72 dBA (max. setting)	62 dBA (low setting) 72 dBA (max. setting)	62 dBA (low setting) 71 dBA (max. setting)			
Max. Suction Capacity	106 CFM (3,000 l/min)	130 CFM (3,700 l/min)	130 CFM (3,700 l/min)	137 CFM (3,900 l/min)			
Maximum Vacuum	80" static water lift (20,000 Pa)	96" static water lift (24,000 Pa)	96" static water lift (24,000 Pa)	96" static water lift (24,000 Pa)	96" static water lift (24,000 Pa)	96" static water lift (24,000 Pa)	96" static water lift (24,000 Pa)
Power Consumption	1000 watts 8.3 amps 120 V AC	400-1200 watts 3.3-10 amps 120 V AC	400-1200 watts 3.3-10 amps 120 V AC	350-1200 watts 2.9-10 amps 120 V AC			

Metric dimensions binding.



WHEN IT'S SLEEVED, THERE'S NO CATCH

SLEEVED ANTISTATIC HOSE 32.8" (10M) | \$375

201 778

Equipped with an integrated Plug-it cord and sleeve, this tapered hose is the ideal partner for the new ETS EC sanders as well as many of our existing tools. The sleeve shrouds the hose to help prevent the rib of the hose from catching on materials that may damage the surface. It also allows the hose to easily navigate over edges and surfaces for easier workflow.

Also available in 11.5" (3.5 m) length.



BENEFITS



Perfect surface protection

The protective sleeve shrouds the hose to prevent the rib of the hose from catching on materials that may damage the surface.



Compatible Plug-it cord

Equipped with an integrated Plug-it cord and sleeve, this tapered hose is the ideal partner for the ETS EC sanders as well as many other Festool sanders.



Easier workflow

The sleeve allows the antistatic hose to easily navigate over edges of your work tables, which allows easier workflow while sanding.

CT Accessories

A complete and seamless system, Festool dust extractors and accessories work together with our tools not only to remove dust, but also to enhance your work and save time. From full cleaning sets to individual hoses, nozzles and filters, these are more than add-ons: they're integral to our approach.

HOSES

Antistatic³ Hoses

Antistatic design helps to eliminate dust particle buildup on the hose exterior, also preventing clogging and errant shocks. Includes rotating connector (extractor end) and reducing sleeve (tool end). The 50 mm hose includes two (2) rotating connector pieces.



		CT SYS	CT MINI	CT MIDI	CT 26 E	CT 36 E	CT 48 E	CT 36 AC	
1	1-1/16" x 9.8' (27 mm x 3.0 m) AS	●							\$110 500 559
2	1-1/16" to 1-1/4" x 11.5' (27–32 mm x 3.5 m) AS		●	●					\$151 499 742
3	1-1/16" x 11.5' (27 mm x 3.5 m) AS				●	●	●	●	\$123 452 878
4	1-1/16" x 16.5' (27 mm x 5 m) AS				●	●	●	●	\$160 452 880
5	1-7/16" x 16.5' (36 mm x 5 m) AS				●	●	●	●	\$197 452 884

Sleeved Antistatic Hoses

Integrated external sleeve protects the work surface and edges of material being machined as well as allows the hose to freely move over edges. Equipped with integrated Plug-it cords, these tapered hoses are compatible with most Plug-it equipped tools.

		CT SYS	CT MINI	CT MIDI	CT 26 E	CT 36 E	CT 48 E	CT 36 AC	
6	7/8" to 1-1/4" x 11.5' (22-32 mm x 3.5 m) AS Supplied with Systainer SYS 3		●	●	●	●	●	●	\$250 500 276
7	7/8" to 1-1/4" x 11.5' (22-32 mm x 3.5 m) AS Supplied in cardboard box		●	●	●	●	●	●	\$375 201 778

Hose Sleeves – Rotating Connector (replacement)

Durable connection points for extractor end of hoses. For use with anti-static hoses.

		CT SYS	CT MINI	CT MIDI	CT 26 E	CT 36 E	CT 48 E	CT 36 AC	
8	Antistatic³ Version for D 27 mm Suction Hose				●	●	●	●	\$26 452 892
9	Antistatic³ Version for D 36 mm Suction Hose				●	●	●	●	\$28 452 894

Hose Sleeves – Reducing Sleeves (replacement)

For tool end of hoses or use with cleaning sets, tubes, nozzles and brushes.

		CT SYS	CT MINI	CT MIDI	CT 26 E	CT 36 E	CT 48 E	CT 36 AC	
10	Antistatic³ Reducing Sleeve for D 27 mm Suction Hose Tool end of extraction hose for 27 mm hose.	●	●	●	●	●	●		\$24 500 669
11	Antistatic³ Connector Sleeve⁴ Connects suction hoses D 50 mm/D 36 mm/D 27 mm. Connects Rotating Connector (extractor ends) together. Tapered fit.				●	●	●		\$20 493 047
12	Antistatic³ Y-Piece with Blanking Plug⁵ Connects two suction hoses to the Dust Extractor. Includes blanking plug to cap off unused inlet.				●	●	●	●	\$42 452 898

CT SYS	CT MINI	CT MIDI	CT 26 E	CT 36 E	CT 48 E	CT 36 AC
-----------	------------	------------	------------	------------	------------	-------------

FILTER BAGS

13	Self-Cleaning Filter Bags	\$21 500 438	\$30 498 410	\$36 498 411	\$40 496 187	\$46 496 186	\$50 497 539	\$46 496 186
14	Disposable Dust Collection Bag							\$44 496 215
15	HEPA Filter Element	\$66 200 340		\$66 496 752			\$96 498 994	


³Antistatic versions are only effective when used with antistatic design (Festool's CT series) dust extractors.

⁴With D 36/D 27 hoses, the reducing sleeve for the hose must be replaced by a D 36/D 27 rotating connector.

⁵For simultaneous connection of two electric tools with dust extraction.



FESTOOL
115x125
P180
Festool Kontakt Soft



PURSUING PERFECTION

THE CHALLENGE

Performing flawlessly under the pressures of lights, camera, action.

1 BATTLING THE CLOCK

When every minute counts on set, having interchangeable, lightweight tools on a single cart keeps crews from missing a beat.

2 A CLEAN JOB IS A FAST JOB

How sanders equipped with HEPA dust extractors translate to time saved plus a perfect finish.

3 GETTING READY FOR THE CLOSE-UP

With every blemish magnified under the lens, Festool's hand sanding abrasives are essential for surface prep.

4 KEEPING IT FUN

The SysRock Jobsite Radio helps keep crews in the groove over 18-hour days.

5 LOVING THE WORK

Nothing beats the satisfaction of unbelievable results.



In the production business, no two days are ever the same. When Jack Van Matre founded Van Matre Productions nearly 30 years ago, he quickly began art directing, designing and fabricating custom props for television commercials and motion pictures across the nation. Today, the company owns a custom scenic shop in the heart of Atlanta, Georgia, and is well-known in the Southeast's thriving film business.

"We're not just set builders — we're artists," Jack said. "But real works of art don't come easily. Each set is unique, and every job presents a unique set of challenges and opportunities."

1 BATTLING THE CLOCK

Set-building companies like Van Matre Productions hold their own work to high standards because everything they create is placed under a figurative microscope. Every rough surface or out-of-square corner is magnified in print, on television or on the big screen.

But when it comes to creating these stylized worlds, set builders rarely have time to spare.

"Our schedule changes regularly, and we usually have a week or less to complete a job," said John Van Matre, Jack's son and lead designer. "Every minute counts, so we're always looking to incorporate things that will give us an edge."

In its long history, Van Matre Productions has tried almost every brand of tools under the sun. But when

the company's lead builder introduced them to Festool products, the team noticed an immediate difference. For example, Festool screw guns are lightweight and versatile, reducing the number of tools needed on-site and enabling easier movement around the set.

"I love the interchangeable nature of Festool's products," John said. "They also travel well. In fact, we can fit everything we need on a single cart. When we're forced to move quickly, which is often, we're able to jump in and out of a set or off the truck without missing a beat."

2 A CLEAN JOB IS A FAST JOB


No one likes dust, and sanders equipped with HEPA dust extractors allow virtually dust-free sanding. That translates to time savings on each and every cut made in the shop or on the set.

"Many of our clients are particular about dust and dirt, and we don't blame them," John said. "But our jobs are so clean that we're permitted to sand and prep sets on-site. This means we can complete jobs more quickly and still deliver a perfect finish."

3 GETTING READY FOR THE CLOSE-UP

Perfection isn't easy to achieve in a business with fluid schedules, long hours and tight timelines. But in the production business, it's a must. It all starts with careful surface prep, and with Festool's hand sanding abrasives, the Van Matre Productions team achieves a perfect, clean surface every time.





"The detail work is the focus," John said. "Advertising isn't representative of the real world because our finished product has to look better than the real world. Photography focuses more on the physical set — and the product within the set — than on any real-world scenario happening in the frame."

"That's why solid, clean work is so crucial. Every blemish shows."

4 KEEPING IT FUN

The Van Matre Productions crew works long and hard to deliver on their promise of a perfect set, sometimes putting in back-to-back-to-back 18-hour days. Listening to music is one way they keep a level head in the face of organized chaos and seemingly impossible expectations. And now with Festool's SysRock Jobsite Radio, they can get into a groove no matter how loud — or mobile — their work becomes.

"Music helps us stay relaxed and focused," John said. "Science shows that music also supports creative thinking and problem-solving. Whether we're listening to Jay-Z or Sinatra on the Jobsite Radio, we can always count on it to deliver a boost."

5 LOVING THE WORK

In a business where each day brings new projects and challenges, one thing remains the same: everyone at Van Matre Productions loves what they do.

"Part of our satisfaction comes from knowing that after a job is complete, we can say we've never done anything like it before, and yet we accomplished the goal," Jack said. "Unrealistic expectations call for unbelievable results, and switching to Festool is one of the best moves we've ever made." [F](#)

TOOLS OF THE TRADE


SOME OF VAN MATRE PRODUCTION'S TOP PICKS



CT SYS

With Full Unit HEPA Certification, this Mobile Dust Extractor in a Systainer format is compact and lightweight. Everything is readily accessible thanks to integrated hose and cable as well as built-in nozzle storage.

[See page 26 for details.](#)



GRANAT SANDING SPONGE

Coated on four sides, the sanding block lets you sand multiple surfaces simultaneously.

[See page 7 for details.](#)



GRANAT ABRASIVE ROLL

Flexible and universal hand sanding abrasive for paint, putty, filler, lacquer (VOC lacquer and hard materials.)

[See page 8 for details.](#)



FESTOOL IN ACTION

PURSUING PERFECTION

Visit our website to watch Van Matre Productions create stylized worlds on set using Festool screw guns and sanders.

festoolpaint.com/vmproductions

ONE MORE WAY FESTOOL ROCKS

NEW

SYSROCK | \$119
200 184

Performance takes on a whole new meaning with the compact SysRock Jobsite Radio. In addition to picking up your favorite stations with its flexible antenna, it can easily be connected to mobile devices, MP3 players and tablets via its Bluetooth interface or auxiliary input, letting you play music and make calls with its integrated speakerphone. You'll enjoy rich, full sound thanks to powerful 2.5" neodymium speakers. Plus, you'll appreciate its intuitive operation, LCD display and robust housing with slip-proof rubber all around. The SysRock can be operated with the supplied power cord or with all Festool 10.8- to 18-volt Lithium-Ion battery packs.

Includes: AC Adapter, Carry Bag, and Aux-In Cable, and Swiveling Hanging Hook. **Note:** External Battery Packs are sold separately.





SysRock radio mirrors the SysLite II in design and comes with portable carrying case. It is compact enough to fit in Festool Systainers.



LEARN MORE ABOUT THE SYSROCK RADIO:
festoolpaint.com/power-tools/sysrock



BENEFITS

Lets you listen and talk


The SysRock not only plays music via antenna, Bluetooth or auxiliary input, but also lets you make phone calls since it's compatible with a wide variety of smartphones and features an integrated speakerphone.

Compact but big on sound

Weighing less than 2 lbs. (0.7 kg) and matching the size and appearance of the SysLite® II High-Intensity LED Work Lamp, the great sounding SysRock blends discreetly with your tools.

Easily carried

Take the SysRock with you in a Systainer or handy bag that protects it when you're on the go and provides room for accessories.



PRODUCT SPECIFICATIONS

SYSROCK

Frequency Range FM (VHF)	87.5–108 MHz
Battery Interface (Festool removable battery packs)	10.8–18 V
Speaker	10 watts
Number of Presets	4
Bluetooth Standard	4.1
AUX IN	3.5 mm
Weight (without battery)	1.54 lbs. (0.7 kg)
Dimensions W × H × D	3.93" × 5.9" × 4.13" (102 × 149 × 94 mm)

Metric dimensions binding.

BRIGHTEN YOUR WORKSPACE

Work Lamps

Take them anywhere, put them through anything, and they'll still shine bright. Powerful LED lighting housed in a compact and rugged design, these durable lamps are ready for every worksite.



SysLite® DUO | \$300

769 967

Illuminating work areas two-dimensionally instead of brightening them in just one place, the SysLite DUO provides homogeneous lighting that imitates the color of daylight. A unique LED configuration creates a 180-degree scattering angle and high illumination power of 8000 lumens achieves brilliant lighting over a large surface area for up to 10,000 hours of operation. Extremely sturdy with shockproof corners, the unit can stand alone on the floor or flat surfaces, sit stably at up to 6.5' using the Festool tripod, or hang using built-in suspension means. An underside cord holder creates safe transport and one-hand grip makes it easy to carry. The light can also be packed away in a Systainer.

SysLite Accessories



Tripod ST DUO 200 | \$204 200 038

The stable Festool tripod is the perfect accessory to the SysLite DUO and raises the unit up to a height of 6.5' (2 m)

BENEFITS



Durability

With an IP55 rating against dust and water intrusion coupled with a tough exterior shell and more-than-ample interior sealing and heat shielding, the durable DUO light is jobsite ready.



Perfectly built

The DUO light is extremely sturdy, with shockproof corners, and includes a convenient one-hand grip and built-in cord holder for easy back-and-forth from the jobsite.



Brighter than bright

The SysLite DUO uses 80 LEDs and illuminates at a 180-degree scattering angle, which produces light quality that replicates daylight and illuminates entire rooms, allowing you to work anywhere, day or night.



Long-lasting illumination

With a working life of over 10,000 hours, the Syslite DUO is able to help you work on the jobsite through many dark winter seasons.



SysLite® II High-Intensity | \$198 LED Work Lamp

The SysLite's robustly built shock-resistant body is easy to carry and designed to withstand your toughest demands. Updated design includes high-performing LEDs that emit 50 percent more light (without consuming more power) for 20 percent longer (with a high-capacity internal battery) with improved color temperature (5,000 Kelvin) and integrated emergency lighting function. This high-performing SysLite offers unsurpassed 170-degree illumination and can be used with external Festool batteries or plugged directly into a power source.

Includes: SysLite, Wall Charger, Car Charger, Carrying Bag.
The SysLite II Set additionally includes a Magnetic SysLite Adapter.



SysLite Uni Torch LED Work Lamp | \$58 500 639

The SysLite Uni delivers quality, durability and performance in a spotlight platform. Equipped with three LED lamps, pivoting head, high and low settings, and a battery fuel gauge, the SysLite Uni Torch provides reliable lighting for nearly any setting or challenge. The large handle makes it easy to carry while the belt hooks on each side provide hands-free options. A removable rafter hook for overhead lighting and a keyhole slot for mounting on a nail or screw provide even more working options. Compatible with Lithium-Ion and nickel-based Festool battery packs (flat, slide-type batteries).

Note: Battery sold separately.

BENEFITS



Portable and durable

Designed to go where your work takes you whether that's under a cabinet or into an attic. The multi-angle body casts light where you need it most.



Emergency function

Be prepared for a light outage with the emergency lighting function. In this mode, the SysLite II will automatically turn on if your power supply fails.



Longer battery life

Get more light from a single charge: 110 minutes on high or 290 minutes on low.



PRODUCT SPECIFICATIONS

SYSLITE DUO

Illuminating Power (W)	8,000 Lumens
Color Temperature	5,000 Kelvin
Color Rendering Index (CRI)	80
Housing Safety Class	IP 55
Maximum Output	112 W
Total Weight With Cable	8.6 lbs. (3.9 kg)
Cable Length	16.7 ft (5.1 m)
LED Service Life (L70)	10,000 hours

Metric dimensions binding.

PRODUCT SPECIFICATIONS

SYSLITE® II

Power (W)	3 watt LED (x3)
Internal Battery	No battery included Compatible with lithium-ion and nickel-based festool batteries
Light Duration	12V Battery: 7.5 hrs 18V Battery: 9.5 hrs
Dimensions	3.1" x 5.1" x 9.1" (78.4 x 129.54 x 228.6 mm)
Weight	0.75 lbs. (0.34 kg)

Metric dimensions binding.

PRODUCT SPECIFICATIONS

SYSLITE® UNI TORCH

Power (W)	3 watt LED (x12)
Internal Battery	7.2 V 2.2 Ah Lithium-Ion
Light Duration	Level 1: 90 minutes Level 2: 4 hours
Dimensions	6" x 4" x 3" (150 x 100 x 80 mm)
Weight	1.47 lbs. (0.67 kg)

Metric dimensions binding.

BUILT FOR EVERY ANGLE

Specialty Sanders

Hard-to-reach places like tight corners, small surfaces and contoured edges are no problem for these robust specialty sanders from Festool.



Duplex LS 130 EQ | \$410 567 852

Rabbets, edges and profiles are best sanded with a linear motion. Until now, the only way to do that was by hand sanding. The LS 130 powers through detail sanding faster and cleaner, without the fatigue. As common as these jobs are, the LS 130 will save you major time and effort.

PRODUCT SPECIFICATIONS

Power Consumption	260 watts 2.2 amps, 120 V AC
Pad Size	3-5/32" x 5-1/4" (80 x 133 mm)
Speed	4,000-6,000 rpm
Sanding Stroke	5/64" (2 mm)
Dust Extraction Port	27 mm
Weight	3.94 lbs. (1.7 kg)

Metric dimensions binding.

BENEFITS



Preformed profiles

Save time with a wide selection of pads that can be mounted for any application — no need to make your own.



Custom profiles

With our Do-It-Yourself Kit, you can make your own custom profiles, saving time on repetitive shapes and cutting down your hand sanding time.



3 x faster

Eliminate user fatigue for more consistent results when you power through detail sanding 3x faster than hand sanding.

LS Accessories

The LS 130 can tackle a wide range of profiles and contours with ease by simply changing the sanding pad. Tool-free FastFix mounts make it a snap. Preformed pads offer common profiles, the Do-It-Yourself Kit offers unlimited profile matching and StickFix® delivers rapid, no-hassle abrasive changes.

ACCESSORIES

	1	Flat Sanding Pad (replacement) For sanding flat surfaces.	\$34 490 161
	2	90° Pad For sanding inside corners.	\$38 490 162
	3	Radius 6 Pad For sanding outside edges.	\$38 490 163
	4	Radius 10 Pad For sanding outside edges.	\$38 491 197
	5	Radius 18 Concave Pad For sanding curves.	\$38 490 164
	6	Radius 25 Concave Pad For sanding curves.	\$38 490 165
	7	Radius 10 Convex Pad For sanding V-grooves with inside radius of 25/64" (10 mm).	\$38 490 166
	8	Radius 25 Convex Pad For sanding inside radius of 1" (25 mm).	\$38 490 167
	9	88° Pad For sanding inside corners with a radius of 25/64" (10 mm).	\$38 491 198
	10	Flat Sanding Pad - Long Extra reach for tight spaces/dimensions: 3-9/64" x 7-43/64" (80 x 195 mm).	\$30 491 861
	11	Do-It-Yourself Kit For creating your own sanding pad to match custom profiles.	\$62 490 780
	12	Interface Pad Foam pad conforms to different profiles for fine finishing. Also useful to enlarge convex profiles or reduce concave profiles for a custom fit. (2 pieces)	\$24 490 160
	13	Scraper Bevel-edged for stripping carpet and wallpaper using the linear motion of the sander.	\$30 491 199
	14	Abrasive Systainer with Insert Systainer for storing, organizing and transporting abrasives for the LS 130 Sander. (SYS-STF 80 x 133)	\$88 497 684

POWER THROUGH PROJECTS



RAS 115.04 E | \$340

570 789

Removing thick layers of varnish or paint on wood or metal requires either a great deal of patience or a machine with an impressive rate of material removal. The RAS Rotary Sander is the perfect choice for stripping and shaping. Five hundred watts of power concentrated in a 4.5" (115 mm) pad allow you to quickly power through just about any material.

PRODUCT SPECIFICATIONS

Power Consumption	500 watts 4.2 amps, 120 V AC
Pad Size	4-1/2" (115 mm) dia.
Speed	1,500–4,000 rpm
Dust Extraction Port	27 mm
Weight	5 lbs. (2.3 kg)

ABRASIVE GRITS

Saphir 24 80

Metric dimensions binding.

BENEFITS

Comfortable handling

The motor housing on the RAS 115.04 E is small enough in diameter to fit snugly in your hand for easy, effortless use.

Directional dust shroud

Maximize dust removal while still getting right up to joining surfaces with the rotating dust hood, which efficiently channels dust through the rear port (not the pad).

MMC electronics

You're in control with MMC electronics that deliver a soft-start motor and step-free variable speed control with constant speed under load and thermal and overload protection.



LEARN MORE ABOUT COARSE SANDERS:
festoolpaint.com/power-tools/sanders/coarse-sanders



RAS Accessories

The RAS 115 features StickFix® design for quick abrasive changeovers and reuse of discs. Use grinding abrasives with a center hole by changing to the FiberFix sanding pad.

ACCESSORIES

 1	StickFix Sanding Pad – Hard High-edge strength pad with mechanical fastening for flat surfaces and narrow edges. Dia. 115 mm, connecting thread M14. (1 piece)	\$32 484 172
 2	StickFix Sanding Pad – Soft Standard mechanical fastening replacement pad. Dia. 115 mm, connecting thread M14. (1 piece)	\$32 484 173
 2	Brush Insert With plastic bristles. (2 pieces)	\$18 484 727
 3	Brush Insert With metal bristles. (1 piece)	\$17 484 728

LIGHTWEIGHT BUT HEAVY-DUTY



CXS Cordless Drill | **\$240**
564 534

TXS Cordless Drill | **\$240**
564 513

These compact cordless drills are the latest, and by far the smallest, extension of Festool's Lithium-Ion drill platform. As you would expect, these drills feature exceptional ergonomics, with a battery design that removes the bulk from the handle, ensuring maximum comfort over extended use.

Both Sets Include: MXC Charger, 10.8V Lithium Ion Battery 2.6 Ah (2x), FastFix Right Angle Chuck, 3/8" Keyless Chuck, Centrotec Chuck, BH 60 Centrotec Bit Holder, PH 2 Bit, Systainer SYS 1 T-LOC

CXS Cordless	TXS Cordless
\$240 564 534	\$240 564 513

SPECIFICATIONS

Battery Voltage/Capacity	10.8V/2.6 Ah Lithium-Ion
Chuck Capacity	1/32"-3/8" (1.0–10 mm)
Max. Drill Diameter (Steel)	5/16" (8 mm)
Max. Drill Diameter (Wood)	15/32" (12mm)
Max. Torque in Steel	141.6 in lbs. (16 Nm)
Max. Torque in Wood	88.5 in lbs. (10 Nm)
Motor Type	DC Motor
RPM (Setting 1/Setting 2)	0–400 rpm / 0–1,200 rpm
Torque Setting Range	1.7–30.09 in lbs. (0.2–3.4 Nm)
Weight	1.98 lbs. (0.9 kg)

Metric dimensions binding.

THE DURABLE, FURNITURE-LIKE FINISH FOR CABINETS & TRIM



The finish that professionals prefer.

To find your local Benjamin Moore® retailer visit benjaminmoore.com

 **Benjamin Moore®**
Paint like no other.



SHARING A PASSION FOR **THE CRAFT**

From professional painters and builders to DIY handymen and product experts, each of us followed a different path to the world of tools. But if there's one thing we all share, it's a fierce passion for the craft and a drive to do great work.

That's why Festool created Festool Connect, an annual event focused on thanking our customers for their loyal support and spending some quality time together.

"Festool Connect is a chance to come together and do something we all love: talk about tools," said Director of Product Marketing Rick Bush. "It's a fun, easy way for our friends to get a sneak preview of the newest products and get answers to all of their burning questions."

It's also an opportunity to meet people like DIY Network's Kayleen McCabe as well as "Framework" contestant Jory Brigham and Norm Abram, Kevin O'Connor and Tom Silva of "This Old House" fame. These and other speakers treat attendees to talks that are as entertaining as they are informative.

"If you want to truly appreciate the value of a great tool, you have to own it," Bush said. "Sometimes, seeing the tool in action is the first step."

Current Festool customers know they can count on the tools for unmatched quality in dust extraction, precision control, innovative solutions, improved outcomes and high performance. But it isn't just the physical tools that distinguish Festool.

"Our approach to product development is rooted in our ability to solve problems in new and unique ways," Bush said. "Each day, we're driven by a belief that there can and should be a better way of doing things. Festool Connect is a great opportunity to get exposed to our tools and understand why you can count on them every time, whether you're making a living or making beautiful things at home." 



CONNECT WITH FESTOOL

Festool Connect events take place in the company's recently expanded Lebanon, Indiana, facility, once a year in September. Registration is free, but space is limited.

festoolconnect.com



FESTOOL HEADQUARTERS

JOIN US FOR FESTOOL CONNECT

September 16, 2017

Lebanon, Indiana

Register: festoolconnect.com



FESTOOL ROADSHOW

VISIT OUR TOOL- PACKED TRAILER

Multiple dates and locations

Register: festoolroadshow.com

June 6, 2017

Lake Geneva, Wisconsin

June 7, 2017

Glenview, Illinois

August 15, 2017

Eugene, Oregon

August 16, 2017

Lake Oswego, Oregon

September 2, 2017

Bellevue, Washington

FESTOOL HTS THE ROAD

Festool is rolling across North America throughout 2017. Even if you aren't able to join us for Festool Connect in Indiana this September, you can sign up for your local Festool Roadshow event; our massive, 48-foot trailer is jam-packed with all of your favorite tools as well as a few new models we're excited to share with you.

The Festool Roadshow gives you a chance to:

- Watch demonstrations.
- Get up close and personal with our high-performance power tools.
- Get your questions answered by Festool's team of experts.

"These events are great for anyone looking for education and firsthand experience," Bush said. "Whether you're a longtime Festool user and fan or are just curious about our products, we're excited about coming to a location near you this year." [F](#)



FOLLOW THE ROADSHOW

Come see why Festool is a cut above the competition. Registration is free, but space is limited. Visit festoolroadshow.com to find events and claim your spot.

festoolroadshow.com

ORGANIZATION MADE CONVENIENT

Sortainer SYS 4 | \$162

200 119

Perfectly suited for professional visits to customers and building a practical rack system in a workshop, the Sortainer SYS 4 TL-SORT/3 provides three drawers that each have a capacity of 6.7 liters. These drawers are ideal for storing the smallest parts, accessories and consumables, which can be individually or flexibly separated into compartments. And, of course, it can be combined with the entire Systainer and Sortainer system.

Systainers & Sortainers

Systainers form the foundation of a well-organized van or worksite. With the T-LOC single-point latch, Systainers are easy to connect for better organization and on-site efficiency, making protection, storage, stacking and transportation of tools and accessories easier than ever. They're compatible with the SysDock feature of our dust extractors and many of our other products, so you're sure to find the solution that's right for you.

Our multi-drawer Sortainers incorporate the same great features of the Festool Systainers and include features like integrated handles. Tools, accessories and small parts are effortlessly stored in these easy-to-use work boxes.





SYS-Storage Box | \$98

499 901

The SYS-SB lets you keep all your small parts organized and accessible. No more guessing where things are thanks to the clear cover panels that keep everything in place. With the large bale-style handle and full Systainer system integration, the SYS-SB helps you take care of the details so you can focus on the task at hand.



SYS-Toolbox 2 | \$64

499 550

The easy-access design of the SYS-Toolbox 2 allows you to keep what you need within reach — you'll spend less time searching for frequently used tools and accessories. The SYS-Toolbox 2 latches seamlessly and securely to the top of both T-LOC and Classic Systainers.

SYS-Combi 2 | \$144

200 117

SYS-Combi 3 | \$154

200 118

The new SYS-Combi 2 and SYS-Combi 3 are the perfect combination of a Systainer and Sortainer system. Electric or hand tools are stored safely in the Systainer area of the SYS-Combi, which saves significant time and reduces effort when locating and moving tools. Additionally, the unit has an underneath drawer that provides space for associated accessories, consumables and small parts — making it the ultimate mobile organizer. These can be connected to all T-LOC and Classic Systainers.



Empty Systainers



SYS 1 TL	SYS 2 TL	SYS 3 TL	SYS 4 TL	SYS 5 TL
\$72 497 563	\$76 497 564	\$82 497 565	\$88 497 566	\$98 497 567

SPECIFICATIONS

Dimensions (L × W × H)	15-9/16" × 11-5/8" × 4-1/8" (396 × 296 × 105 mm)	15-9/16" × 11-5/8" × 6-3/16" (396 × 296 × 157.5 mm)	15-9/16" × 11-5/8" × 8-9/32" (396 × 296 × 210 mm)	15-9/16" × 11-5/8" × 12-13/32" (396 × 296 × 315 mm)	15-9/16" × 11-5/8" × 16-17/32" (396 × 296 × 420 mm)
Weight	2.9 lbs. (1.3 kg)	3.3 lbs. (1.5 kg)	3.7 lbs. (1.8 kg)	4.6 lbs. (2.1 kg)	6.0 lbs. (2.7 kg)

Metric dimensions binding. Tools not included.



SYS MINI	SYS MIDI	SYS MAXI	SYS-Toolbox	SYS-Toolbox 2
\$28 499 622	\$94 499 621	\$126 490 701	\$54 495 024	\$64 499 550

SPECIFICATIONS

Dimensions (L × W × H)	10-13/32" × 6-11/16" × 2-3/4" (265 × 170 × 70 mm)	19-13/16" × 11-21/32" × 8-9/32" (503 × 296 × 210 mm)	22-1/5" × 15-3/5" × 8-4/5" (564 × 396 × 224 mm)	15-19/32" × 11-21/32" × 5-29/32" (396 × 296 × 150 mm)	15-19/32" × 11-21/32" × 10-1/8" (396 × 296 × 257 mm)
Weight	0.9 lbs. (0.4 kg)	4.4 lbs. (2.0 kg)	8.8 lbs. (4.0 kg)	2.9 lbs. (1.3 kg)	4.1 lbs. (1.9 kg)

Metric dimensions binding. Tools not included.

Abrasive Systainers



SYS-STF D 125	SYS-STF 80 × 133	SYS-STF RO 90 DX	SYS-STF Delta 100 × 150	SYS-STF D 150
\$88 497 685	\$88 497 684	\$88 497 687	\$88 497 686	\$98 497 690

SPECIFICATIONS

Compatibility	For ETS 125 and RO 125 abrasives	For LS 130 and RTS 400 abrasives	For DX 93 and RO 90 DX abrasives	For DTS 400 abrasives	For ETS 150, RO 150 and LEX 3 150 abrasives
Systainer	SYS 1 TL	SYS 1 TL	SYS 1 TL	SYS 1 TL	SYS 3 TL

Metric dimensions binding. Tools not included.

Sortainers



4-Drawer Sortainer	6-Drawer Sortainer	9-Drawer Sortainer	12-Drawer Sortainer	Sortainer SYS-4
\$164 491 522	\$170 491 984	\$176 491 985	\$182 491 986	\$162 200 119

SPECIFICATIONS

Drawer Composition	2 small drawers, 1 medium drawer, 1 large drawer	6 medium drawers	6 small drawers, 3 medium drawers	12 small drawers	3 large drawers
Dimensions (L × W × H)	15-5/8" × 11-5/8" × 8-9/32" (395 × 295 × 210 mm)	15-5/8" × 11-5/8" × 8-9/32" (395 × 295 × 210 mm)	15-5/8" × 11-5/8" × 8-9/32" (395 × 295 × 210 mm)	15-5/8" × 11-5/8" × 8-9/32" (395 × 295 × 210 mm)	15-9/16" × 11-5/8" × 12-11/16" (396 × 296 × 322 mm)

Metric dimensions binding. Tools not included.

SYS Storage Box

Containers for SYS Storage Box*



SYS-Storage Box	Small Containers 6-pack	Med. Containers 4-pack	Large Containers 2-pack	Container Set
\$98 499 901	\$12 500 066	\$14 500 067	\$17 500 068	\$26 201 124

SPECIFICATIONS

Dimensions (L × W × H)	15-19/32" × 11-21/32" × 6-9/16" (396 × 296 × 167 mm)	2-2/3" × 2-3/8" × 2-3/4" (160 × 60 × 71mm)	2-2/3" × 4-3/4" × 2-3/4" (160 × 120 × 71mm)	7-3/32" × 4-3/4" × 2-3/4" (180 × 120 × 71mm)	8 Small Containers 4 Medium Containers 3 Dividers 2 Safety Cushions
Weight	5.5 lbs. (2.5 kg)	-	-	-	

Metric dimensions binding. Tools not included.

* For SYS Storage Box, SYS Combi 2, Sys Combi 3 and SYS Sortainer 4

Storage



SYS-Roll	SYS-Cart
\$196 498 660	\$94 495 020

SPECIFICATIONS

Dimensions (L × W × H)	36-1/2" × 23-4/5" × 12-1/2" (927 × 605 × 318 mm)	7" × 20-1/2" × 14-1/5" (178 × 521 × 361 mm)
Weight	14.3 lbs. (6.5 kg)	6.2 lbs. (2.8 kg)

Metric dimensions binding. Tools not included.



A NEW WAY TO LEARN

In the paint industry, technology is changing — and fast. But with innovation comes the need for continuing education, which can be difficult and slow.

"People aren't learning like they used to," said Todd Pudvar, who created the Prep to Finish education and paint training program with fellow trainer Scott Burt. "Few mentors have time to sit down and teach new talent how to properly open a can of paint or sand a board to get the desired finish."

"We have a fast food mentality; we want it yesterday," he said. "And we're losing craftsmen."

Prep to Finish supports new and experienced painters in both live workshops and via an online training center at paintertrainer.com. It streamlines the training process and creates consistency.

HOW IT WORKS


Say goodbye to scheduling webinars and watching videos as a passive participant. Prep to Finish is focused

on building skill sets and teaching proper work habits through experiential learning. Painters and contractors get in-depth paint education in a flexible, effective online setting.

"You can watch YouTube all day long, but you won't get the tactile learning and support you need to get better," Pudvar said. "You can't assess whether you're getting good results."

Unlike many programs, video training is the smallest component of the online training center. Instead, learning at paintertrainer.com is designed to get people out of their seats and get their hands on the tools. If you take an online spray class or clinic and learn even two techniques to make the job more efficient, more beautiful and less invasive, that positive experience will be noticed by the homeowner. And the customer experience is everything.

"This is an art, and not everyone can do it," Pudvar said. "People will pay for your skills if you're a true pro."



PROGRAM GOALS

Contractor training

The program is designed to help the existing generation of painters adapt to new technologies as older products disappear.

Increase participation from younger painters

Fewer young people are entering the trade today, so Prep to Finish aims to educate this group early.

WORKSHOP TOPICS

Prep to Finish offers a wide range of workshops such as:

Intro to Paint Surface Prep Course — Failure to Adapt is No Excuse

Spray Tech 101 — Spraying for All Levels

HVLP — Not a High Pressure Situation

Airless vs. Air Assisted

WHAT YOU NEED

Laptop with Wi-Fi

Festool tools

Space to work

"You can watch YouTube all day long, but you won't get the tactile learning and support you need to get better... You can't assess whether you're getting good results."

Todd Pudvar, creator and trainer at Prep To Finish

WHY THE TRAINERS RECOMMEND FESTOOL

No matter what brand they trust, Burt and Pudvar encourage their students to practice with the tools they'll use on the job during downtime, so they can become faster and more efficient.

"Technology is designed for a reason," Burt said. "It's to make life easier. But you have to know how to use it."

"Festool is the only brand with a number of sanders that are helpful for painters. Festool is different because its sanders include an entire support system versus a cheaper sander."

The team says the tools provide a compact, efficient system that is designed to work together. This helps them complete their own painting jobs more quickly and effectively. That's why they recommend Festool to their students.

"New technologies are a great investment for a company owner," Burt said. "They make an impression. If you roll into a house with a HEPA vacuum, they know you're serious about keeping the place clean, and that's important." [F](#)

For more information, visit paintertrainer.com.

FESTOOL SUPERIOR SERVICE

In 2005, Curtis Tankersley knew he was ready for a change. After spending most of his career in the music business, he decided he wanted a more hands-on job. So Tankersley founded Just Add Paint, a family-based company operating in south-central Pennsylvania.

From residential interiors to new construction exteriors, Just Add Paint covers all types of painting, bringing passion and quality to each and every job.

"We take great pride in understanding exactly what the homeowner wants and delivering on time, every time," Tankersley said. "We maintain a small, experienced crew in order to ensure the highest quality workmanship in the most efficient manner possible. We are passionate about painting, and we want that to show in everything we do, including the tools we use."

The company prides itself on a clean jobsite. The team uses the Festool Dustless Vacuum System as well as the DTS 400 and RTS 400 sanders.

"Festool works better than any other brand on the market," Tankersley said. "We used to use a zip pole system, but this is a night-and-day difference. The tools we have today are in a class of their own."

But tool quality isn't the only thing that makes tough jobs easier. Festool's superior customer service and rapid, 48-hour repair turnaround allow Just Add Paint to keep jobs moving without downtime due to replacement costs or repair jobs that drag.

"Festool is one of the few companies that backs up its promises," Tankersley said. "They keep their word on their warranty and then some. I recently sent in tools for repair,



and Festool even fixed problems I didn't see. The tools were as good as new when Festool returned them to us."

The 48-hour repair turnaround makes it easier for pros to avoid costly work interruptions.

"Turnaround makes a huge difference," Tankersley said. "With another company, you could be looking at a 30-day warranty repair. If you're outside that timeframe, you might have to rent or buy another product to keep the project on schedule."

Free shipping for warranty repairs also helps craftsmen save time and focus on their clients.

"The first time I did a warranty request with another product, I had to take the tools back to where I purchased them," Tankersley said. "With Festool, I filled out the repair order online and didn't even have to leave the house. Things like free shipping are typical of Festool, but it sets them apart."

Festool has a fan for life. Their dedication to customer satisfaction offers unmatched service and convenience, and that resonates with Tankersley's way of doing business.

"At Just Add Paint, our customers are our top priority," he said. "It's refreshing to work with an equipment company that has the same values." [F](#)



LEARN MORE ABOUT SERVICE ALL-INCLUSIVE:
festoolpaint.com/sai



SERVICE all-inclusive | The Best Tools Deserve the Best Support.



36-Month Comprehensive Warranty

The most comprehensive warranty in the industry provides coverage from 36 months of the date of purchase.



30-Day Money-Back Guarantee

Customers are provided with a no-risk, 30-day money-back guarantee. If they are not completely satisfied, they can return the tool for a refund.



10-Year Parts Availability

Spare parts availability is guaranteed for 10 years, providing long-term repair support.



Standard Repair

Most tools are repaired and ready to ship back to the customer within 48 hours of the tool being received by the service department.



3-Year Free Shipping

Festool will cover the cost of shipping tools to the service department and back to the customer for the first 3 years.



Dedicated Service Hotline

Factory-trained service professionals are available to troubleshoot and answer questions about repairs at 888-337-8600.



24/7 Online Service Hub

Access spare parts catalogs and product manuals, fill out repair forms and mailing labels, and review video content online anytime.



Instructional Videos

A comprehensive library of troubleshooting and how-to videos are available online anytime at festoolpaint.tv.

A photograph of a white computer monitor displaying a web browser with the Festool website. The page shows a registration form for a Festool power tool. To the right of the monitor, a Festool cordless drill is standing upright, connected to a green coiled cable. The background is a plain, light-colored wall.

Online Tool Registration

Welcome to the Festool Family

- Speed up service and repair processing.
- Receive exclusive updates and sneak peeks at new tools and accessories.
- Get the most out of your investment with demos and tip videos.



ENJOY THE BENEFITS. REGISTER HERE:
festoolpaint.com/register



PROFESSIONAL PAINT
**APPLICATION
SETS**



Application Sets

APPLICATION SET		Interior and Door Set/Kit	\$2,890
Item	Price		
	5" Dual-Mode Sander RO 125 TL [shown]	571 782	\$490
+ 	Abr Granat D125 P80 50x	497 167	\$38
+ 	Abr Granat D125 P120 100x	497 169	\$60
+ 	Abr Granat D125 P180 100x	497 171	\$60
+ 	Abr Systainer SYS-STF 80 x 133 TL	497 684	\$88
+ 	5" Random Orbit Sander ETS EC 125/3 [shown]	571 897	\$385
+ 	Interface Pad D125	492 271	\$24
+ 	Orbital Delta Sander DTS REQ 400 [shown]	201 228	\$260
+ 	Abr Granat 100 x 150 P80 50x	497 137	\$32
+ 	Abr Granat 100 x 150 P120 100x	497 138	\$48
+ 	Abr Granat 100 x 150 P180 100x	497 140	\$48
+ 	Abr Systainer SYS-STF 100 x 150 TL	497 686	\$88
+ 	Linear Sander LS 130 [shown]	567 852	\$410
+ 	Abr Granat 80 x 133 P80 50x	497 119	\$27
+	Abr Granat 80 x 133 P120 100x	497 120	\$44
+	Abr Granat 80 x 133 P180 100x	497 122	\$44
+	Abr Systainer SYS-STF 80 x 133 TL	497 684	\$88
MORE	Dust Extractor CT MIDI [shown]	574 787	\$560
	Compact Cleaning Set T-LOC	497 697	\$96

APPLICATION SET		Specialty Crown Molding	\$2,274
Item	Price		
	Linear Sander LS 130 [shown]	567 852	\$410
+ 	Sanding Pad R10 Convex	490 166	\$38
+ 	Sanding Pad R25 Concave	490 165	\$38
+ 	Do-It-Yourself Kit	490 780	\$62
+ 	Abr Granat 80 x 133 P80 50x	497 119	\$27
+ 	Abr Granat 80 x 133 P120 100x	497 120	\$44
+ 	Abr Granat 80 x 133 P180 100x	497 122	\$44
+	Abr Granat 80 x 133 P220 100x	497 123	\$44
+	Abr Systainer SYS-STF 80 x 133 TL	497 684	\$88
+	3.5" Dual-Mode Sander RO 90 DX [shown]	571 823	\$440
+	Abr Granat D90 P80 50x	497 365	\$28
+	Abr Granat D90 P120 100x	497 367	\$42
+	Abr Granat D90 P180 100x	497 369	\$42
+	Abr Granat D90 P220 100x	497 370	\$42
+	Abr Systainer SYS-STF D90 TL	497 687	\$88
MORE	Soft Pad FastFix D3.5	496 804	\$34
	Interface Pad D3.5	497 481	\$22
	Interface Pad D3.5	497 481	\$22
	Dust Extractor CT MIDI [shown]	574 787	\$560
	Abr Roll Granat 115 x 25m P180	497 093	\$63
	Compact Cleaning Set T-LOC	497 697	\$96

APPLICATION SET		Stairway Set/Kit	\$2,369
Item	Price		
Dust Extractor CT MIDI (shown)	574 787	\$560	
Universal Brush Nozzle D36	498 527	\$20	
Linear Sander LS 130 (shown)	567 852	\$410	
Sanding Pad R10 Convex	490 166	\$38	
Sanding Pad R25 Concave	490 165	\$38	
Abr Granat 80 × 133 P80 10x	497 128	\$11	
Abr Granat 80 × 133 P120 10x	497 129	\$11	
Abr Granat 80 × 133 P180 10x	497 130	\$11	
Abr Systainer SYS-STF 80 × 133 TL	497 684	\$88	
3.5" Dual-Mode Sander RO 90 DX (shown)	571 823	\$440	
Abr Granat D90 P80 50x	497 365	\$28	
Abr Granat D90 P120 100x	497 367	\$42	
Abr Granat D90 P180 100x	497 369	\$42	
Interface Pad D3.5	497 481	\$22	
Interface Pad D3.5	497 481	\$22	
Hose D27 × 5m AS	452 880	\$160	
Connector Sleeve AS	493 047	\$20	
Rotating Adapter D27, AS	452 892	\$26	
Abr Roll Granat 115 × 25m P120	497 091	\$63	
Abr Roll Granat 115 × 25m P150	497 092	\$63	
Abr Systainer SYS-STF D90 TL	497 687	\$88	
Triangular Extended Plate	496 803	\$34	
Window Protector Set (S, M, L)	497 936	\$36	
Compact Cleaning Set T-LOC	497 697	\$96	

APPLICATION SET		Exterior Set/Kit	\$2,394
Item	Price		
5" Dual-Mode Sander RO 125 TL (shown)	571 782	\$490	
Abr Granat D125 P40 50x	497 165	\$38	
Abr Granat D125 P80 50x	497 167	\$38	
Abr Granat D125 P120 100x	497 169	\$60	
Abr Granat D125 P180 100x	497 171	\$60	
Abr Systainer SYS-STF 80 × 133 TL	497 684	\$88	
Interface Pad D125	492 271	\$24	
Dust Extractor CT 26 HEPA (shown)	583 492	\$700	
Hose D27 × 5m AS	452 880	\$160	
Connector Sleeve	493 047	\$20	
Rotating Adapter D27, AS	452 892	\$26	
3.5" Dual-Mode Sander RO 90 DX (shown)	571 823	\$440	
Abr Granat D90 P40 50x	497 363	\$28	
Abr Granat D90 P80 50x	497 365	\$28	
Abr Granat D90 P120 100x	497 367	\$42	
Abr Granat D90 P180 100x	497 369	\$42	
Interface Pad D3.5	497 481	\$22	
Abr Systainer SYS-STF D90 TL	497 687	\$88	



MORE

APPLICATION SETS

APPLICATION SET		Trim and Window Set/Kit	\$2,490
	Item	Price	
	3.5" Dual-Mode Sander RO 90 DX (shown)	571 823	\$440
	Abr Granat D90 P80 50x	497 365	\$28
	Abr Granat D90 P120 100x	497 367	\$42
	Abr Granat D90 P180 100x	497 369	\$42
	Abr Granat 93 x 93 P80 50x	497 392	\$23
	Abr Granat 93 x 93 P120 100x	497 394	\$36
	Abr Granat 93 x 93 P180 100x	497 396	\$36
	Abr Granat 93 x 93 P220 100x	497 397	\$36
	Abr Granat D90 P220 100x	497 370	\$42
	Abr Systainer SYS-STF D90 TL	497 687	\$88
	Interface Pad D3.5	497 481	\$22
	Linear Sander LS 130 (shown)	567 852	\$410
	Abr Granat 80 x 133 P80 50x	497 119	\$27
	Abr Granat 80 x 133 P150 100x	497 121	\$44
	Abr Granat 80 x 133 P180 100x	497 122	\$44
	Abr Granat 80 x 133 P220 100x	497 123	\$44
	Do-It-Yourself Kit	490 780	\$62
	Orbital Rect. Sander RTS 400 REQ (shown)	201 221	\$260
	Abr Systainer SYS-STF 80 x 133 TL	497 684	\$88
	Dust Extractor CT MIDI (shown)	574 787	\$560
	Universal Brush Nozzle D36	498 527	\$20
	Compact Cleaning Set T-LOC	497 697	\$96

APPLICATION SET		Deck Set/Kit	\$2,307
	Item	Price	
	6" Dual-Mode Sander RO 150 FEQ (shown)	571 810	\$595
	Abr Granat D150 P40 50x	496 975	\$42
	Abr Granat D150 P80 50x	496 977	\$42
	Abr Granat D150 P120 100x	496 979	\$65
	Abr Systainer SYS-STF D150 TL	497 690	\$98
	Interface Pad Soft D150	496 647	\$27
	Rotex Front Handle	495 188	\$22
	Dust Extractor CT 26 HEPA (shown)	583 492	\$700
	3.5" Dual-Mode Sander RO 90 DX (shown)	571 823	\$440
	Abr Granat D90 P40 50x	497 363	\$28
	Abr Granat D90 P80 50x	497 365	\$28
	Abr Granat D90 P120 100x	497 367	\$42
	Abr Systainer SYS-STF D90 TL	497 687	\$88
	Triangular Extended Plate	496 803	\$34
	Soft Pad FastFix D3.5	496 804	\$34
	Interface Pad D3.5	497 481	\$22

Note: For spindles, you might consider using LS 130.

Sheetrock Patch Repair/Nail Hole Set/Kit \$1,410			
APPLICATION SET	Item	Price	
	5" Random Orbit Sander ETS EC 125/3 (shown)	571 897	\$385
	Interface Pad D125	492 271	\$24
	Orbital Delta Sander DTS 400 REQ (shown)	201 228	\$260
	Abr Granat 100 x 150 P180 10x	497 134	\$12
	Dust Extractor CT MIDI (shown)	574 787	\$560
	Abr Granat D125 P180 10x	497 149	\$14
	Hand-Sanding Block—Hard	495 967	\$28
	Abr Granat 80 x 133 P180 10x	497 130	\$11
	Universal Brush Nozzle D36	498 527	\$20
 MORE	Compact Cleaning Set T-LOC	497 697	\$96

PLANEX Drywall Set \$3,689			
APPLICATION SET	Item	Price	
	Drywall Sander PLANEX LHS 225 (shown)	571 579	\$1,150
	PLANEX Reach Extender	495 169	\$224
	PLANEX Harness	496 911	\$248
	Dust Extractor CT 36 AC (shown)	584 014	\$875
	PLANEX CT Mount	495 964	\$132
	CT AC Blast Gate	497 926	\$62
	Disposable Liner CT-AC 5x	496 215	\$44
	Compact Cleaning Set T-LOC	497 697	\$96
	Hose D27 x 5m AS*	452 880	\$160
	Abr Granat D225 P40 25x	499 634	\$40
	Abr Granat D225 P60 25x	499 635	\$40
	Abr Granat D225 P80 25x	499 636	\$40
	Abr Granat D225 P100 25x	499 637	\$40
	Abr Granat D225 P120 25x	499 638	\$40
	Abr Granat D225 P150 25x	499 639	\$40
	Abr Granat D225 P180 25x	499 640	\$40
	Abr Granat D225 P220 25x	499 641	\$40
	Abr Granat D225 P240 25x	499 642	\$40
	Abr Granat D225 P320 25x	499 643	\$40
	PLANEX Sanding Pad Set	496 106	\$122
	Systainer SYS 4 empty	497 566	\$88
 MORE	Systainer SYS 4 empty	497 566	\$88

*Connect to CT 36 AC if you want to use ETS for touch-up or DTS for inside corners.



system. unmatched.™

Save time, choose Festool.

FESTOOL®



Stay connected with Festool.

Festool TV


A video channel dedicated to product and application content, helping you get the most out of your investment.



Start here for instructional videos
festoolpaint.tv

Find a Dealer

You will find Festool dealers throughout the country that are ready to serve you and set you up with exactly what you need to put you far ahead of your competition.



Find your nearest paint dealer at
festoolpaint.com/where-to-buy

Facebook

Connect with us to get the latest in product news and applications, or to see how others are using their tools.



Start here for the latest news
facebook.com/festoolpaint

Drywall Sanding

Stop sanding drywall by hand and find out about the Festool drywall sanding solution today.



Make quick work of sanding at
www.sanderforddrywall.com

Tooltechnic Systems, LLC
Festool USA
400 N. Enterprise Blvd.
Lebanon, IN 46052

FESTOOL®

ADDRESS SERVICE REQUESTED

Customer Service & Product Questions
Tel 888.337.8600

Service USA
Tel 800.554.8741

festoolpaint.com



 Printed in the USA
57200001

Festool is not responsible for typographical errors.
Valid until March 31, 2018

**STAY CONNECTED WITH A
FREE SUBSCRIPTION.**

Trademarks are the property of their respective owners.