

Equipped with that essential
extra feature: precision.
Multi Tool VECTURO OS 400



VECTURO

FESTOOL
Tools for the toughest demands

More precision in any position. Go a cut above with the VECTURO OS 400.

Precise cut-outs along scribe marks with the position guide, defined cutting with the depth stop (no tools required to adjust) or cutting flush to a wall with the sliding shoe (again, no tools required to attach): innovative accessories add that essential extra feature to the VECTURO – precision. Whether you're working on wood, non-ferrous metal, composite materials or silicone. With the flexibility of the plug it-cable and FastFix interface for quick change of blades, and the practicality of the adapter for tool-free attachment of accessories. Everything clearly arranged and securely stored for transportation in a SYSTAINER.



Greater accuracy with the position guide:
ideal for cut-outs in delicate surfaces.



Perfect for long, straight cuts to a specific
depth in wood: the depth stop with sliding
shoe and circular saw blade.



The scraper makes it easy: removing adhesive residue or silicone.

Quick and easy work: notches, cut-outs and plunge cuts in plasterboard, wood, composite materials, laminated materials – even in hard-to-reach places.



For plunge cuts to a specific depth: the depth stop, which attaches quickly with no tools required.



Right up to the edge: with the saw blade with depressed centre.



The special blade for window installation: for removing putty from window panes.

Easy to handle, versatile functions, precise in operation and integrated into Festool systems.

Smart design in every detail. The VECTURO OS 400.



SERVICE
all-inclusive



3 Year Warranty

Repair service

10-year spare parts availability

Application advice for users



"The Festool range is top quality due to the German precision which is then reflected in my high standard products. I purchased my first Festool 23 years ago and never had a breakdown, stoppage or problems. The only tools I use are Festool."

David Pye, Joinery / Cabinet Making

A standard feature with every Festool power tool:

SERVICE all-inclusive

Easy to register for 3 year warranty and available with every Festool tool: Simply register your tool online within 30 days of purchase. Visit www.festool.com.au for warranty terms and conditions, information and registration of your tool.



Precise depth stop:

The depth stop is easy to adjust with no tools required, for accurate plunge depth while protecting the blade and the material.



Ergonomic:

The slim housing with rubberised grip fits perfectly in the hand, with the switches in an ideal position.



Versatile:

Saw blades for wood or metal, universal bi-metal saw blades, special saw blades for windows, putty and plastics, and a scraper for adhesive residue and silicone.



Flexible in use, quick to set up:

The VECTURO is ready for use immediately with the plug it-cable. No tools required to change blades and accessories.



The perfect system:

saw blades, scraper and accessories arranged within easy reach in the SYSTAINER.



Powerful:

400 watt motor with electronic speed control for a continuously fast work pace.



Precise sawing along a scribe mark with the position guide:

Ideal for cut-outs in delicate surfaces. With FastFix for quick, tool-free mounting.

And in the position guide, the VECTURO and the blade itself can be rotated from + to -90° in steps of 30°.

Products | Specifications | System accessories



Specifications **VECTURO OS 400 EQ**

Power	400 W
Power output	220 W
Oscillation	11,000 – 18,500 rpm
Weight	1.55 kg
Amplitude	2°
Cable length	4 m

Package contents **VECTURO OS**

Order no.

Multi Tool VECTURO OS 400 EQ-Plus AUS 240V
 Universal saw blade USB 78/32/Bi, plug it-cable 4 m,
 in SYS 2 SYSTEMER T-LOC

563010

Specifications **POSITION GUIDE OS-AH SET**

Max. plunge depth	60 mm
Weight	0.3 kg

Main applications:

- ▶ Neat positioning along markings
- ▶ Sawing with virtually no tear-out on delicate surfaces
- ▶ Plunge cuts at right angles

Specifications **DEPTH STOP SET OS-TA SET**

Max. plunge depth with depth stop	56 mm
Max. plunge depth with sliding shoe (with circular blade)	20 mm
Depth setting detent spacing	1.5 mm
Total weight	0.1 kg

Main applications:

- ▶ Sawing close to edges, for shadow gaps
- ▶ Guided sawing along a marking
- ▶ Plunge cuts to a specific depth

Package contents **Accessories**

Order no.

1	Depth stop set OS-TA SET Depth stop, adapter for tool-free mounting of position guide OS-AH and depth stop OS-TA	500160
2	Position guide OS-AH SET Position guide, adapter for tool-free mounting of position guide OS-AH and depth stop OS-TA	500161
3	Position guide and depth stop in a set OS-TA/AH SET Position guide, depth stop, adapter for tool-free mounting of position guide OS-AH and depth stop OS-TA	500251



1















2



3





Name	Length (mm)	Width (mm)	Type	Qty. - Order No.	Solid wood	Wood with nails	Raw/laminated chipboard	Plastics	Window putty	Adhesive	Silicone	FE-AL
Saw blade for wood												
Double-row original Japan toothing for high-precision cutting and cleanly cut surfaces. Note: plunge cuts not possible.		50	35	HSB 50/35/J	1x 500128 5x 500142 25x 500152	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>					
		50	45	HSB 50/45/J	1x 500132 5x 500146 25x 500156	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>					
		50	55	HSB 50/55/J	1x 500134 5x 500148 25x 500158	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>					
		50	65	HSB 50/65/J	1x 500131 5x 500145 25x 500155	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>					
Circular saw blade for wood (HCS) - ideal for use together with the depth stop.												
For long straight cuts and for cutting out laid parquetry or laminate.		-	-	HSB 100/HCS	1x 500139	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>					
Bi-metal saw blade, universal, for plunge cuts												
Accessories for interior fitouts. For hardwood, softwood and all other wood materials. Also for plastics and plasterboard. High cutting speed. Extremely tough and durable.		78	32	USB 78/32/Bi	1x 500129 5x 500143 25x 500153		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>			
		78	42	USB 78/42/Bi	1x 500133 5x 500147 25x 500157		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>			
		50	35	USB 50/35/Bi	1x 500130 5x 500144 25x 500154		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>			
		50	65	USB 50/65/Bi	1x 500135 5x 500149 25x 500159		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>			
Bi-metal saw blade for metal												
Perfect for work on aluminium and non-ferrous metals. With corrugated blade.		50	35	MSB 50/35/Bi	1x 500126 5x 500140 25x 500150							<input checked="" type="checkbox"/>
HSS saw blade with depressed centre (HCS). Segmented for working right into corners.												
Countersunk clamping bolt.		-	-	SSB 100/HCS	1x 500136		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>
Special blade												
For removing putty-lined insulated glazing from window frames, for example.		-	-	SSB 32	1x 500137				<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		
Scraper												
For removal of coatings and applied layers, such as adhesive residue or silicone.		-	-	SSP 56,5/1	1x 500138					<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	

FESTOOL

Tools for the toughest demands

Festool Australia

Postal address: PO Box 4401

Dandenong South VIC 3164

Australia

Service Hotline: 1300 063 900

Fax: 03 8795 9221

E-mail: customercare@tooltechnic.com.au



SERVICE all-inclusive: 3 year warranty, quick and safe repair service, 10 year spare parts guarantee, application advice for users and customer hotline 1300 063 900. For more information visit www.festool.com.au



Built to last, recycling, waste prevention – for a cleaner environment. Visit www.festool.com.au for more information

www.festool.com.au

Dealer

Festool
VECTURO OS 400
Valid May 2014

Order no. 63658



4 014549 225677

Errors and omissions excepted. Products may differ from those depicted.
Prepared for the Festool Group GmbH & Co. KG, 73240 Wendlingen, 05/2014