

Page 1 of 5 **GG-006P** 

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards SDS Revision Date: 1/28/2018 SDS Revision: 3.3 1. PRODUCT & COMPANY IDENTIFICATION 1.1 Product Name: **GRANITE GOLD STONE & TILE FLOOR CLEANER** 1.2 Chemical Name: Aqueous Solution 1.3 Synonyms GG0175, GG0035 1.4 Trade Names Granite Gold Stone & Tile Floor Cleaner (207-006003-1) 1.5 Product Use: Cleaner 1.6 Distributor's Name: Granite Gold, Inc. 1.7 Distributor's Address 9170 Chesapeake Drive, San Diego CA 92123 USA 1.8 Emergency Phone: CHEMTREC +1 (703) 527-3887 / +1 (800) 424-9300 1.9 Business Phone / Fax: Tel: +1 (858) 499-8933 2. HAZARDS IDENTIFICATION Hazard Identification: 2.1 This product is not classified as a HAZARDOUS SUBSTANCE or as DANGEROUS GOODS according to the classification criteria of NOHSC: 1088 (2004) and ADG Code (Australia). This product is NOT classified as hazardous according to the OSHA 2012 Hazardous Communication 2012 final rule DANGER! CAUSES SKIN IRRITATION. CAUSES SERIOUS EYE DAMAGE. HARMFUL TO AQUATIC LIFE WITH LONG LASTING EFFECTS. Classification: Skin Irrit. 2; Eye Dam. 1; Aquatic Chronic 3 2.2 Label Elements: Hazard Statements (H): H315 - Causes skin irritation. H318 - Causes serious eye damage. H412 - Harmful to aquatic life with long lasting effects. Precautionary Statements (P): P264 – Wash with soap and water thoroughly after handling. P273 - Avoid release to the environment. P280 - Wear protective gloves; wear eye/face protection. P302+P352 - IF ON SKIN: Wash with plenty of water. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 - Immediately calla POISON CENTER/doctor. P321 - Specific treatment see container label and section 4 First Aid of this SDS. P332+P313 - If skin irritation occurs: Get medical advice/attention. P362+P364 - Take off contaminated clothing and wash before reuse. P501 - Dispose of contents/ container to an approved waste disposal plant. Other Warnings: In the event of an exposure or medical inquiry involving this product, please contact a physician or local poison control center, who may seek advice from the U.S. manufacturer, and show them this SDS. Aqueous solution. Keep out of reach of children. 3. COMPOSITION & INGREDIENT INFORMATION EXPOSURE LIMITS IN AIR (mg/m³) **ACGIH** NOHSC OSHA ppm ppm ppm ES-ES-EINECS No. STEL STEL PEL STEL CHEMICAL NAME(S) CAS No. RTECS No. TLV **TWA** PEAK **IDLH** OTHER 7732-18-5 ZC0110000 231-191-2 60-100 NE NE NF NF NF NE NE NE WATER (AQUA) NA NA NA 1-5 NA NA NF NF NF NA NA NA PROPRIETARY INGREDIENTS NA NA 0.0-0.1 NA NA NF NF NF NA NA NA NA **FRAGRANCE** 4. FIRST AID MEASURES 4.1 First Aid: DO NOT INDUCE VOMITING. Contact ChemTrec at +1 (703) 527-3887 or the nearest Poison Control Ingestion: Center or local emergency telephone number for assistance and instructions. Seek immediate medical attention. If vomiting occurs spontaneously, keep victim's head lowered (forward) to reduce the risk of aspiration. Flush eyes thoroughly with copious amounts of water for at least 15 minutes, holding eyelid(s) open to Eyes: ensure complete flushing. If irritation persists, seek immediate medical attention. Skin: Remove contaminated clothing and wash affected areas with soap and water. If irritation persists, seek prompt medical attention. Do not wear contaminated clothing until after it has been properly cleaned. Remove victim to fresh air at once. If breathing is difficult, administer supplemental oxygen and seek Inhalation: immediate medical attention. If breathing stops, perform artificial respiration. 4.2 Effects of Exposure: Ingestion: If product is swallowed, may cause nausea, vomiting and/or diarrhea. Eyes: This product can cause transient mild eye irritation with short-term contact with liquid sprays or mists. This product can cause mild, transient skin irritation with short-term exposure. Skin: Exposure may cause respiratory tract irritation in some sensitive individuals Inhalation:



Page 2 of 5 **GG-006P** 

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards SDS Revision: 3.3 SDS Revision Date: 1/28/2018

4 ^	Committee of Con-		Γ AID MEASURES – conf	1 1 14 44			
4.3	Symptoms of Overexposure:	skin reactions (	ct with skin may result in bleaching an (e.g., rashes, welts, dermatitis) in ay include redness, itching, and irritation	some sens	itive individ		
		Eyes: Overexposure in	n eyes may cause redness, itching use serious eye irritation including sting	and wateri	ng (risk of	serious dar	mage to eyes
4.4	Acute Health Effects:	,	oderate irritation to skin near affected a tating properties to eyes, respiratory sy			zards may be	delayed. Mos
4.5	Chronic Health Effects:	No harmful or chronic health ef irritating to skin and mucous	ffects are expected to occur from a sir membrane of the eye and respirator ndividuals. May also induce skin sen	gle accident y system.	al ingestion Overexposu	ure may trig	ger asthma-lik
4.6	Target Organs:	Eyes, Skin.					
4.7	Medical Conditions Aggravated by Exposure:	target organs (eyes, skin, and	skin conditions, and disorders of the respiratory system) or impaired kidney ble to the effects of this substance.		H ABILITY		1 0
		, , , , , , , , , , , , , , , , , , , ,			CTIVE EO		0
						UIPMENT	A
				EYES	SKIN		
		5 EID	EFIGHTING MEASURES				
5.1	Fire & Explosion Hazards:	Will not burn, but decompositi increase the explosive limit ran	ion, which may be caused by heat, on the second sec	vill release ors. As a re	sult of comb	bustion	
5.2	Extinguishing Methods:	Foam, CO <sub>2</sub> , Water Fog or Dry (	Chemical				
			athing apparatus (SCBA) and protect				
		with water spray to prevent pr	Keep containers cool until well after the ressure build-up, auto-ignition or explosesseures, drains, drinking water supply	sion. Preve	nt runoff fro	om fire	
		with water spray to prevent pr control or dilution from entering	ressure build-up, auto-ignition or explo g sewers, drains, drinking water supply	osion. Preve or any natu	nt runoff fro	om fire	
6.1	Spills:	with water spray to prevent production or dilution from entering  6. ACCIDE  Before cleaning any spill or Equipment. CAUTION – may be	ressure build-up, auto-ignition or explosures, drains, drinking water supply  NTAL RELEASE MEASURE (In a point of the strength	or any natu  IRES  anup must	nt runoff fro ral waterwa wear appro	om fire ay.	
6.1	Spills:	with water spray to prevent prontrol or dilution from entering  6. ACCIDE  Before cleaning any spill or Equipment. CAUTION – may I For small spills (e.g., < 1 ga Maximize ventilation (open do appropriate closed container(s) Wash all affected areas and other control or control of the control	NTAL RELEASE MEASUREMENT IN TAL RELEASE MEASUREM	IRES anup must onal protect material watercordance	wear approite equipment habsorbe with local, s	ropriate Personent (e.g., go ent material state and fede	oggles, gloves and place in eral regulation
6.1	Spills:	with water spray to prevent prontrol or dilution from entering  6. ACCIDE  Before cleaning any spill or Equipment. CAUTION – may be appropriate closed container(s) Wash all affected areas and clothing and wash thoroughly be a large spills (e.g., ≥ 1 gall material (e.g., sand or earth). containers for proper disposal	NTAL RELEASE MEASUREMENT IN TAL RELEASE MEASUREM	Preversion or any natural protect material was coordance arm water a ceted individery or disponsibility and we want to the cete of the cet	wear approvive equipment hasorbe with local, sand soap.	ropriate Personal Per	oggles, gloves and place interal regulations y contaminated spill with ine
6.1	Spills:	with water spray to prevent prontrol or dilution from entering  6. ACCIDE  Before cleaning any spill or Equipment. CAUTION – may I For small spills (e.g., < 1 games appropriate closed container(s) Wash all affected areas and clothing and wash thoroughly befor large spills (e.g., ≥ 1 gall material (e.g., sand or earth). containers for proper disposal water. Keep spills and cleaning	NTAL RELEASE MEASU leak, individuals involved in spill cle be slippery if spilled. allon (3.8 L)) wear appropriate personant windows. Remove spilled outside of container with plenty of we perfore reuse. lon (3.8 L)), deny entry to all unprote Transfer liquid to containers for recov l. Remove contaminated clothing pro grunoffs out of municipal sewers and	RES anup must anup anup anup must an	wear approvive equipment hasorbe with local, sand soap.	ropriate Personal Per	oggles, gloves and place interal regulations y contaminate a spill with ine erial to separat
		with water spray to prevent prontrol or dilution from entering  6. ACCIDE  Before cleaning any spill or Equipment. CAUTION – may I For small spills (e.g., < 1 gall Maximize ventilation (open do appropriate closed container(s) Wash all affected areas and clothing and wash thoroughly befor large spills (e.g., ≥ 1 gall material (e.g., sand or earth). containers for proper disposal water. Keep spills and cleaning	NTAL RELEASE MEASUREM, individuals involved in spill cleak, individuals involved in spill cleak, individuals involved in spill cleak individuals involved in spilled.  Ballon (3.8 L)) wear appropriate personant windows. Remove spilled in outside of container with plenty of we perfore reuse.  Ion (3.8 L)), deny entry to all unprote transfer liquid to containers for recover in the property in a spilled in the property in the property in the property in a spilled in the property in the property in a spilled in the property in the proper	RES anup must anal protect material w accordance arm water a accted individery or disponmptly and w appen bodies	wear approvive equipmonith absorbe with local, sand soap.  uals. Dike sal and solic ash affecte of water.	ropriate Personal Per	oggles, gloves and place interal regulations y contaminate a spill with ine erial to separat s with soap an
7.1	Work & Hygiene Practices:	with water spray to prevent prontrol or dilution from entering  6. ACCIDE  Before cleaning any spill or Equipment. CAUTION – may I For small spills (e.g., < 1 gall Maximize ventilation (open do appropriate closed container(s) Wash all affected areas and clothing and wash thoroughly befor large spills (e.g., ≥ 1 gall material (e.g., sand or earth). containers for proper disposal water. Keep spills and cleaning.  7. HANDLING  Use normal hygiene practices. eating, drinking, or smoking. Contaminated clothing, are recommended.	NTAL RELEASE MEASUREM, individuals involved in spill cleak, individuals involved in spill cleak, individuals involved in spill cleak, individuals involved in spill cleak be slippery if spilled.  Callon (3.8 L)) wear appropriate persons and windows. Remove spilled of cortainer with plenty of working outside of container with plenty of working reuse.  Container with plenty of working in a container liquid to containers for recover and in the containers for recover and in the container with plenty of working runoffs out of municipal sewers and in the containers for recover and in the containers for recovery and in the containers for recovery and the containers for	RES anup must an	wear approvive equipmonith absorbe with local, sand soap.  uals. Dike sal and solic ash affecte of water.	ropriate Personal Per	oggles, gloves and place interal regulations y contaminate a spill with ine erial to separat s with soap an
7.1	Work & Hygiene Practices:  Storage & Handling:	with water spray to prevent prontrol or dilution from entering  6. ACCIDE  Before cleaning any spill or Equipment. CAUTION – may I For small spills (e.g., < 1 gall Maximize ventilation (open do appropriate closed container(s) Wash all affected areas and clothing and wash thoroughly befor large spills (e.g., ≥ 1 gall material (e.g., sand or earth). containers for proper disposal water. Keep spills and cleaning.  7. HANDLING  Use normal hygiene practices. eating, drinking, or smoking. Contaminated clothing, are record. Keep away from sources of heat	NTAL RELEASE MEASUREM, individuals involved in spill cleak, individuals involved in spill cleak, individuals involved in spill cleak, individuals involved in spill cleak be slippery if spilled.  allon (3.8 L)) wear appropriate persons and windows. Remove spilled of cortainer with plenty of working the spilled of container with plenty of working the spilled to containers for recover the spilled of the spi	RES anup must an	wear approvive equipmenth absorbe with local, sand soap.  uals. Dike sal and solic ash affecte of water.  ghly after us g any skin of the sal and solic ash affecte of water.	ropriate Personal Per	oggles, gloves and place in eral regulation y contaminate a spill with ine erial to separa s with soap ar duct and before s and removir
7.1	Work & Hygiene Practices:	with water spray to prevent prontrol or dilution from entering  6. ACCIDE  Before cleaning any spill or Equipment. CAUTION – may I For small spills (e.g., < 1 gall Maximize ventilation (open do appropriate closed container(s) Wash all affected areas and clothing and wash thoroughly befor large spills (e.g., ≥ 1 gall material (e.g., sand or earth). containers for proper disposal water. Keep spills and cleaning.  7. HANDLING  Use normal hygiene practices. eating, drinking, or smoking. Contaminated clothing, are record. Keep away from sources of heat	NTAL RELEASE MEASUREM, individuals involved in spill cleak, individuals involved in spill cleak, individuals involved in spill cleak, individuals involved in spill cleak be slippery if spilled.  Callon (3.8 L)) wear appropriate persons and windows. Remove spilled of cortainer with plenty of working outside of container with plenty of working reuse.  Container with plenty of working in a container liquid to containers for recover and in the containers for recover and in the container with plenty of working runoffs out of municipal sewers and in the containers for recover and in the containers for recovery and in the containers for recovery and the containers for	RES anup must an	wear approvive equipmenth absorbe with local, sand soap.  uals. Dike sal and solic ash affecte of water.  ghly after us g any skin of the sal and solic ash affecte of water.	ropriate Personal Per	oggles, gloves and place interal regulations y contaminate a spill with ine erial to separate with soap and duct and before s and removir
7.1	Work & Hygiene Practices:  Storage & Handling:	with water spray to prevent prontrol or dilution from entering  6. ACCIDE  Before cleaning any spill or Equipment. CAUTION – may I For small spills (e.g., < 1 gall Maximize ventilation (open do appropriate closed container(s) Wash all affected areas and clothing and wash thoroughly befor large spills (e.g., ≥ 1 gall material (e.g., sand or earth). containers for proper disposal water. Keep spills and cleaning.  7. HANDLING  Use normal hygiene practices. eating, drinking, or smoking. Contaminated clothing, are recontaminated clothing, are recontaminated clothing. Follow all instructions on production of children.	NTAL RELEASE MEASUREM, individuals involved in spill cleak, individuals involved in spill cleak, individuals involved in spill cleak, individuals involved in spill cleak be slippery if spilled.  allon (3.8 L)) wear appropriate persons and windows. Remove spilled of cortainer with plenty of working the spilled of container with plenty of working the spilled to containers for recover the spilled of the spi	IRES  anup must  anup	wear approvive equipmonith absorbe with local, sand soap.  uals. Dike sal and solic ash affecte of water.  ghly after us g any skin of the sal and solic wash.	ropriate Personal Per	oggles, gloves and place interal regulations y contaminate a spill with ine erial to separat with soap and duct and befor s and removin
7.1 7.2 7.3	Work & Hygiene Practices:  Storage & Handling: Special Precautions:	with water spray to prevent prontrol or dilution from entering  6. ACCIDE  Before cleaning any spill or Equipment. CAUTION – may I For small spills (e.g., < 1 gall Maximize ventilation (open do appropriate closed container(s) Wash all affected areas and clothing and wash thoroughly befor large spills (e.g., ≥ 1 gall material (e.g., sand or earth). containers for proper disposal water. Keep spills and cleaning.  7. HANDLING  Use normal hygiene practices. eating, drinking, or smoking. Contaminated clothing, are recontaminated clothing, are recontaminated clothing. Follow all instructions on production of children.	NTAL RELEASE MEASUREM, individuals involved in spill cleak, individuals involved in spill cleak, individuals involved in spill cleak, individuals involved in spill cleak be slippery if spilled.  It is allon (3.8 L)) wear appropriate persons and windows. Remove spilled of container with plenty of working of container with plenty of working programs. It is allowed to containers for recover the container of the co	IRES  anup must  anup	wear approvive equipmonith absorbe with local, sand soap.  Juals. Dike sal and solic vash affecte of water.  Weep this are	ropriate Personal Per	oggles, gloves and place interal regulations y contaminate a spill with ine erial to separat with soap and duct and befor s and removin
7.1 7.2 7.3	Work & Hygiene Practices:  Storage & Handling: Special Precautions:	with water spray to prevent prontrol or dilution from entering  6. ACCIDE  Before cleaning any spill or Equipment. CAUTION – may I For small spills (e.g., < 1 gall Maximize ventilation (open do appropriate closed container(s) Wash all affected areas and clothing and wash thoroughly befor large spills (e.g., ≥ 1 gall material (e.g., sand or earth). containers for proper disposal water. Keep spills and cleaning.  7. HANDLING  Use normal hygiene practices. eating, drinking, or smoking. Contaminated clothing, are recontaminated clothing, are recontaminated clothing. Follow all instructions on production of children.	NTAL RELEASE MEASUREM, individuals involved in spill cleak, individuals involved in spill cleak, individuals involved in spill cleak, individuals involved in spill cleak be slippery if spilled.  Callon (3.8 L)) wear appropriate persons and windows. Remove spilled of ordisposal. Dispose of properly in a outside of container with plenty of wefore reuse.  Ion (3.8 L)), deny entry to all unprote. Transfer liquid to containers for recovers and increase in the container of the property of the container of the contain	RES anup must an	wear approvive equipmonith absorbe with local, so and soap.  uals. Dike sal and solic vash affecte of water.  ghly after us g any skin of the sal and solic vash affecte of water.	ropriate Personal representation (e.g., go ent material state and federal Remove and diking material didiking material state and contain and skin areas sing this procontact area	oggles, gloves and place interal regulations y contaminate in spill with ineerial to separate with soap and duct and before and removing also out of reactions.
7.1 7.2 7.3	Work & Hygiene Practices:  Storage & Handling: Special Precautions:	with water spray to prevent prontrol or dilution from entering  6. ACCIDE  Before cleaning any spill or Equipment. CAUTION – may I For small spills (e.g., < 1 ga Maximize ventilation (open do appropriate closed container(s) Wash all affected areas and clothing and wash thoroughly b For large spills (e.g., ≥ 1 gall material (e.g., sand or earth). containers for proper disposal water. Keep spills and cleaning.  7. HANDLING  Use normal hygiene practices. eating, drinking, or smoking. Contaminated clothing, are recontaminated clothing, are recontaminated clothing.  Reep away from sources of hear Follow all instructions on produof children.  8. EXPOSURE CON  CHEMICAL NAME(S)  NA  General mechanical (e.g., fansexhaust ventilation to effective	NTAL RELEASE MEASUREM, individuals involved in spill cleak, individuals involved in s	RES anup must an	wear approved wear approved with absorbe with local, so and soap.  I wals. Dike sal and solic vash affecte of water.  TION  PEL S NA  Toduct is in st generate	ropriate Personal Per	oggles, gloves and place interal regulations y contaminate in spill with ineerial to separate with soap and duct and befores and removing also out of reactions.
7.1 7.2 7.3 8.1 8.2	Work & Hygiene Practices:  Storage & Handling: Special Precautions:  Exposure Limits: ppm (mg/m³)  Ventilation & Engineering	with water spray to prevent prontrol or dilution from entering  6. ACCIDE  Before cleaning any spill or Equipment. CAUTION – may I For small spills (e.g., < 1 ga Maximize ventilation (open do appropriate closed container(s) Wash all affected areas and clothing and wash thoroughly b For large spills (e.g., ≥ 1 gall material (e.g., sand or earth). containers for proper disposal water. Keep spills and cleaning.  7. HANDLING  Use normal hygiene practices. eating, drinking, or smoking. Contaminated clothing, are recontaminated clothing, are recontaminated clothing.  Reep away from sources of hear Follow all instructions on produof children.  8. EXPOSURE CON  CHEMICAL NAME(S)  NA  General mechanical (e.g., fansexhaust ventilation to effective	NTAL RELEASE MEASUREM, individuals involved in spill cleak, individuals individuals involved in spill cleak, individuals involved in spill cleak, individuals involved i	RES anup must an	wear approved wear approved with absorbe with local, so and soap.  I wals. Dike sal and solic vash affecte of water.  TION  PEL S NA  Toduct is in st generate	ropriate Personal Per	oggles, gloves and place interal regulations y contaminate in spill with ineerial to separate with soap and duct and befores and removing also out of reactions.



Page 3 of 5 **GG-006P** 

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards SDS Revision: 3.3 SDS Revision Date: 1/28/2018

	0 1	EVENCEURE CONTROLS & REDSONAL PROTECTION CONTROL
0.5		EXPOSURE CONTROLS & PERSONAL PROTECTION – cont'd
8.5	Hand Protection:	If anticipated that prolonged & repeated skin contact will occur during use of this product, wear latex or rubber gloves for routine industrial use. If necessary, refer to U.S. OSHA 29 CFR §1910.138, the appropriate standards of Canada, of the E.C. member states.
8.6	Body Protection:	Not required under normal conditions of use. Use appropriate protective equipment (e.g., apron) as necessary to prevent or reduce exposure if frequent or prolonged contact is expected.
		9. PHYSICAL & CHEMICAL PROPERTIES
0.1	Annagranasi	
9.1	Appearance: Odor:	Clear yellow liquid
9.3	Odor Threshold:	Fresh lemon citrus scent  NA
9.4	pH:	7.0-8.0
9.5	Melting Point/Freezing Point:	NA
9.6	Initial Boiling Point/Boiling	
	Range:	100 °C (212 °F) @ 760 mm Hg
9.7	Flashpoint:	NA TOTAL TOT
9.8	Upper/Lower Flammability Limits:	NA NA
9.9	Vapor Pressure:	< 30
9.10	Vapor Density:	NA NA
9.11	Relative Density:	1.014 @ 25 °C (77 °F)
9.12	Solubility:	Complete
9.13	Partition Coefficient (log Pow):	NA NA
9.14	Autoignition Temperature:	NA NA
9.15	Decomposition Temperature:	NA Louis
9.16	Viscosity:	NA NA
9.17	Other Information:	0% VOC
		10. STABILITY & REACTIVITY
10.1	Stability:	Stable under normal conditions of use.
10.2	Hazardous Decomposition Products:	Oxides of carbon (CO, CO <sub>2</sub> ) and nitrogen (NO <sub>x</sub> )
10.3	Hazardous Polymerization:	Will not occur.
10.4	Conditions to Avoid:	Strong oxidizers.
10.5	Incompatible Substances:	Strong oxidizing agents, strong acids and bases.
		11. TOXICOLOGICAL INFORMATION
11.1	Routes of Entry:	Inhalation: YES Absorption: YES Ingestion: NO
11.2	Toxicity Data:	This product has not been tested on animals to obtain toxicological data. There are toxicology data for the components of this product, which are found in the scientific literature, but has not been presented in this document. This product is neither a primary eye nor primary skin irritant per Federal Hazardous Substances Act (FHSA) regulations.
11.3	Acute Toxicity:	See Section 4.4
11.4	Chronic Toxicity:	See Section 4.5
11.5	Suspected Carcinogen:	No
11.6	Reproductive Toxicity:	This product is not reported to produce reproductive toxicity in humans.
	Mutagenicity:	This product is not reported to produce mutagenic effects in humans.
	Embryotoxicity:	This product is not reported to produce embryotoxic effects in humans.
	Teratogenicity:	This product is not reported to produce teratogenic effects in humans.
4	Reproductive Toxicity:	This product is not reported to produce reproductive effects in humans.
11.7	Irritancy of Product:	See Section 4.2
11.8	Biological Exposure Indices:	NE
11.9	Physician Recommendations:	Treat symptomatically.
		12. ECOLOGICAL INFORMATION
12.1	Environmental Stability:	There are no specific data available for this product.
12.2	Effects on Plants & Animals:	There are no specific data available for this product.  There are no specific data available for this product.
12.3	Effects on Aquatic Life:	There are no specific data available for this product.
		13. DISPOSAL CONSIDERATIONS
13.1	Waste Disposal:	Review current local, state and federal laws, codes, statutes and regulations to determine current status and appropriate
		disposal method for the ingredients listed in Section 2. Any disposal practice must be in compliance with local, state, and federal laws and regulations.
13.2	Special Considerations:	NA



Page 4 of 5 **GG-006P** 

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards

http://www.shipmate.com

SDS Revision: 3.3

SDS Revision Date: 1/28/2018

# 14. TRANSPORTATION INFORMATION

The basic description (ID Number, proper shipping name, hazard class & division, packing group) is shown for each mode of transportation. Additional descriptive information may be required by 49 CFR, IATA/ICAO, IMDG and the CTDGR.

14.1	49 CFR (GND):	NOT REGULATED
14.2	IATA (AIR):	NOT REGULATED
14.3	IMDG (OCN):	NOT REGULATED
14.4	TDGR (Canadian GND):	NOT REGULATED
14.5	ADR/RID (EU):	NOT REGULATED
14.6	SCT (MEXICO):	NOT REGULATED
14.7	ADGR (AUS):	NOT REGULATED

# 15. REGULATORY INFORMATION

15.1	SARA Reporting Requirements:	This product does not contain any substances subject to SARA Title III, Section 313 reporting requirements.	
15.2	SARA TPQ:	There are no specific Threshold Planning Quantities for the components of this product.	
15.3	TSCA Inventory Status:	The components of this product are listed on the TSCA Inventory.	
15.4	CERCLA Reportable Quantity:	NA NA	
15.5	Other Federal Requirements:	This material does not contain any hazardous air pollutants. None of the components in this product are listed as priority pollutants under the CWA. None of the components in this product are listed as toxic pollutants under the CWA.	
15.6	Other Canadian Regulations:	This product has been classified according to the hazard criteria of the CPR and the SDS contains all of the information required by the CPR. The components of this product are listed on the DSL/NDSL. None of the components of this product are listed on the Priorities Substances List.	
15.7	State Regulatory Information:	No ingredients in this product, present in a concentration of 1.0% or greater, are listed on any of the following state criteria lists: California Proposition 65 (CA65), Delaware Air Quality Management List (DE), Florida Toxic Substances List (FL), Massachusetts Hazardous Substances List (MA), Michigan Critical Substances List (MI), Minnesota Hazardous Substances List (MN), New Jersey Right-to-Know List (NJ), New York Hazardous Substances List (NY), Pennsylvania Right-to-Know List (PA), Washington Permissible Exposures List (WA), Wisconsin Hazardous Substances List (WI).  This product does not contain any chemicals known to the State of California to cause cancer, birth defects, or other	
		reproductive harm. For more information go to www.P65Warnings.ca.gov.	
15.8	Other Requirements:	NA .	

#### 16. OTHER INFORMATION

		16. OTHER INF	ORMATION			
16.1	Other Information:	LONG LASTING EFFECTS. CAUTION – MAY soap and water after handling. Avoid eye cont Wash with soap and water. IF IN EYES: Rins present and easy to do – continue rinsing. If s	DANGER! CAUSES SKIN IRRITATION. CAUSES SERIOUS EYE DAMAGE. HARMFUL TO AQUATIC LIFE WITH LONG LASTING EFFECTS. CAUTION – MAY BE SLIPPERY IF SPILLED. Wash exposed skin areas thoroughly with soap and water after handling. Avoid eye contact. Wear protective gloves/eye protection/face protection. IF ON SKIN: Wash with soap and water. IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing. If skin irritation or a rash occurs – Get medical advice/attention. Store in a well-ventilated place. Keep cool. Use only as directed. KEEP OUT OF REACH OF CHILDREN			
16.2	Terms & Definitions:	See last page of this Safety Data Sheet.				
16.3	Disclaimer:	government regulations must be reviewed for knowledge, the information contained herein is completeness is not guaranteed and no war information contained herein relates only to the	OSHA's Hazard Communication Standard, 29 CFR §1910.1200. Other applicability to this product. To the best of ShipMate's & Granite Gold's is reliable and accurate as of this date; however, accuracy, suitability or ranties of any type, either expressed or implied, are provided. The specific product(s). If this product(s) is combined with other materials, all that may be changed from time to time. Be sure to consult the latest			
16.4	Prepared for:	Granite Gold, Inc. 9170 Chesapeake Drive San Diego, CA 92123 USA Tel: +1 (858) 499-8933 http://www.granitegold.com/				
16.5	Prepared by:	ShipMate, Inc. P.O. Box 787 Sisters, Oregon 97759-0787 USA Tel: +1 (310) 370-3600 Fax: +1 (310) 370-5700	ShipMate*  Dangerous Goods Training & Consulting			



Page 5 of 5 **GG-006P** 

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards

SDS Revision: 3.3

SDS Revision Date: 1/28/2018

#### **DEFINITION OF TERMS**

A large number of abbreviations and acronyms appear on a SDS. Some of these that are commonly used include the following:

### **GENERAL INFORMATION:**

CAS No.	Chemical Abstract Service Number		
RTECS No.	Registry of Toxic Effects of Chemical Substances Number		
EINECS No. European Inventory of Existing Commercial Chemical Substances Numb			

#### **EXPOSURE LIMITS IN AIR:**

ACGIH	American Conference on Governmental Industrial Hygienists	
IDLH	Immediately Dangerous to Life and Health	
NOHSC	National Occupational Health and Safety Commission (Australia)	
OSHA	U.S. Occupational Safety and Health Administration	
PEL	Permissible Exposure Limit	
STEL	Short Term Exposure Limit	
TLV	TLV Threshold Limit Value	
TWA	Time Weighted Average	

#### FIRST AID MEASURES:

CPR	Cardiopulmonary resuscitation - method in which a person whose heart has
	stopped receives manual chest compressions and breathing to circulate blood
	and provide oxygen to the body.

#### HAZARDOUS MATERIALS IDENTIFICATION SYSTEM: HMIS


#### **HEALTH, FLAMMABILITY & REACTIVITY RATINGS:**

0	Minimal Hazard	
1	Slight Hazard	
2	Moderate Hazard	
3	Severe Hazard	
4	Extreme Hazard	



### PERSONAL PROTECTION RATINGS:

Α			
В			
С		型	
D		型	
Ε			
F		The state of the s	





#### OTHER STANDARD ABBREVIATIONS:

Carc	Carcinogenic	
Irrit	Irritant	
NA	Not Available	
NR	No Results	
ND	Not Determined	
NE	Not Established	
NF	Not Found	
SCBA	Self-Contained Breathing Apparatus	
Sens	Sensitization	
STOT RE	Specific Target Organ Toxicity – Repeat Exposure	
STOT SE	Specific Target Organ Toxicity – Single Exposure	

#### NATIONAL FIRE PROTECTION ASSOCIATION: NFPA

FLAMMABILITY LIMITS IN AIR:		
Autoignition Temperature	Minimum temperature required to initiate combustion in air with no other source of ignition	
LEL	Lower Explosive Limit - lowest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source	
UEL	Upper Explosive Limit - highest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source	

#### **HAZARD RATINGS:**

Minimal Hazard		FLAMMABILITY			
1	Slight Hazard	\ A			
2 Moderate Hazard		REACTIVITY			
3	Severe Hazard				
4	Extreme Hazard				
ACD	Acidic				
ALK	Alkaline				
COR	Corrosive	/ <b>\ \ \</b> \ <b>\</b>			
₩	Use No Water	HEALTH			
ХО	Oxidizer	SPECIAL			
TREFOIL	Radioactive	PRECAUTIONS			

#### TOXICOLOGICAL INFORMATION:

LD <sub>50</sub>	Lethal Dose (solids & liquids) which kills 50% of the exposed animals		
LC <sub>50</sub>	Lethal concentration (gases) which kills 50% of the exposed animal		
ppm	Concentration expressed in parts of material per million parts		
TD <sub>Io</sub>	Lowest dose to cause a symptom		
TCLo	Lowest concentration to cause a symptom		
TD <sub>Io</sub> , LD <sub>Io</sub> , & LD <sub>o</sub> or	Lowest dose (or concentration) to cause lethal or toxic effects		
TC, TC <sub>o</sub> , LC <sub>io</sub> , & LC <sub>o</sub>			
IARC	International Agency for Research on Cancer		
NTP	National Toxicology Program		
RTECS	Registry of Toxic Effects of Chemical Substances		
BCF	Bioconcentration Factor		
TL <sub>m</sub>	Median threshold limit		
log K <sub>ow</sub> or log K <sub>oc</sub>	Coefficient of Oil/Water Distribution		

## REGULATORY INFORMATION:

WHMIS	Canadian Workplace Hazardous Material Information System					
DOT	U.S. Department of Transportation					
TC	Transport Canada					
EPA	EPA U.S. Environmental Protection Agency					
DSL	DSL Canadian Domestic Substance List					
NDSL	Canadian Non-Domestic Substance List					
PSL	PSL Canadian Priority Substances List					
TSCA	TSCA U.S. Toxic Substance Control Act					
EU	EU European Union (European Union Directive 67/548/EEC)					
WGK	WGK Wassergefährdungsklassen (German Water Hazard Class)					

### WORKPLACE HAZARDOUS MATERIALS IDENTIFICATION (WHMIS) SYSTEM:

0	<b>(*)</b>		<b>(2)</b>	$\Theta$	(%)		
Class A	Class B	Class C	Class D1	Class D2	Class D3	Class E	Class F
Compressed	Flammable	Oxidizing	Toxic	Irritation	Infectious	Corrosive	Reactive

#### CLP/GHS (1272/2008/EC) PICTOGRAMS:

	<b>③</b>		$\Diamond$			$\Diamond$		*
GHS01	GHS02	GHS03	GHS04	GHS05	GHS06	GHS07	GHS08	GHS09
Explosive	Flammable	Oxidizer	Pressurized	Corrosive	Toxic	Harmful Irritating	Health Hazard	Environment