



## MEASURING TOOLS







# OUR CORPORATE VISION

**Kapro brings the world Tools with Vision™, products that are market leaders in excellence, innovation, design, quality and value. Kapro is a source of growth, pride and well-being for all its partners: customers, staff, suppliers, shareholders and the surrounding communities. Kapro diligently protects the environment for future generations and represents excellence and success throughout the world.**

## **TO OUR SHAREHOLDERS**

Kapro will always act to maximize our shareholder's long term return on capital through fair and ethical business practices, operating with transparency and accountability.

## **TO OUR STAFF**

The cornerstone of the relationship between Kapro and its staff is the identification with our shared company and mutual goals. Kapro will act to fulfill each staff members potential, encourage dedication, initiative responsibility and provide them with excellent work conditions and fair remuneration for diligent work.

Kapro maintains its family atmosphere, wherein all employees benefit from the company's success in a workplace environment that respects and protects the rights of all our employees, free of harassment or discrimination.

## **TO OUR CUSTOMERS**

Kapro will be the leading supplier of layout, marking and measuring tools giving our customers an advantage over their competitors by constantly listening to their requirements, providing excellent service, maintaining outstanding quality and creating added value in our products through innovation and design. We envision the relationship between Kapro and our customers as friendships expressed in the complete trust and openness between us.

## **TO OUR SUPPLIERS**

Kapro sees our suppliers as partners in the mission to meet our customer's needs and will always act fairly, cooperatively and in coordination with our suppliers with the aim of strengthening and enhancing the mutually beneficial relationship.

## **TO THE COMMUNITY**

Kapro is a leading force in improving the lives of the communities within which we operate and protecting the physical environment for the sake of future generations. Kapro initiates social and environmental projects that reflect our unflinching commitment.



# ABOUT US

**Kapro is a leading manufacturer and developer of innovative hand tools for the professional and DIY markets.**

**We make the industry's finest quality spirit levels, laser levels and layout, marking and measuring tools. Kapro has built a reputation as the industry's foremost innovator with over more than 100 patents worldwide, covering a comprehensive range of professional applications.**

## GLOBAL DISTRIBUTION NETWORK

Kapro is a major global player with headquarters in Kadarim, Israel and facilities in China and the USA, all wholly owned by Kapro Industries. Our partners' distribution network has created a leading market presence in over 70 countries throughout Europe, America, Asia, Australasia and Africa.

## INNOVATION & DESIGN

Kapro's R&D team has revolutionized layout & measuring tool design and given the market some of its most ground-breaking features:

The invention of the **Plumb Site® Dual-view™** changed level design forever: the only level feature in the market providing front-on view of the plumb vial, eliminating parallax error as well as neck and back strain due to vertical plumb jobs.

The introduction of the **Optivision™ Red** feature set a whole new standard in vial visibility by creating a strong color definition around the spirit levels' bubble; the clearest, most visible vial on the market today.

The Swivel **Plumb Site®** is the newest generation Plumb Site® vial technology released, allowing the reading of the plumb vial from any angle or height, changing the way Plumb vision is viewed.

In addition to these market-changing features, Kapro develops tools especially designed for different professions such as

the drywall and gradient levels, electrician and plumbing levels and many more. Kapro listens, making it the smartest choice in tools.

Kapros impressive line of powerful Prolaser® levels with multiple combination sets offer a staggering array of choices for customers.

## QUALITY

Kapro is dedicated to excellence in every aspect of development: production, distribution, sales and marketing.

Kapro is the only level manufacturer in the world to carry the prestigious VPA mark of quality and all our manufacturing facilities are certified compliant with ISO Standards 9001, 14001 and SA8000. All Kapro lasers and electronic products carry FDA and CE certification and comply with RoHS, WEEE and REACH regulations. The Kapro brand represents high quality tools with an innovative design edge.

## SERVICE & VALUE

The Kapro team has a culture of service; producing high quality marketing and advertising materials, maintaining a strong web presence and above all, consistently availing ourselves to our customers and responding to their needs.

The Kapro team offers outstanding customer service and high quality, innovative products with added value.

**KAPRO. TOOLS WITH VISION™**



# VPA CERTIFICATION

The VPA Prüf- und Zertifizierungs GmbH is the leading certification organization that tests, evaluates and can certify the quality and adherence of tools to German laboratory standards and regulations.

The VPA CERTIFIED seal attests to the safety and the quality of the products with comprehensive testing procedures and continuous supervision.

## **The VPA tests include:**

- Level accuracy according to VPA laboratory standard
- Chemical testing of PAHs for plastics and compliance with German standards
- Reliability and breakage testing to determine the level's strength
- Safety tests according to German standard parameters
- Full-scope inspections according to all the applicable standards and guidelines
- Regular supervision processes

## **The tests are based on the following principles**

- EC directives
- EN, ISO, IEC standards
- Legal regulations
- National technical standards
- Rules of technology and safety engineering
- Tested Safety (GS) mark

**At Kapro we have VPA certified products that testify to the high quality and standards with which we operate and manufacture levels you can rely on and we can be proud of.**

# CONTENTS



**Levels .....9**



**Lasers & Intelligent Tools .....41**



**Layout & Marking .....77**




**Merchandising & Promotions .....93**

**Success begins with vision.**

**At Kapro, we transform great ideas into superbly crafted tools.**




**Plumb Site® Dual-View™ Vial**  
Unique front view of the vertical vial




**Magnified Vial**  
Better readability



**2% Gradient lines up to 2%**  
More precise




**Precision**  
Solid acrylic vials are individually calibrated



**UV Resistant**  
Strong resistance to the fading effects of sunlight



**Magnetic**  
Powerful magnetic surface for accurate hands-free leveling



**Reversibility**  
Up to 0.5mm/m in all positions




**Angle Finder**  
Transfer angle measurements



**Lifetime Vial Warranty**  
Solid acrylic vials are guaranteed not to fog, leak or break



**Shockproof Vials**  
Superior longevity



**Shockproof End Caps**  
Protects the level's integrity and accuracy



**VPA**  
Vial accuracy certified by the German VPA laboratory

**KAPRO. TOOLS WITH VISION™**





GRADIENT

2% 1%

1% 2%

OPTIVISION

45 0 45








# OPTIVISION SERIES



**Optivision™ Red** creates the effect of strong color definition around the bubble in contrast to the white vial background and clear liquid.

## 905 CONDOR™ The Professional Box Level with OPTIVISION™ Red

6.6cm (2.6")



- 2 Solid acrylic shockproof vials, including:
  - 1 OPTIVISION™ Red tilted horizontal vial with gradient lines up to 2%
  - 1 Plumb Site® Dual-View™ with RedEffect™
- Accuracy: <0.5mm/m (0.0005 in/in)
- Finely milled surface (up to 120cm /48")
- Bridge at horizontal vial for increased body strength
- Continuous marking surface


- Wall-grip feature
- Ergo Grip™ rubber handle
- Oversized shock-absorbing rubber end caps

### Optional

- Magnetic model: 905M
- 12 piece display

Inch	24	32	36	40	48	60	72	80
Centimeter	60	80	90	100	120	150	180	200

## 930 SMARTCAST™ Professional Mason's Level with OPTIVISION™ Red



0.5mm/m (0.0005in/in.)

Patented

- 2 Solid acrylic shockproof vials, including:
  - 1 tilted OPTIVISION™ Red horizontal vial with gradient lines up to 2%
  - 1 Vertical with RedEffect™
- Accuracy: <0.5mm/m (0.0005 in/in)
- Finely milled surface
- Bridge at horizontal vial for increased body strength
- Heavy-duty cast aluminum body

- Hanging hole
- Shock-absorbing rubber strike caps & end caps

Inch	16	24	32
Centimeter	40	60	80
	510g	765g	950g

## 935 OPTIVISION™ RED ToolBox Level 25cm (10")



0.5mm/m (0.0005in/in.)

Patented

472g

- 3 unbreakable acrylic shockproof vials, including:
  - 1 tilted OPTIVISION™ Red horizontal vial with gradient lines up to 2%
  - 1 Vertical with RedEffect™
  - 1 Angle transfer with gradient markings
- Accuracy: <0.5mm/m (0.0005 in/in)
- Finely milled surface with V-groove
- Bridge at horizontal vial for increased body strength

- Heavy-duty cast aluminum tapered body
- Rare-Earth magnets
- Advanced impact rubber resistance end caps

**Optional**  
Fixed third vial at 45°



# 946 SMARTY™ Magnetic Cast Aluminum Level 10cm (4")



 173g










0.5mm/m (0.0005in/in.)

**Patented**

- Solid acrylic tilted OPTIVISION™ Red horizontal vial with gradient lines up to 2%
- Accuracy: <0.5mm/m (0.0005 in/in)
- Durable cast aluminum tapered body
- Large base with Rare-Earth magnets
- Shockproof rubber side grips
- Belt clip



OPTIVISION LEVELS						ACCURATE  0.5mm/m	
905 CONDOR™	✓	✓	✓	✓	✓	✓	✓
930 SMARTCAST™		✓	✓	✓	✓	✓	
935 OPTIVISION™ RED		✓	✓	✓	✓	✓	✓
946 SMARTY™		✓	✓	✓	✓	✓	✓


# BOX LEVELS




Kapro vials are individually machined from blocks of solid acrylic, epoxy locked into the level and are guaranteed for life against leakage or breakage.



The **Plumb Site® Dual-View™ Vial** allows you to read the plumb vial from a front-view position as well as the side-view. Eliminates parallax error, increases efficiency, saves time and helps avert neck and back strain.



## 990 ZEUS™ The High-End Professional



- 3 Solid acrylic shockproof, epoxy locked vials including:
  - 2 Plumb Site® Dual-View™ vials
  - 1 Magnified horizontal vial
- Accuracy: <0.5mm/m (0.0005 in/in)
- 2 finely milled surfaces (up to 120cm /48")
- Ergonomic "air-cushioned" handles
- Ergo Grip™ non-slip feature
- Bridge at horizontal vial for increased body strength


- Continuous marking surface
- End caps with "air-cushioned" shock absorbers



- Optional**
- Magnetic model: 990M
  - 12 piece display

Inch	24	32	36	40	48	60	72	80	96
Centimeter	60	80	90	100	120	150	180	200	250

# 995 VULCAN™ The Next Generation




- 3 Solid acrylic shockproof vials, including:
  - 1 Plumb Site® Dual-View™ vial
  - 1 Magnified horizontal vial
  - 1 Vertical vial
- Accuracy:  $<0.5 \text{ mm/m}$  (0.0005 in/in)
- 2 finely milled surfaces (up to 120cm /48")
- V-Groove for pipe measurements
- Reinforced profile
- Ergonomic handle
- Shock absorbing rubber end caps

- Optional**
- Magnetic model: 995M
  - 12 piece display

Inch	24	32	36	40	48	60	72	80
Centimeter	60	80	90	100	120	150	180	200

# 985 XL APOLLO™ Heavy-Duty Professional Box Level




- 3 Solid acrylic shockproof vials, including:
  - 1 Plumb Site® Dual-View™ vial
  - 1 Magnified horizontal vial
  - 1 Vertical vial
- Accuracy:  $<0.5 \text{ mm/m}$  (0.0005 in/in)
- 2 finely milled surfaces (up to 120cm /48")
- Ergo Grip™ non-slip handle
- Shock absorbing rubber end caps

- Optional**
- Magnetic model: 985M
  - 12 piece display

Inch	16	20	24	32	40	48	60	72	80	96
Centimeter	40	50	60	80	100	120	150	180	200	250

# 789P GENESIS™ Contractor Box Level



0.5mm/m (0.0005in/in.)




- 2 to 3 Solid acrylic epoxy locked vials, including:
  - 1 Plumb Site® Dual-View™ vial
  - 1 horizontal vial with gradient lines up to 2%
- Accuracy: <0.5mm/m (0.0005 in/in)
- Milled surface (up to 120cm /48")
- Shock absorbing rubber end caps

### Optional


- Magnetic Plumb Site® model: 789PM
- Without Plumb Site® model: 789, 789M
- Lightweight model: 789L
- 12 & 24 piece display

Inch	12	16	20	24	32	40	48	60	72	80	96
Centimeter	30	40	50	60	80	100	120	150	180	200	250

# 770 EXODUS™ The Ruler in Levels



0.5mm/m (0.0005in/in.)




- 3 Solid acrylic shockproof vials, including:
  - 1 horizontal vial with gradient lines up to 2%
  - 1 Vertical vial
  - 1 45° vial
- Accuracy: <0.5mm/m (0.0005 in/in)
- Finely milled surface (up to 120cm /48")
- Wall grip feature
- Shock absorbing rubber end caps

### Optional


- 12 piece cardboard display

Inch	24	32	40	48	60	72
Centimeter	60	80	100	120	150	180

# 787 HELIUS™



0.5mm/m (0.0005in/in.)




- 2 solid acrylic shockproof vials – vertical & horizontal
- Finely milled surface (up to 120cm /48")
- Accuracy: <0.5mm/m (0.0005 in/in)
- Shock absorbing rubber end caps

### Optional

- Magnetic model: 787M

Inch	16	24	32	40	48
Centimeter	40	60	80	100	120

# 987XL SATURN™



0.5mm/m (0.0005in/in.)



- 3 Solid acrylic shockproof vials, including:
  - 1 Horizontal magnified vial
  - 2 Vertical vials
- Accuracy: <0.5mm/m (0.0005 in/in)
- Finely milled surface (up to 120cm /48")
- Rubber handle (2 handles from 80cm/32")
- Shock absorbing rubber end caps

### Optional:

- Magnetic model: 987M

Inch	16	24	32	40	48
Centimeter	40	60	80	100	120



# 977 NEPTUNE™

2.6cm (1")

5.6cm (2.2")

LIFETIME WARRANTY VIAL

1.4 mm

650g/m

0.5mm/m (0.0005in/in.)

- 3 Solid acrylic shockproof vials, including:
  - 1 horizontal vial with gradient lines up to 2%
  - 2 horizontal vials
- Accuracy: <math><0.5\text{mm/m}</math> (0.0005 in/in)
- Finely milled surface (up to 120cm /48")
- Shock absorbing rubber end caps

- Optional**
- Magnetic model: 977M

Inch	16	24	32	40	48
Centimeter	40	60	80	100	120

# 779 SPIRIT™

2cm (0.8")

5cm (2")

LIFETIME WARRANTY VIAL

1.3 mm

571g/m


0.5mm/m (0.0005in/in.)

- 2-3 Solid shockproof acrylic vials
- Accuracy: <math><0.5\text{mm/m}</math> (0.0005 in/in)
- Milled surface (up to 120cm /48")
- Wall-grip feature
- Shock absorbing rubber end caps

- Optional**
- Magnetic model: 779M
  - 30 piece dispenser display (20cm/8")

Inch	8	12	16	20	24	32	40	48	60	72	80
Centimeter	20	30	40	50	60	80	100	120	150	180	200

# 752 MERCURY™



0.5mm/m (0.0005in/in.)













- 2 Solid acrylic shockproof vials, including: horizontal and Vertical
- Accuracy: <math><0.5\text{mm/m}</math> (0.0005 in/in)
- Hanging hole

### Optional

- Magnetic model: 752M

Inch	8	12	16	20	24	32	40	48	60	72	80
Centimeter	20	30	40	50	60	80	100	120	150	180	200



BOX LEVELS	 Kg							ACCURATE  0.5mm/m		
990 ZEUS™	1.10kg/m	2.1mm	✓	✓	✓		✓	✓	✓	✓
995 VULCAN™	890kg/m	2mm	✓	✓	✓		✓	✓	✓	✓
985XL APOLLO™	870kg/m	1.8mm	✓	✓	✓		✓	✓	✓	✓
905 CONDOR™	946kg/m	1.6mm	✓	✓	✓	✓	✓	✓	✓	✓
789P GENESIS™	605kg/m	1.6mm	✓	✓	✓	✓	✓	✓		✓
770 EXODUS™	724kg/m	1.4mm		✓	✓	✓	✓	✓		✓
787 HELIUS™	516kg/m	1.4mm		✓	✓		✓	✓		✓
987XL SATURN™	736kg/m	1.4mm		✓	✓		✓	✓	✓	✓
977 NEPTUNE™	650kg/m	1.4mm		✓	✓	✓	✓	✓		✓
779 SPIRIT™	571kg/m	1.3mm		✓	✓		✓	✓		✓
752 MERCURY™	437kg/m	1.2mm		✓	✓			✓		✓




# CAST LEVELS



The Swivel Plumb Site® gives you a full 180° horizontal & 140° vertical range of view around the vertical plumb vial

## 950 SWIVEL PLUMB SITE® 45 cm (18")

Saving you time with a 5X wider view of the Plumb site and the top-down view from any position



Patented

1.2kg

0.5mm/m (0.0005in/in.)

- 3 Solid acrylic epoxy locked vials, including:
  - 1 Plumb Site® Dual-View™ vial
  - 1 Horizontal
  - 1 Vertical
- Accuracy: <0.5mm/m (0.0005 in/in)
- Milled surface

- Ultra-durable high pressure cast aluminum profile
- Oversized Shock-proof rubber end caps with anti-slip feature

### Optional

- Magnetic model: 950M

# 730 TOPCAST™ The Toughest Cast Level at the Very Best Price




0.5mm/m (0.0005in/in.)

- 2 Solid acrylic vials, including:
  - 1 horizontal
  - 1 vertical
- Accuracy: <0.5mm/m (0.0005 in/in)
- Milled surface
- 2 Heavy-duty cast aluminum “anvil” strike pads
- Drill bit diameter gauge

Inch	24	32
Centimeter	60	80
	750g	890g

# 820 SUPERCAS™



0.5mm/m (0.0005in/in.)

- 3 Solid acrylic vials, including:
  - 1 adjustable horizontal with gradient lines up to 2%
  - 2 vertical
- Accuracy: <0.5mm/m (0.0005 in/in)
- 2 Milled surfaces
- Heavy-duty cast aluminum body

Inch	24	32
Centimeter	60	80
	790g	990g

# 920 SHARK®




0.5mm/m (0.0005in/in.)

Patented

- 2 Solid acrylic vials, including:
  - 1 Plumb Site® Dual-View™ vial
  - 1 epoxy locked horizontal vial with gradient lines up to 2%
- Accuracy: <0.5mm/m (0.0005 in/in)
- Milled surface
- Heavy-duty cast aluminum tapered (trapezoid) body
- Shock absorbing rubber “anvils”
- **Optional**
  - Magnetic model: 920M

Inch	16	20	24	32	40
Centimeter	40	50	60	80	100
	320g	390g	470g	630g	770g

**CAST LEVELS**



**950 SWIVEL PLUMB SITE®**



**930 SMARTCAST™**



**920 SHARK®**



**730 TOPCAST™**



**820 SUPERCAS™**






# I-BEAM LEVELS




No need for complicated contraptions or calculations, the rotating Angle Finder feature is the solution for reporting angles quickly and accurately.

## 170 SAMSON™ Contractor I-Beam Level



2.5 mm



1mm/m (0.001in/in.)

**Patented**



842g/m

- 3 cylindrical vials, including:
  - 1 Plumb Site® Dual-View™
  - 1 Horizontal
  - 1 Vertical
- Accuracy: <1mm/m (0.001 in/in)
- 2 Milled surface (up to 120cm /48")


- Heavy-duty aluminum frame
- Ergonomic rubber handle
- Shock absorbing rubber end caps

**Optional**

- Magnetic model: 170M

Inch	16	24	32	36	40	48	72	80
Centimeter	40	60	80	90	100	120	180	200

## 150 I-BEAM LEVEL Quality I-Beam Level



Patented


- 3 cylindrical vials, including:
  - 1 Plumb Site® Dual-View™ vial
  - 1 Horizontal
  - 1 Vertical vial
- V-groove for easy pipe leveling
- Sturdy aluminum frame

### Optional

- Magnetic model: 159
- Angle finder vial: 150-86

Inch	16	20	24	32	40	48	60	72	80
Centimeter	40	50	60	80	100	120	150	180	200

## 130 I-BEAM LEVEL Value I-Beam Level



- 2- 3 cylindrical vials, including: Vertical, horizontal and 45°
- V-groove base for pipe/conduit
- Comfortable hand grip
- ABS end caps


Inch	12	16	20	24	32	40	48
Centimeter	30	40	50	60	80	100	120

# TOOLBOX LEVELS



Kapro offers a diverse range of toolbox levels with many added features, all in a level you can trust.

## 923 TOOLBOX CAST TORPEDO 25cm (10")





0.5mm/m (0.0005in/in.)

- 3 Solid acrylic vials, including:
  - Plumb Site® Dual-View™ vial
  - Epoxy locked horizontal vial
  - 45° Angle vial
- Accuracy: <0.5mm/m (0.0005 in/in)
- Milled surface with Rare-earth magnets
- Heavy-duty cast aluminum body
- V-groove for pipes/conduit

## 724 CAST TOOLBOX LEVEL 25cm (10")

4.4cm (1.7")



0.5mm/m (0.0005in/in.)



220g

- 2 Solid acrylic shockproof vials: horizontal & vertical
- Accuracy: <math><0.5\text{mm/m}</math> (0.0005 in/in)
- Milled surface
- Cast aluminum body

### Optional:

- Magnetic model: 724M
- 12 piece display (p. 95)

## 926 PIPEMASTER Magnetic torpedo level 16cm (6.5")

3.5cm (1.37")




140g

- 4 Epoxy locked cylindrical vials , including:
  - Horizontal, Vertical, 45°, 30°
- Thumb screw
- Unique 30° and 45° bevel offset edge
- Precision machined solid anodized aluminum billet

- V-groove for pipe and conduit alignment
- CNC Milled surface
- Rare-earth magnets
- Hanging strap

## 925 TOPCLASS Magnetic torpedo level 25cm (10")

3.5cm (1.37")



202g

- 4 cylindrical vials , including:
  - Horizontal, Vertical Plumb Site® Dual-View™ vial
  - 45° & 30°
- Ruler
- Electrical plug markers (71mm)

- Unique 45° bevel offset edge
- V-groove for pipe and conduit alignment
- CNC Milled surface
- Rare-earth magnets
- Hanging strap



## 929 TOOLBOX LEVEL 25cm (10")



5.5cm (2.2")



Patented

 140g

- 3 cylindrical vials, including: Horizontal, vertical and 45°
- Leveling ledge for tiles/sills
- Magnetic V-groove for pipe/conduit
- Sturdy aluminum frame and base

**Optional:**

- 12 piece display (p.94)

## 227 TORPEDO STAR PLUS 23cm (9")



3.7cm (1.45")



 100g

- 3 cylindrical vials, including: Horizontal, vertical and 45°
- V-groove for pipes/conduit
- Magnetic base

- Rubber end caps

**Optional:** 20 piece display (p.94)

## 229 TORPEDO LEVEL 23cm (9")



3.7cm (1.45")









 90g

- 3 Cylindrical vials, including: Horizontal, vertical and 45°
- V-groove for pipe/conduit
- Magnetic base

**Optional:**

- 20 piece display (p.94)



TOOLBOX LEVELS	LENGHT cm (inch)						ACCURATE	
							0.5mm/m	
<b>935 OPTIVISION™</b>	25 (10")	472g		✓	✓	✓	✓	✓
<b>923 CAST TOOLBOX</b>	25 (10")	269g	✓	✓	✓		✓	✓
<b>724 VALUE CAST</b>	25 (10")	220g		✓	✓		✓	✓
<b>926 PIPEMASTER</b>	16 (6.5")	140g		✓				✓
<b>925 TOPCLASS</b>	25 (10")	202g	✓	✓				✓
<b>929 TOOLBOX</b>	25 (10")	140g	✓					✓
<b>227 TOOLBOX</b>	23 (9")	100g				✓		✓
<b>229 TOOLBOX</b>	23 (9")	90g						✓





# POCKET LEVELS



Visually superior, the Optivision™ Red bubble is highly visible in both bright and low light. See Smarty p. 10

Pocket levels, everything you've come to expect from Kapro: accurate, presice with practical features

## 846 CYCLOPS™ The Magnetic Pocket Cast Level 8cm (3.1")



0.5mm/m (0.0005in/in.)

- 1 Solid acrylic Plumb Site® Dual-View™ vial
- Accuracy: <0.5mm/m (0.0005 in/in)
- 2 finely milled surfaces

- Durable cast aluminum body
- Rare-earth magnets
- 10 piece display (p.95)

## 246 HANDY LEVEL 10cm (4")



0.5mm/m (0.0005in/in.)

- 1 Solid shockproof acrylic vial
- Accuracy: <math><0.5\text{mm/m}</math> (0.0005 in/in)
- Lightweight aluminum box profile
- Shockproof end caps

### Optional:

- Magnetic model: 246M
- 10 Piece display (p.95)

## 245 MINI LEVEL 10cm (4")



- 2 cylindrical vials , including:
  - Horizontal
  - Angle finder with patented Top-scroll adjuster

- Strong molded plastic casing
- Hanger hole

POCKET LEVELS	Kg	PLUMB SITE®			ACCURATE 	
946 SMARTY™	173g		✓	✓	✓	✓
846 CYCLOPS™	120g	✓	✓	✓	✓	✓
246 HANDY	80g		✓	✓	✓	✓
245 MINI LEVEL	45g					




**SPECIALTIES**



Kapro blended time-honored knowledge with advanced technology and brought about digital levels which offer maximum accuracy.

**985D DIGIMAN® Professional Magnetic Digital Level**



**Patented**



- 2 Solid acrylic vials, including:
  - 1 Plumb Site® Dual-View™ vial
  - 1 horizontal vial
- Digital accuracy: <math><0.1^\circ</math> at level & plumb, <math><0.2^\circ</math> at other angles
- 45° Tilted LCD display with backlight
- 180° Readout – Readable, when level is inverted
- HOLD function for transferring measurements
- MODE function (Degree/percentage/pitch)
- Memory recall - 9 measurements
- Buzzer at 0°, 45° and 90°


- Recalibration function & "False Zero"
- Large silicon buttons, easy to use while wearing gloves
- 2 Finely milled surfaces with Rare-Earth magnets
- Ergo Grip™ handles and shockproof end caps

- Optional**
- Waterproof bag
  - Laser pointer

Inch	10	24	48
Centimeter	25	60	120

# 773 DRYWALL LEVEL 90cm (36")

Magnetic stud layout level



0.5mm/m (0.0005in/in.)




- 2 Solid acrylic shockproof vials including:
  - 1 Plumb Site® Dual-View™ vial
  - 1 Horizontal vial with gradient lines 2%
- Accuracy: <0.5mm/m (0.0005 in/in)
- Milled surface
- Magnetic stud slots and markers at 40cm and 60cm
- Rare-earth magnets
- Tough aluminum box level profile

- Optional:**
- Model 773: Standard stud layout 400mm/600mm/40mm
  - Model 773B: Standard stud layout 400mm/600mm/50mm
  - Model 773G: Standard stud layout 417mm/625mm/50mm

# 783 ELECTRICIAN'S LEVEL

Perfectly positioned power sockets




0.5mm/m (0.0005in/in.)



- 2 Solid acrylic shockproof vials, including:
    - Vertical and Horizontal vials
  - Accuracy: <0.5mm/m (0.0005 in/in)
  - 3-4 Markers at 71mm intervals
  - 1 marker at 91mm (on 120cm /130cm model)
- 3 Height markers: 30cm, 105cm and 115cm
  - Tough aluminum box level profile


Centimeter	43	47
	120	130

# 108 INSTALLATION LEVEL 70cm



- 2 epoxy locked solid acrylic vials:
    - 1 vertical vial with Plumb Site Dual View
    - 1 horizontal vial with gradient lines up to 2%
  - 5 markers designed into the level's profile at standard sink installation points:
    - 280mm for sink attachment to wall
    - 150mm for faucet placement
    - 75mm for water pipes below the sink
  - Accuracy 0.5mm/m (0.0005in/in.)
  - Shock absorbing rubber end caps
  - Wall grip feature keeps the level in place on a vertical surfaces
  - Reinforced aluminum box profile
- Optional**
- Magnetic model: 108M

# 105 TOPGRADE™ Gradient Level up to 2%







- 3-6 Solid acrylic vials (depending on level length) including:
    - 3-5 Horizontal
    - 1 Vertical
  - Accuracy: <0.5mm/m (0.0005 in/in) on all vials
  - Accurate slope measurements up to 2%
  - Milled surface
- Optional**
- Magnetic model: 105M

Inch	24	40	48
Centimeter	60	100	120
	3+1 vials	5+1 vials	5+1 vials




# 992 DIGITAL BEVEL 25cm (10")

Precise Angle Mesurer and Level



- 1 Horizontal vial
- Digital accuracy: <math><0.1^\circ</math>
- Clear digital display
- 180° Readout – Readable, when level is inverted
- Adjustable blade locks at any angle
- Easy recalibration
- Reference angle “False Zero”
- Anodized aluminum profile

# 103 INCLINOMETER Gradient Level



0.5mm/m (0.0005in/in.)



- 1 Horizontal solid acrylic vial
- Accuracy: <math><0.5\text{mm/m}</math> (0.0005 in/in)
- Scale in degrees and percentages


Inch	8	12	16	20	24	32	40	48
Centimeter	20	30	40	50	60	80	100	120

## Optional


- Magnetic model: 103M

# 104 DRAINAGE LEVEL 100cm (40")

Gradient Level up to 10%



0.5mm/m (0.0005in/in.)



- 1 Horizontal solid acrylic vial
- Accuracy: <0.5mm/m (0.0005 in/in)
- Sets measuring slopes up to 10%
- Exact length for easy use

SPECIALTIES LEVELS	PLUMB SITE	UV	SCRATCH RESISTANT	ACCURATE	0.5mm/m	ELECTRICIAN'S
985D DIGIMAN	✓	✓	✓	✓	✓	✓
773 DRYWALL LEVEL	✓	✓	✓	✓	✓	✓
783 ELECTRICIAN'S LEVEL		✓	✓	✓	✓	
992 DIGITAL BEVEL			✓	✓	✓	
103 INCLINOMETER		✓	✓	✓	✓	✓
108 BOX LEVEL	✓	✓	✓	✓	✓	✓
105 TOPGRADE™		✓	✓	✓	✓	✓
104 DRAINAGE LEVEL		✓	✓	✓	✓	



# POST & PIPE LEVELS



Spring loaded for easy click-on attachment, Kapro pipe levels allow you to easily secure it onto standard sized metal and plastic pipes.

The Postrite® level offers flexible angles with the patented click-and-lock every 15° feature.

## 350 PIPE LEVEL 5 PIECE SET



Nominal Sizes	IPS Steel	CTS Copper	PP Plastic
	Stainless Steel PVC Plastic Inches/mm	Inches/mm	Inches/mm
1/2"	1/2 15	3/4 20	25
3/4"	3/4 20	1 25	32
1"	1 25	1 1/4-1 1/2 32-40	40
1 1/4" -1 1/2"	1 1/4-1 1/2 32-40	—	50
2"	2 50	—	63

- 2 cylindrical vials , including: Horizontal and Vertical
- Sizes for standard metal and plastic pipes (see table)

**Optional:**



- Available in clip strip

Weight: 166g

## 340 POSTRITE® Folding Post Level



 220g



Patented

- 3 cylindrical vials , including:
  - 2 Horizontal
  - 1 Vertical
- Folds closed & opens flat
- Click-lock every 15°
- Adjustable elastic strap for non-magnetic surfaces
- 4 powerful magnets for metal surfaces
- Suitable for all posts, pipes and signs

### Optional:

- 6 Piece display (p.94)

## 341 MINI POST LEVEL The Handy Post Level



 52g



- 3 cylindrical vials , including:
  - 2 Horizontal
  - 1 Vertical
- Pre-cast holes for easy mounting with nails
- Adjustable elastic strap for non-magnetic surfaces
- 4 powerful magnets for metal surfaces
- Suitable for all posts, pipes and signs

### Optional:

- 6 Piece display (p.94)

## LINE & SURFACE LEVELS

### 440 LINE LEVELS



- Especially lightweight for line sag prevention
- V-groove for pipe work
- Handy pocket clip

#### Optional

- 440 Available as a set with 20m (65') cord

### 441 LINE LEVELS



- Especially lightweight for line sag prevention
- Aluminum base

### 240 BULL'S EYE LEVEL



- Multipurpose level
- Pre-cast holes for easy attachment
- Sensitivity: 30arc/min

### 242 MAGNETIC CROSS LEVEL



- Multipurpose level
- Pre-cast holes for easy attachment
- 2 Cylindrical vials:vertical and horizontal


# SCREEDS

## Standard ruler lengths


Inch	40	60	70	80	96	10'	11.5'	13'
Centimeter	100	150	180	200	250	300	350	400



## Model 152 RECTANGULAR




## Model 153 WITH HANDLES & VIALS




153-31: 2 Solid acrylic vials : horizontal and vertical

- 153-32:
- 2 vials horizontal and vertical
  - 2 Easy to hold handles

## Model 154 TRAPEZOIDAL



## Model 155 SCREED










**LASERS**

**The Smart Choice for Professional Contractors**

# 862 PROLASER® CROSS LINE LASER

Indoor red cross-line laser





**INDOOR  
AND TILT  
MODE**

- Vertical, horizontal and cross beams
- Indoor laser range: 20m (65')
- Accuracy: 0.2mm/m (0.0002"/')
- Self-leveling range  $\pm 3^\circ$
- Manual mode for angular layout/ tilted marking
- Visual "Out of level" warning
- Tripod ready: 1/4" thread
- V-grooved
- Rare earth magnets
- "Velcro" strip slant
- Hanging hole

**Includes**

- Soft carry case

**Applications**

- Tiling
- Laying cabinets
- Hanging curtains
- Many types of decorative work

**Option:**

Laser with tripod 1.3m (862S)




**862 SET (862S)**  
Laser with tripod  
1.3m (4.2')




# 862G PROLASER® CROSS LINE LASER

Indoor green cross-line laser



Tripod thread 1/4"





**INDOOR  
AND TILT  
MODE**

- Vertical, horizontal and cross beams
- Indoor laser range: 20m (65')
- Accuracy: 0.4mm/m (0.0004"/")
- Self-leveling range  $\pm 3^\circ$
- Manual mode for angular layout/ tilted marking
- Visual "Out of level" warning
- Tripod ready: 1/4" thread
- V-grooved
- Rare earth magnets
- "Velcro" strip slant
- Hanging hole

**Includes**

- Soft carry case

**Applications**

- Tiling
- Laying cabinets
- Hanging curtains
- Many types of decorative work

**Option:**


- Laser with 1.3m tripod (862GS)



**862G SET  
(862GS)**  
Laser with tripod  
1.3m (4.2')

# 872 PROLASER® PLUS

Free standing red cross-beam laser



Manual mode

Beam selector

Pulse/ outdoor mode

Keypad


Shock resistant rubber casing

Laser projector window  
Horizontal & Vertical

On/Off switch



Tripod thread  
1/4"




Strong folding legs for angle mounting and height adjustment

Anti-slip grips



**894-04**  
**Laser Detector**  
For outdoor work (sold separately)



**INDOOR  
OUTDOOR  
AND TILT  
MODE**

- Intersecting horizontal and vertical beams at 90°
- Laser range:
  - Indoor: 30m (100')
  - Outdoor with detector: 50m (165')
- Accuracy: 0.2mm/m (0.0002"/")
- Self-leveling range  $\pm 3^\circ$
- Manual mode for angular layout/ tilted marking
- Visual and audible "Out of level" warning
- Strong folding legs for angle mounting
- Shock resistant rubber casing
- Tripod ready: 1/4" thread

**Includes**

- Pouch and tripod adaptor for 5/8" thread (841)

**Applications**

- Aligning tiles, cabinets, borders, moldings and trims
- Deck installation and exterior layout
- Door and window installation
- All types of DIY jobs, including hanging shelves, pictures and more

**Options**

- Laser with 1.3m tripod (872S)
- Laser with wall mount (872L)



**872L**  
Laser with wall mount




**841**  
5/8" thread

**872 SET (872S)**  
Laser with Tripod 1.3m



# 872G PROLASER® PLUS GREEN

Free standing green cross-laser



Manual Mode

Beam Selector

Pulse/ Outdoor Mode

Keypad


Shock resistant rubber casing

Laser projector window  
Horizontal & Vertical

On/Off switch



Tripod thread  
1/4"




Strong folding legs for angle mounting and height adjustment

Anti-slip grips



**894-04G**  
**Laser Detector**  
For outdoor work (sold separately)



**INDOOR  
OUTDOOR  
AND TILT  
MODE**

- Intersecting horizontal and vertical beams at 90°
- Laser range:
  - Indoor: 30m (100')
  - Outdoor with detector: 60m (200')
- Accuracy: 0.2mm/m (0.0002"/')
- Self-leveling range ±3°
- Manual mode for angular layout/ tilted marking
- Visual and audible "Out of level" warning
- Strong folding legs for angle mounting
- Shock resistant rubber casing
- Tripod ready: 1/4" thread

**Includes**

- Pouch and tripod adaptor for 5/8" thread (841)

**Applications**

- Aligning tiles, cabinets, borders, moldings and trims
- Door and window installation
- All types of DIY jobs, including hanging shelves, pictures and more

**Options**

- Laser with 1.3m tripod (872GS)
- Laser with wall mount (872GL)




**841**  
5/8" thread

**872G SET (872GS)**  
Laser with Tripod 1.3m

# 873 PROLASER® VECTOR

The red genie with the 3 Cross-laser lines





**INDOOR  
OUTDOOR  
AND TILT  
MODE**

- 3 Laser beams, including:
  - 1 Horizontal
  - 2 Vertical (with a 90° intersection)
- Laser range:
  - Indoor: 30m (100')
  - Outdoor with detector: 50m (165')
- Accuracy: 0.2mm/m (0.0002"/")
- Self-leveling range  $\pm 3^\circ$
- Manual mode for angular layout/ tilted marking
- Visual and audible "Out of level" warning
- Strong folding legs for angle mounting
- Shock resistant rubber casing
- Tripod ready: 1/4" thread

**Applications**

- Aligning tiles, cabinets, borders, moldings and trims
- Door and window installation
- All types of DIY jobs, including hanging shelves, pictures and more

**Options**

- Laser with 3.2m (10.5') pole tripod (873S)
- Laser with wall mount (873L)



**873 SET (873S)**  
Laser with pole tripod  
up to 3.2m (10.5')




# 873G PROLASER® GREEN VECTOR

The green genie in your toolbox, the superior advantage



**894-04G**  
**Laser Detector**  
For outdoor work (sold separately)



**INDOOR  
OUTDOOR  
AND TILT  
MODE**

- 3 Laser beams, including:
  - 1 Horizontal
  - 2 Vertical (with a 90° intersection)
- Laser range:
  - Indoor: 30m (100')
  - Outdoor with detector: 60m (200')
- Accuracy: 0.2mm/m (0.0002"/")
- Self-leveling range  $\pm 3^\circ$
- Manual mode for angular layout/ tilted marking
- Visual and audible "Out of level" warning
- Strong folding legs for angle mounting
- Shock resistant rubber casing
- Tripod ready: 1/4" thread

**Applications**

- Aligning tiles, cabinets, borders, moldings and trims
- Door and window installation
- All types of DIY jobs, including hanging shelves, pictures and more

**Options**

- Laser with 3.2m (10.5') pole tripod (873GS)
- Laser with wall mount (873GL)




**873G SET (873S)**

Laser with pole tripod up to 3.2m (10.5')


# 870 VHX PROLASER® VIP

The indoor/outdoor shielded cross line laser



**IP65**





**INDOOR  
OUTDOOR  
AND TILT  
MODE**

- Horizontal and vertical cross lines at 90°
- Indoor laser range 30m (100')
- Outdoor laser range 50m (165') with detector
- Accuracy: ±0.2mm/m (0.0002"/')
- Self-leveling range: ± 3°
- Manual mode
- Audio & visible "Out of level" warning
- Pulse mode
- Water and dust proof (IP65)
- Protective Rubber over molded casing
- Tripod-ready: 1/4" thread

**Includes**

- Laser target, universal wall mount (886-23), tripod adaptor for 5/8" thread (841) batteries and a soft carry bag

**Applications**

- Tiling
- Deck installation and exterior layout
- Door and window installation

**Optional**

- Lightweight tripod (886-28)
- Red Laser detector (894-04)






# 870G VHX PROLASER® VIP

The indoor/outdoor shielded cross line laser



**894-04G**  
**Laser Detector**  
For outdoor work (sold separately)



**INDOOR  
OUTDOOR  
AND TILT  
MODE**

**Features:**

- Horizontal and vertical cross lines at 90°
- Indoor laser range 30m (100')
- Outdoor laser range 60m (200') with detector
- Accuracy: ±0.2mm/m (0.0002"/")
- Self-leveling range: ±3°
- Manual mode
- Audio & visible "Out of level" warning
- Pulse mode
- Water and dust proof (IP65)
- Protective rubber over molded casing
- Tripod-ready: 1/4" thread

**Includes:**

- Laser target, universal wall mount (886-23), tripod adaptor for 5/8" thread (841) batteries and a soft carry bag

**Applications**


- Tiling
- Deck installation and exterior layout
- Door and window installation

**Optional:**

- Lightweight tripod (886-28)
- Green Laser detector (894-04G)



# 875 PROLASER® ALL-LINES



1. Horizontal line button
2. Vertical lines button
3. Manual mode button
4. Pulse/ Outdoor Mode

Keypad

Surface level

Vertical laser output window x4

Horizontal laser output window


Graduated scale

Adjustable support legs



Micro USB port


Fine adjustment knob



Tripod thread 5/8"



**894-04**  
**Laser Detector**  
For outdoor work (sold separately)



**INDOOR  
OUTDOOR  
AND TILT  
MODE**

- 6 Laser beams, including:
  - 1 Horizontal
  - 4 Vertical (with a 90° intersection on the ceiling)
  - 1 Plumb dot
- Laser range:
  - Indoor: 30m (100')
  - Outdoor with detector: 50m (165')
- Accuracy: 0.2mm/m (0.0002"/")
- Self-leveling range  $\pm 2.5^\circ$
- Manual mode for tilted marking
- Visual and audible "Out of level" warning
- Rechargeable Lithium battery
- USB connector for battery charging
- Fine adjustment knob
- Tripod ready: 5/8" thread

**Includes**

- Beamfinder™ glasses, laser target, rechargeable lithium battery and soft carry case

**Applications**

- Setting floor and wall tiles
- Drywall, deck & acoustic ceiling installation
- Framing and aligning windows and doors

**Option**

- With tripod & hard carry case (875S)



**875 SET (875S)**



# 883N PROLASER® 3D ALL-LINES

360° beams in every direction - Indoor & Outdoor Use



Tripod thread 1/4"




Multi-functional magnetic mount, laser target , hard carry case



894-04 Detector  
For outdoor work (sold separately)





## INDOOR OUTDOOR AND TILT MODE

- Three 360° Laser beams, including:
  - Horizontal
  - Side vertical
  - Forward vertical
- Laser range:
  - Indoor: 20m (65')
  - Outdoor with detector: 60m (200')
- Accuracy: 0.2mm/m (0.0002"/")
- Automatic self-leveling up to  $\pm 3^\circ$
- Manual mode for tilted marking
- Tripod ready: 1/4" & 5/8" thread

### Includes

- Multi-functional magnetic mount, laser target and hard carry case.

### Applications

- Accurately laying out right angles for flooring, drywall installation and deck construction
- Leveling slopes (manual mode)
- Acoustic ceiling installations
- Framing and aligning windows and doors



# 883G PROLASER® 3D ALL-LINES - GREEN


360° beams in every direction - Indoor & Outdoor Use



Hard carry case, multi-functional magnetic mount, laser target green Beamfinder™ glasses, battery charger and lithium-ion battery



894-04G Detector  
For outdoor work (sold separately)



**INDOOR  
OUTDOOR  
AND TILT  
MODE**

- Three 360° Laser beams, including:
  - Horizontal
  - Side vertical
  - Forward vertical
- Laser range:
  - Indoor: 20m (65')
  - Outdoor with detector: 70m (230')
- Accuracy: 0.2mm/m (0.0002"/")
- Automatic self-leveling up to ±3°
- Manual mode for tilted marking
- Tripod ready: 1/4" & 5/8" thread

**Includes**

- Lithium-ion battery, battery charger, green Beamfinder™ glasses, laser target, multi-functional magnetic mount and hard carry case.

**Applications**

- Accurately laying out right angles for flooring, drywall installation and deck construction
- Leveling slopes (manual mode)
- Acoustic ceiling installations
- Framing and aligning windows and doors



Lithium battery



# 899 PROLASER® SELF-LEVELING ROTA-LINE


Protective shock absorbing cover

Rotating head

Laser window

Control panel

Carring handle




Tripod thread 5/8"



## Control panel

1. Power indicator
2. Low battery indicator
3. Manual mode indicator
4. Power button
5. Rotation speed control
6. Scanning mode control
7. Manual/Automatic mode
8. Increase X axis slope control (manual mode only)
9. Reduce X axis slope control button (manual mode only)
10. Increase Y axis slope control (manual mode only)
11. Reduce Y axis slope control (manual mode only)
12. Clockwise direction control (scan mode only)
13. Anticlockwise direction control (scan mode only)
14. Remote control sensor







**INDOOR  
OUTDOOR  
AND TILT  
MODE**

- Horizontal or vertical 360° rotating beam
- Plumb Down and Plumb Up points
- Five variable speeds (0,60, 120, 300 & 600 rpm)
- Six scan modes create visible laser line
- Laser range:
  - Indoor: 50m (165')
  - Outdoor with detector: 250m (800')
- Accuracy: 0.1 mm/m (0.0001"/")
- Electronic self-leveling range of  $\pm 5^\circ$
- Manual leveling for marking slopes of up to  $\pm 5^\circ$  in both X and Y planes
- "Out of range" indicator
- Tripod ready: 5/8" thread

**Includes**

- Remote control, laser detector, BeamFinder™ glasses, rechargeable batteries and battery charger- AC/DC converter and Shockproof case

**Applications**

- Laying foundations
- Wall, fence and deck construction
- Laying water and sewage lines
- Drywall, partitions and acoustic ceilings installations



For laser detector


For remote control





# 896 PROLASER® 5-DOT

Self-leveling laser pointer



**I N D O O R  
O U T D O O R  
A N D T I L T  
M O D E**



Tripod thread 1/4"

- 5 highly visible laser dots:
  - Plumb up & down
  - 3 level dots at 90° angles
- Small cross projected at each laser dot
- Laser range with target: 30m (100')
- Accuracy:
  - Level: 0.4 mm/m (0.0004"/")
  - Plumb up: 0.5 mm/m (0.0005"/")
  - Plumb down: 0.75mm/m (0.00075"/")
- Self-leveling range  $\pm 4^\circ$
- Visual "Out of level" warning
- Tough rubber overlay
- Tripod ready: 1/4" thread

### Includes

- Magnetic multi-functional base, laser target and soft carry case

### Applications


- Wall stud layout and partition installation
- Electrical outlet and switch layout
- Framing rooms
- Finishing carpentry



**Magnetic multi-functional base, laser target, soft carry case**

# 891 PROLASER® LASER SQUARE

The tiling master



**INDOOR**




- Projects 2 highly visible beams at 90° across the floor/wall
- Laser range with target: 30m (100')
- Accuracy: 0.5mm/m (0.0005"/')
- ABS unit with aluminum base for improved flatness




# 377 KAPROMETER K7

With beamfinder™ flip cover



**INCLINOMETER**  
**Bluetooth**




**RANGE**  
**UP TO 100m**




**a x b x c**  $m^3/f^3$



**a, b → H**  $m/f$




Double  
Pythagoras



12cm (4.7") x 5.5cm (2.1")  
3cm (1.18")


- Accuracy:  $\pm 1.5\text{mm}$
- BeamFinder™ flip cover helps you to clearly locate the laser dot on the intended target surface and protects the keypad
- Measures the shortest distance to target with Dynamic (continuous) measuring
- Measures area, volume, Pythagoras
- Choice of 3 reference points
- Integrated inclinometer
- Bluetooth communication and friendly free application
- Advanced memory function
- Impact-resistant rubber over-mold
- Tripod-ready: 1/4" thread
- Battery indicator





1. LCD Display
2. Indirect Measurement I, II & III
3. Subtraction
4. Timer
5. Reference point
6. Clear / Power
7. Memory Record/ Recall
8. Addition
9. Area / Volume
10. Measure
11. Backlight
12. Dynamic Measuring
13. Units
14. Bluetooth
15. Beamfinder™ Flip cover

# 363 KAPROMETER K-3



With Beamfinder™ flip cover



**RANGE**  
UP TO **30m**



**a x b x c**  $m^3/f^3$



- Accuracy: 2mm/m
- Measuring Range up to 30m (100')
- BeamFinder™ flip cover offers higher visibility and keypad protection
- Measures: area, volume & pythagorean
- The shortest distance to target with Dynamic (continuous) measuring
- Choice of 2 reference points
- Choice of 5 measuring units
- Backlit LCD display
- Impact-resistant rubber over-mold
- Battery indicator



## 893 T-LASER™

### CLIP-ON MARKING LASER

- 90° Highly visible laser beam
- Indoor laser range: 3m (10')
- Spring grip slides onto edge of standard boards (1/4" - 5/8") 6.4mm - 15.9mm
- Manual on/off switch
- Pressure-activated power switch
- Bi-material molded case with rubber overlay
- Handy belt clip



#### Applications

- For use with drywall, plywood and composition board
- Projects a 90° laser beam for free-form cutting



## 810 PROLASER® NAIL GRIPPER™

### LINE LASER WITH NAIL AND SCREW GRIP

- Highly visible laser beam
- 2 cylindrical vials: vertical and horizontal
- Laser range: 6m (20')
- Patented rubber grip holds any size nail or screw
- Pressure-activated power switch
- Magnetic wristband included for holding nails and screws



#### Applications

- Hanging shelves, pictures and mirrors
- Aligning panels, tiles and wall coverings






## 814 PROLASER® SET-A-SHELF™

Patented

Set & match® with laser line



- Highly visible laser beam: horizontal, vertical or a 45° beam
- 2 cylindrical vials: vertical and horizontal
- Laser range: up to 6m (20')
- "Click-in-place" lock
- "Slide-and-lock" level markers
- Integrated magnetic stud finder

### Applications

- Hanging shelves, pictures and mirrors
- Aligning tiles, decorative layouts and patterns




## 389 MULTISCANNER STUD FINDER

ELECTRONIC CABLE, METAL & STUD SENSOR

- Electronic sensors detect:
  - Live AC wires
  - Metal, studs
  - Wood
- Detection depth:
  - Live wires & metal: 75mm (3")
  - Metal pipes 38mm (1 1/2")
  - Wood 18mm (3/4")
- Detection buzzer
- Automatic scan



# 830 AUTOMATIC OPTICAL LEVEL



ZOOM X32



- Telescopic zoom X32
- Working range of up to 120 m
- Accuracy 1.6mm/30m
- 360° adjustable rotation feature
- Built-in lock to protect mechanism
- Tripod ready: 5/8" thread



## Includes


- Optical level, plumb bob, allen key, directional pin and hard case

## Applications

- Leveling foundations
- Pipe laying
- Road construction

## Options

- Large tripod and surveyors measuring stick (4m)



# 2 POWERFULL TOOLS IN 1 SOFT CARRY BAG

## GREEN CROSS-BEAM LASER & DISTANCE MEASURER

### A powerful duo to have on your side

#### The 363 Kaprometer Distance measurer with Flip Cover

- Indoor laser range of up to 30m (100')
- Measures area, volume, Pythagoras
- Dynamic (continuous) measuring
- Choice of 3 reference points
- Advanced memory function

#### The 872G Prolaser® Green

- Intersecting horizontal and vertical lines at 90°
- Indoor laser range of 30m (100')
- Outdoor laser range of 60m (200') with detector
- Self-leveling
- "Tilt" mode for angular layout/markings
- Strong folding legs for angle mounting and height adjustment

and both are Tripod-ready with 1/4" thread



## 886-10

### Leveling Disk for Laser Level

- Attachment fits standard tripod
- Locking screw to secure laser level at required angle
- Rotary scale in degrees
- Standard 5/8" UNC (16mm) thread for attachment to tripod



## 886-20

### Laser angle mount

Accurate indication of inclined angle



## 840G

### Beamfinder™ Glasses

Enhances visibility of laser beam



## 840

### Beamfinder™ Glasses

Enhances visibility of laser beam



## 845

### Red Laser Target

- Magnetic
- Special reflective surface
- Graduated target (in/cm)



## 894-04G

### Green Laser Beam Detector

For use with Pulse enabled laser tools for extended ranges



## 894-04

### Red Laser Beam Detector

For use with Pulse enabled laser tools for extended ranges



## 845G

### Green Laser Target

- Magnetic
- Special reflective surface
- Graduated target (in/cm)



## 886-23

### Universal Wall mount



## 886-24

### Multi-Functional Magnetic Mount



## 886-48/38

Tripod for Laser Level



886-48

- Professional tripod – up to 2.32 meters, with scale and vial (886-48)
- Lightweight tripod – up to 1.20 meters, with vial (886-28)



886-28

## 886-58

Pole with Tripod



- Telescoping pole with locking sections
- 3.2 meters (10.5') maximum height
- Strong lightweight tripod stand with surface level
- Adjustable laser mount with 5/8" UNC thread

## 841 TRIPOD ADAPTOR

- Converts tripod thread from 1/4" UNC to 5/8" UNC




## 886-30

Extendable Pole for Laser Level



- Self-clamping between floor and ceiling
- 3.2 meters (10ft) maximum height
- Includes adjustable laser mount with 5/8" UNC thread





**KAPPRO**  
TOOLS WITH VISION

10°  
15°  
22.5°  
30°

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15





**LAYOUT,  
MARKING & MEASURING**

**Cutting-Edge Designs**

# CHALK LINES



Kapro Chalk lines are designed with all the up-to-date features. Easy to use, they help you work quickly and accurately

## 211 PLUMB BOB CHALK LINE Classic Design



- Durable Easy Grip™ case
- All-in-one end hook: holds on nails, ledges and tacks into drywall
- Break-resistant & powder absorbent chalk line string
- Clean chalk refill – won't spill
- Wall mount & storage hanger
- 85g (3oz) Capacity
- 30m (100') Line



Set with 113g (4oz) red or blue chalk bottle (211S)

## 213 ERGONOMIC CHALK LINE Rubber “Nose” for Perfect String Tension



Patented

- Ergonomic handle
- Rubber “nose” for perfect string tension
- All-in-one end hook: holds on nails, ledges and tacks into drywall
- Break-resistant & powder absorbent chalk line string
- Clean chalk refill – won’t spill
- Wall mount & storage hanger

- 85g (3oz) Capacity
- 30m (100') Line

### Optional

- Set with 113g (4oz) red or blue chalk bottle (213S)



## 214 SURE GRIP CHALK LINE & LEVEL



Patented

- Shockproof bi-material case
- “Sure grip” ergonomic handle
- Retractable line level clicks into chalk line
- **6X Faster rewind** & string lock mechanism
- All-in-one end hook: holds on nails, ledges and tacks into drywall
- Break-resistant & powder absorbent chalk line string

- Clean chalk refill – won’t spill
- Wall mount & storage hanger
- 85g (3oz) Capacity
- 30m (100') Line



## 201 ZINC CHALK LINE Plumb bob design

---



- Heavy-duty zinc body
- Doubles as a plumb bob
- Solid end hook: holds on nails and ledges
- Highly absorbent polyester chalk line string
- 85g (3oz) Capacity
- 30m (100') Line

## 222 CHALK BOTTLES

---

### Colors:

- Blue
- Red



### Bottle volumes:

- 113 g (4 oz)
- 226 g (8 oz)
- 1 Kg (2.5 lb)
- 2 Kg (5 lb)





Our professional layout, marking and measuring tools help the professional get the job done right

## 325 MAGNETIC LOCK COMBINATION SQUARE

Patented



- Ruler Length: 30cm (12")
- Easy Grip™ magnet-held stainless steel scriber
- Heavy-duty zinc body
- Magnetic lock adjustment
- 5 Milled sides
- Permanently etched ruler markings (cm or in)
- Stainless steel blade
- Easy to read vial
- Heavy-duty cast zinc body
- Belt holster included



## 352 COMBINATION SQUARE




- Heavy-duty zinc body
- Milled on all sides
- Permanently etched ruler markings (cm or in)
- Stainless steel blade
- Easy to read vial
- Heavy-duty cast zinc body

### Available lengths:

- 30cm (12")
- 40cm (16")

## 309 LEDGEND™ SQUARE




Patented

- Unique support ledge
- High-impact polymer handle
- Permanently etched stainless steel blade
- 22.5°, 45°, 67.5° and 90° angles for beveling and framing
- cm/in gradations
- Stainless steel blade
- Certified 90°
- Marking point

Inch	8	10	12	16
Centimeter	20	25	30	40


## 353 LEDGE-IT SQUARE The holiest of squares



- Certified 90° angle
- Aluminum cast handle
- Stainless steel ruler
- 3 Milled surfaces
- Two sided 30° cast-in handle platform
- Retractable metal ledge support
- Etched cm graduations
- Etchings and holes at 10°, 15°, 22.5°, 30°, 45°, 50° & 60° for beveling and framing
- Holes every cm to mark lengths and enable easy "running" marking with pencil
- Marking groove on handle
- Hanging hole

Inch	10	12	16
Centimeter	25	30	40

## 307 TRY & MITRE SQUARE



- Solid riveted construction
- Permanently etched gradations (cm or in)
- Stainless steel non-corrosive tempered blade
- Certified 90°


Inch	8	10	12	14
Centimeter	20	25	30	35

## 305 FRAMING SQUARE

- Heavy duty painted steel frame
- Durable high visibility printing for all work conditions
- Complete conversion and rafter tables printed on reverse side

### Available lengths:

- 30cm x 20cm (12" X 8")
- 60cm x 40cm (24" X 16")



## 444 ERGOCAST™ RAFTER SQUARE

- Durable & lightweight Ergocast™ material
- Molded-in conversion tables
- Easy-to-read gradations
- Base enables easy marking and cutting




## 301 T-BEVEL

- Easy-to-read vial
- Built-in 5mm ( 3/16") trim gauge on side and bottom
- Angle markings on handle
- Etched stainless steel blade and bolt
- Inch/cm gradations
- Tough rubber handle inserts




## 303 CERAMIC HOLE MARKER

- Fits all standard tile dimensions
- Two hole sizes (72mm, 32mm) for electrical outlets and pipes
- Half-hole for taking measurements after faucet installation
- Angle markings on handle – every 15°
- Durable PVC sliding ruler (inch/cm gradations)
- Strong fiberglass reinforced polymer handle
- Ergonomic screw lock
- 90° wing for perfect accuracy, designed for work with spacers
- Easy-to-read vial



## 318 ELECTRICAL OUTLET MARKER

- Two easily adjustable interlocking squares
- Two cylindrical vials
- Vial accuracy:  $\pm 1\text{mm/m}$  (0.0001in/in)
- ABS
- For accurate drywall outlet installation






## 316 DRYWALL T-SQUARE




- Anodized aluminum finish
- Double edge and angular marking
- Certified 90°
- Angler markings: 15°, 20°, 22.5°, 30°, 45°, 60°, 70°, 75° and 80°

### Available lengths:



- 90cm (36")
- 120cm (48")




## 317 ADJUSTABLE T-SQUARE



- Anodized aluminum finish
- Sliding head adjust to any angle
- Folds for easy storage
- ABS end caps with ledge
- Double edge, heavy-duty blade
- Durable printed scale
- Etched angle markings
- Strong screw lock
- Length: 120cm (48")



# TAPES, MEASURES & RULERS



All measuring technology innovations are blended in our range of measuring tools to serve you best.


## 510 OPTIVISION™ MAGNETIC MEASURING TAPE

- Heavy duty double printed blade for horizontal and vertical reading
- Triple colored printing for quick & easy reading
- Nylon coated abrasion resistant
- Self-locking blade
- Push button retrieval
- Magnetic end hook
- Sturdy belt clip

- Ergonomic design
- Impact resistant

### Available lengths

- 3m (non-magnetic)
- 5m
- 8m



## 500 STEEL POWER TAPE

- Spring loaded blade return
- One-touch lock mechanism
- Available in inch or centimeter gradations

### Available lengths


- 3m
- 5m
- 8m



## 306 RULER




- Wear-resistant UV cured screen printing
- Printed scale accurate to 0.7mm/m
- Anodized aluminum
- Width: 3cm (1.2")



## 308 STRAIGHT EDGE




- Contractor grade
- Wear-resistant UV cured screen printing
- Printed scale accurate to 0.7mm/m
- Anodized aluminum
- Width: 5cm (2")



## 312 CUTTING EDGE



- Wear-resistant UV cured screen printing
- Printed scale accurate to 0.7mm/m
- Anodized aluminum
- Width: 6cm (2.4")



### Standard ruler lengths

Inch	8	12	16	20	24	32	40	48
Centimeter	20	30	40	50	60	80	100	120

# 313 MEASURE MATE The Ultimate Home-Improvement Tool



**Level**  
Sturdy triangular profile + 2 easy-to-read vials



**Align**  
Sliding markers: set & transfer measurements



**Cut**  
Sliding knife guide: safe & accurate



**Center**  
Zero & center point scales



**Place**  
Electrical & plumbingscale for power sockets & faucets



**Grip**  
Nail gripper and drill bit diameter gauge: safe and easy nailing

**Available lengths:**

- 30cm (12")
- 60cm (24")
- 120cm (48")



# 314 SET & MATCH® SYSTEM The Ultimate Layout and Marking Tool

Patented



**Custom-build your own layout & marking tool in seconds!**

**Just “slide & lock” your choice of accessory for the perfect drywall, carpentry or multi-purpose laser tool.**

- Patented Set & Match® Ruler
- 2 cylindrical slide 7 lock vials
  - Horizontal
  - Vertical
- Non-slip foam backing

Inch	20	24	30	32	40	48
Centimeter	50	60	75	80	100	120




### 314-89 Handle & Sliding Knife Guide

Auto-lock for a sure grip & spring-loaded sliding. Knife guides: slide along the ruler - lock in place. Doubles as a pencil guide. Prevents accidents.



### 314-90 T-Square

- Built in storage
- Magnetic bar for holding nails & screws



### 814 Laser line with stud finder

- Laser range 6m (20')
- 2 cylindrical vials
  - Horizontal, Vertical or 45° lines
- “Click-in-place” lock
- Slide & lock level markers

## 630 TELESCOPIC ALUMINUM RULER



- Height reading at eye level
- Solid construction maintains accuracy
- Easy to store

Feet	10	12
Meter	3	4



## 660 OPEN REEL TAPES



- Heavy duty ABS case
- Open style for easy wash down
- Marking spike
- Stainless steel end-claw for distance anchoring
- Zero at end of hook

### Available lengths

- 30m (98.5')
- 50m (164')

## 601 MEASURING WHEELS

- Lightweight durable telescopic handle
- Metric or imperial reading available

### Available wheel diameters

- 10cm (4')
- 30cm (12')



## 206 FOLDING RULER



- Unbreakable solid beech wood sections
- Multilayer surface treatment
- Milled ends on scale sections
- Lubricated steel locks & brass fittings
- Centimeter gradations

### Available lengths

- 1m
- 2m

## 275S CARPENTER'S SHARPENER & PENCILS SET

- For all carpenter's pencils
- Available carded with pencil set
- Top quality
- Pencils won't crumble during sharpening



275 CARPENTER'S SHARPENER





# **MERCHANDISING & PROMOTIONS**

**Stand Out from the Crowd**



**810 Prolaser® Nail Gripper™**  
6 Piece cardboard display

Dimensions:  
11.4" (w) x 9.45" (d) x 11" (h)  
29cm (w) x 24cm (d) x 28cm (h)



**227 Toolbox Level**  
20 Piece cardboard display

Dimensions:  
11.4" (w) x 9.45" (d) x 11" (h)  
29cm (w) x 24cm (d) x 28cm (h)



**929 Toolbox Level**  
15 Piece cardboard display

Dimensions:  
11.4" (w) x 9.45" (d) x 11" (h)  
29cm (w) x 24cm (d) x 28cm (h)



**229 Toolbox Level**  
20 Piece cardboard display

Dimensions:  
11.4" (w) x 9.45" (d) x 11" (h)  
29cm (w) x 24cm (d) x 28cm (h)



**341 Mini Post Level**  
12 Piece cardboard display

Dimensions:  
8.6" (w) x 7.9" (d) x 3.4" (h)  
22cm (w) x 20cm (d) x 9cm (h)



**340 Postrite®**  
6 Piece cardboard display

Dimensions:  
7.7" (w) x 7.7" (d) x 9.45" (h)  
19.5cm (w) x 19.5cm (d) x 24cm (h)



**946 Smarty™**  
6 Piece cardboard display

Dimensions:  
3.86" x 2.11" x 1.57"  
9.8cm x 5.35cm x 4cm





**862 Prolaser® Cross Line Laser**

4 Piece cardboard display

Dimensions:

6.1" (w) x 12.2" (d) x 8.8" (h)

15.5cm (w) x 31cm (d) x 22.5cm (h)



**846 Cyclops™**

10 Piece cardboard display

Dimensions:

4.5" (w) x 10" (d) x 5.1" (h)

11.5cm (w) x 24cm (d) x 13cm (h)



**724 Cast Toolbox Level**

12 Piece display

Dimensions:

12" (w) x 9.45" (d) x 2" (h)

30cm (w) x 24cm (d) x 5cm (h)



**318 Electrical Outlet Marker™**

6 Piece cardboard display

Dimensions:

15.7" (w) x 7.4" (d) x 12.2" (h)

40cm (w) x 19cm (d) x 31cm (h)



**313 Measure Mate™**

15 Piece cardboard display

Dimensions:

11.8" (w) x 11.8" (d) x 15.7" (h)

30cm (w) x 30cm (d) x 40cm (h)



**246 HANDY LEVEL**

10 Piece cardboard display

Dimensions:

5.5" (w) x 4.7" (d) x 8.2" (h)

14cm (w) x 12cm (d) x 21cm (h)





# FLOOR DISPLAYS

## Showcase Kapro's Advantages



**Kapro Specialist** - 12 Piece metal display for 4 specialty levels:

- Electrician  
783 Level 120cm – 3 pcs.
- Drywall  
773 Stud Layout Level 90cm – 3 pcs.
- Plumbing Installation  
108 70cm – 3 pcs.
- Mason - 920 SHARK®  
60, 80, 100cm – 1 pcs each length

**24 Piece Universal Metal display**  
Ships flat, ready to assemble



12 Piece Metal Display  
For **985 Apollo™** Levels  
with bag (120cm/48")  
Ships flat, ready to  
assemble



**Optivision™ Red Family**

Metal Floor Display  
Full color banded  
display for Kapro's  
Optivision product line:  
905, 930 & 935.  
Up to 42 products!



**314-90 T-Square Work**  
Center 120cm (48")  
10 piece cardboard display



**12 Piece cardboard display built for the 770 Exodus™**

Full color feature highlights. Easy set-up. Available in 2 versions: 60cm, 80cm & 100cm lengths – (4 pieces each) & 100cm length which comes shrink wrapped with the 254 cutting knife - (12 pieces each)



**886-58 Multi-directional display for laser products**

- Telescoping pole with locking sections
- Maximum height 3.2 meters (10.5")
- Strong lightweight tripod stand
- 4 Adjustable laser mounts with 5/8" UNC thread
- Soft carry case with shoulder strap



**Elegant Glass display cabinet**

4 Shelves with glass door  
Measurements:  
40 x 40 x 163 cm  
15.7" x 15.7" x 64"

**TOTAL KAPRO**

Painted stainless steel wall display with hooks



## INDEX

SKU Item #	PRODUCT NAME	PAGE
103	Inclinometer Gradient Level	34
104	Drainage Level	35
105	Topgrade™ Gradient Level	33
108	Installation Level	33
130	Value I-Beam Level	24
150	Quality I-Beam Level	24
152, 153, 154, 155	Screeds & Screed Level	39
170	Samson™	23
201	Zinc Chalk line	80
206	Folding Ruler	91
211	Plumb Bob Chalk Line	78
213	Ergonomic Chalk Line	79
214	Sure Grip Chalk Line & Level	79
222	Chalk Bottles	80
227	Torpedo Star Plus	27
229	Torpedo Level	27
240/242	Line & Surface Levels	38
245	Mini Level	30
246	Handy Level	30
275S	Carpenter's Sharpener & Pencils	91
301	T-Bevel	84
303	Ceramic Hole Marker	85
305	Framing Square	84
306, 308, 312	Aluminum Rulers & Straightedges	88
307	Try & Mitre Square	83
309	Ledgend™ Square	82
313	Measure Mate	89
314	Set & Match® System	90
316	Drywall T-Square	86
317	Adjustable T-Square	86
318	Electrical Outlet Marker	85
325	Magnetic Lock Combination Square	81
340 /341/350	Postrite® Pipe Levels	36-37
352	Combination Square	82
353	Ledge-it™ Square	83
363	Kaprometer K-3	69

SKU Item #	PRODUCT NAME	PAGE
377	Kaprometer K7	68
389	Multiscanner Stud Finder	71
440/441	Line Levels	38
444	Ergocast™ Rafter Square	84
500	Steel Power Tape	87
510	Optivision™ Magnetic Measuring Tape	87
601	Measuring Wheels	91
630	Telescopic Aluminum Ruler	90
660	Open Reel Tapes	91
724	Cast Toolbox Level	26
730	Topcast™	21
752	Mercury™	18
770	Exodus™	15
773	Drywall Level	32
779	Spirit™	17
783	Electrician's Level	32
787	Heliuss™	16
789P	Genesis™	15
810	Prolaser® Nail Gripper	70
814	Prolaser® Set-A-Shelf	71
820	Supercast™	21
830	Automatic Optical level	72
840, 840G	Beamfinder™ Glasses	74
841	Tripod Adaptor	75
845, 845G	Green & Red Laser Target	74
846	Cyclops™	29
862	Prolaser® Cross Line Laser	42
862G	Prolaser® Green Cross Line Laser	44
870	VHX Prolaser® VIP	54
870G	VHX Prolaser® Green VIP	56
872	Prolaser® Plus	46
872G	Prolaser® Plus Green	48
873	Prolaser® Vector	50
873G	Prolaser® Green Vector	52
875	Prolaser® All Lines	58
883N	Prolaser® 3D All-Lines	60



<b>SKU Item #</b>	<b>PRODUCT NAME</b>	<b>PAGE</b>
883G	Prolaser® 3D All-Lines Green	62
886-48/38	Tripod for Laser Level	75
886-10	Leveling Disk for Laser Level	74
886-20	Laser Angle Mount	74
886-23/ 886-24	Wall Mounts	74
886-30	Extendable Pole for Laser Level	75
886-48/28	Tripod for Laser Level	75
886-58	Multi-Directional Display for Laser Products	75
891	Prolaser® Laser Square	67
893	T-Laser	70
894-04/894-04G	Green & Red Laser Beam Detector	74
896	Prolaser® 5-Dot	66
899	Prolaser® Self-Leveling Rota-Line	64
905	Condor™	10
920	Shark™	21
923	Toolbox Cast Torpedo	25
925	Topclass	26
926	Pipemaster	26
929	Toolbox level	27
930	SmartCast™	11
935	Optivision™ Red Torped	11
946	Smarty™	12
950	Swivel Plumb Site®	20
977	Neptune™	17
985D	Digiman®	31
985XL	Apollo™	14
987XL	Saturn™	16
992	Digital Bevel	34
995	Vulcan™	14
990	Zeus™	13

Cat No.: CT CT 30.086



[www.kapro.com](http://www.kapro.com)

E-mail: [quality@kapro.com](mailto:quality@kapro.com)