



# CARGO MANAGEMENT



- TIE-DOWNS
- BUNGEE / EPDM RUBBER
- COMMERCIAL GRADE
- TRUCK & AUTO HARDWARE
- TOWING/TOWING SECURITY
- CARGO BAGS
- SPECIALTY PRODUCTS
- WINCHES



## Presenting the Keeper® brand of products.

We are proud to provide the broadest assortment of high quality Cargo Control products available for today's demanding consumers. Our Cargo Control Products include; Tie-Downs, Bungee, Truck & Trailer Accessories, Towing/Towing Security, Electric Winches and more.

For over 36 years, the Keeper® brand has grown to continually meet the demands of a changing marketplace; improving cargo handling and helping mold the way the world transports cargo.

We are committed to maintaining our reputation as a valued supplier, consistently providing the highest quality products in a timely and professional manner.



Hampton Products International, Inc.  
50 Icon, Foothill Ranch, CA 92610-3000  
1-800-562-5625

[www.keeperproducts.com](http://www.keeperproducts.com) • [www.hamptonproducts.com](http://www.hamptonproducts.com)





# TABLE OF CONTENTS

## CATEGORIES

|   |              |
|---|--------------|
| <b>Tie-Downs.....</b>                     | <b>6-19</b>  |
| Ratchet.....                              | 6-15         |
| Cam Buckle .....                          | 16-17        |
| Specialty.....                            | 18-19        |
| <b>Bungee .....</b>                       | <b>20-23</b> |
| Vinyl Coated Hooks .....                  | 20           |
| Dichromate Hooks .....                    | 20           |
| Zip Hooks®.....                           | 20           |
| Lock-It™.....                             | 20           |
| Carabiners.....                           | 20           |
| SST Hooks.....                            | 21           |
| Ultra® Hooks.....                         | 21           |
| Twin Anchor® Hooks.....                   | 21           |
| Multi-Packs.....                          | 21           |
| Reels .....                               | 22           |
| Specialty.....                            | 23           |
| <b>EPDM Rubber .....</b>                  | <b>24-25</b> |
| EPDM Rubber Straps.....                   | 24           |
| VersaStrap®.....                          | 24           |
| Poly Tarps & Accessories.....             | 25           |
| <b>Truck &amp; Auto .....</b>             | <b>26-33</b> |
| <b><u>Emergency / Recovery</u></b>        |              |
| Tow Ropes.....                            | 26           |
| Tow Straps .....                          | 26           |
| Vehicle Recovery Straps .....             | 26           |
| <b><u>Cargo Accessories</u></b>           |              |
| Key Keepers .....                         | 27           |
| Wrap-It-Up™ Carabiner Straps .....        | 27           |
| Cargo Bars.....                           | 27           |
| Truck Accessories .....                   | 28-29        |
| <b><u>Trailer Hardware</u></b> .....      | <b>30-32</b> |
| <b><u>Commercial</u></b>                  |              |
| Lifting Slings.....                       | 33           |
| Safety.....                               | 33           |
| <b>Marine .....</b>                       | <b>34</b>    |
| <b>Towing.....</b>                        | <b>35-38</b> |
| Security, Pins & Clips .....              | 35-36        |
| Welded One-Piece Ball Mounts.....         | 37           |
| Standard Ball Mounts & Trailer Balls..... | 37           |
| Jacks & Specialty.....                    | 38           |
| <b>Winches.....</b>                       | <b>39-42</b> |
| <b>Index .....</b>                        | <b>43</b>    |



## GENERAL PURPOSE

For all of your DIY projects, Working Load Limits up to 500 lbs. and various lengths and hook combinations to meet all of your needs. Choose ratchets or cam buckle to suit your style and applications.



## OUTDOOR

Designed to meet the demands of outdoor enthusiasts from casual to serious. Offering the widest selection of camo patterns in the market, from traditional woodlands to premium Realtree®.



## POWER SPORTS

Transporting your power sports gear is serious business, and that's why we've designed these straps for your demanding needs. Wider straps, higher capacities and Soft-Tie applications all deliver top performance.



## COMMERCIAL

The products in our commercial offering are designed to meet or exceed DOT/FMCSA standards, giving you the confidence when on the road. Various widths up to 4" and capacities up to 5,000 lbs. Working Load Limits.



## BUNGEEES

One of the most versatile tools available, bungee cords come in many different sizes, shapes and colors. Various hook sizes and styles to fit many different needs inside and out.





## TRUCK & AUTO

Offering a wide variety of accessories to complement and expand the use of your vehicles. From anchor points to cargo bags, Keeper has the product to help you out.



## SAFETY/TOWING

When on the road, safety and security are top priorities. From our industry first Welded One Piece Ball Mounts, to a wide variety of ball mount locks and OTR, we have all of your needs locked up.



## MARINE

Specialty products designed for the extreme marine environment, featuring stainless steel components and application specific products.



## WINCHES

Covering all your needs from General Purpose, ATV/UTV's, 4x4, and Tow/Recovery applications, the complete line from Keeper gives you the features you look for. No matter what your application, we have the units and accessories to cover your needs.



[www.keeperproducts.com](http://www.keeperproducts.com) • [www.hamptonproducts.com](http://www.hamptonproducts.com)

## RATCHET

Ratchet Tie-Downs are the fastest, easiest and safest way to secure your cargo. Unlike rope and twine, they work without having to tie knots. Ratchet Tie-Downs apply the perfect amount of tension to the load and lock to prevent accidental release.



### GENERAL PURPOSE



**05508-V**  
**10' x 1" Ratchet Tie-Down, 4 pack**  
**300 lbs. WLL**  
**900 lbs. Break Strength**



**05511/ 89511**  
**10' x 1" Ratchet Tie-Down**  
**300 lbs. WLL**  
**900 lbs. Break Strength**



**84518**  
**15' x 1" Steel Ratchet Tie-Down**  
**300 lbs. WLL**  
**900 lbs. Break Strength**



**85512/ 89512**  
**13' x 1" Endless Loop Ratchet Tie-Down**  
**400 lbs. WLL**  
**1,200 lbs. Break Strength**



**85513/ 89513**  
**13' x 1" Ratchet Tie-Down w/Padded Handle**  
**400 lbs. WLL**  
**1,200 lbs. Break Strength**



**43509**  
**12' x 1" Molded Ratchet Tie-Down, 4 Pack**  
**500 lbs. WLL**  
**1,500 lbs. Break Strength**



**05505**  
**14' x 1" Ratchet Tie-Down, 4 pack**  
**500 lbs. WLL**  
**1,500 lbs. Break Strength**



**05514/ 89514**  
**14' x 1" Ratchet Tie-Down**  
**500 lbs. WLL**  
**1,500 lbs. Break Strength**



**89518**  
**15' x 1" Ratchet Tie-Down**  
**300 lbs. WLL**  
**900 lbs. Break Strength**



**05506**  
**15' x 1" Padded Ratchet, 4 pack**  
**500 lbs. WLL**  
**1,500 lbs. Break Strength**



**45506**  
**15' x 1" Molded Ratchet Tie-Down 4 pack**  
**500 lbs. WLL**  
**1,500 lbs. Break Strength**



# TIE-DOWNS



**85543**  
**16' x 1-1/4" Ratchet Tie-Down**  
**600 lbs. WLL**  
**1,800 lbs. Break Strength**



**85542**  
**16' x 1-1/4" Endless Loop Ratchet Tie-Down**  
**600 lbs. WLL**  
**1,800 lbs. Break Strength**



**85544**  
**16' x 1-1/4" Tape Measure Ratchet Tie-Down**  
**600 lbs. WLL**  
**1,800 lbs. Break Strength**

| Part Number | Webbing Width | Webbing Length | Working Load Limit | Break Strength | Hook Type | Ratchet Style | Packaging Type     | Case Pack |
|-------------|---------------|----------------|--------------------|----------------|-----------|---------------|--------------------|-----------|
| 05508-V     | 1"            | 10'            | 300 lbs.           | 900 lbs.       | Compact S | Solid         | Chip board, 4 Pack | 6         |
| 05511       | 1"            | 10'            | 300 lbs.           | 900 lbs.       | Compact S | Solid         | Clamshell, 2 Pack  | 4         |
| 89511       | 1"            | 10'            | 300 lbs.           | 900 lbs.       | Compact S | Solid         | Bin Display        | 12        |
| 84518       | 1"            | 15'            | 300 lbs.           | 900 lbs.       | Compact S | Solid         | Bin Display        | 12        |
| 89518       | 1"            | 15'            | 300 lbs.           | 900 lbs.       | Compact S | Solid         | Bin Display        | 12        |
| 85512       | 1"            | 13'            | 400 lbs.           | 1,200 lbs.     |           | Solid         | Clamshell          | 12        |
| 89512       | 1"            | 13'            | 400 lbs.           | 1,200 lbs.     |           | Solid         | Bin Display        | 12        |
| 85513       | 1"            | 13'            | 400 lbs.           | 1,200 lbs.     | Compact S | Solid/Molded  | Clamshell          | 12        |
| 89513       | 1"            | 13'            | 400 lbs.           | 1,200 lbs.     | Compact S | Solid/Molded  | Bin Display        | 12        |
| 43509       | 1"            | 12'            | 500 lbs.           | 1,500 lbs.     | Compact S | Solid/Molded  | Open Pack, 4 Pack  | 6         |
| 05505       | 1"            | 14'            | 500 lbs.           | 1,500 lbs.     | Compact S | Solid         | Chip board, 4 Pack | 6         |
| 05514       | 1"            | 14'            | 500 lbs.           | 1,500 lbs.     | Large S   | Solid         | Clamshell          | 4         |
| 89514       | 1"            | 14'            | 500 lbs.           | 1,500 lbs.     | Large S   | Solid         | Bin Display        | 8         |
| 05506       | 1"            | 15'            | 500 lbs.           | 1,500 lbs.     | Compact S | Solid/Molded  | Chip board, 4 Pack | 5         |
| 45506       | 1"            | 15'            | 500 lbs.           | 1,500 lbs.     | Compact S | Solid/Molded  | Open Pack, 4 Pack  | 5         |
| 85542       | 1-1/4"        | 16'            | 600 lbs.           | 1,800 lbs.     |           | Solid/Molded  | Clamshell          | 8         |
| 85543       | 1-1/4"        | 16'            | 600 lbs.           | 1,800 lbs.     | Compact S | Solid/Molded  | Clamshell          | 8         |
| 85544       | 1-1/4"        | 16'            | 600 lbs.           | 1,800 lbs.     | Compact S | Solid/Molded  | Clamshell          | 4         |

## OUTDOOR



**03720**  
**6' x 1" ATV/Cycle Ratchet Tie-Down, Camo, 2 pack**  
**400 lbs. WLL**  
**1,200 lbs. Break Strength**



**03508-V**  
**8' x 1" Ratchet Tie-Down, Camo, 4 pack**  
**400 lbs. WLL**  
**1,200 lbs. Break Strength**



**84102**  
**12' x 1" Molded Ratchet Tie-Down, Desert Camo**  
**400 lbs. WLL**  
**1,200 lbs. Break Strength**



**84309**  
**12' x 1" Molded Ratchet Tie-Down, Digital Gray Camo**  
**400 lbs. WLL**  
**1,200 lbs. Break Strength**

**OUTDOOR**



**03518**  
**12' x 1" Ratchet Tie-Down w/Padded Handle, Camo, 2 pack**  
**500 lbs. WLL**  
**1,500 lbs. Break Strength**



**03519**  
**12' x 1" Ratchet Tie-Down, Desert Camo, 2 pack**  
**500 lbs. WLL**  
**1,500 lbs. Break Strength**



**03521**  
**12' x 1" Ratchet Tie-Down, Blaze Camo, 2 pack**  
**500 lbs. WLL**  
**1,500 lbs. Break Strength**



**03523**  
**12' x 1" Ratchet Tie-Down, Digital Gray Camo, 2 Pack**  
**500 lbs. WLL**  
**1,500 lbs. Break Strength**



**43561**  
**12' x 1" Mini Pistol Grip Ratchet Tie-Down, 2 pack**  
**500 lbs. WLL**  
**1,500 lbs. Break Strength**



**83000**  
**12' x 1" Ratchet Tie-Down, Polar Camo**  
**500 lbs. WLL**  
**1,500 lbs. Break Strength**



**83101**  
**12' x 1" Ratchet Tie-Down, Blaze Camo**  
**500 lbs. WLL**  
**1,500 lbs. Break Strength**



**85546**  
**16' x 1-1/4" Ratchet Tie-Down, Blaze Camo**  
**600 lbs. WLL**  
**1,800 lbs. Break Strength**





# TIE-DOWNS



**83102**  
**12' x 1" Ratchet Tie-Down, Digital Desert Camo**  
**500 lbs. WLL**  
**1,500 lbs. Break Strength**



**83103**  
**12'x1" Ratchet Tie-Down, Digital Naval Camo**  
**500 lbs. WLL**  
**1,500 lbs. Break Strength**



**43568**  
**12' x 1-1/4" C-Grip Ratchet Tie-Down, w/ Double J-Hooks, 2 pack**  
**1,000 lbs. WLL**  
**3,000 lbs. Break Strength**



**03547**  
**12' x 1-1/4" WWP Desert Camo C-Grip Ratchet Tie-Down, w/ Double J-Hooks, 2 pack**  
**1,000 lbs. WLL**  
**3,000 lbs. Break Strength**



**03548**  
**16' x 1-1/4" Ratchet Tie-Down Camo, w/ Double J-Hooks, 2 pack**  
**1,000 lbs. WLL**  
**3,000 lbs. Break Strength**



**83616**  
**16'x2" Padded Ratchet, Camo, w/ Double J-Hooks**  
**3,333 lbs. WLL**  
**10,000 lbs. Break Strength**



**84618**  
**16' x 2" Molded Grip Ratchet, Digital Gray Camo, w/ Double J-Hooks**  
**3,333 lbs. WLL**  
**10,000 lbs. Break Strength**



**03622**  
**27' x 2" Ratchet Tie-Down, Camo, w/ Double J-Hooks**  
**3,333 lbs. WLL**  
**10,000 lbs. Break Strength**

| Part Number | Webbing Width | Webbing Length | Working Load Limit | Break Strength | Hook Type | Ratchet Style           | Camo Pattern         | Packaging Type     | Case Pack |
|-------------|---------------|----------------|--------------------|----------------|-----------|-------------------------|----------------------|--------------------|-----------|
| 03720       | 1"            | 6'             | 400 lbs.           | 1,200 lbs.     | Large S   | Solid                   | Woodland             | Clamshell, 2 Pack  | 4         |
| 03508-V     | 1"            | 8'             | 400 lbs.           | 1,200 lbs.     | Compact S | Solid                   | Woodland             | Chip board, 4 Pack | 6         |
| 84102       | 1"            | 12'            | 400 lbs.           | 1,200 lbs.     | Compact S | Solid, Molded           | Desert               | Bin Display        | 6         |
| 84309       | 1"            | 12'            | 400 lbs.           | 1,200 lbs.     | Compact S | Solid, Molded           | Digital Gray         | Bin Display        | 6         |
| 03518       | 1"            | 12'            | 500 lbs.           | 1,500 lbs.     | Large S   | Solid, Molded           | Woodland             | i-Pack, 2 Pack     | 4         |
| 03519       | 1"            | 12'            | 500 lbs.           | 1,500 lbs.     | Large S   | Solid, Molded           | Desert               | i-Pack, 2 Pack     | 4         |
| 03521       | 1"            | 12'            | 500 lbs.           | 1,500 lbs.     | Large S   | Solid, Molded           | Blaze                | i-Pack, 2 Pack     | 4         |
| 03523       | 1"            | 12'            | 500 lbs.           | 1,500 lbs.     | Large S   | Solid, Molded           | Digital Gray         | i-Pack, 2 Pack     | 4         |
| 43561       | 1"            | 12'            | 500 lbs.           | 1,500 lbs.     | Large S   | Molded Mini Pistol Grip | Real Tree Blaze APB® | Open-Pack, 2 Pack  | 4         |
| 83000       | 1"            | 12'            | 500 lbs.           | 1,500 lbs.     | Compact S | Solid, Molded           | Polar                | Bin Display        | 12        |
| 83101       | 1"            | 12'            | 500 lbs.           | 1,500 lbs.     | Compact S | Solid, Molded           | Blaze                | Bin Display        | 12        |
| 83102       | 1"            | 12'            | 500 lbs.           | 1,500 lbs.     | Compact S | Solid, Molded           | Digital Desert       | Bin Display        | 12        |
| 83103       | 1"            | 12'            | 500 lbs.           | 1,500 lbs.     | Compact S | Solid, Molded           | Digital Naval        | Bin Display        | 12        |
| 43568       | 1-1/4"        | 12'            | 1,000 lbs.         | 3,000 lbs.     | Double J  | Molded C-Grip           | Real Tree AP®        | Open Pack, 2 Pack  | 4         |
| 03547       | 1-3/4"        | 12'            | 1,000 lbs.         | 3,000 lbs.     | Double J  | Molded C-Grip           | Desert               | i-Pack, 2 Pack     | 4         |
| 03548       | 1-3/4"        | 16'            | 1,000 lbs.         | 3,000 lbs.     | Double J  | Open Molded             | Woodland             | i-Pack, 2 Pack     | 4         |
| 83616       | 2"            | 16'            | 3,333 lbs.         | 10,000 lbs.    | Double J  | Open Molded             | Woodland             | Bin Display        | 4         |
| 84618       | 2"            | 16'            | 3,333 lbs.         | 10,000 lbs.    | Double J  | Open Molded             | Digital Gray         | Bin Display        | 4         |
| 03622       | 2"            | 27'            | 3,333 lbs.         | 10,000 lbs.    | Double J  | Open Molded             | Woodland             | Bulk/Bin Display   | 5         |

**POWER SPORTS**



**05720**  
**6' x 1" Ratchet/  
Cycle Tie-Down, 2 pack**  
**400 lbs. WLL**  
**1,200 lbs. Break Strength**



**05721**  
**8' x 1" Soft-Tie Cycle  
Ratchet Tie-Down, 2 pack**  
**500 lbs WLL**  
**1,500 lbs. Break Strength**



**45721**  
**8' x 1" Soft-Tie  
Molded Grip Ratchet  
Tie-Down  
2 pack**  
**500 lbs. WLL**  
**1,500 lbs. Break Strength**



**45766**  
**8' x 1" Mini Pistol  
Grip Tie-Down,  
4 pack**  
**500 lbs. WLL**  
**1,500 lbs. Break Strength**



**05722**  
**8' x 1-1/4" Ratchet  
Tie-Down, 2 pack**  
**600 lbs. WLL**  
**1,800 lbs. Break Strength**



**05729**  
**16" x 1" Soft Tie  
Extension Tie-Down,  
4 pack**  
**800 lbs. WLL**  
**2,400 lbs. Break Strength**



**05737**  
**8' x 1-1/4" Soft Tie  
Ratchet Tie-Down,  
2 pack**  
**800 lbs. WLL**  
**2,400 lbs. Break Strength**



**05561**  
**6' x 1" Retractable  
Ratchet Tie-Down,  
2 pack**  
**500 lbs. WLL**  
**1,500 lbs. Break Strength**



**05562**  
**10' x 1" Retractable  
Tie-Down, 2 pack**  
**500 lbs. WLL**  
**1,500 lbs. Break Strength**



**05563**  
**15' x 1" Retractable  
Tie-Down, 2 pack**  
**500 lbs. WLL**  
**1,500 lbs. Break Strength**



# TIE-DOWNS



**45732**  
**8' x 1-1/4" Soft-Tie**  
**Straight Grip**  
**Ratchet Tie-Down,**  
**2 pack**  
**800 lbs. WLL**  
**2,400 lbs. Break Strength**



**05741**  
**8' x 1-1/4" Soft-Tie**  
**Ratchet Tie-Down,**  
**2 pack**  
**1,000 lbs. WLL**  
**3,000 lbs. Break Strength**



**05723**  
**8' x 1-1/2" Soft-Tie**  
**Cycle Padded**  
**Ratchet Tie-Down,**  
**2 pack**  
**1,000 lbs. WLL**  
**3,000 lbs. Break Strength**



**45723**  
**8' x 1-1/2" Soft-Tie**  
**Open Molded Grip**  
**Ratchet,**  
**2 pack**  
**1,000 lbs. WLL**  
**3,000 lbs. Break Strength**




| Part Number | Webbing Width | Webbing Length | Working Load Limit | Break Strength | Hook Type        | Ratchet Style           | Packaging Type    | Case Pack |
|-------------|---------------|----------------|--------------------|----------------|------------------|-------------------------|-------------------|-----------|
| 05720       | 1"            | 6'             | 400 lbs.           | 1,200 lbs.     | Large S          | Solid                   | Clamshell, 2 Pack | 4         |
| 05721       | 1"            | 8'             | 500 lbs.           | 1,500 lbs.     | Large S          | Solid, Molded           | i-Pack, 2 Pack    | 4         |
| 45721       | 1"            | 8'             | 500 lbs.           | 1,500 lbs.     | Large S          | Solid, Molded           | Open Pack, 2 Pack | 4         |
| 45766       | 1"            | 8'             | 500 lbs.           | 1,500 lbs.     | Compact S        | Molded Mini Pistol Grip | Open Pack, 4 Pack | 6         |
| 05561       | 1"            | 6'             | 500 lbs.           | 1,500 lbs.     | Large S          | Molded/Retractable      | i-Pack, 2 Pack    | 3         |
| 05562       | 1"            | 10'            | 500 lbs.           | 1,500 lbs.     | Large S          | Molded/Retractable      | i-Pack, 2 Pack    | 3         |
| 05563       | 1"            | 15'            | 500 lbs.           | 1,500 lbs.     | Large S          | Molded/Retractable      | i-Pack, 2 Pack    | 3         |
| 05722       | 1-1/4"        | 8'             | 600 lbs.           | 1,800 lbs.     | Large S          | Solid, Molded           | Clamshell, 2 Pack | 4         |
| 05729       | 1"            | 16"            | 800 lbs.           | 2,400 lbs.     |                  |                         | Clamshell, 4 Pack | 4         |
| 05737       | 1-1/4"        | 8'             | 800 lbs.           | 2,400 lbs.     | Large S w/ Latch | Molded Straight Grip    | i-Pack, 2 Pack    | 4         |
| 45732       | 1-1/4"        | 8'             | 800 lbs.           | 2,400 lbs.     | Large S w/ Latch | Molded Straight Grip    | Open Pack, 2 Pack | 4         |
| 05741       | 1-1/4"        | 8'             | 1,000 lbs.         | 3,000 lbs.     | Coated Snap      | Open, Molded            | i-Pack, 2 Pack    | 4         |
| 05723       | 1-1/2"        | 8'             | 1,000 lbs.         | 3,000 lbs.     | Coated Snap      | Open/Molded             | i-Pack, 2 Pack    | 2         |
| 45723       | 1-1/2"        | 8'             | 1,000 lbs.         | 3,000 lbs.     | Coated Snap      | Open, Molded            | Open Pack, 2 Pack | 4         |


**PRO**



**05518**  
**15' x 1" Ratchet Tie-Down w/Padded Handle, 2 pack**  
**500 lbs. WLL**  
**1,500 lbs. Break Strength**



**45518**  
**15' x 1" Molded Ratchet Tie-Down 2 pack**  
**500 lbs. WLL**  
**1,500 lbs. Break Strength**



**05530/ 89430**  
**8' x 1-1/2" Rack-Ratchet®, Mountable**  
**500 lbs. WLL**  
**1,500 lbs. Break Strength**



**05517/ 89517**  
**14' x 2" Ratchet Tie-Down**  
**500 lbs. WLL**  
**1,500 lbs. Break Strength**



**05520**  
**14' x 2" Ratchet Tie-Down**  
**666 lbs. WLL**  
**2,000 lbs. Break Strength**



**05515/ 89515**  
**15' x 1" Ratchet Tie-Down**  
**666 lbs. WLL**  
**2,000 lbs. Break Strength**



**05510**  
**12' x 1" Ratchet Tie-Down, w/ Double J-Hooks, 4 pack**  
**1,000 lbs. WLL**  
**3,000 lbs. Break Strength**



**05516/89516**  
**16' x 1" Ratchet Tie-Down**  
**1,000 lbs. WLL**  
**3,000 lbs. Break Strength**



**45830**  
**10' x 1-1/4" Ratchet Tie-Down 4 pack**  
**1,000 lbs. WLL**  
**3,000 lbs. Break Strength**



**45835**  
**10' x 1-1/4" Ratchet Tie-Down, w/ Webbing Clip, 2 pack**  
**1,000 lbs. WLL**  
**3,000 lbs. Break Strength**



**05545**  
**12' x 1-1/2" Industrial Ratchet Tie-Down, C-Grip**  
**1,000 lbs. WLL**  
**3,000 lbs. Break Strength**



**05524/ 89524**  
**14' x 1-1/2" Pad Ratchet Tie-Down**  
**1,000 lbs. WLL**  
**3,000 lbs. Break Strength**



# TIE-DOWNS




**05544**  
**16' x 1-1/2" Ratchet Tie-Down**  
**1,000 lbs. WLL**  
**3,000 lbs. Break Strength**



**05565**  
**10' x 1-7/8" Retractable Tie-Down**  
**1,000 lbs. WLL**  
**3,000 lbs. Break Strength**



**05519/ 89519**  
**15' x 1-3/4" Ratchet Tie-Down**  
**1,666 lbs. WLL**  
**5,000 lbs. Break Strength**



**05522**  
**15' x 1-3/4" Ratchet Tie-Down**  
**1,666 lbs. WLL**  
**5,000 lbs. Break Strength**



| Part Number | Webbing Width | Webbing Length | Working Load Limit | Break Strength | Hook Type        | Ratchet Style            | Packaging Type     | Case Pack |
|-------------|---------------|----------------|--------------------|----------------|------------------|--------------------------|--------------------|-----------|
| 05518       | 1"            | 15'            | 500 lbs.           | 1,500 lbs.     | Large S          | Solid, Molded            | i-Pack, 2 Pack     | 4         |
| 89518       | 1"            | 15'            | 500 lbs.           | 1,500 lbs.     | Large S          | Solid, Molded            | Bin Display        | 12        |
| 45518       | 1"            | 15'            | 500 lbs.           | 1,500 lbs.     | Large S          | Solid, Molded            | Open Pack, 2 Pack  | 4         |
| 05530       | 1-1/2"        | 8'             | 500 lbs.           | 1,500 lbs.     | Double J         | Open, Molded             | i-Pack             | 3         |
| 89430       | 1-1/2"        | 8'             | 500 lbs.           | 1,500 lbs.     | Double J         | Open, Molded             | Bin Display        | 5         |
| 05517       | 2"            | 14'            | 500 lbs.           | 1,500 lbs.     | Large S          | Open                     | Clamshell          | 4         |
| 89517       | 2"            | 14'            | 500 lbs.           | 1,500 lbs.     | Large S          | Open                     | Bin Display        | 6         |
| 05520       | 2"            | 14'            | 666 lbs.           | 2,000 lbs.     | Large S          | Open                     | i-Pack             | 4         |
| 05515       | 1"            | 15'            | 666 lbs.           | 2,000 lbs.     | Double J         | Open                     | Clamshell          | 4         |
| 89515       | 1"            | 15'            | 666 lbs.           | 2,000 lbs.     | Double J         | Open                     | Bin Display        | 8         |
| 05510       | 1"            | 12'            | 1,000 lbs.         | 3,000 lbs.     | Double J         | Open Molded              | Chip board, 4 Pack | 4         |
| 05516       | 1"            | 16'            | 1,000 lbs.         | 3,000 lbs.     | Double J         | Open                     | Clamshell          | 4         |
| 89516       | 1"            | 16'            | 1,000 lbs.         | 3,000 lbs.     | Double J         | Open                     | Bin Display        | 6         |
| 45830       | 1-1/4"        | 10'            | 1,000 lbs.         | 3,000 lbs.     | Double J         | Open, Molded             | Open Pack, 4 Pack  | 4         |
| 45835       | 1-1/4"        | 10'            | 1,000 lbs.         | 3,000 lbs.     | Large S w/ Latch | Open, Molded             | Open Pack, 2 Pack  | 4         |
| 05545       | 1-1/2"        | 12'            | 1,000 lbs.         | 3,000 lbs.     | Double J         | Molded C-Grip            | i-Pack             | 4         |
| 05524       | 1-1/2"        | 14'            | 1,000 lbs.         | 3,000 lbs.     | Double J         | Open, Molded             | i-Pack             | 4         |
| 89524       | 1-1/2"        | 14'            | 1,000 lbs.         | 3,000 lbs.     | Double J         | Open, Molded             | Bin Display        | 4         |
| 05544       | 1-1/2"        | 16'            | 1,000 lbs.         | 3,000 lbs.     | Double J         | Molded C-Grip            | i-Pack             | 4         |
| 05565       | 1 7/8"        | 10'            | 1,000 lbs.         | 3,000 lbs.     | Large S          | Open, Molded/Retractable | i-Pack             | 3         |
| 05519       | 1-3/4"        | 15'            | 1,666 lbs.         | 5,000 lbs.     | Double J         | Open                     | Clamshell          | 4         |
| 89519       | 1-3/4"        | 15'            | 1,666 lbs.         | 5,000 lbs.     | Double J         | Open                     | Bin Display        | 4         |
| 05522       | 1-3/4"        | 15'            | 1,666 lbs.         | 5,000 lbs.     | Double J         | Open                     | i-Pack             | 4         |

**COMMERCIAL**



**04602**  
**22' x 2" Ratchet Tie-Down**  
**1,100 lbs. WLL**  
**3,300 lbs. Break Strength**



**04616/ 89616**  
**16' x 2" Ratchet Tie-Down**  
**3,333 lbs. WLL**  
**10,000 lbs. Break Strength**



**04618**  
**16' x 2" Ratchet Tie-Down, 4 pack**  
**3,333 lbs. WLL**  
**10,000 lbs. Break Strength**



**04629**  
**25' x 2" Ratchet Tie-Down, 4 pack**  
**3,333 lbs. WLL**  
**10,000 lbs. Break Strength**



**04620**  
**27' x 2" Ratchet Tie-Down, Cow Camo**  
**3,333 lbs. WLL**  
**10,000 lbs. Break Strength**



**04622**  
**27' x 2" Ratchet Tie-Down**  
**3,333 lbs. WLL**  
**10,000 lbs. Break Strength**



**04623**  
**27' x 2" Ratchet Tie-Down**  
**3,333 lbs. WLL**  
**10,000 lbs. Break Strength**



**04650**  
**27' x 2" Ratchet Tie-Down w/Chain Ends & Grab Hook**  
**3,333 lbs. WLL**  
**10,000 lbs. Break Strength**



**05526**  
**27' x 2" Ratchet Tie-Down**  
**3,333 lbs. WLL**  
**10,000 lbs. Break Strength**



**04627**  
**30' x 2" Ratchet Tie-Down**  
**3,333 lbs. WLL**  
**10,000 lbs. Break Strength**




**04630**  
**30' x 2" Ratchet Tie-Down**  
**3,333 lbs. WLL**  
**10,000 lbs. Break Strength**




**04730**  
**30' x 2" Ratchet Tie-Down, Chrome**  
**3,333 lbs. WLL**  
**10,000 lbs. Break Strength**



**04624**  
**40' x 2" Ratchet Tie-Down, Hay Baler**  
**3,333 lbs. WLL**  
**10,000 lbs. Break Strength**



**04637**  
**27' x 3" Ratchet Tie-Down**  
**5,000 lbs. WLL**  
**15,000 lbs. Break Strength**



**04655**  
**30' x 3" Ratchet Tie-Down w/Chain Ends & Grab Hook**  
**5,000 lbs. WLL**  
**15,000 lbs. Break Strength**



# TIE-DOWNS



**04667**  
**27' x 4" Ratchet Tie-Down w/Flat Hooks**  
**5,000 lbs. WLL**  
**15,000 lbs. Break Strength**



**04926**  
**30' x 4" Winch Strap**  
**5,000 lbs. WLL**  
**15,000 lbs. Break Strength**



**04927**  
**40' x 4" Winch Strap**  
**5,000 lbs. WLL**  
**15,000 lbs. Break Strength**



**04928**  
**Winch, Deep Storage**



**04935**  
**Winch Bar, 36" Chrome**



| Part Number | Webbing Width | Webbing Length | Working Load Limit | Break Strength | Hook Type | Ratchet Style    | Packaging Type          | Case Pack |
|-------------|---------------|----------------|--------------------|----------------|-----------|------------------|-------------------------|-----------|
| 04602       | 2"            | 22'            | 1,100 lbs.         | 3,300 lbs.     | Double J  | Open, Molded     | Bulk/Bin Display        | 10        |
| 04616       | 2"            | 16'            | 3,333 lbs.         | 10,000 lbs.    | Double J  | Open, Molded     | Bulk/Bin Display        | 10        |
| 89616       | 2"            | 16'            | 3,333 lbs.         | 10,000 lbs.    | Double J  | Open, Molded     | Bulk/Bin Display        | 4         |
| 04618       | 2"            | 16'            | 3,333 lbs.         | 10,000 lbs.    | Double J  | Open, Molded     | Cardboard Carry Case, 4 | 2         |
| 04629       | 2"            | 25'            | 3,333 lbs.         | 10,000 lbs.    | Double J  | Open, Molded     | Cardboard Carry Case, 4 | 2         |
| 04620       | 2"            | 27'            | 3,333 lbs.         | 10,000 lbs.    | Double J  | Open, Molded     | Bulk/Bin Display        | 10        |
| 04622       | 2"            | 27'            | 3,333 lbs.         | 10,000 lbs.    | Double J  | Open, Molded     | Bulk/Bin Display        | 10        |
| 04623       | 2"            | 27'            | 3,333 lbs.         | 10,000 lbs.    | Flat Hook | Open, Molded     | Bulk/Bin Display        | 10        |
| 04650       | 2"            | 27'            | 3,333 lbs.         | 10,000 lbs.    | Grab Hook | Open, Molded     | Bulk/Bin Display        | 4         |
| 05526       | 2"            | 27'            | 3,333 lbs.         | 10,000 lbs.    | Double J  | Open, Molded     | Clamshell               | 3         |
| 04627       | 2"            | 30'            | 3,333 lbs.         | 10,000 lbs.    | Flat Hook | Open, Extra Long | Bulk                    | 3         |
| 04630       | 2"            | 30'            | 3,333 lbs.         | 10,000 lbs.    | Double J  | Open, Extra Long | Bulk/Bin Display        | 3         |
| 04730       | 2"            | 30'            | 3,333 lbs.         | 10,000 lbs.    | Double J  | Open, Molded     | Bulk/Bin Display        | 10        |
| 04624       | 2"            | 40'            | 3,333 lbs.         | 10,000 lbs.    | Double J  | Open, Extra Long | Shrink Wrap             | 3         |
| 04637       | 3"            | 27'            | 5,000 lbs.         | 15,000 lbs.    | Flat Hook | Open, Extra Long | Bulk                    | 2         |
| 04655       | 3"            | 30'            | 5,000 lbs.         | 15,000 lbs.    | Grab Hook | Open, Molded     | Bulk/Bin Display        | 2         |
| 04667       | 4"            | 27'            | 5,000 lbs.         | 15,000 lbs.    | Flat Hook | Open, Molded     | Bulk/Bin Display        | 2         |
| 04926       | 4"            | 30'            | 5,000 lbs.         | 15,000 lbs.    | Flat      |                  | Bulk                    | 3         |
| 04927       | 4"            | 40'            | 5,000 lbs.         | 15,000 lbs.    | Flat      |                  | Bulk                    | 3         |
| 04928       |               |                |                    |                |           |                  | Bulk                    | 4         |
| 04935       |               |                |                    |                |           |                  | Bulk                    | 4         |

## CAM BUCKLE

Cam Buckle Tie-Downs are the fastest and easiest way to secure your cargo. Unlike rope and twine, they work without having to tie knots. Cam Buckle Tie-Downs combine security with speed. Small teeth grip webbing tight and a thumb release lever makes using them quick and easy.

### GENERAL PURPOSE



**85109**  
**10' x 1" Cam Buckle Tie-Down**  
**200 lbs. WLL**  
**600 lbs. Break Strength**



**05108-V**  
**6' x 1" Cam Buckle Tie-Down, 4 pack**  
**300 lbs. WLL**  
**900 lbs. Break Strength**



**05105**  
**10' x 1" Cam Buckle Tie-Down, 4 pack**  
**300 lbs. WLL**  
**900 lbs. Break Strength**



**45112**  
**10' x 1" Cam Buckle Tie-Down 2 pack**  
**300 lbs. WLL**  
**900 lbs. Break Strength**



**05110**  
**10' x 1" Cam Buckle Tie-Down**  
**400 lbs. WLL**  
**1,200 lbs. Break Strength**



**05112**  
**10' x 1" Cam Buckle Tie-Down, 2 pack**  
**400 lbs. WLL**  
**1,200 lbs. Break Strength**



**05115/ 89115**  
**15' x 1" Cam Buckle Tie-Down**  
**400 lbs. WLL**  
**1,200 lbs. Break Strength**



**85145**  
**16' x 1-1/4" Cam Buckle Tie-Down**  
**400 lbs. WLL**  
**1,200 lbs. Break Strength**


| Part Number | Webbing Width | Webbing Length | Working Load Limit | Break Strength | Hook Type | Buckle Style     | Packaging Type     | Case Pack |
|-------------|---------------|----------------|--------------------|----------------|-----------|------------------|--------------------|-----------|
| 85109       | 1"            | 10'            | 200 lbs.           | 600 lbs.       | Compact S | Cam Buckle       | Clamshell          | 12        |
| 05108-V     | 1"            | 6'             | 300 lbs.           | 900 lbs.       | Compact S | Cam Buckle       | Chip board, 4 Pack | 6         |
| 05105       | 1"            | 10'            | 300 lbs.           | 900 lbs.       | Compact S | Cam Buckle       | Chip board, 4 Pack | 6         |
| 45112       | 1"            | 10'            | 300 lbs.           | 900 lbs.       | Compact S | Cam Buckle       | Open Pack, 2 Pack  | 4         |
| 05110       | 1"            | 10'            | 400 lbs.           | 1,200 lbs.     | Large S   | Cam Buckle       | Clamshell          | 4         |
| 05112       | 1"            | 10'            | 400 lbs.           | 1,200 lbs.     | Large S   | Cam Buckle       | i-Pack, 2 Pack     | 4         |
| 05115       | 1"            | 15'            | 400 lbs.           | 1,200 lbs.     | Large S   | Cam Buckle       | Clamshell          | 4         |
| 89115       | 1"            | 15'            | 400 lbs.           | 1,200 lbs.     | Large S   | Cam Buckle       | Bin Display        | 8         |
| 85145       | 1-1/4"        | 16'            | 400 lbs.           | 1,200 lbs.     | Compact S | Padded Thumb Cam | Clamshell          | 8         |



# TIE-DOWNS



## OUTDOOR



**03715**  
**6' x 1" ATV/Cycle  
 Cam Buckle Tie-Down,  
 Camo, 2 pack**  
**400 lbs. WLL**  
**1,200 lbs. Break Strength**



**85146**  
**16' x 1" Cam Buckle  
 Tie-Down,  
 Desert Camo**  
**400 lbs. WLL**  
**1,200 lbs. Break Strength**

| Part Number | Webbing Width | Webbing Length | Working Load Limit | Break Strength | Hook Type | Buckle Style | Camo Pattern | Case Pack         | Case Pack |
|-------------|---------------|----------------|--------------------|----------------|-----------|--------------|--------------|-------------------|-----------|
| 03715       | 1"            | 6'             | 400 lbs.           | 1,200 lbs.     | Large S   | Cam Buckle   | Woodland     | Clamshell, 2 Pack | 4         |
| 85146       | 1"            | 16'            | 400 lbs.           | 1,200 lbs.     | Compact S | Black Cam    | Desert       | Clamshell         | 4         |

## POWER SPORTS



**05715/ 89715**  
**6' x 1" Motorcycle  
 Tie-Down**  
**400 lbs. WLL**  
**1,200 lbs. Break Strength**



**05716**  
**8' x 1" Soft-Tie  
 Cycle Cam Buckle  
 Tie-Down, 2 pack**  
**400 lbs. WLL**  
**1,200 lbs. Break Strength**



**84714**  
**8' x 1" Cam Buckle  
 Tie-Down**  
**400 lbs. WLL**  
**1,200 lbs. Break Strength**



**05106**  
**8' x 1-1/4" Cam  
 Buckle Tie-Down,  
 4 pack**  
**400 lbs. WLL**  
**1,200 lbs. Break Strength**

| Part Number | Webbing Width | Webbing Length | Working Load Limit | Break Strength | Hook Type | Buckle Style     | Packaging Type    | Case Pack |
|-------------|---------------|----------------|--------------------|----------------|-----------|------------------|-------------------|-----------|
| 05715       | 1"            | 6'             | 400 lbs.           | 1,200 lbs.     | Large S   | Cam Buckle       | Clamshell, 2 Pack | 4         |
| 89715       | 1"            | 6'             | 400 lbs.           | 1,200 lbs.     | Large S   | Cam Buckle       | Bin Display       | 12        |
| 05716       | 1"            | 8'             | 400 lbs.           | 1,200 lbs.     | Large S   | Cam Buckle       | i-Pack, 2 Pack    | 4         |
| 84714       | 1"            | 8'             | 400 lbs.           | 1,200 lbs.     | Large S   | Padded Thumb Cam | Bin Display       | 6         |
| 05106       | 1-1/4"        | 8'             | 400 lbs.           | 1,200 lbs.     | Compact S | Padded Thumb Cam | i-Pack, 4 Pack    | 4         |

## PRO



**05707**  
**8' x 2" Cam Buckle  
 Tie-Down, 2 pack**  
**800 lbs. WLL**  
**2,400 lbs. Break Strength**



| Part Number | Webbing Width | Webbing Length | Working Load Limit | Break Strength | Hook Type        | Buckle Style     | Packaging Type | Case Pack |
|-------------|---------------|----------------|--------------------|----------------|------------------|------------------|----------------|-----------|
| 05707       | 2"            | 8'             | 800 lbs.           | 2,400 lbs.     | Large S w/ Latch | Padded Thumb Cam | i-Pack, 2 Pack | 4         |

**SPECIALTY**

Specialty Tie-Downs include Lashing Straps, Trunk Tie-Downs, Rope Wrangler®, Excess Webbing bags, Axle Straps, and various Automotive Tie-Downs. Each one will perform a special function to match your particular needs.



**05212**  
**12' x 1" Lashing Strap**  
**30 lbs. WLL**  
**90 lbs. Break Strength**  
Package: Clamshell  
Ship Pack 4



**45201**  
**10' x 1" Lashing Strap, Blue**  
**200 lbs. WLL**  
**600 lbs. Break Strength**  
Package: Clamshell  
Ship Pack 4



**45202**  
**10' x 1" Lashing Strap, Orange**  
**200 lbs. WLL**  
**600 lbs. Break Strength**  
Package: Clamshell  
Ship Pack 4



**45203**  
**10' x 1" Lashing Strap, Green**  
**200 lbs. WLL**  
**600 lbs. Break Strength**  
Package: Clamshell  
Ship Pack 4



**85207**  
**8' x 1" Lashing Strap, 2 pack**  
**30 lbs. WLL**  
**90 lbs. Break Strength**  
Package: Clamshell  
Ship Pack 12



**85213/ 89213**  
**13' x 1" Lashing Strap, 2 pack**  
**200 lbs. WLL**  
**600 lbs. Break Strength**  
Package: Clamshell/ Bin  
Display  
Ship Pack 4 / 12



**85243**  
**8' x 1" Lashing Strap, 2 pack**  
**200 lbs. WLL**  
**600 lbs. Break Strength**  
Package: Clamshell  
Ship Pack 8



**05307**  
**6' x 1" Luggage Strap**  
**30 lbs. WLL**  
**90 lbs. Break Strength**  
Package: Clamshell  
Ship Pack 4



**07007**  
**16' x 3/8" Rope Wrangler®**  
*(Fits 1/4" - 3/8" Rope)*  
**250 lbs. WLL**  
Package: Clamshell  
Ship Pack 6



**85101**  
**Strap Keeper - Excess webbing bag, 2 pack**  
Package: Clamshell  
Ship Pack 4



**85110**  
**3' x 1" Trunk Tie-Down**  
**100 lbs. WLL**  
**300 lbs. Break Strength**  
Package: Clamshell  
Ship Pack 12







# TIE-DOWNS



## TRUCK & AUTO



**04223**  
**24" x 2" Axle Strap w/D-Ring**  
**1,666 lbs. WLL**  
**5,000 lbs. Break Strength**  
Package: Clamshell  
Ship Pack 4



**04224**  
**24" x 2" Axle Strap w/D-Ring**  
**3,333 lbs. WLL**  
**10,000 lbs. Break Strength**  
Package: Cardboard Sleeve  
Ship Pack 6



**04226**  
**24" x 2" Axle Strap w/D-Ring, w/ Protective Sleeve**  
**3,333 lbs. WLL**  
**10,000 lbs. Break Strength**  
Package: Cardboard Sleeve  
Ship Pack 6



**04228**  
**36" x 2" Axle Strap w/D-Ring, Premium, w/Protective Sleeve**  
**3,333 lbs. WLL**  
**10,000 lbs. Break Strength**  
Package: Cardboard Sleeve  
Ship Pack 6



**04512**  
**5-1/2' x 2" Auto Tie-Down Dollie Strap**  
**2,000 lbs. WLL**  
**6,000 lbs. Break Strength**  
Package: Clamshell  
Ship Pack 4



**04513**  
**5-1/2' x 2" Over Wheel Tie-Down (Fits 6"-9" tires)**  
**2,000 lbs. WLL**  
**6,000 lbs. Break Strength**  
Package: Clamshell  
Ship Pack 3



**04105**  
**7' x 2" Auto Ratchet Tie-Down w/Snap Hooks**  
**2,000 lbs. WLL**  
**6000 lbs. Break Strength**  
Package: Clamshell  
Ship Pack 3



**04106**  
**8' x 2" Auto Ratchet Tie-Down w/Snap Hooks**  
**2,000 lbs. WLL**  
**6000 lbs. Break Strength**  
Package: i-Pack  
Ship Pack 4



**04110**  
**10' x 2" Ratchet Tie-Down w/Twisted Snap Hooks**  
**2,000 WLL**  
**6,000 lbs. Break Strength**  
Package: Clam Shell  
Ship Pack 3



**44110**  
**10' x 2" Ratchet Tie-Down w/Twisted Snap Hooks**  
**2,000 WLL**  
**6,000 lbs. Break Strength**  
Package: Open Pack  
Ship Pack 4

## BUNGEE

For use at home, automotive, recreation, gardening and crafts — thousands of uses. Bungee cords are a very simple way to hold something together, or otherwise keep things under control. Offering a variety of hook styles, cord length and strength, Keeper makes a bungee cord for all of your needs.

### Vinyl Coated Hooks



| Part No.  | Length | Description | Package Type      | Inner Pack | Master Pack |
|-----------|--------|-------------|-------------------|------------|-------------|
| 06014     | 13"    | Single      | Bulk              | 10         | 50          |
| 06014-50C | 13"    | Single      | Bulk/Bin Display  | 50         | 50          |
| 06018     | 18"    | 2 Pack      | Poly Bag w/Header | 6          | 10          |
| 06019     | 18"    | Single      | Bulk              | 10         | 50          |
| 06019-50C | 18"    | Single      | Bulk/Bin Display  | 50         | 50          |
| 06024     | 24"    | 2 Pack      | Poly Bag w/Header | 6          | 10          |
| 06025     | 24"    | Single      | Bulk              | 10         | 50          |
| 06025-50C | 24"    | Single      | Bulk/Bin Display  | 50         | 50          |
| 06031     | 30"    | Single      | Bulk              | 10         | 50          |
| 06031-50C | 30"    | Single      | Bulk/Bin Display  | 50         | 50          |
| 06036     | 36"    | 2 Pack      | Poly Bag w/Header | 6          | 10          |
| 06037     | 36"    | Single      | Bulk              | 10         | 50          |
| 06037-40C | 36"    | Single      | Bulk/Bin Display  | 40         | 40          |

### Dichromate Hooks — Heavy Duty



| Part No.  | Length | Description | Package Type     | Inner Pack | Master Pack |
|-----------|--------|-------------|------------------|------------|-------------|
| 06192     | 18"    | Single      | Bulk             | 10         | 50          |
| 06192-40C | 18"    | Single      | Bulk/Bin Display | 40         | 40          |
| 06180     | 24"    | Single      | Bulk             | 10         | 50          |
| 06180-40C | 24"    | Single      | Bulk/Bin Display | 40         | 40          |
| 06182     | 32"    | Single      | Bulk             | 10         | 50          |
| 06182-40C | 32"    | Single      | Bulk/Bin Display | 40         | 40          |
| 06185     | 40"    | Single      | Bulk             | 10         | 50          |
| 06185-30C | 40"    | Single      | Bulk/Bin Display | 30         | 30          |
| 06188     | 48"    | Single      | Bulk             | 10         | 50          |
| 06188-30C | 48"    | Single      | Bulk/Bin Display | 30         | 30          |

### Zip Hooks®



| Part No. | Length          | Description | Package Type      | Inner Pack | Master Pack |
|----------|-----------------|-------------|-------------------|------------|-------------|
| 06374    | 20" (6" to 30") | Single      | Bulk              | 10         | 50          |
| 06377    | 20" (6" to 30") | 2 Pack      | Poly Bag w/Header | 8          | 8           |
| 06378    | 30" (6" to 45") | Single      | Bulk              | 10         | 50          |
| 06379    | 30" (6" to 45") | Single      | Cardboard Sleeve  | 10         | 50          |
| 06381    | 30" (6" to 45") | 2 Pack      | Poly Bag w/Header | 8          | 8           |
| 06386    | 40" (6 to 60")  | Single      | Bulk              | 10         | 50          |
| 06387    | 40" (6 to 60")  | Single      | Cardboard Sleeve  | 10         | 50          |
| 06389    | 40" (6 to 60")  | 2 Pack      | Poly Bag w/Header | 8          | 8           |

### Lock-It™



| Part No. | Length | Description | Package Type     | Inner Pack | Master Pack |
|----------|--------|-------------|------------------|------------|-------------|
| 06510    | 18"    | Single      | Bulk/Bin Display | 16         | 16          |
| 06512    | 24"    | Single      | Bulk/Bin Display | 14         | 14          |
| 06514    | 30"    | Single      | Bulk/Bin Display | 12         | 12          |
| 06516    | 36"    | Single      | Bulk/Bin Display | 12         | 12          |
| 06518    | 48"    | Single      | Bulk/Bin Display | 12         | 12          |

### Carabiners



| Part No. | Length | Description | Package Type | Inner Pack | Master Pack |
|----------|--------|-------------|--------------|------------|-------------|
| 06152    | 24"    | Single      | Clamshell    | 6          | 6           |
| 06154    | 36"    | Single      | Clamshell    | 6          | 6           |
| 06158    | 48"    | Single      | Clamshell    | 6          | 6           |





## SST Hooks

### Round Cord

| Part No.  | Length | Description | Package Type     | Inner Pack | Master Pack |
|-----------|--------|-------------|------------------|------------|-------------|
| 06023-40C | 24"    | Single      | Bulk/Bin Display | 40         | 40          |
| 06039-40C | 36"    | Single      | Bulk/Bin Display | 40         | 40          |
| 06048-30C | 48"    | Single      | Bulk/Bin Display | 30         | 30          |

### Narrow Flat Cord

| Part No.  | Length | Description | Package Type     | Inner Pack | Master Pack |
|-----------|--------|-------------|------------------|------------|-------------|
| 06120-40C | 24"    | Single      | Bulk/Bin Display | 40         | 40          |
| 06126-40C | 36"    | Single      | Bulk/Bin Display | 40         | 40          |
| 06128-30C | 48"    | Single      | Bulk/Bin Display | 30         | 30          |



## Ultra® Hooks

### Round Cord

| Part No. | Length | Description | Package Type | Inner Pack | Master Pack |
|----------|--------|-------------|--------------|------------|-------------|
| 06067    | 18"    | Single      | Clamshell    | 6          | 48          |
| 06068    | 18"    | Single      | Bulk         | 10         | 50          |
| 06073    | 24"    | Single      | Clamshell    | 6          | 48          |
| 06074    | 24"    | Single      | Bulk         | 10         | 50          |
| 06076    | 32"    | Single      | Clamshell    | 6          | 48          |
| 06077    | 32"    | Single      | Bulk         | 10         | 50          |
| 06079    | 40"    | Single      | Clamshell    | 6          | 48          |
| 06091    | 40"    | Single      | Bulk         | 10         | 50          |
| 06094    | 48"    | Single      | Clamshell    | 6          | 48          |
| 06095    | 48"    | Single      | Bulk         | 10         | 50          |



### Flat Cord

| Part No. | Length | Description  | Package Type | Inner Pack | Master Pack |
|----------|--------|--------------|--------------|------------|-------------|
| 06102    | 24"    | 2 Pack       | Clamshell    | 6          | 6           |
| 06104    | 48"    | 2 Pack       | Clamshell    | 6          | 6           |
| 06105    | 18"    | Single       | Clamshell    | 6          | 48          |
| 06107    | 24"    | Single       | Clamshell    | 6          | 48          |
| 06111    | 32"    | Single       | Clamshell    | 6          | 48          |
| 06113    | 40"    | Single       | Clamshell    | 6          | 48          |
| 06117    | 32"    | Single, Camo | Clamshell    | 6          | 48          |
| 06118    | 48"    | Single       | Clamshell    | 6          | 48          |



## Twin Anchor® Hooks

| Part No. | Length | Description | Package Type | Inner Pack | Master Pack |
|----------|--------|-------------|--------------|------------|-------------|
| 06270    | 13"    | Single      | Bulk         | 10         | 10          |
| 06271    | 13"    | Single      | Clamshell    | 6          | 6           |
| 06272    | 18"    | Single      | Bulk         | 10         | 10          |
| 06273    | 18"    | Single      | Clamshell    | 6          | 6           |
| 06274    | 24"    | Single      | Bulk         | 10         | 10          |
| 06275    | 24"    | Single      | Clamshell    | 6          | 6           |
| 06276    | 32"    | Single      | Bulk         | 10         | 10          |
| 06277    | 32"    | Single      | Clamshell    | 6          | 6           |
| 06278    | 40"    | Single      | Bulk         | 10         | 10          |
| 06279    | 40"    | Single      | Clamshell    | 6          | 6           |
| 06280    | 48"    | Single      | Bulk         | 10         | 10          |
| 06281    | 48"    | Single      | Clamshell    | 6          | 6           |



## Multi-Packs

| Part No.  | Description  | Total Pieces | Package Type      | Inner Pack | Master Pack |
|-----------|--|--------------|-------------------|------------|-------------|
| 06300     | Contains (3) 18", (3) 24", (3) 36", and (3) 48" cords                        | 12           | Clamshell         | 3          | 3           |
| 06301     | Contains (6) 10" Minis, (6) 18", (2) 24", (2) 30", (2) 36", (2) 48"          | 20           | Clamshell         | 3          | 3           |
| 06303     | Contains (3) 24" cords   | 3            | Poly Bag w/Header | 6          | 6           |
| 06306     | Contains (2) 10" Minis, (2) 18", (1) 24", (1) 30"                            | 6            | Poly Bag w/Header | 6          | 6           |
| 06306-12C | Contains (2) 10" Minis, (2) 18", (1) 24", (1) 30"                            | 6            | Bin Display       | 12         | 12          |
| 06311     | Contains (2) 15", (2) 25", (1) 35", (1) 45" Flat Bungee Cords                | 6            | Poly Bag w/Header | 4          | 4           |
| 06313     | Contains (4) 10" Minis, (4) 18", (2) 24", (1) 30", (1) 36"                   | 12           | Poly Bag w/Header | 6          | 6           |
| 06317     | Contains (4) 10 Minis, (4) 16", (4) 18", (4) 24", (2) 30"                    | 18           | Poly Bag w/Header | 6          | 6           |
| 06320     | Contains (5) 10" Minis, (4) 12", (2) 18", (2) 24", (1) 32", (6) Toggle Balls | 20           | Jar/Bin Display   | 12         | 12          |
| 06344     | 12" Bungee Toggle Ball   | 10           | Poly Bag w/Header | 6          | 6           |
| 06345     | 8" Bungee Toggle Ball  | 25           | Poly Bag w/Header | 6          | 6           |
| 06356     | Contains (2) 40", (2) 32", (2) 24" Heavy Duty Bungee Cords                   | 6            | Poly Bag w/Header | 6          | 6           |



### Reels

| Part No. | Length                     | Description | Package Type | Inner Pack | Master Pack |
|----------|----------------------------|-------------|--------------|------------|-------------|
| 06170    | 5/32" x 300' Marine Grade  | 1           | Bulk Reel    | 1          | 1           |
| 06171    | 1/4" x 300' Marine Grade   | 1           | Bulk Reel    | 1          | 1           |
| 06173    | 5/16" x 300' Marine Grade  | 1           | Bulk Reel    | 1          | 1           |
| 06175    | 3/8" x '300' Marine Grade  | 1           | Bulk Reel    | 1          | 1           |
| 06179    | 1/2" x 150' Marine Grade   | 1           | Bulk Reel    | 1          | 1           |
| 06410    | 5/32" x 300' Mini          | 1           | Bulk Reel    | 1          | 1           |
| 06413    | 1/2" x 200' Narrow Flat    | 1           | Bulk Reel    | 1          | 1           |
| 06415    | 5/16" x 125' Premium Grade | 1           | Bulk Reel    | 1          | 1           |
| 06417    | 3/8" x 75' Heavy Duty      | 1           | Bulk Reel    | 1          | 1           |



**06426**  
**Vinyl Coated Steel Bungee Hook,**  
*(fits 1/4" – 5/16" cord sizes)*  
 Package: Bulk  
 Ship Pack 600



**06456**  
**Vinyl Coated Steel Hook, 10 Pack,**  
*(fits 5/16" – 3/8" cord sizes)*  
 Package: Poly Bag w/Header  
 Ship Pack 60



**06461**  
**Dichromate Hook, 10 Pack,**  
*(fits 5/32" cord sizes)*  
 Package: Poly Bag w/Header  
 Ship Pack 60



**06463**  
**Dichromate Hook, 10 Pack,**  
*(fits 1/4" cord sizes)*  
 Package: Poly Bag w/Header  
 Ship Pack 60

**06453**  
**4 Pack**  
 Package: Poly Bag w/Header  
 Ship Pack 10

**06457**  
**4 Pack**  
 Package: Poly Bag w/Header  
 Ship Pack 10

**06462**  
**4 Pack**  
 Package: Poly Bag w/Header  
 Ship Pack 10

**06464**  
**4 Pack**  
 Package: Poly Bag w/Header  
 Ship Pack 10

**06452**  
**10 Pack**  
 Package: Poly Bag w/Header  
 Ship Pack 60



**06483**  
**Dichromate Hook, 4 Pack,**  
*(fits 1/2" cord sizes)*  
 Package: Poly Bag w/Header  
 Ship Pack 10



**06480**  
**Stainless Steel Bungee Hook, 4 Pack**  
*(fits 1/4" – 5/16" cord sizes)*  
 Package: Poly Bag w/Header  
 Ship Pack 10



**06482**  
**Stainless Steel Bungee Hook, 4 Pack**  
*(fits 5/16" – 3/8" cord sizes)*  
 Package: Poly Bag w/Header  
 Ship Pack 10



**06484**  
**Stainless Steel Bungee Hook, 4 Pack**  
*(fits 1/2" cord sizes)*  
 Package: Poly Bag w/Header  
 Ship Pack 10



**06429**  
**Adjustable Zip Hook®**  
*(fits 1/4" – 5/16" cord sizes)*  
 Package: Bulk  
 Ship Pack 600



**06470**  
**SST Flat Bungee Cord Hook, 4 Pack**  
 Package: Poly Bag w/Header  
 Ship Pack 10



**06472**  
**SST Round Bungee Cord Hook, 4 Pack**  
 Package: Poly Bag w/Header  
 Ship Pack 10




**06163**  
**60" Bungee Cord, Black/Yellow Kolossal Karabiner™**  
 Package: Chipboard  
 Ship Pack 4

**06479**  
**10 Pack**  
 Package: Poly Bag w/Header  
 Ship Pack 60





**06051**  
**10" Mini Bungee Cord, 4 Pack**  
 Package: Poly Bag w/Header  
 Ship Pack 12



**06054**  
**6 Piece Mini Bungee Cords, (2 ea: 6", 8", 10")**  
 Package: Poly Bag w/Header  
 Ship Pack 12



**06100**  
**24" Flat Bungee, Yellow, Support Our Troops**  
 Package: Blister/Cut Case  
 Ship Pack 6



**06101**  
**24" Flat Bungee, Pink, Breast Cancer Awareness**  
 Package: Blister/Clip Strip  
 Ship Pack 8

**06052**  
**8 Pack**  
 Package: Poly Bag w/Header  
 Ship Pack 12

**06053**  
**20 Pack**  
 Package: Jar  
 Ship Pack 8C



**06136**  
**6 Arm Bungee Cord**  
 Package: Poly Bag w/Header  
 Ship Pack 4



**06138**  
**Adjustable 6 Arm Zip Cord®, 50"**  
 Package: Poly Bag w/Header  
 Ship Pack 10




**06119**  
**Adjustable Flat Bungee Cord (Adjusts from 10" to 54")**  
 Package: Clamshell  
 Ship Pack 6




**06098**  
**36" ZipCord®, Ultra®**  
 Package: Bulk  
 Ship Pack 50

**06099**  
 Package: Clamshell  
 Ship Pack 6



**06143**  
**15" x 15" Motorcycle/ATV Cargo Net**  
 Package: Clamshell  
 Ship Pack 4




**06141**  
**ZipNet® Adjustable Cargo Net**  
 Package: Clamshell  
 Ship Pack 3




**06164**  
**24" Bungee Cord, w/ Mega Hook®**  
 Package: Chipboard  
 Ship Pack 6

**06168**  
**48" Bungee Cord, w/ Mega Hook®**  
 Package: Chipboard  
 Ship Pack 6



**06144**  
**15" x 30" ATV/UTV Cargo Net**  
 Package: Clamshell  
 Ship Pack 4



**03141**  
**ZipNet® Adjustable Cargo Net, Camo**  
 Package: Clamshell  
 Ship Pack 3



## EPDM RUBBER

EPDM has been the choice of truckers for many years. It's UV and Ozone resistance has been relied upon for superior performance in the field. These straps come in a variety of lengths depending upon your job, or our adjustable VersaStrap® for greater versatility. We even offer a camouflage version for the outdoor enthusiast. But don't forget, these straps are great for use at home, automotive, recreation, gardening and crafts.

### EPDM Rubber Strap



| Part No.  | Length | Description | Package Type      | Inner Pack | Master Pack |
|-----------|--------|-------------|-------------------|------------|-------------|
| 06209     | 10"    | Single      | Bulk              | 10         | 50          |
| 06214     | 13"    | Single      | Bulk              | 10         | 50          |
| 06214-40C | 13"    | Single      | Bulk/Bin Display  | 40         | 40          |
| 06215     | 13"    | 2 Pack      | Poly Bag w/Header | 6          | 10          |
| 06219     | 19"    | Single      | Bulk              | 10         | 50          |
| 06219-40C | 19"    | Single      | Bulk/Bin Display  | 40         | 40          |
| 06220     | 19"    | 2 Pack      | Poly Bag w/Header | 6          | 10          |
| 06224     | 24"    | Single      | Bulk              | 10         | 50          |
| 06224-30C | 24"    | Single      | Bulk/Bin Display  | 30         | 30          |
| 06225     | 24"    | 2 Pack      | Poly Bag w/Header | 6          | 10          |
| 06235     | 35"    | Single      | Bulk              | 10         | 50          |
| 06235-20C | 35"    | Single      | Bulk/Bin Display  | 20         | 20          |
| 06236     | 35"    | 2 Pack      | Poly Bag w/Header | 6          | 10          |
| 06245     | 45"    | Single      | Bulk              | 10         | 50          |
| 06245-20C | 45"    | Single      | Bulk/Bin Display  | 20         | 20          |

### VersaStrap®



| Part No.  | Length   | Description | Package Type     | Inner Pack | Master Pack |
|-----------|----------|-------------|------------------|------------|-------------|
| 06261     | 24"      | Single      | Bulk             | 10         | 50          |
| 06262     | 24"      | Single      | Clamshell        | 6          | 48          |
| 06263-20C | 24" Camo | Single      | Bulk/Bin Display | 20         | 20          |
| 06265     | 34"      | Single      | Bulk             | 10         | 50          |
| 06266     | 34"      | Single      | Clamshell        | 6          | 48          |
| 06268-20C | 36"      | Single      | Bulk/Bin Display | 20         | 20          |



**06360**  
**EPDM Rubber Strap, Multi-Pack, 10 Pcs.,**  
*(contains 4-14", 2-19", 2-24", 2-35")*  
 Package: Poly Bag w/Header  
 Ship Pack 6



**06361**  
**EPDM Rubber Strap, Multi-Pack, 10 Pcs.,**  
*(contains 4-14", 2-19", 2-24", 2-35")*  
 Package: Jar/Cut Case  
 Ship Pack 12




**06363**  
**EPDM Rubber Strap, Multi-Pack, 5 Pcs.**  
*(contains 1-14", 2-19", 2-24")*  
 Package: Jar/Cut Case  
 Ship Pack 6



**06365**  
**EPDM Rubber Strap, 36" VersaStrap®, 4 Pcs.**  
 Package: Jar/Cut Case  
 Ship Pack 6



**06210**  
**S-Hooks for Rubber Straps**  
 Package: Bulk  
 Ship Pack 500



**06211**  
**S-Hooks for Rubber Straps, 4 Pack**  
 Package: Poly Bag w/Header  
 Ship Pack 10





**06369**  
**EPDM Rubber Strap,**  
**5 Pc. Jar, Camo,**  
**2-14", 2-19", 1-24"**  
**VersaStrap**  
Package: Jar/Cut Case  
Ship Pack 6



**09801**  
**6' x 8' Poly Tarp**  
Package: Shrink Wrap/Cut  
Case  
Ship Pack 20



**09802**  
**8' x 10' Poly Tarp**  
Package: Shrink Wrap/Cut  
Case  
Ship Pack 12



**09803**  
**10' x 12' Poly Tarp**  
Package: Shrink Wrap/Cut  
Case  
Ship Pack 8



**09804**  
**12' x 18' Poly Tarp**  
Package: Shrink Wrap/Cut  
Case  
Ship Pack 12



**09805**  
**18' x 24' Poly Tarp**  
Package: Shrink Wrap/Cut  
Case  
Ship Pack 7



**09520**  
**EasyKlip®, Tarp**  
**Anchor Point, Blue,**  
**4 Pack**  
Package: Blister  
Ship Pack 10

**89520**  
Package: Bin Display  
Ship Pack 25



**EMERGENCY / RECOVERY**

Tow Straps and Vehicle Recovery Straps are the best options to tow a stuck or disabled vehicle. Hi-Test® abrasion resistant webbing exceeds the needs of demanding applications. Diamond braid ropes absorb towing jerks better than others. Tow Straps and Ropes with Zinc plated, forged hooks attach easily to the vehicle frame. Lighter than chain, Straps won't rust, rot or mildew. Straps store in trunk, job box or behind your truck seat.

**TRUCK & AUTO**



**Tow Ropes (Forged Steel Slip Hook w/Latch)**

| Part No. | Rope Diameter | Rope Length | Rope Capacity | Max Vehicle Weight | Packaging Type | Case Pack |
|----------|---------------|-------------|---------------|--------------------|----------------|-----------|
| 02855    | 5/8"          | 13'         | 6,800 lbs.    | 3,500 lbs.         | Clamshell      | 4         |
| 02858    | 3/4"          | 16'         | 8,700 lbs.    | 4,500 lbs.         | Clamshell      | 3         |
| 02859    | 7/8"          | 18'         | 12,000 lbs.   | 6,000 lbs.         | Shrink Wrap    | 3         |
| 89859    | 7/8"          | 18'         | 12,000 lbs.   | 6,000 lbs.         | Bin Display    | 3         |



**Tow Straps (Forged Steel Slip Hook w/Latch)**

| Part No. | Webbing Width | Webbing Length | Webbing Capacity | Max Vehicle Weight | Description | Packaging Type | Case Pack |
|----------|---------------|----------------|------------------|--------------------|-------------|----------------|-----------|
| 02805    | 2"            | 20'            | 3,000 lbs.       | 1,000 lbs.         |             | Clamshell      | 4         |
| 02807    | 2"            | 13'            | 7,000 lbs.       | 3,500 lbs.         |             | Clamshell      | 4         |
| 89800    | 2"            | 15'            | 12,000 lbs.      | 5,000 lbs.         | Retractable | Bin Display    | 3         |
| 02815    | 2"            | 15'            | 12,000 lbs.      | 5,000 lbs.         |             | Clamshell      | 4         |
| 89815    | 2"            | 15'            | 12,000 lbs.      | 5,000 lbs.         |             | Bin Display    | 5         |
| 89816    | 2"            | 15'            | 12,000 lbs.      | 5,000 lbs.         |             | Bin Display    | 4         |
| 89819    | 2"            | 15'            | 12,000 lbs.      | 5,000 lbs.         | Blaze Camo  | Bin Display    | 4         |
| 02825    | 2"            | 25'            | 12,000 lbs.      | 5,000 lbs.         |             | Clamshell      | 4         |
| 02825-SC | 2"            | 25'            | 12,000 lbs.      | 5,000 lbs.         |             | Storage Case   | 4         |
| 89825    | 2"            | 25'            | 12,000 lbs.      | 5,000 lbs.         |             | Bin Display    | 4         |



**Vehicle Recovery Straps**

| Part No. | Webbing Width | Webbing Length | Webbing Capacity | Max Vehicle Weight | Packaging Type | Case Pack |
|----------|---------------|----------------|------------------|--------------------|----------------|-----------|
| 02922    | 2"            | 20'            | 15,000 lbs.      | 7,000 lbs.         | Clamshell      | 3         |
| 89922    | 2"            | 20'            | 15,000 lbs.      | 7,000 lbs.         | Bin Display    | 4         |
| 89924    | 2"            | 20'            | 15,000 lbs.      | 7,000 lbs.         | Bin Display    | 3         |
| 02923    | 2"            | 30'            | 20,000 lbs.      | 10,000 lbs.        | Shrink Wrap    | 6         |
| 89923    | 2"            | 30'            | 20,000 lbs.      | 10,000 lbs.        | Bin Display    | 4         |
| 02932    | 3"            | 20'            | 22,500 lbs.      | 11,000 lbs.        | Clamshell      | 3         |
| 02932-SC | 3"            | 20'            | 22,500 lbs.      | 11,000 lbs.        | Storage Case   | 4         |
| 89932    | 3"            | 20'            | 22,500 lbs.      | 11,000 lbs.        | Bin Display    | 3         |
| 02933    | 3"            | 30'            | 30,000 lbs.      | 15,000 lbs.        | Shrink Wrap    | 4         |
| 89933    | 3"            | 30'            | 30,000 lbs.      | 15,000 lbs.        | Bin Display    | 3         |
| 02942    | 4"            | 30'            | 20,000 lbs.      | 10,000 lbs.        | Shrink Wrap    | 3         |
| 02943    | 4"            | 30'            | 40,000 lbs.      | 20,000 lbs.        | Shrink Wrap    | 3         |
| 89943    | 4"            | 30'            | 40,000 lbs.      | 20,000 lbs.        | Bin Display    | 2         |
| 02952    | 2"            | 6'             | 20,000 lbs.      | 8,000 lbs.         | Shrink Wrap    | 4         |
| 02953    | 3"            | 6'             | 30,000 lbs.      | 10,000 lbs.        | Shrink Wrap    | 5         |
| 02963    | 6"            | 30'            | 60,000 lbs.      | 30,000 lbs.        | Shrink Wrap    | 2         |
| 02970    | 6"            | 30'            | 75,000 lbs.      | 37,500 lbs.        | Storage Bag    | 1         |
| 02980    | 8"            | 30'            | 100,000 lbs.     | 50,000 lbs.        | Storage Bag    | 1         |
| 02990    | 10"           | 30'            | 125,000 lbs.     | 62,500 lbs.        | Storage Bag    | 1         |



## CARGO ACCESSORIES

Cargo Accessories include Key Keeper Key Chains to organize keys. Wrap-It-Ups to wrap gear, and Cargo Bars to secure cargo in SUV's, Pick-up Trucks or Car trunks. Various Anchor Points, Hooks, Cargo Bags, and other miscellaneous items to meet your Cargo Control needs.



**05056**  
**Cargo Bar, Telescoping, 45"-70"**  
 Package: Chip board  
 Ship Pack 3



**05055**  
**Cargo Bar, Auto Extend, 31"-70"**  
 Package: Chip board  
 Ship Pack 3



**05060**  
**Cargo Bar, Ratcheting, 40"-70" with Storage Net**  
 Package: Chip board  
 Ship Pack 3



**05059**  
**Cargo Bar, Ratcheting, 40"-70"**  
 Package: Chip board  
 Ship Pack 3



### Key Keepers

| Part No. | Description  | Packaging        | Case Pack |
|----------|--|------------------|-----------|
| 05289    | Key Keeper Key Chain, Orange w/ Reflective Markers | Bulk/Bin Display | 30        |
| 05290    | Orange   | Bulk/Bin Display | 30        |
| 05291    | Gray   | Bulk/Bin Display | 30        |
| 05292    | Yellow   | Bulk/Bin Display | 30        |
| 05293    | Desert Camo  | Bulk/Bin Display | 30        |
| 05294    | Blaze Camo   | Bulk/Bin Display | 30        |
| 05295    | Cow Camo   | Bulk/Bin Display | 30        |
| 05296    | Pink Camo  | Bulk/Bin Display | 30        |
| 05297    | Leopard  | Bulk/Bin Display | 30        |
| 05298    | Diamond Plate                                      | Bulk/Bin Display | 30        |
| 05299    | Naval Camo   | Bulk/Bin Display | 30        |



### Wrap-It-Up™ Carabiner Straps

| Part No. | Description                 | Packaging        | Case Pack |
|----------|-----------------------------|------------------|-----------|
| 05260    | Keeper Wrap-It-Up, Cow Camo | Bulk/Bin Display | 15        |
| 05261    | Blaze Camo                  | Bulk/Bin Display | 15        |
| 05262    | Diamond Plate               | Bulk/Bin Display | 15        |
| 05263    | Desert Camo                 | Bulk/Bin Display | 15        |
| 05264    | Pink Camo                   | Bulk/Bin Display | 15        |
| 05265    | Leopard                     | Bulk/Bin Display | 15        |
| 05266    | Naval Camo                  | Bulk/Bin Display | 15        |
| 05267    | Orange w/Reflective Markers | Bulk/Bin Display | 15        |

**TRUCK & AUTO**



**05602**  
**Steel Ring Stake Pocket Anchor Point**  
Package: Bulk  
Ship Pack 4



**05604**  
**Chrome Ring Stake Pocket Anchor Point**  
Package: Bulk  
Ship Pack 4



**89606**  
**Oversized Chrome Ring Stake Pocket Anchor Point**  
Package: Bin Display  
Ship Pack 12



**05637**  
**Movable Anchor Point, 2 Pack**  
Package: i-Pack  
Ship Pack 4

**89602**  
Package: Bin Display  
Ship Pack 12

**05605**  
**2 Pack**  
Package: Clamshell  
Ship Pack 4

**89604**  
Package: Bin Display  
Ship Pack 12



**05647**  
**Han-D-Ring® Anchor Point, 2 Pack**  
Package: i-Pack  
Ship Pack 4



**05648**  
**Universal, Chrome Ring Stake Pocket Anchor Point, 2 Pack**  
Package: i-Pack  
Ship Pack 4



**05652**  
**Universal, Black Ring Stake Pocket Anchor Point, 2 Pack**  
Package: i-Pack  
Ship Pack 4



**05653**  
**Bull Ring® Anchor Point, Universal, Stainless Steel, 2 Pack**  
**1,000 lbs. break strength**  
Package: i-Pack  
Ship Pack 4



**05654**  
**Bull Ring® Anchor Point, Universal, 2 Pack**  
**1,000 lbs. break strength**  
Package: i-Pack  
Ship Pack 4



**05658**  
**Bull Ring® Bullet Anchor Point, Universal, 2 Pack**  
**1,000 lbs. break strength**  
Package: i-Pack  
Ship Pack 4



**05626**  
**Chrome Rope Cleat**  
Package: Clamshell  
Ship Pack 4



**05628**  
**Chrome Fold Away Cleat, 2 Pack**  
Package: Clamshell  
Ship Pack 4






**05624**  
**Swivel Rope Hook, 2 Pack**  
 Package: Clamshell  
 Ship Pack 6



**05611**  
**Tow Hook, Black, Forged Steel, 10,000 lbs. Max Vehicle Wt.**  
 Package: Bulk  
 Ship Pack 40



**05618**  
**Tow Hook Kit, Black, Forged Steel, 10,000 lbs. Max. Vehicle Wt. w/hardware**  
 Package: Clamshell  
 Ship Pack 4



**05619**  
**Tow Hook Kit, Chrome, Forged Steel, 10,000 lbs. Max. Vehicle Wt. w/hardware**  
 Package: Clamshell  
 Ship Pack 4

**05623**  
**Swivel Rope Hook, 4 Pack**  
 Package: Chip board  
 Ship Pack 6



**05674**  
**Ramp Kit, Powder Coated Steel**  
 Package: Retail Carton  
 Ship Pack 6



**05680**  
**Safety Step®, 4" x 17.5", 2 Pack**  
 Package: Cardboard Header  
 Ship Pack 4



**07110**  
**CA Truck Rope, 50' Roll x 3/8"**  
 Package: Shrink wrap  
 Ship Pack 6



**07201**  
**Roof Top Cargo Bag, Weather Resistant 11 Cu. Ft.**  
 Package: Retail Carton  
 Ship Pack 2



**07203**  
**Roof Top Cargo Bag, Waterproof, 15 Cu. Ft.**  
 Package: Retail Carton  
 Ship Pack 2

**05679**  
 Package: Bulk/Cut Case  
 Ship Pack 12



**07720**  
**Roof Rack Pad, 2 Pack**  
 Package: Retail Carton  
 Ship Pack 2



**07730**  
**Tailgate Pad, with Straps**  
 Package: Retail Carton  
 Ship Pack 2



**09811**  
**Quik-Cap® Cargo Cap, Tonneau Cover (Fits all 6-1/2' Truck Beds)**  
 Package: Retail Carton  
 Ship Pack 2

**TRAILER HARDWARE**

Trailer Hardware items include: various O-Track and E-Track items; D-Rings, Surface Mounts and Anchor Point of all sizes and Working Load Limits; Removable Bed Bolts, Trailer Stake Pockets, Corner Protectors, Clamps and Spring & Quick Links.

**TRUCK & AUTO**



**89300**  
**12" O-Track**  
**1,333 lbs. WLL**  
**4,000 lbs. Break Strength**  
Package: Bulk/Cut Case  
Ship Pack 12




**89301**  
**12" HD Beveled O-Track**  
**1,333 lbs. WLL**  
**4,000 lbs. Break Strength**  
Package: Bulk/Cut Case  
Ship Pack 12



**89302**  
**Single Stud Fitting w/ Aluminum Base**  
(Kit with mounting screws)  
**1,333 lbs. WLL**  
**4,000 lbs. Break Strength**  
Package: Bulk/Cut Case  
Ship Pack 12




**89303**  
**O-Track Single Stud Fitting**  
**1,333 lbs. WLL**  
**4,000 lbs. Break Strength**  
Package: Bulk/Cut Case  
Ship Pack 12



**89304**  
**O-Track Double Stud Fitting**  
**2,000 lbs WLL**  
**6,000 lbs. Break Strength**  
Package: Bulk/Cut Case  
Ship Pack 12

**89325**  
**4' Length**  
Package: Bulk  
Ship Pack 6


**89326**  
**4' Length**  
Package: Bulk  
Ship Pack 6



**89305**  
**12" Horizontal E-Track, Green Finish**  
**2,000 lbs. WLL**  
**6,000 lbs. Break Strength**  
Package: Bulk/Cut Case  
Ship Pack 12



**04304**  
**24" Horizontal E-Track, Gray Finish**  
**2,000 lbs. WLL**  
**6,000 lbs. Break Strength**  
Package: Bulk/Cut Case  
Ship Pack 10



**04316**  
**7" x 2" E-Track Tie-Off Strap, Stamped D-Ring, 2 Pack**  
**2,000 lbs. WLL**  
**6,000 lbs. Break Strength**  
Package: Clamshell  
Ship Pack 4




**89307**  
**Articulated E-Track Fitting w/ 2" O-Ring**  
**2,000 lbs. WLL**  
**6,000 lbs. Break Strength**  
Package: Bulk/Cut Case  
Ship Pack 12

**89327**  
**4' E-Track**  
Package: Bulk  
Ship Pack 6

**89306**  
Package: Bulk/Cut Case  
Ship Pack 12



**89308**  
**Snap Loc® E-Track Space Saver Fitting, Black**  
**1,333 lbs. WLL**  
**4,000 lbs. Break Strength**  
Package: Bulk/Cut Case  
Ship Pack 12



**89309**  
**Snap Loc® E-Track Space Saver Fitting, Chrome**  
**1,333 lbs. WLL**  
**4,000 lbs. Break Strength**  
Package: Bulk/Cut Case  
Ship Pack 12




**89310**  
**Split Center J-Hook, Vinyl Coated, (Fits 2" Webbing)**  
**1,000 lbs. WLL**  
**3,000 lbs. Break Strength**  
Package: Bulk/Cut Case  
Ship Pack 8




## Light Duty



**04520**  
**1-1/2" Wire Ring Anchor Point, Stainless Steel, 4 Pack**  
**300 lbs. WLL**  
**900 lbs. Break Strength**  
 Package: Chip board  
 Ship Pack 6



**04521**  
**1-1/2" D-Ring w/ Bracket, 2 Pack**  
**300 lbs. WLL**  
**900 lbs. Break Strength**  
 Package: Clamshell  
 Ship Pack 6



**89311**  
**1" D-ring w/ Bracket**  
**400 lbs. WLL**  
**1,200 lbs. Break Strength**  
 Package: Bulk/Cut Case  
 Ship Pack 18



**89312**  
**2-3/4" Oval Plate Anchor, Recessed**  
**250 lbs. WLL**  
**750 lbs. Break Strength**  
 Package: Bulk/Cut Case  
 Ship Pack 12

**04522**  
**4 Pack**  
 Package: Chip board  
 Ship Pack 6



**89313**  
**4" Diameter Surface Mount w/D-Ring, Black Trim**  
**400 lbs. WLL**  
**1,200 lbs. Break Strength**  
 Package: Bulk/Cut Case  
 Ship Pack 12



**04523**  
**3-1/2" Oval Plate Anchor, Recessed**  
**400 lbs. WLL**  
**1,200 lbs. Break Strength**  
 Package: Chip board  
 Ship Pack 4

**89523**  
 Package: Bulk/Cut Case  
 Ship Pack 12



## Medium Duty



**89314**  
**1-1/2" D-Ring w/ Bracket**  
**1,666 lbs. WLL**  
**5,000 lbs. Break Strength**  
 Package: Bulk/Cut Case  
 Ship Pack 12



**89316**  
**4" Oval Plate Anchor, Recessed**  
**1,600 lbs. WLL**  
**4,800 lbs. Break Strength**  
 Package: Bulk/Cut Case  
 Ship Pack 8



**04519**  
**2" Surface Ring Anchor Point, Stainless Steel**  
**2,000 lbs. WLL**  
**6,000 lbs. Break Strength**  
 Package: Chip board  
 Ship Pack 4



**04528**  
**4-7/16" Square Flip Ring Anchor, Recessed**  
**1,666 lbs. WLL**  
**5,000 lbs. Break Strength**  
 Package: Chip board  
 Ship Pack 4




**89526**  
 Package: Bulk/Cut Case  
 Ship Pack 8

**89315**  
**6-1/4" Diameter Rotating D-Ring Anchor, Recessed**  
**1,666 lbs. WLL**  
**5,000 lbs. Break Strength**  
 Package: Bulk/Cut Case  
 Ship Pack 6

**TRUCK & AUTO**

**Heavy Duty**



**04529**  
**3-3/8" D-Ring w/  
Bracket, Bolt-On**  
**3,666 lbs. WLL**  
11,000 lbs. Break Strength  
Package: Chip board  
Ship Pack 4



**89317**  
**1/2" Surface Mount  
Weld-On D-Ring  
Anchor**  
**4,000 lbs. WLL**  
12,000 lbs. Break Strength  
Package: Bulk/Cut Case  
Ship Pack 8



**89318**  
**5/8" Surface Mount  
Weld-On D-Ring  
Anchor**  
**5,000 lbs. WLL**  
15,000 lbs. Break Strength  
Package: Bulk/Cut Case  
Ship Pack 8



**89319**  
**3/4" Surface Mount  
Weld-On D-Ring  
Anchor**  
**6,666 lbs. WLL**  
20,000 lbs. Break Strength  
Package: Bulk/Cut Case  
Ship Pack 8

**89527**  
Package: Bulk/Cut Case  
Ship Pack 8

**Specialty Hardware**



**89320**  
**1/2" Removable  
Bed Bolts**  
**800 lbs. WLL**  
**2,400 lbs. Break Strength**  
Package: Bulk/Cut  
Case  
Ship Pack 12



**89530**  
**1/4" Spring  
Link**  
**160 lbs. WLL**  
Package: Bulk/Cut  
Case  
Ship Pack 24



**89532**  
**3/8" Spring  
Link**  
**315 lbs. WLL**  
Package: Bulk/Cut  
Case  
Ship Pack 24



**89534**  
**5/16" Quick  
Link**  
**1,760 lbs. WLL**  
Package: Bulk/Cut  
Case  
Ship Pack 24



**89536**  
**3/8" Quick Link**  
**2,650 lbs. WLL**  
Package: Bulk/Cut  
Case  
Ship Pack 24



**89322**  
**Trailer Stake  
Pocket, Straight**  
Package: Bulk/Cut  
Case  
Ship Pack 10



**89323**  
**Trailer Stake  
Pocket, Tapered**  
Package: Bulk/Cut  
Case  
Ship Pack 10



**89324**  
**4" Plastic  
Corner  
Protectors**  
Package: Bulk/Cut  
Case  
Ship Pack 14



**89328**  
**Large  
Aluminum  
Clamps (used to  
attach truck cap to  
truck bed)**  
Package: Bulk/Cut  
Case  
Ship Pack 6







**04901**  
**Safety Flag w/  
 Wooden Dowel,  
 18" x 18", DOT  
 Compliant, PVC**  
 Package: Shrink Wrap/Cut  
 Case  
 Ship Pack 20



**04902**  
**Safety Flag, 18" x  
 18", DOT Compliant,  
 Mesh PVC w/  
 Grommets**  
 Package: Shrink Wrap/Cut  
 Case  
 Ship Pack 20



**04903**  
**Reversible Banner,  
 Yellow, "Oversize  
 Load/Wide Load",  
 18" x 84" w/  
 Grommets**  
 Package: Shrink Wrap/Cut  
 Case  
 Ship Pack 4



**04905**  
**Flag-it™, Mesh PVC  
 Safety Flag w/  
 Bungee**  
 Package: Chip board  
 Ship Pack 8




**04906**  
**Safety Flag Magnet**  
 Package: Clamshell  
 Ship Pack 6



**04910**  
**Folding  
 Safety Triangle**  
 Package: Bulk/Bin Display  
 Ship Pack 4



**04940**  
**Trail Tape, 1"x 150',  
 Blaze Orange**  
 Package: Chip Board  
 Ship Pack 6



**04942**  
**Safety Tape, 1"x 25',  
 Red/White**  
 Package: Chip Board  
 Ship Pack 6



**04944**  
**Safety Tape, 2"x 15',  
 Red/White**  
 Package: Chip Board  
 Ship Pack 6


## Lifting Slings

### 1 Ply Webbing Lifting Slings



| Part No. | Description                           | Vertical Rated Capacity | Choker Rated Capacity | Basket Rated Capacity | Packaging Type          | Case Pack |
|----------|---------------------------------------|-------------------------|-----------------------|-----------------------|-------------------------|-----------|
| 02604    | 6' x 1" Lift Sling, 1 Ply, Flat Loop  | 1,600 lbs.              | 1,280 lbs.            | 3,200 lbs.            | Shrink Wrap/bin Display | 8         |
| 02606    | 10' x 1" Lift Sling, 1 Ply, Flat Loop | 1,600 lbs.              | 1,280 lbs.            | 3,200 lbs.            | Shrink Wrap/bin Display | 8         |
| 02612    | 6' x 2" Lift Sling, 1 Ply, Flat Loop  | 3,100 lbs.              | 2,480 lbs.            | 9,400 lbs.            | Shrink Wrap/bin Display | 4         |
| 02616    | 12' x 2" Lift Sling, 1 Ply, Flat Loop | 3,100 lbs.              | 2,480 lbs.            | 9,400 lbs.            | Shrink Wrap/bin Display | 4         |
| 02618    | 14' x 2" Lift Sling, 1 Ply, Flat Loop | 3,100 lbs.              | 2,480 lbs.            | 9,400 lbs.            | Shrink Wrap/bin Display | 4         |

### 2 Ply Webbing Lifting Slings



| Part No. | Description                           | Vertical Rated Capacity | Choker Rated Capacity | Basket Rated Capacity | Packaging Type          | Case Pack |
|----------|---------------------------------------|-------------------------|-----------------------|-----------------------|-------------------------|-----------|
| 02622    | 6' x 2" Lift Sling, 2 Ply, Flat Loop  | 6,200 lbs.              | 4,960 lbs.            | 12,400 lbs.           | Shrink Wrap/bin Display | 4         |
| 02626    | 10' x 2" Lift Sling, 2 Ply, Flat Loop | 6,200 lbs.              | 4,960 lbs.            | 12,400 lbs.           | Shrink Wrap/bin Display | 4         |
| 02628    | 12' x 2" Lift Sling, 2 Ply, Flat Loop | 6,200 lbs.              | 4,960 lbs.            | 12,400 lbs.           | Shrink Wrap/bin Display | 4         |
| 02630    | 16' x 2" Lift Sling, 2 Ply, Flat Loop | 6,200 lbs.              | 4,960 lbs.            | 12,400 lbs.           | Shrink Wrap/bin Display | 4         |
| 02632    | 20' x 2" Lift Sling, 2 Ply, Flat Loop | 6,200 lbs.              | 4,960 lbs.            | 12,400 lbs.           | Shrink Wrap/bin Display | 4         |
| 02634    | 10' x 3" Lift Sling, 2 Ply, Flat Loop | 8,800 lbs.              | 7,040 lbs.            | 17,600 lbs.           | Shrink Wrap/bin Display | 2         |
| 02636    | 12' x 3" Lift Sling, 2 Ply, Flat Loop | 8,800 lbs.              | 7,040 lbs.            | 17,600 lbs.           | Shrink Wrap/bin Display | 2         |
| 02638    | 16' x 3" Lift Sling, 2 Ply, Flat Loop | 8,800 lbs.              | 7,040 lbs.            | 17,600 lbs.           | Shrink Wrap/bin Display | 2         |
| 02642    | 10' x 4" Lift Sling, 2 Ply, Flat Loop | 11,000 lbs.             | 8,800 lbs.            | 22,000 lbs.           | Shrink Wrap/bin Display | 2         |
| 02646    | 16' x 4" Lift Sling, 2 Ply, Flat Loop | 11,000 lbs.             | 8,800 lbs.            | 22,000 lbs.           | Shrink Wrap/bin Display | 2         |

**MARINE HARDWARE**

Specialty products designed for the extreme marine environment, featuring stainless steel components and application specific products.

**MARINE**



**07501**  
**Bow Safety Strap,**  
**1.25"x4'**  
**400 lbs. WLL**  
**1,200 lbs. Break Strength**



**07503**  
**3-Point Watercraft**  
**Strap, 6'**  
**750 lbs. WLL**  
**2,250 lbs. Break Strength**



**07505**  
**Gunwale Tie Down,**  
**2"x14', OCB**  
**500 lbs. WLL**  
**1,500 lbs. Break Strength**



**07507**  
**Gunwale Tie Down,**  
**Stainless Steel,**  
**2"x14', OCB**  
**500 lbs. WLL**  
**1,500 lbs. Break Strength**



**07512**  
**12' x 1-1/2" Lashing**  
**Strap w/Protective**  
**Cover, 2 pack**  
**300 lbs. WLL**  
**900 lbs. Break Strength**



**07515**  
**15' x 1" Lashing**  
**Strap w/Protective**  
**Cover**  
**200 lbs. WLL**  
**600 lbs. Break Strength**



**07522**  
**Transom Tie Down,**  
**2"x4', OCB, 2 pack**  
**500 lbs. WLL**  
**1,500 lbs. Break Strength**



**07523**  
**Transom Tie Down,**  
**Stainless Steel,**  
**2"x4', OCB, 2 pack**  
**500 lbs. WLL**  
**1,500 lbs. Break Strength**



**07541**  
**Retractable Transom**  
**Tie Down, 1-7/8" x 4'**  
**1,000 lbs. WLL**  
**3,000 lbs. Break Strength**



| Part No. | Description   | Package Type | Case Pack |
|----------|---|--------------|-----------|
| 07501    | Bow Safety Strap, 1.25"x4', 400 lbs. WLL                            | Clamshell    | 4         |
| 07503    | 3-Point Watercraft Strap, 6' Multi-Pt., 750 lbs. WLL                | Clamshell    | 4         |
| 07505    | Gunwale Tie Down, 2"x14', OCB, 500 lbs. WLL                         | Clamshell    | 4         |
| 07507    | Gunwale Tie Down - Stainless Steel, 2"x14', OCB, 500 lbs. WLL       | Clamshell    | 4         |
| 07512    | 12' x 1-1/2" Lashing Strap w/Protective Cover, 2 pack               | Clamshell    | 4         |
| 07515    | 15' x 1" Lashing Strap w/Protective Cover, 200 lbs. WLL             | Clamshell    | 4         |
| 07522    | Transom Tie Down, 2"x4', OCB, 500 lbs., 2 PK                        | Clamshell    | 4         |
| 07523    | Transom Tie Down - Stainless Steel, 2"x4', OCB, 500 lbs., 2PK       | Clamshell    | 4         |
| 07541    | Transom Tie Down - Retractable, 1 7/8" x 4', 1,000 lbs. WLL, 2-Pack | i-Pack       | 3         |



## TOWING

When on the road, safety and security are top priorities. From our industry first Welded One Piece Ball Mounts to a wide variety of ball mount locks, we have all of your needs locked up.

### TOWING



**3015-008**  
**Pin & Clip 5/8"**  
Package: Chip board  
Ship Pack 6



**3015-012**  
**Pin & Clip 1/2"**  
Package: Chip board  
Ship Pack 6



**3015-031**  
**Coupler Pin w/ Chain**  
Package: Chip board  
Ship Pack 6



**3015-014**  
**Integrated Pin & Clip, Lockable, 1/2" & 5/8"**  
Package: Chip board  
Ship Pack 6



**3015-029**  
**L Handle Push Pin & Clip, 1/2" & 5/8"**  
Package: Chip board  
Ship Pack 5



**3020-051**  
**Discus Coupler Lock, Stainless, 3/4" Shackle for Fast Lock couplers**  
Package: Chip board  
Ship Pack 3



**3020-052**  
**Coupler Lock Covered Brass, 2-1/4" Shackle**  
Package: Chip board  
Ship Pack 4



**3020-054**  
**Coupler Lock, 3/4" Clearance**  
Package: Chip board  
Ship Pack 4



**3020-055**  
**Coupler Lock, A-Frame, Fits Most Couplers 3/4" - 2 1/4"**  
Package: Chip board  
Ship Pack 4



**3020-066**  
**Coupler Security System Kit for Towing & Storage**  
Package: Clamshell  
Ship Pack 2



**3020-068**  
**Universal Coupler Lock, Adjustable, Fits All Couplers**  
Package: Clamshell  
Ship Pack 2



**3015-043**  
**Bent Pin Hitch Lock, Covered, 1/2" and 5/8" with Sleeve**  
Package: Chip board  
Ship Pack 2


**TOWING**




**3015-049**  
**L-Handle Hitch Lock, 1/2" and 5/8" with Sleeve**  
Package: Chip board  
Ship Pack 3



**3015-051**  
**2-Pin Hitch Lock, 1/2" & 5/8" w/ Swivel Head**  
Package: Chip board  
Ship Pack 4



**3015-052**  
**Dogbone Hitch Lock, 5/8"**  
Package: Chip board  
Ship Pack 3



**3015-053**  
**Dogbone Hitch Lock, Stainless, 5/8"**  
Package: Chip board  
Ship Pack 3



**3015-054**  
**Weatherproof, Non-integrated Hitch Lock, Desert Camo, 5/8" Pin**  
Package: Chip board  
Ship Pack 3



**3020-048**  
**L-Handle Hitch Lock, Stainless, 1/2" & 5/8" with Sleeve**  
Package: Chip board  
Ship Pack 3



**3020-064**  
**Kit, L-Handle Hitch Lock 1/2" and 5/8" Coupler Lock 3/4", Keyed Alike**  
Package: Chip board  
Ship Pack 3



**3020-070**  
**Kit, Universal Coupler Lock and Bent Pin Hitch Lock, 1/2" & 5/8" with Sleeve, Keyed Alike**  
Package: Retail Carton  
Ship Pack 2



**3020-045**  
**6' Cable and Integrated Receiver Dogbone, 1/2" & 5/8", with Sleeve**  
Package: Paddle Card  
Ship Pack 2



**3020-057**  
**Wheel Lock J-Style for Leaf Spring Suspensions**  
Package: Clamshell  
Ship Pack 2



**3020-059**  
**Wheel Immobilizer, Adjustable, For 8" to 14" Wheels**  
Package: Retail Carton  
Ship Pack 1





## Welded One-Piece Ball Mounts



| Part No. | Description                            | Class         | Capacity          | Drop   | Ball                | Package Type     | Inner Pack |
|----------|--|---------------|-------------------|--------|---------------------|------------------|------------|
| 3010-081 | Tri-Ball, Welded One-Piece Ball Mount™ | Class III, IV | Up to 10,000 lbs. | 0"     | 1-7/8", 2", 2-5/16" | Retail Carton    | 1          |
| 3050-076 | Welded One-Piece Ball Mount™           | Class III     | 5,000 lbs.        | 2"     | 1-7/8"              | Bulk/Display Bin | 2          |
| 3050-080 | Welded One-Piece Ball Mount™           | Class III     | 5,000 lbs.        | 2"     | 2"                  | Bulk/Display Bin | 2          |
| 3050-092 | Welded One-Piece Ball Mount™           | Class III     | 5,000 lbs.        | 0"     | 1-7/8"              | Bulk/Display Bin | 2          |
| 3050-096 | Welded One-Piece Ball Mount™           | Class III     | 5,000 lbs.        | 0"     | 2"                  | Bulk/Display Bin | 2          |
| 3050-098 | Welded One-Piece Ball Mount™           | Class III     | 7,500 lbs.        | 0"     | 2-5/16"             | Bulk/Display Bin | 2          |
| 3050-100 | Welded One-Piece Ball Mount™           | Class III     | 5,000 lbs.        | 3-1/4" | 1-7/8"              | Bulk/Display Bin | 2          |
| 3050-104 | Welded One-Piece Ball Mount™           | Class III     | 5,000 lbs.        | 3-1/4" | 2"                  | Bulk/Display Bin | 2          |

## Standard Ball Mounts



| Part No. | Description                             | Class     | Capacity   | Drop                             | Rise | Package Type     | Inner Pack |
|----------|---|-----------|------------|----------------------------------|------|------------------|------------|
| 05690    | 1-1/4" Bar Trailer Hitch Ball Mount     | Class II  | 3,500 lbs. | 1-1/4"                           | 3/4" | Bulk/Display Bin | 2          |
| 05691    | 1-1/4" Bar Trailer Hitch Ball Mount     | Class II  | 3,500 lbs. | 2-1/2"                           | 2"   | Bulk/Display Bin | 2          |
| 05692    | 2" Trailer Hitch Ball Mount             | Class III | 5,000 lbs. | 2"                               | 3/4" | Bulk             | 2          |
| 05693    | 2" Trailer Hitch Ball Mount             | Class III | 5,000 lbs. | 3-1/4"                           | 2"   | Bulk             | 2          |
| 05694    | 2" Trailer Hitch Ball Mount             | Class III | 5,000 lbs. | 5-1/4"                           | 4"   | Bulk             | 2          |
| 05695    | 2" Trailer Hitch Ball Mount, Adjustable | Class III | 5,000 lbs. | Adjusts from 2" Rise to 12" Drop |      | Retail Carton    | 1          |

## Chrome Trailer Balls



| Part No. | Description  | Ball Size | Shank Diameter | Shank Length | Capacity | Package Type | Ship Pack Quantity |
|----------|--------------|-----------|----------------|--------------|----------|--------------|--------------------|
| 05660    | Trailer Ball | 1-7/8"    | 3/4"           | 2-1/4"       | 2000 lb. | Clamshell    | 6                  |
| 05662    | Trailer Ball | 1-7/8"    | 1"             | 2"           | 2000 lb. | Clamshell    | 6                  |
| 05664    | Trailer Ball | 2"        | 3/4"           | 2-1/4"       | 3500 lb. | Clamshell    | 6                  |
| 05666    | Trailer Ball | 2"        | 1"             | 2"           | 5000 lb. | Clamshell    | 6                  |
| 05667    | Trailer Ball | 2-5/16"   | 1"             | 2"           | 6000 lb. | Clamshell    | 4                  |



**05671**  
**Coupler,**  
**Fits 1-7/8" Ball,**  
**2-1/2" Channel**  
**Class I 2,000 lbs.**  
 Package: Retail Carton  
 Ship Pack 2



**05672**  
**Coupler,**  
**Fits 2" Ball,**  
**2-1/2"- 3" Channel**  
**Class II 3,500 lbs.**  
 Package: Retail Carton  
 Ship Pack 2




**TOWING**



**05675**  
**Sidewinding Trailer Jack**  
**1,000 lb.**  
Package: Retail Carton  
Ship Pack 1



**05676**  
**A-Frame Trailer Jack**  
**2,000 lb.**  
Package: Retail Carton  
Ship Pack 1



**05677**  
**Hitch Connect Trailer Alignment Guide**  
Package: Clamshell  
Ship Pack 3



**05678**  
**Hitch Cover**  
Package: Chip board  
Ship Pack 3



**05699**  
**Wheel Chocks, 2 Pack**  
Package: Bulk  
Ship Pack 3



**05697**  
**Trailer Hand Winch, Up to 1,500 lbs.**  
Package: Retail Carton  
Ship Pack 1



**2099-007**  
**Trailer Wrench, Fits 1-1/8" and 1-1/2" Nut Sizes**  
Package: Bulk  
Ship Pack 5



**3015-016**  
**Quick Links, 2 Pack**  
**Up to 5,000 lbs Capacity**  
**5/16" Diameter**  
Package: Clamshell  
Ship Pack 6



**3020-033**  
**Cable 15'x3/8" Flexweave**  
Package: Paddle Card  
Ship Pack 2



**3020-037**  
**36" Safety Chain, Class 3, Up to 5,000 lbs, 2 Pack with 2 Quick Links**  
Package: Retail Carton  
Ship Pack 2



**3020-041**  
**40" Safety Cable with Security Hooks, Class 3, Up to 5,000 lbs, 2 Pack**  
Package: Retail Carton  
Ship Pack 2



## WINCHES



- 120 Volt AC
- Power In and Power Out
- Power Cord has 3-prong plug on 8' lead
- Hand Held Remote Switch Pendant on 12' lead with Resettable Circuit Breaker
- Emergency Stop Switch – Resettable
- Mounting Plate with 4-way roller fairlead and cable tension plate
- Full Load Mechanical Brake
- Quick Change Brush Caps
- ETL Certified to meet UL and CSA standards
- Limited Lifetime Warranty

### KAC1500 110/120V AC 1,500 lb Winch

#### SPECIFICATIONS

|                        |   |
|------------------------|---|
| <b>Rated Line Pull</b> | 1,500 lbs/ 660Kg  |
| <b>Line Speed</b>      | 4.5 FPM   |
| <b>Motor</b>           | 1 H.P. @ 120Volt AC   |
| <b>Full Load Amps</b>  | 9.2 Amps @ 120Volt AC                                       |
| <b>Gearing</b>         | 3-Stage Planetary Full Metal Gear Train                     |
| <b>Gear Ratio</b>      | 262:1   |
| <b>Braking</b>         | Automatic Full Load Mechanical                              |
| <b>Wire Rope</b>       | 42' x 3/16" Galvanized Wire Rope and Hook with Safety Latch |



- Power In and Out
- Freespool clutch
- Single stage planetary
- Dynamic Brake
- All metal gear train
- Hand held remote switch
- High efficiency low amp draw motor
- Circuit breaker protected
- 12 Volt DC
- Limited Lifetime Warranty

### KT2000 12VDC 2000 lb Winch

#### SPECIFICATIONS

|                             |   |
|-----------------------------|---|
| <b>Rated Line Pull</b>      | 2,000 lbs/ 907 Kg                               |
| <b>Line Speed</b>           | 24 FPM  |
| <b>Motor</b>                | 12Volt DC 1.0 hp                                |
| <b>Gearing</b>              | Single Stage Planetary Full Metal Gear Train    |
| <b>Gear Ratio</b>           | 153:1   |
| <b>Free-spooling clutch</b> | Pull and Turn                                   |
| <b>Braking</b>              | Dynamic   |
| <b>Wire Rope</b>            | 50' x 5/32" aircraft grade galvanized wire rope |



- Power In and Out
- Freespool clutch
- 3 stage planetary gear box
- All metal gear train
- Handle Bar mounted mini rocker switch that can be used as a handheld remote
- Mechanical and dynamic brake
- High efficiency low amp draw motor
- Roller Fairlead included
- Load Doubling Pulley Block included
- Flat Bed Mounting Plate included
- Limited Lifetime Warranty

### KT3000 12VDC 3000 lb Winch

#### SPECIFICATIONS

|                             |   |
|-----------------------------|---|
| <b>Rated Line Pull</b>      | 3,000 lbs/ 1361 Kg                              |
| <b>Line Speed</b>           | 30 FPM  |
| <b>Motor</b>                | 12Volt DC 1.45 hp                               |
| <b>Gearing</b>              | 3 Stage Planetary Full Metal Gear Train         |
| <b>Gear Ratio</b>           | 136:1   |
| <b>Free-spooling clutch</b> | Cam Activated                                   |
| <b>Braking</b>              | Mechanic and Dynamic Full Load Holding          |
| <b>Wire Rope</b>            | 50' x 3/16" aircraft grade galvanized wire rope |



- 55' Synthetic Rope
- Power In and Out
- Freespool clutch
- 3 stage planetary gear box
- All metal gear train
- Handle Bar mounted mini rocker switch that can be used as a handheld remote
- Mechanical and dynamic brake
- High efficiency low amp draw motor
- Aluminum Hawse Fairlead
- Load Doubling Pulley Block included
- Flat Bed Mounting Plate included
- Limited Lifetime Warranty

### KT3000S 12VDC 3000 lb Winch w/ Synthetic Rope

#### SPECIFICATIONS

|                             |  |
|-----------------------------|--|
| <b>Rated Line Pull</b>      | 3,000 lbs/ 1361 Kg                                   |
| <b>Line Speed</b>           | 30 FPM   |
| <b>Motor</b>                | 12Volt DC 1.45 hp                                    |
| <b>Gearing</b>              | 3 Stage Planetary Full Metal Gear Train              |
| <b>Gear Ratio</b>           | 136:1  |
| <b>Free-spooling clutch</b> | Cam Activated  |
| <b>Braking</b>              | Mechanic and Dynamic Full Load Holding               |
| <b>Rope</b>                 | 55' x 1/4" Synthetic Rope and Hook with Safety Latch |



- Power In and Out
- Freespool clutch
- 3 stage planetary gear box
- All metal gear train
- Handle bar mini rocker switch
- 15' Wired Hand Held Remote with Light
- Mechanical and dynamic brake
- High efficiency low amp draw motor
- Roller Fairlead included
- Load Doubling Pulley Block included
- Flat Bed Mounting Plate included
- Limited Lifetime Warranty

### KT4000 12VDC 4000 lb Winch

#### SPECIFICATIONS

|                             |   |
|-----------------------------|---|
| <b>Rated Line Pull</b>      | 4,000 lbs/ 1814 Kg                              |
| <b>Line Speed</b>           | 20 FPM  |
| <b>Motor</b>                | 12Volt DC 1.6 hp                                |
| <b>Gearing</b>              | 3 Stage Planetary Full Metal Gear Train         |
| <b>Gear Ratio</b>           | 136:1   |
| <b>Free-spooling clutch</b> | Cam Activated                                   |
| <b>Braking</b>              | Mechanic and Dynamic Full Load Holding          |
| <b>Wire Rope</b>            | 55' x 7/32" aircraft grade galvanized wire rope |



- 55' Synthetic Rope
- Power In and Out
- Freespool clutch
- 3 stage planetary gear box
- All metal gear train
- Handle bar mini rocker switch
- 15' Wired Hand Held Remote with Light
- Mechanical and dynamic brake
- High efficiency low amp draw motor
- Aluminum Hawse Fairlead
- Load Doubling Pulley Block included
- Flat Bed Mounting Plate included
- Limited Lifetime Warranty

### KT4000S 12VDC 4000 lb Winch w/ Synthetic Rope

#### SPECIFICATIONS

|                             |  |
|-----------------------------|--|
| <b>Rated Line Pull</b>      | 4,000 lbs/ 1814 Kg                                   |
| <b>Line Speed</b>           | 20 FPM   |
| <b>Motor</b>                | 12Volt DC 1.6 hp                                     |
| <b>Gearing</b>              | 3 Stage Planetary Full Metal Gear Train              |
| <b>Gear Ratio</b>           | 136:1  |
| <b>Free-spooling clutch</b> | Cam Activated  |
| <b>Braking</b>              | Mechanic and Dynamic Full Load Holding               |
| <b>Rope</b>                 | 55' x 1/4" Synthetic Rope and Hook with Safety Latch |

## WINCHES



**KUP3.5**  
**12V DC 3,500 lb Winch**

**SPECIFICATIONS**

|                        |   |
|------------------------|---|
| <b>Rated Line Pull</b> | 3,500 lbs/ 1588Kg   |
| <b>Line Speed</b>      | 22 FPM  |
| <b>Motor</b>           | 12 Volt DC 1.2 hp   |
| <b>Gearing</b>         | High Efficiency 3-Stage Planetary Full Metal Gear Train     |
| <b>Gear Ratio</b>      | 226:1   |
| <b>Braking</b>         | Mechanical Automatic  |
| <b>Wire Rope</b>       | 60' x 7/32" Galvanized Wire Rope and Hook with Safety Latch |

- Power "in" and power "out"
- Freespooling clutch - Cam activated
- Automatic mechanical full load brake
- 3-stage planetary gear box
- Integrated heavy duty sealed solenoid switching
- Hand held pendant switch on 15' lead
- Heavy duty 4-way roller fairlead
- Circuit breaker protected
- Mounting plate, cable tension plate and mounting hardware included
- Limited Lifetime Warranty



**KUP3.5S**  
**12V DC 3,500 lb Winch w/ Synthetic Rope**

**SPECIFICATIONS**

|                        |   |
|------------------------|---|
| <b>Rated Line Pull</b> | 3,500 lbs/ 1588Kg                                       |
| <b>Line Speed</b>      | 22 FPM  |
| <b>Motor</b>           | 12 Volt DC 1.2 hp                                       |
| <b>Gearing</b>         | High Efficiency 3-Stage Planetary Full Metal Gear Train |
| <b>Gear Ratio</b>      | 226:1   |
| <b>Braking</b>         | Mechanical Automatic                                    |
| <b>Rope</b>            | 60' x 1/4" Synthetic Rope and Hook with Safety Latch    |

- Power "in" and power "out"
- Freespooling clutch - Cam activated
- Automatic mechanical full load brake
- 3-stage planetary gear box
- Integrated heavy duty sealed solenoid switching
- Hand held pendant switch on 15' lead
- Aluminum Hawse fairlead
- Circuit breaker protected
- Mounting plate, cable tension plate and mounting hardware included
- Limited Lifetime Warranty



**KUP4.5**  
**12VDC 4,500 lb Winch**

**SPECIFICATIONS**

|                        |   |
|------------------------|---|
| <b>Rated Line Pull</b> | 4,500 lbs/ 2041Kg   |
| <b>Line Speed</b>      | 14 FPM  |
| <b>Motor</b>           | 12 Volt DC 1.5 hp   |
| <b>Gearing</b>         | High Efficiency 3-Stage Planetary Full Metal Gear Train     |
| <b>Gear Ratio</b>      | 226:1   |
| <b>Braking</b>         | Mechanical Automatic  |
| <b>Wire Rope</b>       | 60' x 7/32" Galvanized Wire Rope and Hook with Safety Latch |

- Power "in" and power "out"
- Freespooling clutch - Cam activated
- Automatic mechanical full load brake
- 3-stage planetary gear box
- Integrated heavy duty sealed solenoid switching
- Hand held pendant switch on 15' lead
- Heavy duty 4-way roller fairlead
- Circuit breaker protected
- Mounting plate, cable tension plate and mounting hardware included
- Limited Lifetime Warranty



**KUP4.5S**  
**12VDC 4,500 lb Winch w/ Synthetic Rope**

**SPECIFICATIONS**

|                        |   |
|------------------------|---|
| <b>Rated Line Pull</b> | 4,500 lbs/ 2041Kg                                       |
| <b>Line Speed</b>      | 14 FPM  |
| <b>Motor</b>           | 12 Volt DC 1.5 hp                                       |
| <b>Gearing</b>         | High Efficiency 3-Stage Planetary Full Metal Gear Train |
| <b>Gear Ratio</b>      | 226:1   |
| <b>Braking</b>         | Mechanical Automatic                                    |
| <b>Rope</b>            | 60' x 1/4" Synthetic Rope and Hook with Safety Latch    |

- Power "in" and power "out"
- Freespooling clutch - Cam activated
- Automatic mechanical full load brake
- 3-stage planetary gear box
- Integrated heavy duty sealed solenoid switching
- Hand held pendant switch on 15' lead
- Aluminum Hawse fairlead
- Circuit breaker protected
- Mounting plate, cable tension plate and mounting hardware included
- Limited Lifetime Warranty



**KUP6.0**  
**12VDC 6,000 lb Winch**

**SPECIFICATIONS**

|                        |  |
|------------------------|--|
| <b>Rated Line Pull</b> | 6,000 lbs/ 2722Kg  |
| <b>Line Speed</b>      | 15 FPM   |
| <b>Motor</b>           | 12 Volt DC 1.9 hp  |
| <b>Gearing</b>         | High Efficiency 3-Stage Planetary Full Metal Gear Train    |
| <b>Gear Ratio</b>      | 226:1  |
| <b>Braking</b>         | Mechanical Automatic                                       |
| <b>Wire Rope</b>       | 55' x 1/4" Galvanized Wire Rope and Hook with Safety Latch |

- Power "in" and power "out"
- Freespooling clutch - Cam activated
- Automatic mechanical full load brake
- 3-stage planetary gear box
- Integrated heavy duty sealed solenoid switching
- Hand held pendant switch on 15' lead
- Heavy duty 4-way roller fairlead
- Circuit breaker protected
- Mounting plate, cable tension plate and mounting hardware included
- Limited Lifetime Warranty



**KUP6.0S**  
**12VDC 6,000 lb Winch w/ Synthetic Rope**

**SPECIFICATIONS**

|                        |   |
|------------------------|---|
| <b>Rated Line Pull</b> | 6,000 lbs/ 2722Kg                                       |
| <b>Line Speed</b>      | 15 FPM  |
| <b>Motor</b>           | 12 Volt DC 1.9 hp                                       |
| <b>Gearing</b>         | High Efficiency 3-Stage Planetary Full Metal Gear Train |
| <b>Gear Ratio</b>      | 226:1   |
| <b>Braking</b>         | Mechanical Automatic                                    |
| <b>Rope</b>            | 60' x 1/4" Synthetic Rope and Hook with Safety Latch    |

- Power "in" and power "out"
- Freespooling clutch - Cam activated
- Automatic mechanical full load brake
- 3-stage planetary gear box
- Integrated heavy duty sealed solenoid switching
- Hand held pendant switch on 15' lead
- Aluminum Hawse fairlead
- Circuit breaker protected
- Mounting plate, cable tension plate and mounting hardware included
- Limited Lifetime Warranty





**KV8.5**  
**12VDC 8,500 lb Winch**

- Power "in" and power "out"
- Sliding ring gear clutch
- Automatic mechanical full load brake
- 3-stage planetary gear box
- Integrated heavy duty sealed solenoid switching
- Hand held pendant switch on 15' lead
- Heavy duty 4-way roller fairlead
- Circuit breaker protected
- Limited Lifetime Warranty

**SPECIFICATIONS**

|                        |   |
|------------------------|---|
| <b>Rated Line Pull</b> | 8,500 lbs/ 3856Kg   |
| <b>Line Speed</b>      | 24 FPM  |
| <b>Motor</b>           | 12 Volt DC 5.5 hp   |
| <b>Gearing</b>         | High Efficiency 3-Stage Planetary Full Metal Gear Train     |
| <b>Gear Ratio</b>      | 218:1   |
| <b>Braking</b>         | Mechanical Automatic  |
| <b>Wire Rope</b>       | 85' x 5/16" Galvanized Wire Rope and Hook with Safety Latch |



**KV8.5S**  
**12VDC 8,500 lb Winch w/ Synthetic Rope**

- Power "in" and power "out"
- Sliding ring gear clutch
- Automatic mechanical full load brake
- 3-stage planetary gear box
- Integrated heavy duty sealed solenoid switching
- Hand held pendant switch on 15' lead
- Aluminum Hawse fairlead
- Circuit breaker protected
- Limited Lifetime Warranty

**SPECIFICATIONS**

|                        |   |
|------------------------|---|
| <b>Rated Line Pull</b> | 8,500 lbs/ 3856Kg                                       |
| <b>Line Speed</b>      | 24 FPM  |
| <b>Motor</b>           | 12 Volt DC 5.5 hp                                       |
| <b>Gearing</b>         | High Efficiency 3-Stage Planetary Full Metal Gear Train |
| <b>Gear Ratio</b>      | 218:1   |
| <b>Braking</b>         | Mechanical Automatic                                    |
| <b>Rope</b>            | 85' x 3/8" Synthetic Rope and Hook with Safety Latch    |

*\*Mounting Plate NOT Included*



**KV10.5**  
**12VDC 10,500 lb Winch**

- Power "in" and power "out"
- Sliding ring gear clutch
- Automatic mechanical full load brake
- 3-stage planetary gear box
- Integrated heavy duty sealed solenoid switching
- Hand held pendant switch on 15' lead
- Heavy duty 4-way roller fairlead
- Circuit breaker protected
- Limited Lifetime Warranty

**SPECIFICATIONS**

|                        |  |
|------------------------|--|
| <b>Rated Line Pull</b> | 10,500 lbs/ 4763Kg   |
| <b>Line Speed</b>      | 21 FPM   |
| <b>Motor</b>           | 12 Volt DC 5.5 hp  |
| <b>Gearing</b>         | High Efficiency 3-Stage Planetary Full Metal Gear Train    |
| <b>Gear Ratio</b>      | 265:1  |
| <b>Braking</b>         | Mechanical Automatic                                       |
| <b>Wire Rope</b>       | 85' x 3/8" Galvanized Wire Rope and Hook with Safety Latch |



**KV10.5S**  
**12VDC 10,500 lb Winch w/ Synthetic Rope**

- Power "in" and power "out"
- Sliding ring gear clutch
- Automatic mechanical full load brake
- 3-stage planetary gear box
- Integrated heavy duty sealed solenoid switching
- Hand held pendant switch on 15' lead
- Aluminum Hawse fairlead
- Circuit breaker protected
- Limited Lifetime Warranty

**SPECIFICATIONS**

|                        |   |
|------------------------|---|
| <b>Rated Line Pull</b> | 10,500 lbs/ 4763Kg                                      |
| <b>Line Speed</b>      | 21 FPM  |
| <b>Motor</b>           | 12 Volt DC 5.5 hp                                       |
| <b>Gearing</b>         | High Efficiency 3-Stage Planetary Full Metal Gear Train |
| <b>Gear Ratio</b>      | 265:1   |
| <b>Braking</b>         | Mechanical Automatic                                    |
| <b>Rope</b>            | 85' x 3/8" Synthetic Rope and Hook with Safety Latch    |

*\*Mounting Plate NOT Included*

## Winch Accessories



**WINCH STRAPS**  
**K2952 - 2" x 6'**  
**K2953 - 3" x 6'**



**KWA14122**  
for KT4000 and all KW, KV, and KU Winches

**KTA14103**  
for KT2500 and 3000  
w/pigtail



**WIRE ROPE**  
**KTA14188** — Fits KT2000  
**KTA14119** — Fits KT2500/KT3000  
**KTA14120** — Fits KT4000  
**KTA14520** — Fits KW9.5



**KWA14617**  
3/4" Large Capacity Bow Shackle

**KWA14126**  
Wireless Remote Switch for  
KT4000, all KW Winches (not  
KW5L), KV and KU Winches



**MOUNTING PLATES**  
**KWA14622**  
Fits all KW's and all KV's

**KWA14125**  
Wireless Remote Switch for  
KT2500/KT3000 w/additional socket



**LARGE WINCH CRADLE**  
**KWA101**  
Fits KW9.5, KW13.5 and all  
KV Winches

**TRAILER WIRING HARNESS**  
**(25' with Quick Connects)**

**KWA14128**  
6ga Fits KT and KU Series

**KWA14607**  
2ga Fits KW and KV Series



**2" RECEIVER HITCH MOUNT**  
**KTA14131**  
Fits all KT and KU Winches

**KWA14560**  
2 AWG Quick Connect

**KWA14127**  
6 AWG Quick Connect



**PULLEY BLOCKS**  
**KWA14650**  
36,000 lb; for KW13.5, KW17.5  
**KWA14550**  
20,000 lb; for KW7.5, KW9.5  
**KWA14512**  
12,000 Lbs  
**KTA15120**  
8000 lb; for KT Series



## WINCHES

**PORTABLE**



**KWSL2000RM**  
**12VDC 2,000 lb Winch**

### SPECIFICATIONS

|                        |  |
|------------------------|--|
| <b>Rated Line Pull</b> | 2,000 lbs/ 907Kg                         |
| <b>Line Speed</b>      | 8 FPM                                    |
| <b>Motor</b>           | 12 Volt DC                               |
| <b>Gearing</b>         | Spur Gear                                |
| <b>Gear Ratio</b>      | 265:1                                    |
| <b>Braking</b>         | Mechanical                               |
| <b>Wire Rope</b>       | 30' Wire Rope and Hook with Safety Latch |

- RM (rapid mount) ball hitch mount
- Handheld remote control on 10' lead
- 20' power lead with battery clips
- Screw knob freewheel clutch
- Powerful low amp draw gear box
- Power In only
- Emergency hand crank
- Light and portable with built-in carry handle

**PORTABLE**



**KW7.5RM**  
**12VDC 7500 lb Winch**

### SPECIFICATIONS

|                        |   |
|------------------------|---|
| <b>Rated Line Pull</b> | 7,500 lbs/ 3402Kg   |
| <b>Line Speed</b>      | 8 FPM   |
| <b>Motor</b>           | 12 Volt DC 4.5 hp   |
| <b>Gearing</b>         | High Efficiency 3-Stage Planetary Full Metal Gear Train     |
| <b>Gear Ratio</b>      | 180:1   |
| <b>Braking</b>         | Mechanical Automatic  |
| <b>Wire Rope</b>       | 72' x 5/16" Galvanized Wire Rope and Hook with Safety Latch |

- Integrated Heavy Duty Sealed Switching
- Handheld Pendant Switch - 15' Lead with High Density LED Work Light and Wireless Remote Control
- 4.5 HP Series Wound 12V DC Motor
- Automatic Full Load Holding Brake
- Power In and Out
- Wire Rope - 72' x 5/16" with Thimble and Clevis Hook with Latch
- Lift and Turn Free Wheel Clutch Handle
- High Speed - 3 Stage - Planetary Gear Box
- Case Hardened Gears
- Heavy Duty 4-Way Roller Fairlead
- Limited Lifetime Warranty



**KW9.5**  
**12VDC 9500 lb Winch**

### SPECIFICATIONS

|                        |   |
|------------------------|---|
| <b>Rated Line Pull</b> | 9,500 lbs/ 4309Kg   |
| <b>Line Speed</b>      | 30 FPM  |
| <b>Motor</b>           | 12 Volt DC 5.5 hp   |
| <b>Gearing</b>         | High Efficiency 3-Stage Planetary Full Metal Gear Train       |
| <b>Gear Ratio</b>      | 218:1   |
| <b>Braking</b>         | Mechanical Automatic  |
| <b>Wire Rope</b>       | 100' x 21/64" Galvanized Wire Rope and Hook with Safety Latch |

- Integrated Heavy Duty Sealed Switching
- Handheld Pendant Switch - 15' Lead with High Density LED Work Light and Wireless Remote Control
- 5.5 HP Series Wound 12V DC Motor
- Automatic Full Load Holding Brake
- Power In and Out
- Wire Rope - 100' x 21/64" with Thimble and Clevis Hook with Latch
- Lift and Turn Free Wheel Clutch Handle
- High Speed - 3 Stage - Planetary Gear Box
- Case Hardened Gears
- Heavy Duty 4-Way Roller Fairlead
- Limited Lifetime Warranty



**KW13.5**  
**12VDC 13,500 lb Winch**

### SPECIFICATIONS

|                        |  |
|------------------------|--|
| <b>Rated Line Pull</b> | 13,500 lbs/ 6124Kg   |
| <b>Line Speed</b>      | 12 FPM   |
| <b>Motor</b>           | 12 Volt DC 5.5 hp  |
| <b>Gearing</b>         | High Efficiency 3-Stage Planetary Full Metal Gear Train    |
| <b>Gear Ratio</b>      | 265:1  |
| <b>Braking</b>         | Mechanical Automatic                                       |
| <b>Wire Rope</b>       | 92' x 3/8" Galvanized Wire Rope and Hook with Safety Latch |

- Integrated Heavy Duty Sealed Switching
- Handheld Pendant Switch - 15' Lead with High Density LED Work Light and Wireless Remote Control
- 5.5 HP Series Wound 12V DC Motor
- Automatic Full Load Holding Brake
- Power In and Out
- Wire Rope - 92' x 3/8" with Thimble and Clevis Hook with Latch
- Lift and Turn Free Wheel Clutch Handle
- High Speed - 3 Stage - Planetary Gear Box
- Case Hardened Gears
- Heavy Duty 4-Way Roller Fairlead
- Limited Lifetime Warranty



**KW17.5**  
**12VDC 17,500 lb Winch**

### SPECIFICATIONS

|                        |  |
|------------------------|--|
| <b>Rated Line Pull</b> | 17,500 lbs/ 7938Kg   |
| <b>Line Speed</b>      | 16 FPM   |
| <b>Motor</b>           | 12 Volt DC 6.0 hp  |
| <b>Gearing</b>         | High Efficiency 3-Stage Planetary Full Metal Gear Train      |
| <b>Gear Ratio</b>      | 380:1  |
| <b>Braking</b>         | Mechanical Automatic   |
| <b>Wire Rope</b>       | 92' x 15/32" Galvanized Wire Rope and Hook with Safety Latch |

- Integrated Heavy Duty Sealed Switching
- Handheld Pendant Switch - 15' Lead with High Density LED Work Light and Wireless Remote Control
- 6.0 HP Series Wound 12V DC Motor
- Automatic Full Load Holding Brake
- Power In and Out
- Wire Rope - 92' x 15/32" with Thimble and Clevis Hook with Latch
- Lift and Turn Free Wheel Clutch Handle
- High Speed - 3 Stage - Planetary Gear Box
- Case Hardened Gears
- Heavy Duty 4-Way Roller Fairlead
- Limited Lifetime Warranty





# PART NUMBER INDEX



|            |    |          |    |           |    |           |    |       |    |
|------------|----|----------|----|-----------|----|-----------|----|-------|----|
| KAC1500    | 39 | 3050-104 | 37 | 05565     | 13 | 06179     | 22 | 07730 | 29 |
| KT2000     | 39 | 03141    | 23 | 05602     | 28 | 06180     | 20 | 09520 | 25 |
| KT3000     | 39 | 03508-V  | 7  | 05604     | 28 | 06180-40C | 20 | 09801 | 25 |
| KT3000S    | 39 | 03518    | 8  | 05605     | 28 | 06182     | 20 | 09802 | 25 |
| KT4000     | 39 | 03519    | 8  | 05611     | 29 | 06182-40C | 20 | 09803 | 25 |
| KT4000S    | 39 | 03521    | 8  | 05618     | 29 | 06185     | 20 | 09804 | 25 |
| KTA14103   | 41 | 03523    | 8  | 05619     | 29 | 06185-30C | 20 | 09805 | 25 |
| KTA14119   | 41 | 03547    | 9  | 05623     | 29 | 06188     | 20 | 09811 | 29 |
| KTA14120   | 41 | 03548    | 9  | 05624     | 29 | 06188-30C | 20 | 43509 | 6  |
| KTA14131   | 41 | 03622    | 9  | 05626     | 28 | 06192     | 20 | 43561 | 8  |
| KTA14188   | 41 | 03715    | 17 | 05628     | 28 | 06192-40C | 20 | 43568 | 9  |
| KTA14520   | 41 | 03720    | 7  | 05637     | 28 | 06209     | 24 | 44110 | 19 |
| KTA15120   | 41 | 04105    | 19 | 05647     | 28 | 06210     | 25 | 45112 | 16 |
| KU3.5      | 40 | 04106    | 19 | 05648     | 28 | 06211     | 25 | 45201 | 18 |
| KU3.5S     | 40 | 04110    | 19 | 05652     | 28 | 06214     | 24 | 45202 | 18 |
| KU4.5      | 40 | 04223    | 19 | 05653     | 28 | 06214-40C | 24 | 45203 | 18 |
| KU4.5S     | 40 | 04224    | 19 | 05654     | 28 | 06215     | 24 | 45506 | 6  |
| KU6.0      | 40 | 04226    | 19 | 05658     | 28 | 06219     | 24 | 45518 | 12 |
| KU6.0S     | 40 | 04228    | 19 | 05660     | 37 | 06219-40C | 24 | 45721 | 10 |
| KV8.5      | 41 | 04304    | 30 | 05662     | 37 | 06220     | 24 | 45723 | 11 |
| KV8.5S     | 41 | 04316    | 30 | 05664     | 37 | 06224     | 24 | 45732 | 11 |
| KV10.5     | 41 | 04512    | 19 | 05666     | 37 | 06224-30C | 24 | 45766 | 10 |
| KW7.5RM    | 42 | 04513    | 19 | 05667     | 37 | 06225     | 24 | 45830 | 12 |
| KW9.5      | 42 | 04519    | 31 | 05671     | 37 | 06235     | 24 | 83000 | 8  |
| KW13.5     | 42 | 04520    | 31 | 05672     | 37 | 06235-20C | 24 | 83101 | 8  |
| KW17.5     | 42 | 04521    | 31 | 05674     | 29 | 06236     | 24 | 83102 | 9  |
| KWA101     | 41 | 04522    | 31 | 05675     | 38 | 06245     | 24 | 83103 | 9  |
| KWA14122   | 41 | 04523    | 31 | 05676     | 38 | 06245-20C | 24 | 83616 | 9  |
| KWA14125   | 41 | 04528    | 31 | 05677     | 38 | 06261     | 24 | 84102 | 7  |
| KWA14126   | 41 | 04529    | 32 | 05678     | 38 | 06262     | 24 | 84309 | 7  |
| KWA14127   | 41 | 04602    | 14 | 05679     | 29 | 06263     | 24 | 84518 | 6  |
| KWA14128   | 41 | 04616    | 14 | 05680     | 29 | 06265     | 24 | 84618 | 9  |
| KWA14512   | 41 | 04618    | 14 | 05690     | 37 | 06266     | 24 | 84714 | 17 |
| KWA14550   | 41 | 04620    | 14 | 05691     | 37 | 06268     | 24 | 85101 | 18 |
| KWA14560   | 41 | 04622    | 14 | 05692     | 37 | 06270     | 21 | 85109 | 16 |
| KWA14607   | 41 | 04623    | 14 | 05693     | 37 | 06271     | 21 | 85110 | 18 |
| KWA14617   | 41 | 04624    | 14 | 05694     | 37 | 06272     | 21 | 85145 | 16 |
| KWA14622   | 41 | 04627    | 14 | 05695     | 37 | 06273     | 21 | 85146 | 17 |
| KWA14650   | 41 | 04629    | 14 | 05697     | 38 | 06274     | 21 | 85207 | 18 |
| KWSL2000RM | 42 | 04630    | 14 | 05699     | 38 | 06275     | 21 | 85213 | 18 |
| 2099-007   | 38 | 04637    | 14 | 05707     | 17 | 06276     | 21 | 85243 | 18 |
| 02604      | 33 | 04650    | 14 | 05715     | 17 | 06277     | 21 | 85512 | 6  |
| 02606      | 33 | 04655    | 14 | 05716     | 17 | 06278     | 21 | 85513 | 6  |
| 02612      | 33 | 04667    | 15 | 05720     | 10 | 06279     | 21 | 85542 | 7  |
| 02616      | 33 | 04730    | 14 | 05721     | 10 | 06280     | 21 | 85543 | 7  |
| 02618      | 33 | 04901    | 33 | 05722     | 10 | 06281     | 21 | 85544 | 7  |
| 02622      | 33 | 04902    | 33 | 05723     | 11 | 06300     | 21 | 85546 | 8  |
| 02626      | 33 | 04903    | 33 | 05729     | 10 | 06301     | 21 | 89115 | 16 |
| 02628      | 33 | 04905    | 33 | 05737     | 10 | 06303     | 21 | 89213 | 18 |
| 02630      | 33 | 04906    | 33 | 05741     | 11 | 06306     | 21 | 89300 | 30 |
| 02632      | 33 | 04910    | 33 | 06014     | 20 | 06306-12C | 21 | 89301 | 30 |
| 02634      | 33 | 04911    | 33 | 06014-50C | 20 | 06311     | 21 | 89302 | 30 |
| 02636      | 33 | 04926    | 15 | 06018     | 20 | 06313     | 21 | 89304 | 30 |
| 02638      | 33 | 04927    | 15 | 06019     | 20 | 06317     | 21 | 89305 | 30 |
| 02642      | 33 | 04928    | 15 | 06019-50C | 20 | 06320     | 21 | 89306 | 30 |
| 02646      | 33 | 04935    | 15 | 06023     | 21 | 06344     | 21 | 89307 | 30 |
| 02805      | 26 | 04940    | 33 | 06024     | 20 | 06345     | 21 | 89308 | 30 |
| 02807      | 26 | 04942    | 33 | 06025     | 20 | 06356     | 21 | 89309 | 30 |
| 02815      | 26 | 04944    | 33 | 06025-50C | 20 | 06360     | 24 | 89310 | 30 |
| 02825      | 26 | 05055    | 27 | 06031     | 20 | 06361     | 24 | 89311 | 31 |
| 02825-SC   | 26 | 05056    | 27 | 06031-50C | 20 | 06363     | 24 | 89312 | 31 |
| 02855      | 26 | 05059    | 27 | 06036     | 20 | 06365     | 24 | 89313 | 31 |
| 02858      | 26 | 05060    | 27 | 06037     | 20 | 06369     | 25 | 89314 | 31 |
| 02859      | 26 | 05105    | 16 | 06037-40C | 20 | 06374     | 20 | 89315 | 31 |
| 02922      | 26 | 05106    | 17 | 06039     | 21 | 06377     | 20 | 89316 | 31 |
| 02923      | 26 | 05108-V  | 16 | 06048     | 21 | 06378     | 20 | 89317 | 32 |
| 02932      | 26 | 05110    | 16 | 06051     | 23 | 06379     | 20 | 89318 | 32 |
| 02932-SC   | 26 | 05112    | 16 | 06052     | 23 | 06381     | 20 | 89319 | 32 |
| 02933      | 26 | 05115    | 16 | 06053     | 23 | 06386     | 20 | 89320 | 32 |
| 02942      | 26 | 05212    | 18 | 06054     | 23 | 06387     | 20 | 89321 | 32 |
| 02943      | 26 | 05260    | 27 | 06067     | 21 | 06389     | 20 | 89322 | 32 |
| 02952      | 26 | 05261    | 27 | 06068     | 21 | 06410     | 22 | 89324 | 32 |
| 02953      | 26 | 05262    | 27 | 06073     | 21 | 06413     | 22 | 89325 | 30 |
| 02963      | 26 | 05263    | 27 | 06074     | 21 | 06415     | 22 | 89326 | 30 |
| 02970      | 26 | 05264    | 27 | 06076     | 21 | 06417     | 22 | 89327 | 30 |
| 02980      | 26 | 05265    | 27 | 06077     | 21 | 06426     | 22 | 89328 | 32 |
| 02990      | 26 | 05266    | 27 | 06079     | 21 | 06429     | 22 | 89430 | 12 |
| 3010-081   | 37 | 05267    | 27 | 06091     | 21 | 06452     | 22 | 89511 | 6  |
| 3015-008   | 35 | 05289    | 27 | 06094     | 21 | 06453     | 22 | 89512 | 6  |
| 3015-012   | 35 | 05290    | 27 | 06095     | 21 | 06456     | 22 | 89513 | 6  |
| 3015-014   | 35 | 05291    | 27 | 06098     | 23 | 06457     | 22 | 89515 | 12 |
| 3015-016   | 38 | 05292    | 27 | 06099     | 23 | 06461     | 22 | 89516 | 12 |
| 3015-029   | 35 | 05293    | 27 | 06100     | 23 | 06462     | 22 | 89517 | 12 |
| 3015-031   | 35 | 05294    | 27 | 06101     | 23 | 06463     | 22 | 89518 | 6  |
| 3015-043   | 35 | 05295    | 27 | 06102     | 21 | 06464     | 22 | 89519 | 13 |
| 3015-049   | 36 | 05296    | 27 | 06104     | 21 | 06470     | 22 | 89520 | 25 |
| 3015-051   | 36 | 05297    | 27 | 06105     | 21 | 06472     | 22 | 89523 | 31 |
| 3015-052   | 36 | 05298    | 27 | 06107     | 21 | 06479     | 22 | 89524 | 12 |
| 3015-053   | 36 | 05299    | 27 | 06111     | 21 | 06480     | 22 | 89526 | 31 |
| 3015-054   | 36 | 05307    | 18 | 06113     | 21 | 06482     | 22 | 89527 | 32 |
| 3020-033   | 38 | 05505    | 6  | 06117     | 21 | 06483     | 22 | 89530 | 32 |
| 3020-037   | 38 | 05506    | 6  | 06118     | 21 | 06484     | 22 | 89532 | 32 |
| 3020-041   | 38 | 05508-V  | 6  | 06119     | 23 | 06510     | 20 | 89534 | 32 |
| 3020-045   | 36 | 05510    | 12 | 06120     | 21 | 06512     | 20 | 89536 | 32 |
| 3020-048   | 36 | 05511    | 6  | 06126     | 21 | 06514     | 20 | 89602 | 28 |
| 3020-051   | 35 | 05514    | 6  | 06128     | 21 | 06516     | 20 | 89604 | 28 |
| 3020-052   | 35 | 05515    | 12 | 06136     | 23 | 06518     | 20 | 89606 | 28 |
| 3020-054   | 35 | 05516    | 12 | 06138     | 23 | 07007     | 19 | 89616 | 14 |
| 3020-055   | 35 | 05517    | 12 | 06141     | 23 | 07110     | 29 | 89715 | 17 |
| 3020-057   | 36 | 05518    | 12 | 06143     | 23 | 07201     | 29 | 89800 | 26 |
| 3020-059   | 36 | 05519    | 13 | 06144     | 23 | 07203     | 29 | 89815 | 26 |
| 3020-064   | 36 | 05520    | 13 | 06152     | 20 | 07501     | 34 | 89816 | 26 |
| 3020-066   | 35 | 05522    | 13 | 06154     | 20 | 07503     | 34 | 89819 | 26 |
| 3020-068   | 35 | 05524    | 12 | 06158     | 20 | 07505     | 34 | 89825 | 26 |
| 3020-070   | 36 | 05526    | 14 | 06163     | 23 | 07507     | 34 | 89859 | 26 |
| 3050-076   | 37 | 05530    | 12 | 06164     | 23 | 07512     | 34 | 89922 | 26 |
| 3050-080   | 37 | 05544    | 12 | 06168     | 23 | 07515     | 34 | 89923 | 26 |
| 3050-092   | 37 | 05545    | 12 | 06170     | 22 | 07522     | 34 | 89924 | 26 |
| 3050-096   | 37 | 05561    | 10 | 06171     | 22 | 07523     | 34 | 89932 | 26 |
| 3050-098   | 37 | 05562    | 10 | 06173     | 22 | 07541     | 34 | 89933 | 26 |
| 3050-100   | 37 | 05563    | 10 | 06175     | 22 | 07720     | 29 | 89943 | 26 |

## PACKAGING STYLES



**i-Pack**



**Open Pack**



**Clamshell**



**Chipboard**



**Bulk**



**Shrink Wrap**



**Bin Display**



**Polybag**