



MAKE YOUR MARK®



**2017
WHEEL
BROCHURE
WITH COMPARISONS**

METAL WHEEL MODEL SUMMARY



MP401E

MP401

MP301

MP415

MP315M

MP201

METAL PROFESSIONAL WHEELS

These Metal Professional (MP) wheels are durable enough to stand up to the harshest field conditions. All feature the industry's best counters with the best counter protection.

FEATURES

- Innovative design – simple, center-line functionality. Great balance.
- Huge numbers make for easy reading. Superior protection and placement of the counter – the metal shelf keeps dirt and debris from coming into contact with the counter (5 digits, up to 99,999).
- Rugged 3/4 inch steel frame – tough enough to handle any terrain.
- Compact fold-down – easily folds in half for storage and portability.

Limited lifetime warranty / MP401E: 2-year limited warranty.

MODEL	UPC 052837	UNITS	DIA.	CIRC.	SPECIAL FEATURE
MP401E	026715	ft., in & ft, 10ths, metric, continous in.	15-1/2 in.	4 ft.	Steel frame, Electronic brain: area add radius, memory and more
MP401	025756	ft.	15-1/2 in.	4 ft.	Best seller!
MP415	026449	ft. & in. & 10ths	15-1/2 in.	4 ft	Solid plastic wheel, dual scale
MP401P	026111	ft.	15-1/2 in.	4 ft	Plastic spoked wheel
MP301	026128	ft.	11-1/2 in.	3 ft	Best seller!
MP315M	027040	m & dm	.318 m	1 m	Solid wheel, metric
MP301M	025763	m	.318 m	1 m	Steel spoked, metric wheel
MP301DM	026265	m & dm	.318 m	1 m	Steel, decimeter
MP201	008315	ft.	7-1/2 in.	2 ft.	Solid molded wheel

PLASTIC WHEEL MODEL SUMMARY



PLASTIC MEASURING WHEELS

Innovative wheels make measuring quick and easy. Balanced and lightweight, and extremely durable.

MODEL	UPC 052837	UNITS	DIA.	CIRC.	SPECIAL FEATURE	WARRANTY
RRT6	027422	ft. & in.	6 in.	18 in.		
RRT610	027576	ft. & 10ths	6 in.	18 in.	Handle trigger reset and brake	2 Yr. Limited
RRT6M	027569	m, dm	15.2 cm	45.7 cm		
RRT12	027415	ft. & in.	12 in.	3 ft.		
RRT1210	027460	ft. & 10ths	12 in.	3 ft.	Handle trigger reset and brake	2 Yr. Limited
RRT12M	027477	m, dm	.318 m	1 m		
RR30	026425	ft., in.	11-1/2 in.	3 ft.		
RR3010	026524	ft., 10ths	11-1/2 in.	3 ft.	Increased strength & weight	Limited Lifetime
RR30M	026500	m, dm	.318 m	1 m		
RR40	026463	ft., in.	15-1/2 in.	4 ft.		
RR318N	008506	ft., in.	12-1/2 in.	3 ft.	Best seller!	
RR318N-2	008506	ft., in.	12-1/2 in.	3 ft.	No assembly - 2 units per box	
RR310	010172	ft., 10ths	12-1/2 in.	3 ft.		Limited Lifetime
RR3M	010189	m, dm	.318 m	1 m		
RR418	010196	ft., in.	15-1/2 in.	4 ft.	Great for rough terrain	
RR410	010202	ft., 10ths	15-1/2 in.	4 ft.	Great for rough terrain	
RR112	020058	ft., in.	4 in.	1 ft.	Best seller!	
RR110	020065	ft., 10ths	4 in.	1 ft.		Limited Lifetime
RR10M	020072	m, dm	.097 m	.305 m		
RR182	010592	ft., in.	4 in.	1 ft.	Dual-wheel stability	
RR102	010608	ft., 10ths	4 in.	1 ft.	Dual-wheel stability	
RRPA18	022298	ft. & in.	12 in.	1 ft.	Single wheel & paint applicator	Limited Lifetime
RRPA182	020768	ft. & in.	12 in.	1 ft.	Dual wheel & paint applicator	

KESON VS. ROLATAPE METAL WHEEL COMPARISON



MP401E



MP401



MP301




MP415



MP315M



MP201



NO
CROSS
PRODUCT



32-400



32-300



32-415

NO
CROSS
PRODUCT

KESON VS. ROLATAPE METAL PLASTIC COMPARISON



RRT6



RRT12



RR30





RR318N



RR182



RR112



RT320



RT30T



RT312



RT300



RT204



RT104

KESON MEASURING WHEELS

	Metal Professional RoadRunner	RRT Top Read RRT12
Warranty	Limited Lifetime	2 years
Counter type	ticker (MP401E electronic)	geared & shaft
Units	ft., m, dm	ft., in.
Count limit	99,999 ft., m/9,999.9 m/ 99,999 ft. 11 in./99,999 ft. 10th/	9,999 ft., 11 in.
Frame	3/4-in. steel tubing	1 in. tubular aluminum
Handle	3/4-in. steel tubing	ABS Housing
Wheel	Metal spoked (MP415 solid ABS)	Heavy-duty, ABS Frame & Polyurethane tire are co-molded
Circumference	4 ft. / 3 ft. / 1 m	
Diameter	15 1/2 in. / 12 1/2 in. / 1 m	12 in.
Weight	7.5 lbs	3 lbs, 7 oz
Max Height	42 in.	39 in.
Storage	21 in.	20 in.
Attributes	Steel frame, huge counter, 1/2 space storage, metal wheel.	Reset on handle, brake on pistol grip & center-line design with Top of Wheel counter
Agriculture	•	
Appraisals		
Athletic Fields/Courses	•	
Cable installation	•	•
Construction Heavy Duty	•	
Construction Med., Duty		
Construction Underground	•	
Crime Scenes		•
Fencing	•	
Golf Courses	•	
Gravel Roads	•	
Home		
Interior Dimensions		
Irrigation Surveys	•	•
Janitorial		
Landscaping	•	•
Long line striping	•	
Lumber Yards		
Paving	•	•
Roofing		
Surveying	•	
Telecommunications	•	
Trailblazing	•	
Unpaved Roads	•	
For information ask your Keson Sales Rep, or visit www.keson.com	MP415, solid, MP401, 4-ft. MP401P, plastic, MP301, 3-ft. MP301M, m, MP301DM, dm MP201, 2-ft.	



MEASURING WHEELS



BEST VALUE AND BIGGEST VARIETY



We work hard to make sure our measuring wheels are **the best in the world**. We are the new standard, leading the industry in the development of wheels with better features and more valuable benefits.

- Our counters are the **sturdiest and the most reliable**. Our wheels are designed to protect the counter, the most valuable component of the wheel.
- With the industry's **strongest frames**, the MP wheels have become the professional's choice.
- **Longest Warranties** — Limited Lifetime Warranty on all but 3 models (2-year limited wheel warranty for MP401E and RRT series).
- **Safety** — All of our large wheels come with a reflector to help keep you safe while you work.

ACCURACY

99.7% accurate on a flat, even track.

MADE IN THE USA

All of our wheels (except the RRT series) are molded, assembled, and tested in Aurora, IL.



Some components sourced globally.

VARIETY

MP SERIES Metal Professional Series of high-end durable wheels. We even have Steel Frame Electronic and Decimeter wheels, the only ones of their kind.

RRT SERIES New models with a trigger brake and a counter reset on the pistol grip handle.

RR KESONITE SERIES Our metal/resin compound wheels with the durability and shape memory of molded composite and the weight of metal.

RR SERIES LARGE AND SMALL Original RoadRunner Series of contractor grade, more economically-priced wheels.

PAINT APPLICATORS Various upside down spray paint applicators for any job.

Available in English, 10ths, and Metric.

DESIGN

We listen. We create new products and improve current models based on your feedback and our own expertise. We're continuously improving our products and processes to provide better service.

MEASURING WHEELS

MP401E



THE STURDIEST ELECTRONIC MEASURING WHEEL

The MP401E is Keson's only electronic wheel with a steel frame. It is the world's sturdiest electronic measuring wheel and the easiest and most comfortable to use. It will stand up to the harshest conditions.

Our easy-to-read digital counter is in the most protected spot on the wheel. With the handle up, it is nearly impossible for the counter to come into contact with the ground. With the handle down, the roll bar offers solid protection. Counter requires 2 AA batteries (not included).



50% OF ACTUAL SIZE

Backlit 7 Digit LCD display for low-light usage. Up to 99,999 feet, 11 inches or 99,999.9 in tenths and metric.

FEATURES < MP401E

1. Swan-Neck Ergonomic Handle

Our patent-pending "thumb-up" grip ensures less wrist strain and superior control.

2. Reliable Input System: Magnetic Sensors

Dust, dirt and other particles can disrupt a light beam used in competitive units. Our magnetic pick-up avoids these problems.

3. Sealed Counter Encasement

Designed to NEMA Class III standards, our counter housing ensures that it will not be damaged by rain. What's more, you can safely clean the entire wheel with a damp cloth.



MP401E

2-year limited warranty.

MODEL	UPC 052837	UNITS	DIA.	CIRC.	SPECIAL FEATURE
MP401E	026715	ft., in. & ft., 10ths, m, dm, continous in.	15-1/2 in.	4 ft.	Steel frame. Electronic brain: area, add radius, memory, and more
MPLGCASE	026876				Carrying case for wheel



MPLGCASE



MAKE YOUR MARK

Keson

MP401E, 4 FT.

Warranty:

2-year limited

Frame:

3/4-inch steel tubing

Handle Lock:

Barrel Clamp for easy, unstrippable lock

Wheel:

Spoke wheel with precision turned circumference

Backlight LCD::

Display for low-light usage

Auto Shut-off:

Extends battery life

Storage:

Compact fold-down Easily reduces to 1/2 its size for storage and portability Barrel Clamp and handle clasp make storage a snap

Specs:

Ext. Height: 42 inches Collapsed:

21 x 16 x 9

3024 cubic inches

6.05 lbs



MEASURING WHEELS

MP SERIES

METAL PROFESSIONAL SPOKED WHEELS

MOLDED, ASSEMBLED
AND TESTED IN THE
U.S.A.
Some components sourced globally.



ACTUAL SIZE

Our geared Mechanical Clicker Counter features large, bold 3/4-inch numbers

FEATURES < MP 400 SERIES

MP401

Our best selling metal wheel. The 4-foot circumference wheel levels out uneven ground by spanning divets that smaller wheels would dip in to. The wheel's size enables it to roll and register feet clicks at the best pace in the industry.

MP401P

We mold 4-foot wheels for our RR series and for a less expensive alternative to the spoked wheels, we offer this model.



MP401

Limited lifetime warranty.

MODEL	UPC 052837	UNITS	DIA.	CIRC.	SPECIAL FEATURE
MP401	025756	ft.	15-1/2 in.	4 ft.	Best seller!
MP401P	026111	ft.	15-1/2 in.	4 ft.	Plastic wheel, metal frame
MPLGCASE	026876				Carrying case for wheel



MPLGCASE



Keson MP401, 4 FT.

Warranty:
Limited Lifetime

Frame:
3/4-inch tubular steel
Center aligned handle
Safety reflector

Handle Lock:
Barrel Clamp for easy, unstrippable lock

Wheel:
20-spoke
3/8-inch thick rubber

Counter:
3/8-inch Numbers
Top-side of frame on platform 3-inch above scraper
Protected by 4-1/2" x 3" platform
Separate, adjustable scraper
Ticker: 2 moving parts, limited exposure to failure

Storage:
Compact fold-down
Easily reduces to 1/2 its size for storage and portability
Barrel Clamp and handle clasp make storage a snap

Specs:
Ext. Height: 42 inches
Collapsed: 21 x 16 x 9
3024 cubic inches
6.05 lbs



Rolatape 32-400

Warranty:
5-year

Frame:
5/8-inch tubular steel
Off set aligned handle
No safety reflector

Handle Lock:
Threaded tightening knob



Wheel:
20-spoke
1/4-inch thick rubber

Wheel Scale:
Stickers inches on one side, 10ths of a foot on the other

Counter: 99,999 ft.
1/4-inch numbers
Underside of frame
Protected by 1-1/2" x 1-1/4" platform
Platform also serves as scraper
Ticker: minimum of 5 exposed parts

Storage:
Fold to front, no clip to hold handle in place

Specs:
Ext. Height: 42 inches
Collapsed: 25 x 18 x 9
4275 cubic inches
4.95 lbs



MP SERIES

METAL PROFESSIONAL SPOKED WHEELS



ACTUAL SIZE

Our geared Mechanical Clicker Counter features large, bold 3/4-inch numbers

FEATURES < MP 300 SERIES

MP301

Not far behind the MP401 in popularity, this slightly more compact wheel is a little lower in price without compromising any durability.

MP301M


Our 1 meter circumference wheel registers a single meter click per revolution. It's about the same size as the MP301.

MP301DM

This is an industry first — we have 10 evenly spaced pins around the 1 meter circumference of this wheel. The result is a metal wheel that registers in decimeters.



3/4-inch steel frame for superior durability



Heavy-duty barrel clamp, unit folds to 1/2 size

Metal spoked wheel

MODEL	UPC 052837	UNITS	DIA.	CIRC.	SPECIAL FEATURE
MP301	026128	ft.	11-1/2 in.	3 ft.	Best seller!
MP301M	025763	m	.318 m	1 m	Steel metric wheel
MP301DM	026265	m, dm	.318 m	1 m	Most accurate decimeter wheel
MPLGCASE	026876				Carrying case for wheel



MPLGCASE



Keson
MP301, 3 FT.

Warranty:
Limited Lifetime

Frame:
3/4-inch tubular steel
Center aligned handle
Safety reflector

Handle Lock:
Barrel Clamp for easy, unstrippable lock

Wheel:
20-spoke
3/8-inch thick rubber

Counter: 99,999 ft
3/8-inch Numbers Top-side of frame
on platform 3-inch above scraper
Protected by 4-1/2" x3" platform
Separate, adjustable scraper
Ticker: 2 moving parts, limited
exposure to failure

Storage:
Compact fold-down Easily
reduces to 1/2 its size for storage
and portability
Barrel Clamp and handle
clasp make storage a snap

Specs:
Ext. Height: 42 inches
Collapsed: 21 x 16 x 9
3024 cubic inches
5.95 lbs



Rolatape
32-300, 3 FT.

Warranty:
5-year

Frame:
5/8-inch tubular steel
Off-set aligned handle
No safety reflector

Handle Lock:
Threaded tightening knob

Wheel:
3-spoke
1/4-inch thick rubber

Counter: 99,999 ft.
1/4-inch numbers Underside of frame
Protected by 1-1/2" x 1-1/4" platform
Platform also serves as scraper
Ticker: minimum of 5 exposed
parts

Storage:
Fold to front, no clip to hold
handle in place

Specs:
Ext. Height: 41 inches
Collapsed: 22 1/2 x 18 x 9
4275 cubic inches
6.00 lbs



MEASURING WHEELS

MP SERIES

METAL PROFESSIONAL SOLID WHEELS

There are advantages to solid wheels. A sliding tool box or a shovel in the back of a truck has destroyed the precision of many a spoked wheel. Solid plastic wheels are not nearly as susceptible to these impacts. Also, solid Keson wheels do not go “out of round.” You cannot bend them or flatten a portion of them. Lastly, twigs, sticks, tall grasses and other brush do not get caught up in the spokes or lock these wheels up. If your job takes you through fields or trails, consider a solid wheel option.



Our geared Mechanical Clicker Counter features easy-to-read numbers.

FEATURES < MP SERIES SOLID

- 1. No Spokes** to catch grass or sticks and won't bend or snap.
- 2. Solid Molded Wheels** do not bend or go “out of round.”

MP415

The counter measures feet and there are two scales molded into the hub of the wheel itself: inches on one side and 10ths on the other.

MP315M

On our metric version, decimeter graduations are molded into the hub of the wheel.

MP201

Strong, rigid, 1-piece steel handle — strongest in the industry. Without a collapsing point in the handle, there is no weak point on this frame. This solid wheel is two inches wide, giving it better traction on sand, loose gravel and wet ground; a favorite among landscapers.

Limited lifetime warranty.

MODEL	UPC 052837	UNITS	DIA.	CIRC.	SPECIAL FEATURE
MP201	008315	ft.	7-1/2 in.	2 ft.	Solid molded wheel
MP315M	027040	m, dm	.318 m	1 m	Solid, metric
MP415	026449	ft., in & ft., 10ths	15-1/2 in.	4 ft.	Solid, two scales wheel
MPLGCASE	026876				Carrying case for wheel
MPSMCASE	026883				Carrying case for wheel





MAKE YOUR MARK

Keson MP415 solid, 4 FT.

Warranty:

Limited Lifetime

Frame:

3/4-inch tubular steel
Center aligned handle
Safety reflector
1 1/4-inch "Grass Gutter" keeps long grass from clogging wheel

Handle Lock:

Barrel Clamp for easy, unstrippable lock

Wheel:

Molded ABS
3/8-inch thick rubber

Counter:

3/8-inch numbers
Top-side of frame on platform
3-inch above scraper
Protected by 4 1/2" x 3" platform
Separate, adjustable scraper
Ticker: 2 moving parts, limited exposure to failure

Storage:

Compact fold-down
Easily reduces to 1/2 its size for storage and portability
Barrel Clamp and handle clasp make storage a snap

Specs:

Ext. Height: 42 inches
Collapsed: 21 x 16 x 9
3024 cubic inches
5.95 lbs



Rolatape 32-415, 4 FT.

Warranty:

5-year

Frame:

5/8-inch tubular steel
Off-set aligned handle
No safety reflector
No grass gutter, V-groove, channels grass into the hub

Handle Lock:

Threaded tightening knob

Wheel:

20-spoke, covered with twin steel hub caps
1/4-inch thick rubber

Counter:

1/4-inch numbers
Underside of frame
Protected by 1 1/2" x 1 1/4" platform
Platform also serves as scraper
Ticker: minimum of 5 exposed parts

Storage:

Fold to front, no clip to hold handle in place

Specs:

Ext. Height: 45.75 inches
Collapsed: 25 x 18 x 9
4275 cubic inches
10.00 lbs



MEASURING WHEELS

RRT SERIES

RRT6 / RRT12

The RRT Series focuses on control and comfort. Resetting has never been easier with two options, a reset on the handle AND on the unit housing. The center-line handle design makes this unit well balanced. Our compact fold-down uses a collapsing hinge and handle lock to reduce the unit to half its original size.

5-Digit, Easy read counter measures 9,999 feet, 11 inches (9,999.9 ft. on the engineers' models and 9,999.9 meters on metric).



FEATURES < RRT SERIES

- 1. Enhanced Grip Pistol-type Handle** increases control and comfort.
- 2. Brake on Pistol Grip** stops counting instantly. Stop adding lengths accidentally by putting the brake on exactly when you need it.
- 3. Gear and Shaft Transmission** for highest measurement accuracy and strength. No belts to stretch or fail.
- 4. Top of wheel center line counter:** Easier to see & better wheel balance.
- 5. Reset on the Handle and Unit Housing** no more bending over, lifting the wheel or stepping on it to reset to zero. Additionally, the reset on the housing is reinforced to protect it when resetting the counter with your foot.



RRT12



2-year limited warranty.

MODEL	UPC 052837	UNITS	DIA.	CIRC.	SPECIAL FEATURE
RRT12	027415	ft. & in.	12 in.	3 ft.	
RRT1210	027460	ft. & 10ths	12 in.	3 ft.	Handle trigger reset and brake
RRT12M	027477	m, dm	.318 m	1 m	
RRT6BAG	028214				Carrying case for wheel
RRT12BAG	028207				Carrying case for wheel



MAKE YOUR MARK

Keson RRT12, 3 FT.

Warranty:

2-year limited

Frame:

Aluminum with center aligned handle
Safety reflector

Handle Lock:

Barrel Clamp for easy, unstrippable lock

Wheel:

Molded ABS
3/8-inch thick rubber

Counter:

5-Digit, easy read counter measures
9,999 feet, 11 in.

Storage:

Compact fold-down
Easily reduces to 1/2 its size
for storage and portability
Barrel Clamp and handle
clasp make storage a snap

Specs:

Ext. Height: 42 inches
Collapsed: 21 x 14 x 8
4.8 lbs



**The RT320
is not listed
on the
Rolatape site
as a current
product**

Rolatape RT320, 3 FT.

Warranty:

1-year

Frame:

Aluminum with Off-set aligned handle
No safety reflector

Handle Lock:

Threaded tightening knob

Wheel:

Aluminum wheel with rubber ring

Counter:

5-Digit easy to read counter, meas-
ures 9,999 ft, 11 in.

Storage:

Fold to front, no clip to hold
handle in place

Specs:

Ext. Height: 42 inches
Collapsed: 21.2 x 13.4 x 5.9
5.3 lbs



MEASURING WHEELS

KESONITE™ WHEEL SERIES




MADE OF KESONITE™

There are inherent vulnerabilities of die cast and metal spoked wheels. Everyday use requires that a wheel handle some rough treatment without dents and without bending.

Not all wheels are up to this. Our solution? Invent a new material. Kesonite is a strong, dense metal/resin composite. It holds its shape better than metal and it's stronger than a spoked or die cast wheel. The weight of the wheel makes it easier to use and more accurate on rough terrain.

Based on the design of the RR Series Large, a model with over 20 years of continuous improvement, including wheel design, material, and safety reflector!

Easy-to-read, Magnified Counter 5-digit, easy-read, magnified counter measures 9,999 feet, 11 inches (9,999.9 ft on engineers' model and 9,999.9 meters on metric)



FEATURES < KESONITE™ SERIES

1. **Pistol Grip Handle** increases control and comfort.
2. **Quick Snap Cam Locks** to store and transport the wheel with minimal effort.
3. **Telescopes down to 23 inches** cam locks make the unit simple to operate when preparing for storage or transportation.
4. **Flip-Down Kickstand** keeps the wheel upright when you need your hands free to perform other tasks and stays out of the way as you measure.
5. **Safety Reflector**



Limited lifetime warranty.

MODEL	UPC 052837	UNITS	DIA.	CIRC.	SPECIAL FEATURE
RR30	026425	ft., in.	11-1/2 in.	3 ft.	Increased strength & weight
RR3010	026524	ft., 10ths	11-1/2 in.	3 ft.	
RR30M	026500	m, dm	.318 m	1 m	
RR40	026463	ft., in.	15-1/2 in.	4 ft.	
RRLGCASE	026890				Carrying case for wheel



RRLGCASE



MAKE YOUR MARK

Keson RR30, 3 FT.

Warranty:

Limited Lifetime

NOW WITH A 3-PC. PISTOL GRIP HANDLE:

The same outstanding features, benefits and reliability of our previous 2-piece handle version with the added convenience from our new 3-piece, pistol grip handle. The twist locks have been replaced with quick-snap cam locks. The new handle telescopes down to a more compact 23 inches for ease of transport and more compact storage.

Wheel:

Kesonite® Metal/Resin composite, more resilient than metal, will not bend or dent 3/8-inch thick rubber

Counter:

5-digit, easy-read, magnified counter (9,999 ft., 11 in.) Direct gearing wheel drive limits errors from wheel lift

Storage:

Compact fold-down
Easily reduces to 1/2 its size for storage and portability
Barrel Clamp and handle clasp make storage a snap



Rolatape RT312, 3FT.

Warranty:

1 year

Frame:

Aluminum
No safety reflector

Handle Lock:

Quick clamps

Wheel:

Aluminum
12.5 inch diameter
Molded tire over aluminum spoke

Counter:

5-digit, easy-read, magnified counter (9,999 ft., 11 in.)

Storage:

Collapsed: 27 x 14.5 x 5
4.6 Pounds



MEASURING WHEELS

ROADRUNNER SERIES




CONTRACTOR GRADE

Over 20 years of continuous improvement — such as the new wheel design, kickstand and safety reflector! Extremely popular — tens of thousands sold every year.


The reset on the unit housing is reinforced to protect the unit when using feet. Heavy-duty polycast wheel has clean three-spoke design.

Easy-to-read, Magnified Counter 5-digit, easy-read, magnified counter measures 9,999 feet, 11 inches (9,999.9 ft on engineers' model and 9,999.9 meters on metric)



FEATURES < ROADRUNNER SERIES

1. **Pistol Grip Handle** increases control and comfort.
2. **Quick Snap Cam Locks** to store and transport the wheel with minimal effort.
3. **Telescopes down to 23 inches** cam locks make the unit simple to operate when preparing for storage or transportation.
4. **Flip-Down Kickstand** keeps the wheel upright when you need your hands free to perform other tasks and stays out of the way as you measure.
5. **Safety Reflector**



Limited lifetime warranty.

MODEL	UPC 052837	UNITS	DIA.	CIRC.	SPECIAL FEATURE
* RR318N	008506	ft., in.	12-1/2 in.	3 ft.	Best seller!
RR318N-2	008506	ft., in.	12-1/2 in.	3 ft.	No assembly (2 per box)
RR310	010172	ft., 10ths	12-1/2 in.	3 ft.	
RR3M	010189	m, dm	.318 m	1 m	
RR418	010196	ft., in.	15-1/2 in.	4 ft.	Great for rough terrain
RR410	010202	ft., 10ths	15-1/2 in.	4 ft.	
RRLGCASE	026890				Carrying case for wheel

* Some assembly required.





Keson RR318N, 3 FT.

Warranty:
Limited Lifetime

Frame:
Square telescoping center-aligned handle
Safety reflector

Handle Lock:
Quick snap cam locks to make unit easily portable

Wheel:
3 ft. heavy-duty polycast wheel

Counter:
5-digit, easy-read, magnified counter (9,999 ft., 11 in.)

Storage:
Telescopes down to 23 inches.
Cam locks make operation simple.

Specs:
Ext. Height: 40 inches
Collapsed: 23 x 13 x 9
4 lbs



The RT300 is not listed on the Rolatape site as a current product

Rolatape RT 300, 3 FT.

Warranty:
1-year

Frame:
Square telescoping off set aligned handle
No safety reflector

Handle Lock:
Quick clamps

Wheel:
3 ft.
molded plastic on wheel

Counter: 99,999 ft.
5-digit, easy-read magnified counter (9,999 ft., 11 in.)

Storage:
Collapses down to 24 inches

Specs:
Ext. Height: 40 inches
Collapsed: 24 x 13 x 6
3.6 lbs



MEASURING WHEELS

ROADRUNNER SERIES




INDOOR/SHORT RUN WHEELS

Smaller 1-foot wheels combine Keson quality and reliability with convenient size and light weight. Typically used in short run and indoor applications these products are compact and very reliable. It's easy to measure curved, horizontal, and asymmetrical surfaces.

These products are popular with realtors, appraisers, police officers and homeowners. You can measure alone, and you can measure faster than two people with a tape measure. Many of our customers keep one of these wheels as an emergency backup to their regular wheels.

Easy-to-read, Magnified Counter 5-digit, easy-read, magnified counter measures 9,999 feet, 11 inches (9,999.9 ft on engineers' model and 9,999.9 meters on metric)



SINGLE WHEEL
RR112



DUAL WHEEL
RR182



RRSMCASE

FEATURES < RR INDOOR SINGLE WHEEL

1. Weighs Less than 2 Pounds
2. Telescopes Down to 17 Inches fits into a toolbox or briefcase.
3. 38 Inches Tall when Fully Extended

FEATURES < RR INDOOR DOUBLE WHEEL

1. **Reset with Foot** a raised reset button that enables you to reset the counter with your foot. We have improved the supporting structure around the reset so that it can handle foot taps to zero the counter.
2. **Greater Stability** when measuring, making it easier to maintain a straight line as you walk.
3. **Telescopes Down to 20 Inches** fits into a toolbox or briefcase.
4. 42 Inches Tall when Fully Extended

Limited lifetime warranty.

MODEL	UPC 052837	UNITS	DIAMETER	CIRC.	SPECIAL FEATURE
RR112	020058	ft., in.	4 in.	1 ft.	Best seller!
RR110	020065	ft., 10ths	4 in.	1 ft.	
RR10M	020072	m, dm	.097 m	.305 m	
RR182	010592	ft., in.	4 in.	1 ft.	Dual-wheel stability
RR102	010608	ft., 10ths	4 in.	1 ft.	Dual-wheel stability
RRSMCASE	026906				Carrying Case for Wheel



Keson

RR182, 1 FT.

Warranty:
Limited Lifetime

Wheel:
1 ft. dual wheel

Counter:
5-digit, easy-read,
magnified counter
(9,999 ft., 11 in.)

Storage:
Telescopes down to 20
inches.

Specs:
Ext. Height: 42 in
2 lbs



Rolatape

RT 204, 1 FT.

Warranty:
1 year

Wheel:
1 ft. dual wheel

Counter:
5-digit, easy-read
magnified counter
(9,999 ft., 11 in.)

Storage:
Collapses down to 18
inches

Specs:
Ext. Height: 36.5 in
2 lbs



Rolatape

32-112, 1 FT.


Warranty:
5 year

Wheel:
1 ft. dual wheel

Counter:
5-digit, easy-read
magnified counter (9,999
ft., 11 in.)

Storage:
Collapses down to 18.75
inches

Specs:
Ext. Height: 40.1/8 in
4 lbs



Keson

RR112 1 FT.

Warranty:
Limited Lifetime

Wheel:
1 ft. circumference
4 in. diameter

Counter:
5-digit, easy-read,
magnified counter
(9,999 ft., 11 in.)

Storage:
Telescopes down to 17
inches.

Specs:
Ext. Height: 38 inches
less than 2 lbs



Rolatape

RT 104, 1 FT.

Warranty:
1 year

Wheel:
1 ft. circumference
4 in. diameter

Counter:
5-digit, easy-read
magnified counter
(9,999 ft., 11 in.)

Storage:
Collapses down to 18
inches

Specs:
Ext. Height: 36.5 in
2 lbs




MEASURING WHEELS

PAINT APPLICATORS

MEASURE AND MARK

Measure and mark simultaneously with **RRPA18** and **RRPA182**. These lightweight tools feature a trigger just under the pistol grip. Engaging the trigger fires off a burst of upside-down spray paint precisely where it's needed.

Easy-to-read, Magnified Counter The single wheel and dual wheel both have a 5-digit, easy-read, magnified counter that measures 9,999 feet, 11 inches without resetting. That's almost two miles.



RRPA18 & RRPA182
 MOLDED, ASSEMBLED
 AND TESTED IN THE
U.S.A.
 Some components sourced globally.

FEATURES < PAINT APPLICATOR SERIES

1. **Pistol Grip and Trigger** to spray paint exactly where you want it.
2. **Paint Can Sleeve** fits all standard US-style inverted aerosol paint cans.
3. **Reset with Foot** when using the RRPA18 or RRPA182.
4. **Handheld Applicator**
5. **Optional Wheel** PA35 comes with an attachable wheel



Limited lifetime warranty.

MODEL	UPC 052837	UNITS	CIRC.	SPECIAL FEATURE
RRPA18	022298	ft. & in.	12 in.	Single wheel with applicator
RRPA182	020768	ft. & in.	12 in.	Dual wheel with applicator
PA14	010066			Handheld applicator
PA35	010059			Spray as you walk applicator



MAKE YOUR MARK



32-400PM



RRPA18
RRPA182





MAKE YOUR MARK[®]

WHY KESON? WE MAKE AND SUPPLY GREAT TOOLS.

- Our tools are the highest quality at a great price.
- They are accurate, reliable and durable.
- They come with a complete satisfaction guarantee.
- They are in stock and ready to ship.



IT'S THAT SIMPLE.

The fact that we love what we do helps a little, too.

For more about who we are and what we do, check out www.keson.com.

MAKE YOUR MARK WITH KESON.

A TOOL WITH THE KESON NAME IS THE BEST OF ITS KIND.

In 1968 Roy Nosek started Keson Industries, Inc. in Berwyn, Illinois. Operating out of a small office with inventory stored in an adjacent trailer, Keson became a vital resource to professional tradespeople and contractors. The business plan was simple:

Outstanding service is just as important as outstanding tools.

Four decades later, we are still family-owned, and that idea is still our guiding principle. We've grown because our service meets the same exacting standards as our products.



Roy Nosek

KESON INDUSTRIES, INC.
810 Commerce Street
Aurora, Illinois 60504
www.keson.com