


# SAFETY DATA SHEET

## Klean Strip Green Paint Thinner

Page: 1



HEALTH	1
FLAMMABILITY	0
PHYSICAL	0
PPE	X

Printed: 12/11/2013  
Revision: 01/17/2013

### 1. Product and Company Identification

**Product Code:** CH400 KSG PT  
**Product Name:** Klean Strip Green Paint Thinner  
**Manufacturer Information**  
**Company Name:** W. M. Barr  
2105 Channel Avenue  
Memphis, TN 38113  
**Phone Number:** (901)775-0100  
**Emergency Contact:** 3E 24 Hour Emergency Contact (800)451-8346  
**Information:** W.M. Barr Customer Service (800)398-3892  
**Web site address:** www.wmbarr.com  
**Preparer Name:** W.M. Barr EHS Dept (901)775-0100  
**Synonyms**  
GKGP75CA, QKKP75CA

### 2. Hazards Identification

GHS Classification	Placard	Key word	GHS hazard phrase
Aspiration Toxicity, Category 1	Health hazard	Danger	May be fatal if swallowed and enters airways.

#### GHS Hazard Phrases

H304: May be fatal if swallowed and enters airways.

#### GHS Precaution Phrases

No data available.

#### GHS Response Phrases

P301+310: IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

P331: Do NOT induce vomiting.

#### GHS Storage and Disposal Phrases

P405: Store locked up.

P501: Dispose of contents/container in accordance with local/regional/national/international regulation.

#### Potential Health Effects (Acute and Chronic)

This product has not been tested as a whole to determine health effects. The health effects listed below are associated with the individual ingredients listed in Section 3.

#### EYES:

May cause eye irritation.

#### SKIN:

Prolonged skin contact may cause skin irritation and/or dermatitis.

#### INHALATION:

Prolonged exposure through inhalation may be harmful.

#### INGESTION:

Harmful if swallowed.

# SAFETY DATA SHEET

## Klean Strip Green Paint Thinner

Page: 2  
Printed: 12/11/2013  
Revision: 01/17/2013

### CHRONIC OVEREXPOSURE EFFECTS:

None known.

### TARGET ORGANS:

skin, eyes

### PRIMARY ROUTES OF ENTRY:

skin

### Medical Conditions Generally Aggravated By Exposure

No data available.

### OSHA Regulatory Status:

This material is classified as hazardous under OSHA regulations.

## 3. Composition/Information on Ingredients

Hazardous Components (Chemical Name)	CAS #	Concentration
1. Hydrotreated light distillate (petroleum)	64742-47-8	15.0 -40.0 %

## 4. First Aid Measures

### Emergency and First Aid Procedures

#### Skin:

Immediately begin washing the skin thoroughly with large amounts of water and mild soap, if available, while removing contaminated clothing. Seek medical attention if irritation persists.

#### Eyes:

Immediately begin to flush eyes with water, remove any contact lens. Continue to flush the eyes for at least 15 minutes, then seek immediate medical attention.

#### Inhalation:

Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get immediate medical attention.

#### Ingestion:

If swallowed, do NOT induce vomiting. Seek immediate medical attention. Call a physician, hospital emergency room, or poison control center immediately. Never give anything by mouth to an unconscious person. If spontaneous vomiting is about to occur, place victim's head below knees. If victim is drowsy or unconscious, place on the left side with head down.

### Note to Physician

Treat symptomatically.

### Signs and Symptoms Of Exposure

No data available.

## 5. Fire Fighting Measures

### Flash Pt:

No data.

### Explosive Limits:

LEL: No data.

UEL: No data.

### Autoignition Pt:

No data available.

### Fire Fighting Instructions

Self-contained respiratory protection should be provided for fire fighters fighting fires in buildings or confined areas. Storage containers exposed to fire should be kept cool with water spray to prevent pressure build-up. Stay away from heads of containers that have been exposed to intense heat or flame.

# SAFETY DATA SHEET

## Klean Strip Green Paint Thinner

Page: 3  
Printed: 12/11/2013  
Revision: 01/17/2013

### Flammable Properties and Hazards

Flashpoint: No flash to boiling. This material does not exhibit a flashpoint per the Setaflash Closed Cup test method.

Material will burn when dried.

### Hazardous Combustion Products

carbon monoxide, carbon dioxide

### Suitable Extinguishing Media

Non-combustible liquid - use extinguishing media for underlying cause of fire.

### Unsuitable Extinguishing Media

None known.

## 6. Accidental Release Measures

### Steps To Be Taken In Case Material Is Released Or Spilled

Isolate the immediate area. Prevent unauthorized entry. Stay upwind, out of low areas, and ventilate closed spaces before entering. Do not touch or walk through spilled material. Stop leak if you can do so without risk. Prevent entry into waterways, sewers, or confined areas. A vapor suppressing foam may be used to reduce vapors. Absorb or cover with dry earth, sand, or other non-combustible material and transfer to compatible containers. For large spills, dike ahead of the spill.

## 7. Handling and Storage

### Precautions To Be Taken in Handling

Read carefully all cautions and directions on product label before use. Since empty container retains residue, follow all label warnings even after container is empty. Dispose of empty container according to all regulations. Do not reuse this container.

Avoid breathing of vapors or mist. Avoid contact with eyes and skin.

A source of clean water should be available in or near the work area for flushing of the eyes and skin if contact occurs.

### Precautions To Be Taken in Storing

Keep container tightly closed when not in use. Store in a cool, dry place.

## 8. Exposure Controls/Personal Protection

Hazardous Components (Chemical Name)	CAS #	OSHA PEL	ACGIH TLV	Other Limits
1. Hydrotreated light distillate (petroleum)	64742-47-8	No data.	200 mg/m3	No data.

### Respiratory Equipment (Specify Type)

When used as directed, respiratory equipment should not be needed.

Wear NIOSH approved respiratory protective equipment when vapor or mists may exceed applicable concentration limits.

### Eye Protection

Safety glasses should be worn during normal handling of this material.

Where contact with the eyes or face is likely, a faceshield or chemical splash goggles should be worn to prevent eye contact.

### Protective Gloves

Wear gloves with as much resistance to the chemical ingredients as possible. Glove materials such as nitrile rubber may provide protection. Glove selection should be based on chemicals being used and conditions of use. Consult your glove supplier for additional information. Gloves contaminated with product should be discarded and not reused.

# SAFETY DATA SHEET

## Klean Strip Green Paint Thinner

Page: 4  
Printed: 12/11/2013  
Revision: 01/17/2013

### Other Protective Clothing

Various application methods can dictate use of additional protective safety equipment, such as impermeable aprons, etc., to minimize exposure.

### Engineering Controls (Ventilation etc.)

Use process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits.

Use only with adequate ventilation to prevent buildup of vapors. Do not use in areas where vapors can accumulate and concentrate, such as basements, bathrooms or small enclosed areas. Whenever possible, use outdoors in an open air area. If using indoors open all windows and doors and maintain a cross ventilation of moving fresh air across the work area. If strong odor is noticed or you experience slight dizziness, headache, nausea or eye-watering -- STOP -- ventilation is inadequate. Leave area immediately and move to fresh air.

### Work/Hygienic/Maintenance Practices

Wash hands thoroughly after use and before eating, drinking, smoking, or using the restroom.

Do not eat, drink, or smoke in the work area.

Discard any clothing or other protective equipment that cannot be decontaminated.

Facilities storing or handling this material should be equipped with an emergency eyewash and safety shower.

## 9. Physical and Chemical Properties

<b>Physical States:</b>	[ ] Gas [ X ] Liquid [ ] Solid
<b>Melting Point:</b>	No data.
<b>Boiling Point:</b>	No data.
<b>Autoignition Pt:</b>	No data.
<b>Flash Pt:</b>	No data.
<b>Specific Gravity (Water = 1):</b>	0.915
<b>Density:</b>	7.61 LB/GL
<b>Vapor Pressure (vs. Air or mm Hg):</b>	17.2 MM HG at 68 F
<b>Vapor Density (vs. Air = 1):</b>	No data.
<b>Evaporation Rate:</b>	No data.
<b>Solubility in Water:</b>	Complete
<b>Percent Volatile:</b>	No data.

### Appearance and Odor

Milky Liquid

## 10. Stability and Reactivity

**Stability:** Unstable [ ] Stable [ X ]

### Conditions To Avoid - Instability

No data available.

### Incompatibility - Materials To Avoid

Oxidizers

# SAFETY DATA SHEET

## Klean Strip Green Paint Thinner

Page: 5  
Printed: 12/11/2013  
Revision: 01/17/2013

### Hazardous Decomposition Or Byproducts

carbon monoxide, carbon dioxide

**Possibility of Hazardous Reactions:** Will occur [ ] Will not occur [ X ]

### Conditions To Avoid - Hazardous Reactions

No data available.

## 11. Toxicological Information

### Toxicological Information

CAS# 64742-47-8:

Acute toxicity, LC50, Inhalation, Rat, 1400. ppm.

Result:

Behavioral: Hallucinations, distorted perceptions.

Behavioral: Change in motor activity (specific assay).

Behavioral: Changes in psychophysiological tests.

Standard Draize Test, Eyes, Human, 100.0 ppm, Mild.

Result:

Brain and Coverings: Recordings from specific areas of CNS.

Behavioral: Antipsychotic.

Blood: Changes in bone marrow not included above.

### Chronic Toxicological Effects

No data available.

### Carcinogenicity/Other Information

ACGIH A4 - Not Classifiable as a Human Carcinogen.

Hazardous Components (Chemical Name)	CAS #	NTP	IARC	ACGIH	OSHA
1. Hydrotreated light distillate (petroleum)	64742-47-8	n.a.	n.a.	A4	n.a.

## 12. Ecological Information

### General Ecological Information

No data available.

### Results of PBT and vPvB assessment

CAS# 64742-47-8:

LC50, Bluegill (*Lepomis macrochirus*), 5900. UG/L, 4 D, Mortality, Water temperature: 18 C C, pH: 7.50.

Result:

Age Effects.

- Report to Nalco Chemical Company: Four-Day Static Fish Toxicity Studies with D-2303 in Rainbow Trout and Bluegills: IBT No. A615, Hamlin, J., 1971

LC50, Rainbow Trout (*Oncorhynchus mykiss*), 3200. UG/L, 24 H, Mortality, Water temperature: 55 C C.

Result:

Abnormal development.

- Nalco D-2303: Toxicity to Rainbow Trout (*Salmo gairdneri*): Test No. 423, McCann, J.A., 1971

## 13. Disposal Considerations

### Waste Disposal Method

Dispose in accordance with applicable local, state and federal regulations.

**SAFETY DATA SHEET**  
**Klean Strip Green Paint Thinner**

**14. Transport Information**

**LAND TRANSPORT (US DOT)**

**DOT Proper Shipping Name** No data available.

**Additional Transport Information**

For D.O.T. information, contact W.M. Barr Technical Services at 1-800-398-3892.

**15. Regulatory Information**

**US EPA SARA Title III**

Hazardous Components (Chemical Name)	CAS #	Sec.302 (EHS)	Sec.304 RQ	Sec.313 (TRI)	Sec.110
1. Hydrotreated light distillate (petroleum)	64742-47-8	No	No	No	No

**Other US EPA or State Lists**

Hazardous Components (Chemical Name)	CAS #	CAA HAP,ODC	CWA NPDES	TSCA	CA PROP.65
1. Hydrotreated light distillate (petroleum)	64742-47-8	No	No	Inventory	No

**EPA Hazard Categories:**

This material meets the EPA 'Hazard Categories' defined for SARA Title III Sections 311/312 as indicated:

- Yes  No Acute (immediate) Health Hazard
- Yes  No Chronic (delayed) Health Hazard
- Yes  No Fire Hazard
- Yes  No Sudden Release of Pressure Hazard
- Yes  No Reactive Hazard

**Regulatory Information Statement**

All components of this material are listed on the TSCA Inventory or are exempt.

**16. Other Information**

**Company Policy or Disclaimer**

The information contained herein is presented in good faith and believed to be accurate as of the effective date shown above. This information is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determination of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. Any use of this data and information must be determined by the user to be in accordance with applicable federal, state and local laws and regulations.

**Revision Date:** 01/17/2013