



Building Insulation Products

Load Data Guide

Effective January 2, 2015

Building Insulation Products

Load Data Guide

Kraft Faced Batts													
R-Value	Dimensions			Pieces/ Pkg	Sq. Ft./ Pkg	Pkgs/ Unit	Units/ Stack	53' TL Load Factor	Pkgs/ 53' TL	Item Product Code	Reference Number	Product Availability	
	Thickness	Width	Length									East	West
R-11	3½"	15"	94"	16	156.67	5	6	0.12	780	5001293	B02EV	Standard	Non-Standard
	3½"	15"	106"	16	176.67	5	6	0.14	720	5002592	X02EV	Standard	Custom
	3½"	23"	94"	16	240.22	4	4	0.24	416	5005803	B04E	Standard	Non-Standard
R-13	3½"	15"	94"	12	117.5	5	6	0.12	780	5004649	B06EVX	Standard	
	3½"	15"	106"	12	132.5	5	6	0.14	720	5004652	X06EVX	Standard	Custom
	3½"	23"	94"	11	165.15	4	4	0.24	416	5001443	B07E	Standard	Non-Standard
R-19	6¼"	11"	48"	28	102.67	4	4	0.24	416	5003393	B38E	Non-Standard	Custom
	6¼"	15"	48"	20	100.00	4	6	0.16	624	5001499	B08E	Standard	Non-Standard
	6¼"	15"	94"	10	97.92	4	6	0.16	624	5001500	B09E	Standard	
	6¼"	15"	106"	10	110.42	4	6	0.17	576	5003766	X09E	Standard	Custom
	6¼"	19"	48"	18	114.00	4	5	0.19	520	5006922	B55E	Standard	Custom
	6¼"	23"	48"	18	138.00	4	4	0.24	416	5001469	B10E	Standard	Non-Standard
R-20	5½"	15"	93"	8	77.5	5	6	0.12	780	468752	B35EV	Standard	Custom
	5½"	23"	93"	8	118.83	4	4	0.24	416	468755	B41E	Standard	Custom
R-22	6½"	15"	48"	16	80.00	4	6	0.16	624	5003938	B12E	Non-Standard	Custom
R-25	8"	15"	48"	16	80.00	4	6	0.16	624	5000862	B40E	Custom	Non-Standard
	8"	23"	48"	16	122.67	4	4	0.24	416	5000870	B39E	Custom	Non-Standard
R-30	10"	12"	48"	22	88	4	4	0.24	416	5004561	X45E	Non-Standard	Custom
	10"	16"	48"	13	69.33	4	6	0.16	624	5001485	B16E	Standard	
	10"	19"	48"	11	69.67	4	5	0.19	520	5009062	X16E	Non-Standard	Custom
	10"	24"	48"	11	88.00	4	4	0.24	416	5001489	B17E	Standard	
R-38	12"	16"	48"	11	58.67	4	6	0.16	624	5001490	B18E	Standard	Non-Standard
	12"	19"	48"	8	50.67	4	4	0.19	520	5001270	E1270	Non-Standard	Custom
	12"	24"	48"	8	64.00	4	4	0.24	416	5001491	B19E	Standard	
R-49	13¾"	24"	48"	6	48.00	4	4	0.24	416	5004372	B15E	Non-Standard	

Kraft Faced Batts - High Density													
R-15	3½"	15"	93"	8	77.5	5	6	0.12	780	468051	B45EVX	Standard	Non-Standard
	3½"	15"	105"	8	87.5	4	6	0.17	576	468148	X45EX	Non-Standard	Custom
	3½"	23"	93"	6	89.13	4	4	0.24	416	5001403	B46E	Non-Standard	Custom
R-21	5½"	15"	93"	7	67.81	5	6	0.12	780	5001671	B47EV	Standard	
	5½"	23"	93"	7	103.98	4	4	0.24	416	5003929	B48E	Standard	
	5½"	16"	96"	7	74.66	4	6	0.16	624	5001297	E1297	Non-Standard	Custom
R-30	8¼"	15"	48"	11	55.00	4	6	0.16	624	5006564	B49E	Non-Standard	Custom
	8¼"	23"	48"	11	84.33	4	4	0.24	416	5006567	B50E	Non-Standard	Custom
R-38	10¼"	15"	48"	8	40.00	5	6	0.12	780	5006286	B51EV	Non-Standard	Custom
	10¼"	23"	48"	8	61.33	4	4	0.24	416	5006287	B52E	Non-Standard	

Standard Products: Listed in bold. Minimum order per SKU is 1 unit.

Non-Standard Products: Listed in regular type. Generally available from stock, but may require a lead time of up to 21 days. Minimum order per SKU is 1 unit.

All custom product requests require approval from Knauf Insulation, regardless of whether the product has previously been produced. Please contact your Knauf Insulation Territory Manager. Special pricing and minimum order quantities will apply. Knauf Insulation reserves the right to modify the Price List at any time. All items subject to change.

Staple-Free Batts

R-Value	Dimensions			Pieces/ Pkg	Sq. Ft./ Pkg	Pkgs/ Unit	Units/ Stack	53' TL Load Factor	Pkgs/ 53' TL	Product Code	Item Reference Number	Product Availability	
	Thickness	Width	Length									East	West
R-13	3½"	15¼"	93"	12	118.1	5	6	0.12	780	5004654	SF13EVX	Standard	Custom
	3½"	15¼"	105"	12	133.4	5	6	0.14	720	5004655	SF13XEVS	Standard	Standard
R-15	3½"	15¼"	93"	8	78.79	5	6	0.13	780	468157	SF15EVX	Standard	Custom
	3½"	15¼"	105"	8	88.96	4	6	0.17	576	468158	SF15XEX	Standard	Custom
R-19	6¼"	15¼"	93"	10	98.49	4	6	0.16	624	5004155	SF19E	Standard	Custom
	6¼"	15¼"	106"	10	112.26	4	6	0.17	576	5009586	SF19XE	Non-Standard	Custom
R-21	5½"	15¼"	93"	7	68.94	4	6	0.16	624	5000576	SF21E	Non-Standard	Standard
	5½"	15¼"	105"	7	77.84	5	6	0.14	720	5009801	SFX21EV	Non-Standard	Non-Standard

Unfaced Batts

R-11	3½"	11"	94"	32	229.78	4	4	0.24	416	5003706	N60E	Non-Standard	Custom
	3½"	15¼"	94"	16	159.28	5	6	0.12	780	5001679	B61EV	Standard	Standard
	3½"	15¼"	106"	16	179.61	5	6	0.14	720	5001412	X66EV	Standard	Non-Standard
	3½"	19"	94"	16	198.44	4	5	0.19	515	5004444	X62E	Non-Standard	Non-Standard
	3½"	23¼"	94"	16	242.83	4	4	0.24	416	5005818	B63E	Standard	Non-Standard
R-13	3½"	11"	94"	22	157.96	4	4	0.24	416	5001567	B87E	Non-Standard	Custom
	3½"	15"	94"	12	117.50	5	6	0.12	780	5004651	B65EVX	Standard	
	3½"	15"	106"	12	132.50	5	6	0.14	720	5004653	X17EVX	Standard	Non-Standard
	3½"	23"	94"	11	165.15	4	4	0.24	416	5001575	B66E	Standard	Non-Standard
R-19	6¼"	15"	48"	20	100.00	4	6	0.16	624	5001577	B67E	Standard	
	6¼"	15¼"	94"	10	99.55	4	6	0.16	624	5001581	B68E	Standard	
	6¼"	15¼"	106"	10	112.26	4	6	0.17	576	5003448	X20E	Standard	Non-Standard
	6¼"	19"	48"	18	114.00	4	5	0.19	520	5005079	X67E	Non-Standard	
	6¼"	23¼"	94"	9	136.59	4	4	0.24	416	5001589	B70E	Standard	
R-20	5½"	15"	93"	8	77.5	5	6	0.12	78	468753	B22EV	Standard	Custom
	5½"	23"	93"	8	118.83	4	4	0.24	416	468768	B37E	Standard	Custom
R-22	6½"	23"	48"	16	122.67	4	4	0.24	416	5006297	B72E	Standard	Custom
R-25	8"	16"	48"	16	85.33	4	6	0.16	624	5000865	B60E	Non-Standard	Standard
	8"	24"	48"	16	128.00	4	4	0.24	416	5000873	B62E	Non-Standard	Standard
R-30 Attic	10"	16"	48"	13	69.33	4	6	0.16	624	5001631	B75E	Standard	
	10"	19¼"	48"	11	70.58	4	5	0.19	520	5005111	N76E	Non-Standard	
	10"	24"	48"	11	88.00	4	4	0.24	416	5001641	B76E	Standard	
R-30 Floor	9½"	16"	48"	11	58.67	4	6	0.16	624	5007456	B30E	Custom	Non-Standard
	9½"	19¼"	48"	10	64.17	4	5	0.19	520	5007559	B32E	Custom	Non-Standard
	9½"	24"	48"	10	80.00	4	4	0.24	416	5007560	B31E	Custom	Non-Standard
R-38	12"	16"	48"	11	58.67	4	6	0.16	624	5001644	B77E	Standard	
	12"	24"	48"	8	64.00	4	4	0.24	416	5001657	B78E		
R-49	13¼"	24"	48"	6	48.00	4	4	0.24	416	5004347	B14E	Custom	Non-Standard

* Floor Insulation

Standard Products: Listed in bold. Minimum order per SKU is 1 unit.

Non-Standard Products: Listed in regular type. Generally available from stock, but may require a lead time of up to 21 days. Minimum order per SKU is 1 unit.

All custom product requests require approval from Knauf Insulation, regardless of whether the product has previously been produced. Please contact your Knauf Insulation Territory Manager. Special pricing and minimum order quantities will apply. Knauf Insulation reserves the right to modify the Price List at any time. All items subject to change.

Unfaced Batts - High Density

R-Value	Dimensions			Pieces/ Pkg	Sq. Ft./ Pkg	Pkgs/ Unit	Units/ Stack	53' TL Load Factor	Pkgs/ 53' TL	Product Code	Item Reference Number	Product Availability	
	Thickness	Width	Length									East	West
R-15	3½"	15"	93"	8	77.5	5	6	0.12	780	468142	B92EVX	Standard	
	3½"	15"	105"	8	87.5	4	6	0.17	576	468153	X42EX	Non-Standard	Custom
	3½"	23"	93"	6	89.13	4	4	0.24	416	5002895	B93E	Non-Standard	Custom
R-21	5½"	15"	93"	7	67.81	5	6	0.14	780	5001401	B94EV	Standard	
	5½"	15"	106"	7	77.29	5	6	0.14	720	5001433	X92EV	Non-Standard	Standard
	5½"	16"	96"	7	74.66	4	6	0.16	624	5000393	B23E	Non-Standard	
	5½"	23"	93"	7	103.98	4	4	0.24	416	5003816	B95E	Standard	
	5½"	24"	96"	7	112.00	4	4	0.24	416	5004410	B27E	Non-Standard	
R-23	5½"	15"	93"	4	38.75	5	6	0.14	720	5003716	B73EV	Non-Standard	Custom
R-30	8¼"	15"	48"	11	55.00	5	6	0.12	780	5001946	B96EV	Non-Standard	
	8¼"	23"	48"	11	84.33	4	4	0.24	416	5007256	B97E	Non-Standard	
R-38	10¼"	15"	48"	8	40.00	5	6	0.12	780	5001955	B98EV	Non-Standard	
	10¼"	23"	48"	8	61.33	4	4	0.24	416	5006276	B99E	Non-Standard	Standard

Metal Frame Construction: Unfaced Batts

R-8*	2½"	16"	96"	22	234.67	5	6	0.12	780	5001673	B79EV	Non-Standard	
	2½"	24"	96"	22	352.00	4	4	0.24	416	5001760	B80E		
R-11	3½"	16"	96"	16	170.67	5	6	0.12	780	5001405	B81EV	Standard	
	3½"	24"	48"	32	256.00	4	4	0.24	416	5001761	B83E	Standard	Non-Standard
	3½"	24"	96"	16	256.00	4	4	0.24	416	5005820	B82E	Standard	
R-13	• 3½"	16"	96"	11	117.33	5	6	0.12	780	5001678	X43EV	Non-Standard	
	3½"	16"	96"	12	128	5	6	0.12	780	5004657	X43EVX	Standard	
	3½"	24"	96"	11	176.00	4	4	0.24	416	5006257	X44E	Non-Standard	Custom
R-19	6¼"	16"	48"	20	106.67	4	6	0.16	624	5007996	B84E	Non-Standard	
	6¼"	16"	96"	10	106.67	4	6	0.16	624	5001817	B90E	Standard	
	6¼"	24"	48"	16	128.00	4	4	0.24	416	5005851	B85E	Standard	
	6¼"	24"	96"	9	144.00	4	4	0.24	416	5001825	B91E	Standard	Custom
R-21	5½"	16"	96"	7	74.66	4	6	0.16	624	5000393	B23E	Non-Standard	
	5½"	24"	96"	7	112.00	4	4	0.24	416	5004410	B27E	Non-Standard	Custom

Metal Frame Construction: Kraft Faced Batts

R-11	3½"	16"	96"	16	170.67	5	6	0.12	780	5001616	B24EV	Non-Standard	Custom
	3½"	24"	48"	32	256.00	4	4	0.24	416	5001501	B26E	Non-Standard	Custom
R-13	3½"	16"	96"	12	128	5	6	0.12	780	5004656	B43EVX	Standard	Custom
	3½"	24"	96"	11	176.00	4	4	0.24	416	5001062	B44E	Non-Standard	Custom
R-19	6¼"	16"	96"	10	106.67	4	6	0.16	624	5001561	B53E	Standard	Non-Standard
	6¼"	24"	48"	16	128.00	4	4	0.24	416	5005840	B28E	Standard	Non-Standard
	6¼"	24"	96"	8	128.00	4	4	0.24	416	5006808	B54E	Non-Standard	Custom
R-21	5½"	16"	96"	7	74.66	4	6	0.16	624	5001297	E1297	Non-Standard	Custom

• Product to be phased out upon inventory depletion

Standard Products: Listed in bold. Minimum order per SKU is 1 unit.

Non-Standard Products: Listed in regular type. Generally available from stock, but may require a lead time of up to 21 days. Minimum order per SKU is 1 unit.

All custom product requests require approval from Knauf Insulation, regardless of whether the product has previously been produced. Please contact your Knauf Insulation Territory Manager. Special pricing and minimum order quantities will apply. Knauf Insulation reserves the right to modify the Price List at any time. All items subject to change.

Metal Frame Construction: FSK Foil Faced Batts (Flame Rated FSK Foil)													
R-Value	Dimensions			Pieces/ Pkg	Sq. Ft./ Pkg	Pkgs/ Unit	Units/ Stack	53' TL Load Factor	Pkgs/ 53' TL	Product Code	Item Reference Number	Product Availability	
	Thickness	Width	Length									East	West
R-11	3½"	16"	96"	16	170.67	5	6	0.12	780	5001446	FS29EV	Non-Standard	
R-13	3½"	16"	96"	10	106.67	5	6	0.12	780	5001593	FS37EV	Non-Standard	Custom
R-19	6¼"	16"	48"	20	106.67	4	6	0.16	624	5008620	FS39E	Custom	Non-Standard
	6¼"	16"	96"	10	106.67	4	6	0.16	624	5002646	FS31E	Non-Standard	
	6¼"	24"	48"	18	144.00	4	4	0.24	416	5001864	FS40E	Non-Standard	Custom
R-30	10"	24"	48"	11	88.00	4	4	0.24	416	5001866	FS42E	Non-Standard	
R-30 Extended Flange	10"	24"	48"	11	88	4	4	0.24	416	5001731	FS44E*	Custom	Non-Standard
R-38	12"	24"	48"	8	64	4	4	0.24	416	5001778	FS48E	Non-Standard	Custom
Metal Frame Construction: Standard Foil Faced Batts (Not Rated for Flame Propagation)													
R-19	6¼"	16"	96"	10	106.67	4	6	0.16	624	5004857	FB05E	Non-Standard	
	6¼"	24"	96"	9	144.00	4	4	0.24	416	5004858	FB06E	Non-Standard	Custom
R-30	10"	24"	48"	11	88.00	4	4	0.24	416	5004861	FB08E	Non-Standard	

Manufactured Housing Insulation: Unfaced Rolls													
R-Value	Dimensions			Pieces/ Pkg	Sq. Ft./ Pkg	Pkgs/ Unit	53' TL Load Factor	Pkgs/ 53' TL	Product Code	Item Reference Number	Product Availability		
	Thickness	Width	Length								East	West	
R-5**	1½"	15"	60'	6	450	4	0.45	224	5002437	MH60E	Standard	Custom	
R-7**	2¼"	15"	60'	6	450	4	0.45	224	5002441	MH67E	Standard		
R-7**	2¼"	90"	60'	2	900	4	0.89	112	5003320	3320E	Standard		
R-7*	2¼"	90"	60'	1	450	4	0.45	224	5007277	MH88E	Non-Standard	Custom	
R-7**	2¼"	96"	60'	2	960	4	0.96	104	5003158	E3158	Standard	Custom	
R-11	3½"	15"	70½"	3	264.38	4	0.42	240	5001979	MS21E	Standard	Custom	
R-11	3½"	48"	70½"	1	282	4	0.45	224	5007604	MS25E	Non-Standard	Standard	
R-11	3½"	48"	100'	1	400	4	0.45	224	5002600	2600E	Non-Standard	Standard	
R-11	3½"	72"	70½"	1	423	4	0.69	144	5007610	MS27E	Non-Standard	Custom	
R-11	3½"	84"	70½"	1	493.5	4	0.89	112	5007613	MS28E	Custom	Standard	
R-11	3½"	96"	70½"	1	564	4	0.89	112	5007619	MS30E	Standard	Non-Standard	
R-13	3½"	15"	40'	3	150	4	0.42	240	5001493	1493E	Non-Standard		
R-19	6¼"	15"	39' / 6'	3	146.85	4	0.42	240	5005274	MS22E	Standard	Non-Standard	
R-19	6¼"	48"	41'	1	164	4	0.44	228	5007628	MS63E	Non-Standard	Standard	
R-19	6¼"	92½"	40'	1	308.33	4	0.94	104	5005530	MS68E	Custom	Non-Standard	

* Hinged Products

** Bisected Products

Standard Products: Listed in bold. Minimum order per SKU is 1 unit.

Non-Standard Products: Listed in regular type. Generally available from stock, but may require a lead time of up to 21 days. Minimum order per SKU is 1 unit.

All custom product requests require approval from Knauf Insulation, regardless of whether the product has previously been produced. Please contact your Knauf Insulation Territory Manager. Special pricing and minimum order quantities will apply. Knauf Insulation reserves the right to modify the Price List at any time. All items subject to change.

Manufactured Housing Insulation: Kraft Faced Rolls

R-Value	Dimensions			Pieces/ Pkg	Sq. Ft./ Pkg	Pkgs/ Unit	53' TL Load Factor	Pkgs/ 53' TL	Product Code	Item Reference Number	Product Availability	
	Thickness	Width	Length								East	West
R-11	3½"	15"	70½"	3	264.38	4	0.42	240	5002227	MS01E	Standard	Custom
R-13	3½"	15"	46'	3	172.5	4	0.42	240	5002256	MS05E	Non-Standard	
R-19	6¼"	15"	39'1/6'	3	146.85	4	0.42	240	5002238	MS11E	Standard	Non-Standard

Jet Stream® ULTRA Blowing Insulation

Description	Pieces/ Pkg	Pkgs/ Stack	Lbs/Pkg	53' TL Load Factor	Pkgs/ 53' TL	Product Code	Product Availability	
							East	West
Jet Stream ULTRA bag	1	42	32	0.09	1092	5003619	Standard	
Jet Stream ULTRA pack	42	1	1344	3.85	26	5003646		

EcoFill® Wx Blowing Insulation

Description	Pieces/ Pkg	Pkgs/ Stack	Lbs/Pkg	53' TL Load Factor	Pkgs/ 53' TL	Product Code	Product Availability	
							East	West
EcoFill Wx bag	1	42	30	0.09	1092	5003384	Standard	
EcoFill Wx pack	42	1	1260	3.85	26	5003385		

EXPERT Premium Blowing Insulation

Description	Pieces/ Pkg	Pkgs/ Stack	Lbs/Pkg	53' TL Load Factor	Pkgs/ 53' TL	Product Code	Product Availability	
							East	West
EXPERT™ bag	1	42	32	0.09	1092	5004516	Standard	
EXPERT™ pack	42	1	1344	3.85	26	5004517		

Standard Products: Listed in bold. Minimum order per SKU is 1 unit.

Non-Standard Products: Listed in regular type. Generally available from stock, but may require a lead time of up to 21 days. Minimum order per SKU is 1 unit.

All custom product requests require approval from Knauf Insulation, regardless of whether the product has previously been produced. Please contact your Knauf Insulation Territory Manager. Special pricing and minimum order quantities will apply. Knauf Insulation reserves the right to modify the Price List at any time. All items subject to change.

Insulation Board *with ECOSE® Technology*

FSK - Carton										
Density (PCF)	Thickness	R-Value	Width	Length	Pieces/ Carton	Sq. Ft./ Carton	Cartons/ Unit	53' TL Load Factor	Cartons/ 53' TL	Product Code
2.25	1"	4.3	24" x 48"		12	96	8	0.26	416	5004681
	2"	8.7			6	48	8	0.26	416	5003355
3.0	1"	4.3	24" x 48"		12	96	8	0.26	416	5000116
	1½"	6.5			8	64	8	0.26	416	5000117
	2"	8.7			6	48	8	0.26	416	5000118
	2"	8.7	48" x 96"	4	128	1	0.646	154	5000842	
	3"	13.0	24" x 48"	4	32	8	0.26	416	5001372	
	4"	17.4	24" x 48"	3	24	8	0.26	384	5003718	
6.0	1"	4.5	24" x 48"		12	96	8	0.26	416	5000119
	1½"	6.7			8	64	8	0.26	416	5000120
	2"	8.9			6	48	8	0.26	416	5000121
ASJ - Carton										
Density (PCF)	Thickness	R-Value	Width	Length	Pieces/ Carton	Sq. Ft./ Carton	Cartons/ Unit	53' TL Load Factor	Cartons/ 53' TL	Product Code
3.0	1"	4.3	24" x 48"		12	96	8	0.240	416	5001519
	1½"	6.5			8	64	8	0.240	416	5001563
	2"	8.7	24" x 48"	6	48	8	0.240	416	5001564	
	2"	8.7	48" x 96"	4	128	1	0.649	154	5006578	
6.0	2"	8.9	24" x 48"	6	48	8	0.240	416	5001520	
PSK - Carton										
All PSK faced Insulation Board products are custom.										
UNFACED - Cartons										
Density (PCF)	Thickness	R-Value	Width	Length	Pieces/ Carton	Sq. Ft./ Carton	Cartons/ Unit	53' TL Load Factor	Cartons/ 53' TL	Product Code
3.0	1"	4.3	24" x 48"		12	96	8	0.240	416	5000107
	1½"	6.5			8	64	8	0.240	416	5000108
	2"	8.7			6	48	8	0.240	416	5000109
6.0	1"	4.5	24" x 48"		12	96	8	0.240	416	5003425
	1.5	6.7			8	64	8	0.240	416	5000111
	2"	8.9			6	48	8	0.240	416	5000112

Standard Products: Listed in bold. Minimum order per SKU is 1 unit.

Non-Standard Products: Listed in regular type. Generally available from stock, but may require a lead time of up to 21 days. Minimum order per SKU is 1 unit.

All custom product requests require approval from Knauf Insulation, regardless of whether the product has previously been produced. Please contact your Knauf Insulation Territory Manager. Special pricing and minimum order quantities will apply. Knauf Insulation reserves the right to modify the Price List at any time. All items subject to change.

UNFACED - Sleeves										
Density (PCF)	Thickness	R-Value	Width	Length	Pieces/Pkg.	Sq. Ft./Pkg.	Pkgs/Unit	53' TL Load Factor	Pkgs/53' TL	Product Code
1.6	1½"	6.3	24" x 48"		18	144	6	0.360	276	5004426
	2"	8.3			13	104	6	0.300	336	5004453
	3"	12.5			8	64	6	0.300	336	5004455
2.25	2"	8.7	24" x 48"		12	96	6	0.360	276	5004430
	3"	13.0			8	64	6	0.300	336	5004446
	4"	17.4			6	48	6	0.300	336	5004461
3.0	4"	17.4	48" x 96"		3	96	1	0.840	119	5009459
	1"	4.3	24" x 48"		20	160	6	0.330	300	5002407
	1"	4.3	48" x 120"		12	480	1	1.430	70	5003961
	1½"	6.5	24" x 48"		14	112	6	0.330	300	5002408
	2"	8.7			10	80	6	0.330	300	5002367
	2½"	10.9			8	64	6	0.330	300	5006270
3"	13.0	7			56	6	0.330	300	5002348	

Standard Products: Listed in bold. Minimum order per SKU is 1 unit.

Non-Standard Products: Listed in regular type. Generally available from stock, but may require a lead time of up to 21 days. Minimum order per SKU is 1 unit.

All custom product requests require approval from Knauf Insulation, regardless of whether the product has previously been produced. Please contact your Knauf Insulation Territory Manager. Special pricing and minimum order quantities will apply. Knauf Insulation reserves the right to modify the Price List at any time. All items subject to change.

Custom Minimums for Insulation Board							
	1"	1½"	2"	2½"	3"	3½"	4"
1.6#	-	32 msf	18 msf	15 msf	12 msf	11 msf	10 msf
2.25#	34 msf	22 msf	17 msf	12 msf	10 msf	10 msf	9 msf
3.0#	24 msf	16 msf	12 msf	10 msf	9 msf	7 msf	6 msf
4.25#	18 msf	12 msf	9 msf	7 msf	-	-	-
6.0#	12 msf	9 msf	6 msf	-	-	-	-

Black Acoustical Board												
Density (PCF)	Dimensions			Pieces/ Pkg	Sq. Ft./ Pkg	Pkgs/ Unit	53' TL Load Factor	Pkgs/ 53' TL	Product Code	Item Reference Number	Product Availability	
	Thickness	Width	Length								East	West
2.25	2"	24"	48"	6	48	8	0.0024	416	5003642	BA04	Non-Standard	
2.25	2"	48"	96"	4	128	1	0.0065	154	5006554	6554		
3.00	1½"	24"	48"	8	64	8	0.0024	417	5009971	9971	Non-Standard	
3.00	2"	24"	48"	6	48	8	0.0024	416	5002652	BA03		
Wall and Ceiling Liner M												
1.5	1"	48"	100'	1	400	4	0.0044	228	5002696	CL05	Non-Standard	
1.5	1½"	48"	50'	1	200	4	0.0041	243	5001070	CL06		
1.5	2"	48"	50'	1	200	4	0.0044	228	5002805	CL07		
Sill Sealer												
	1½"	6"	75'	8	300		0.0023	444	5005450	M63E	Non-Standard	

Custom Minimums				
Product	Density (PCF)	1"	1½"	2"
Black Acoustical Board	2.25#	34 msf	22 msf	17 msf
	3.0#	24 msf	16 msf	12 msf

Non-Standard Products: Listed in regular type. Generally available from stock, but may require a lead time of up to 21 days. Minimum order per SKU is 1 unit. All custom product requests require approval from Knauf Insulation, regardless of whether the product has previously been produced. Please contact your Knauf Insulation Territory Manager. Special pricing and minimum order quantities will apply. Knauf Insulation reserves the right to modify the Price List at any time. All items subject to change.

EcoSeal Elastomeric Sealant								
Material	Material Description	Package	Buckets/ Pallet	53' TL Load Factor	Pallets/ 53' TL	Weight	Product Availability	
							East	West
400416*	EcoSeal Polymer 36 pails/pallet	5 gal. bucket	36	5.26	19	2052	Standard	
406477*	EcoSeal Polymer 12 pails/pallet	5 gal. bucket	12	1.75	57	684	Non-Standard	
498620	EcoSeal+™ 36 pails/pallet	5 gal. bucket	36	5.26	19	1080	Standard	
498622	EcoSeal+™ 12 pails/pallet	5 gal. bucket	12	1.75	57	360	Non-Standard	
400420	Graco Ultra Max Airless Sprayer	kit	1			93	Standard	

Standard Products: Listed in bold. Minimum order per SKU is 1 unit.

*Available while supplies last



Knauf Insulation GmbH
 One Knauf Drive
 Shelbyville, IN 46176

Sales (800) 825-4434, ext. 8283

Technical Support (317) 421-8512

Fax (317) 398-3675

Information info.us@knaufinsulation.com

Website www.knaufinsulation.us

©2015 Knauf Insulation GmbH. BI-PS 12-14



ECOSE Technology® is a revolutionary binder chemistry that makes Knauf Insulation® products even more sustainable than ever. It is based on rapidly renewable bio-based materials rather than non-renewable petroleum-based chemicals traditionally used in fiberglass insulation products. ECOSE Technology® reduces binder embodied energy and does not contain phenol, formaldehyde, acrylics or artificial colors.



GREENGUARD Gold

Knauf Insulation® achieved GREENGUARD Gold Certification.



GREENGUARD Certification Program

Products are certified to GREENGUARD standards for low chemical emissions into indoor air during product usage. For more information, visit ul.com/gg.

Knauf Insulation® has achieved a UL Environment claim validation for over 50% post-consumer recycled glass content in our insulation products.



At Knauf Insulation®, we manufacture a wide variety of products that serve a common goal, helping to make the most of our planet's energy resources. A family-owned global company, we understand and are committed to high standards in quality, performance and environmental responsibility. Every step we take today toward energy conservation helps ensure better lives for generations to come.



LEED Eligible Product

Use of this product may help building projects meet green building standards as set by the Leadership in Energy and Environmental Design (LEED) Green Building Rating System.

MR Credit 4.1 - 4.2 Recycled Content
 MR Credit 5.1 - 5.2 Regional Materials