



18" Indoor/Outdoor Wall Clock



Get Started

- Step 1:** Remove round battery cover from the back of the clock.
- Step 2:** Insert 1 fresh AA, LR6 1.5 volt ALKALINE battery according to the polarity marked on the case. The battery is a snug fit.
- Step 3:** Rotate the time set wheel to set the time.
- Step 4:** Place the round battery cover back on the clock.


Note: We recommend that you change the battery every 12 months to maintain accuracy. Remove the battery when the clock will not be in use for an extended period.

Position Clock

Indoor: Mount the clock on a wall with the hanging hole on the back of the clock.



Outdoor: Choose a location with an overhang to protect the clock from the overhead sun or standing snow or rain.

A shaded location will prevent inaccurate temperature readings. Mount the clock on a wall with the hanging hole on the back of the clock. Be sure the battery cover is on snug.




Temperature and Humidity

The La Crosse Technology® wall clock has two analog sensors that measure surrounding temperature and humidity. The temperature information is displayed in degrees Fahrenheit and Celsius, and humidity data is displayed in percentage.



The thermometer and hygrometer have been calibrated at the factory. To check the sensors accuracy, tune to your local weather forecast information broadcast for the latest weather information. The sensors may be adjusted.



To manually adjust the sensors, gently turn the temperature or humidity sensor adjustment at the back of the clock until desired setting has been reached.

Troubleshooting

- **Battery** – The clock must have a fresh Alkaline battery to keep time.
- **Location** – When using outside, place in a shaded area and be sure the battery cover is on correctly.
- **DST**- The time is set manually. When observing Daylight Saving Time, manually adjust the time with the time set wheel.

Frequently Asked Questions

Q. How long will the battery last?

A. A good AA alkaline battery will last over 12 months.

Q: Will this clock provide times around the world?

A: The time is set manually. The clock may be set for any time around the world.

Q: Why do the hands spin?

A: Hands may spin if the battery is under powered or over powered. Use only Alkaline batteries in the clock.

Q: How do I adjust the Temperature or Humidity?

A: Gently turn the temperature or humidity adjustment at the back of the clock, until desired setting has been reached.

Specifications

Operating Temperature:	+14°F to +122°F (-10°C to +50°C)
Power Requirements:	1 AA LR6 Alkaline Battery
Battery Life:	over 12 months
Temperature:	-10°F to +120°F (+23°C to +48.8°C)
Humidity:	0%Rh to 100%Rh

Care and Maintenance

- Do not mix old and new batteries
- Do not mix Alkaline, Standard, Lithium or Rechargeable Batteries
- Always purchase the correct size and grade of battery most suitable for intended use.
- Replace all batteries of a set at the same time.
- Clean the battery contacts and also those of the device prior to battery installation.
- Ensure the batteries are installed with correct polarity (+and -).

- Remove batteries from equipment which is not to be used for an extended period of time.
- Remove expired batteries promptly.
- The specs of this wall clock may change without prior notice.
- Improper use or unauthorized opening of housing voids warranty.

Warranty and Support Information

La Crosse Technology, Ltd. provides a 1-year limited time warranty (from date of purchase) on this product relating to manufacturing defects in materials & workmanship.

Before returning a product, please contact our friendly customer support with questions or visit our online help (manuals and FAQs):

Phone: 1-608-782-1610

Online Product Support: www.lacrossetechnology.com/support

Product Registration:

www.lacrossetechnology.com/support/register

View full warranty details online at:

www.lacrossetechnology.com/warranty_info.pdf

Warranty Address:

La Crosse Technology, Ltd
2830 S. 26th St.
La Crosse, WI 54601

