
Mac-Lorgin













Pencil Point Flame Tip

Flame Temp - 1,850°F / 1,010°C BTU / Hour - 2,600* Soft Solder up to 1/2 "





MT200**C**

Contents: torch head

Package Configuration: carded



MT200

Contents:

torch head, w/ 14.1 oz propane cylinder

Package Configuration: boxed



MT200**PK**

Contents:

torch head, w/ 14.1 oz propane cylinder, 1 oz water soluble flux, 1.5 oz silver solder, acid brush

Package Configuration: clam shell



MT700

Contents:

torch head, w/ 14.1 oz propane cylinder, spark lighter, flint renewal, orifice, brush flame tip, flame spreader, carry case

Package Configuration: Carry Case









Triple Point Flame Tip

Flame Temp - 1,900°F / 1,038°C BTU / Hour - 3,400* Soft Solder up to 1/2"







MT521**C**

Contents: torch head

Package Configuration: carded



MT521

Contents: torch head, w/ 14.1 oz propane cylinder

Package Configuration: boxed













Heavy Duty Pencil Point Flame Tip

Flame Temp - 1,900°F / 1,038°C BTU / Hour - 6,000* Soft Solder up to 1/2"







MT531**PK**

Contents:

torch head, w/ 14.1 oz propane cylinder, 1 oz water soluble flux, 1.5 oz silver solder, acid brush

Package Configuration: clam shell



MT531**CK**

torch head, w/ 14.1 oz propane cylinder

Package Configuration:

clam shell







Triple Point Flame Tip

Flame Temp - 1,900°F / 1,038°C BTU / Hour - 3,900* Soft Solder up to 1/2"







MT535**C**

Contents: torch head

Package Configuration: carded



MT535**CK**

Contents:

torch head, w/ 14.1 oz propane cylinder

Package Configuration: clam shell



MT535**PK**

Contents:

torch head, w/ 14.1 oz propane cylinder, 1 oz water soluble flux, 1.5 oz silver solder, acid brush, pipe cutter, emery cloth

Package Configuration: clam shell











Silver Swirl[™] Flame Tip

Flame Temp - 2,100°F / 1,150°C BTU / Hour - 7,200* Soft Solder up to 1/2 "





MT551**C**

Contents: torch head

Package Configuration: carded



MT551**CK**

torch head, w/ 14.1 oz MAP//Pro™ cylinder

Package Configuration: clam shell






MT245**C**

Contents: torch head

Package Configuration: carded

Heavy Duty Pencil Point Flame Tip

Flame Temp - 1,900°F / 1,038°C | BTU / Hour - 6,000* | Soft Solder up to 1/2 "














Silver Swirl[™] Flame Tip

Flame Temp - 2,100°F / 1,150°C BTU / Hour - 7,200* Soft Solder up to 1/2 "







MT555**C**

Contents: torch head

Package Configuration: carded



MT555**CK**

Contents

torch head, w/ 14.1 oz MAP//Pro™ cylinder

Package Configuration: clam shell



MT555**PK**

Contents:

torch head, w/ 14.1 oz MAP//Pro™ cylinder, 1 oz water soluble flux, 1.5 oz silver solder, acid brush

Package Configuration: clam shell



MT560**C**

Contents: torch head

Package Configuration: carded















Silver Swirl[™] Flame Tip

Flame Temp - 2,200°F / 1,204°C | BTU / Hour - 7,200* | Soft Solder up to 1/2 "









MT565**C**

Contents: torch head

Package Configuration: carded



MT565**CK**

torch head, w/ 14.1 oz MAP//Pro™ cylinder

Package Configuration: clam shell



MT575**C**

Contents: torch head

Package Configuration: carded















Extre Silver Swirl Flame Tip

Flame Temp - 2,200°F / 1,204°C BTU / Hour - 13,000* Soft Solder up to 1/2"









MT579**C**

Contents: torch head

Package Configuration: carded



MT579**CK**

Contents:

torch head, w/ 14.1 oz MAP//Pro™ cylinder

Package Configuration: clam shell



MT579Pro

Contents:

torch head, w/ 14.1 oz MAP//Pro™ cylinder, Sliver Extreme Swirl™, standard swirl tip, pencil point tip

Package Configuration: blow molded carry case



SPECIALTY TORCHES



MT450C

outdoor self-lighting "cane-style" propane garden torch with 36" reach (clamshell)



MT5000

outdoor 500,00 BTU torch attaches to a standard pol tank (carded)



MT585**OX**

Oxy-MAP//Pro[™] brazing welding torch includes MAP//Pro[™] cylinder, oxygen cylinder, spark lighter, stand, and brazing rods (plastic carry case)

ELECTRIC SOLDER IRONS AND GUNS



MT630

30W corded solder rod (carded)



MT6100

100W corded solder gun (clamshell)



MT625

25W 13 piece wood burner kit (carry case in retail sleeve)



BUTANE TORCHES & KITS



MT765**C**

3-in-1 self lighting refillable micro butane torch with stand, includes solder tip, hot blow, and flame functions (carded)



MT778**CK**

micro butane self-lighting, refillable torch kit includes 5.6 oz butane cylinder (tri-fold clam)



MT785**CK**

table top micro butane self-lighting, refillable torch kit includes 5.6 oz butane cylinder (tri-fold clam)



MT790**K**

multi-function, self-lighting, refillable butane torch kit, includes pen point solder tip, chisel solder tip, anvil solder tip, needle solder tip, deflector shield, solder, a cleansing sponge and a safety cap for the torch (carry case in retail sleeve)



MT775**C**

self lighting refillable micro butane torch solder kit, includes solder tip, hot knife tip, hot blow tip, sponge and rosin core solder all in a plastic carry case (carry case in retail sleeve)



MT780

table top micro butane self-lighting, refillable torch has 3 tip functions: flame, hot blow, solder (tri-fold clam)



MT747**PDQ**

self lighting, refillable micro butane torch (full color retail display)

LIGHTERS



MT16

butane refillable self-lighting PocketTorch™ with high intense wind resistant flame (carded)



MT759

butane FlexStriker™ flexible nozzle and wind resistant flame (carded)



MT750

butane refillable multipurpose butane lighter (carded)



FLUX AND SOLDER



MT303**RC**

lead free rosin 3 oz (carded)



MT304**RC**40

40/60 rosin (.093) 4 oz (carded)



MT304**RC**60

60/40 rosin (.032) 4 oz (carded)



MT375**RC**60

60/40 rosin (.050) .75 oz (carded)



MT303**AC**

lead free acid 3 oz (carded)



MT304**AC**40

40/60 acid 4 oz (carded)



MT303**SW**

solid wire solder 3 oz (carded)



MT301**WF**

water soluble flux 1 oz, acid brush included (carded)



MT350**WF**

plumbers kit includes solid wire solder 1.5 oz, water soluble flux 1 oz, emery cloth, acid brush (carded)



MT350**SS**

specialty kit includes 98/2 tin/silver solder 0.75 oz, paste flux .050 oz (carded)



MT302**ZN**

petroleum flux 2 oz, acid brush included (carded)



WELDING RODS



MT300**PC**

copper phosphorous rod (carded)



MT300**AL**

aluminum rod (carded)



MT300**WB**

premium bronze welding rod (carded)



MT300**NS**

nickel silver rod (carded)



MT300**CS**

copper coated steel rod (carded)



MT300**BW**

rod assortment includes copper phosphorous, nickel silver, aluminum, copper coated steel, premium bronze (carded)



TORCH ACCESSORIES



MT100

flint spark lighter (carded)



MT100**C**

flint renewals (carded)



MT48EXT

universal hose extension (blister)



MTHC912

9"x12" protective heat cloth (blister)

FUELS



332399

14.1 oz propane cylinder



MT 101 C

16.4 oz propane cylinder



332401

14.1 oz MAP//Pro™ cylinder



333386

1.4 oz / 1.1 cubic foot oxygen cylinder



MT150**B**

5.6 oz butane cylinder



MT42**B**

1.48 oz butane cylinder



type of gas: Propane products for use with: 200

Heavy Duty Pencil Point Flame type of gas: MAP//Pro™

products for use with: 245

Heavy Duty Pencil Point Flame

type of gas: Propane products for use with: 531

Triple Point Flame

type of gas: Propane products for use with: 521, 535

Silver Swirl™ Flame

type of gas: MAP//Pro™ products for use with: 551

Silver Swirl[™] Flame

type of gas: MAP//Pro™ products for use with: 555, 560, 565, 575

Extreme Silver Swirl™ Flame

type of gas: MAP//Pro™ products for use with: 579

Brazing Flame type of gas: Oxy + MAP//Pro™ products for use with: 585

