Master Flow® Ductwork Product Catalog RESMF164

Updated: 12/14





DUCTWORK

Metal, Flexible & Accessories

Airflow Done Right!

NEW DUCTWORK INSTALLATIONS

VENTILATION

HEATING & AIR CONDITIONING







Designed by GAF's HVAC **Ductwork Specialists**

Plenums & Air Returns2
Starting Collars & Take-Offs
Trunk & Branch Lines
Transitions & Connectors5 – 7
In-Wall Duct Systems7 – 9
Register Boxes10 – 12
Rooftop Venting12 – 14
Heavy Gauge (26) Systems14 – 15
Stove Pipes15 – 16
Miscellaneous Items16 – 19
Kits19

Whether you're installing all-new or replacing old ductwork, adding a room, venting a bathroom or range hood, or increasing the efficiency of the HVAC system, it's easy to find everything you need to complete all of your ductwork projects.



Plenums & Air Returns

This section includes products that attach directly to the furnace or are used for return air.

Duct Board Plenum

- For constructing air-supply plenums.
- Precut for easy assembly.
- Secure with approved foil tape.
- Kit includes 4 sides and a top.



Model #	Size	R- Value	Thickness	Carton Qty.
4DPK24X24X24	24" × 24" × 24"	6	1.5"	3

12" x 20"

RA12X20X12



Model #	Size	Carton Qty.	Weight	UPC Item Code (050206)
GP16X35	16" x 35"	6	13.7 lb	937402

Return Air Filter Box

- For use with self-contained airconditioning units.
- Transition from floor grille to insulated flexible duct return line.
- Filter not included.

Return Air Box

• Provides collecting port for central return duct.



Model #	Size	Carton Qty.	Weight	UPC Item Code (050206)
RAB24X14	24" × 14"	4	18 lb	948101

12"

10.5 lb

Starting Collars & Take-Offs

This section includes round and rectangular starting collars and take-offs.

Starting Collar Take-Offs - Snap Together

- For transition from lined or unlined plenum to round pipe or insulated flexible duct.
- Snap together.



4" 12 SCF4 4 lb 931400 SCF5 12 4.9 lb 931509 18 SCF6 6" 7.5 lb 931608 SCF7 12 931707 6.3 lb SCF8 8" 12 7.5 lb 931806 SCF10 10" 5 lb 6 931905 SCF12 12" 6 lb 932001 6 SCF14 14" 7 lb 932100

Carton Qty DSCF4 4" 2 lb 931448 6 DSCF5 5" 6 3 lb 931547 13.4 lb 20 931646 DSCF6 6" DSCF7 6.6 lb 931745 DSCF8 14 931844 8" 11.6 lb DSCF10 10" 6 7.8 lb 931943 12" DSCF12 9.3 lb 932049 6 14" 10 lb DSCF14 932247

Starting Collar Take-Offs

- For transition from ductboard plenums, internally lined plenums, or insulated register boxes to round pipe or insulated flexible duct. Can also be used with unlined plenums.
- Extra-long tabs to fit all ductboard thicknesses through $1 \frac{1}{2}$ " (R6.0 value).



Starting Collars

Air-Tite Take-Offs

• Provides transition from flat

or round pipe.

surface to insulated flexible duct

Tacky gasket provides excellent seal.

Saddle Air-Tite Take-Off

surface to insulated flexible duct

• Tacky gasket provides excellent seal.

• Provides transition from round

- For transition from ductboard plenums, internally lined plenums, or insulated register boxes to round pipe or insulated flexible duct. Can also be used with unlined plenums.
- Extra-long tabs to fit all ductboard thicknesses through 1 ½" (R6.0 value).



Carton Qty 4" 3 lb LSC4 8 031636 LSC5 5" 10 4 lb 031643 LSC6 6" 16 8 lb 031650 LSC8 8" 8 6 lb 031667

Carton Qty ATTO6 10 7.5 lb 932407 8" 7 ATTO8 8 lb 932421 ATTO 10 10" 6 8 lb 932445 932469 ATTO12 12" 9.5 lb

Model #	Diameter	Carton Qty.	Weight	UPC Item Code (050206)
SATTO6	6"	10	7.5 lb	932629

Top Take-Offs

or round pipe.

- For transition from air plenums or rectangular duct to round pipe or insulated flexible duct.
- RSC is a "Scotty" take-off



Model #	Diameter	Carton Qty.	Weight	UPC Item Code (050206)
TTO6	6"	10	11.6 lb	931141
RSC7X6	6"	6	7 lb	931660

963241



Trunk & Branch Lines

This section includes insulated flexible ducts, round pipes, and rectangular ducts.

Metalized single-strand fiberglass yarns for added strength and tear-resistance

Metalized single-strand fiberglass yarns for added strength and tear-resistance

Flexible Insulated Ducts

Approval Codes


- Meets UL-181 Class 1 Air Duct
- NFPA 90A + 90B

Model # Series

F6IFD

F8IFD

- International Building Code
- California Bureau Of Home Furnishing & Thermal Insulation



Core: 2-ply continuous inner core products. Smooth interior for more efficient air movement.

Vapor Barrier: Durable, scuff-

Helix: Zinc-coated, high-carbon

Insulation: Thick, continuous blanket of glass fiber insulation.

6.0

8.0

4.2

PERFORMANCE DATA

R-Value: As measured per the ADC test method and ASTM C518

Maximum Flame Spread: 25 Maximum Smoke Developed: 50 Temperature Range: -20°F to 180°F constant. 250°F intermittent.

1/2" Oversized Core: Two plies of polyester film that incapsulate galvanized steel wire helix.

Velocity: 4,000 FPM maximum

Χ

Χ

Iru	nk	Ök	Branch	Lines

Half Section Rectangular Ducts

- Main trunk lines for system supply.
- Snaps together no tools needed. Notched corners for connecting
- sections, or use cleats.
- 28-gauge galvanized steel.
- SOLD IN HALF SECTIONS.



Round Metal Duct Pipes

- Snap-lock design.Crimped end with stop-bead for easy interlocking fit.
- Galvanized steel construction.
- Cut to length with tin snips.



Standard

Model #	Size	Length	Bundle Qty.	Carton Qty.	Weight	UPC Item Code (050206)
RD12X8X48	12" x 8"	4 ft.	6	6	34 lb	950104
RD14X8X48	14" × 8"	4 ft.	6	6	3 <i>7</i> lb	950159
RD16X8X48	16" x 8"	4 ft.	6	6	39 lb	950203
RD24X8X48	24" × 8"	4 ft.	6	6	48 lb	950302

Round Metal Duct Pipes (2 ft. & 3 ft. Sections)

Model #	Diameter	Bundle Qty.	Weight	UPC Item Code (050206)
BCP3X24	3"	10	8.75 lb	920107
BCP4X24	4"	10	10.5 lb	920206
BCP5X24	5"	10	12.0 lb	920305
BCP6X24	6"	10	15 lb	920404
BCP7X24	7"	10	16 lb	920503
BCP8X24	8"	10	20 lb	920602
BCP3X36	3"	10	14.2 lb	921401
BCP4X36	4"	10	18.2 lb	921500
BCP5X36	5"	10	22.2 lb	920701
BCP6X36	6"	10	26.2 lb	921609
BCP7X36	7"	10	30.1 lb	921 <i>7</i> 08
BCP8X36	8"	10	34.1 lb	921807

Round Metal Duct Pipes (5 ft. Sections)

Model #	Diameter	Bundle Qty.	Weight	UPC Item Code (050206)
CP3X60	3"	10	24 lb	920800
CP4X60	4"	10	31 lb	920909
CP5X60	5"	10	36 lb	921005
CP6X60	6"	10	42 lb	921104
CP7X60	7"	10	52 lb	921203
CP8X60	8"	10	58 lb	921302
CP10X60	10"	10	74 lb	920145
CP12X60	12"	10	96 lb	920244
CP14X60	14"	10	132 lb	920343

Extra-heavy black polyethylene jacket with UV inhibitors

Insulated Flexible Ducts -**R6 Silver Jacket**

- Metalized jacket.
- R-6.0 Value.



Model #	Size	Diameter	Length	R-Value	Weight	UPC Item Code (050206)
F6IFD4X144	4" x 12'	4"	12 ft.	6	5 lb	031445
F6IFD4X300	4" × 25'	4"	25 ft.	6	10 lb	922064
F6IFD5X300	5" × 25'	5"	25 ft.	6	8 lb	922149
F6IFD6X300	6" x 25'	6"	25 ft.	6	11.5 lb	922248
F6IFD7X300	7" x 25'	7"	25 ft.	6	12.5 lb	922347
F6IFD8X300	8" × 25'	8"	25 ft.	6	13 lb	922446
F6IFD10X300	10" x 25'	10"	25 ft.	6	16 lb	922545
F6IFD12X300	12" x 25'	12"	25 ft.	6	19 lb	922644
F6IFD14X300	14" x 25'	14"	25 ft.	6	26 lb	922743

2" thick

3" thick

1 1/4" thick

Insulated Flexible Ducts -**R8 Silver Jacket**

- Metalized jacket.
- R-8.0 Value.



Model #	Size	Diameter	Length	R-Value	Weight	UPC Item Code (050206)
F8IFD4X300	4" x 25'	4"	25 ft.	8	12.0 lb	029206
F8IFD5X300	5" x 25'	5"	25 ft.	8	11.5 lb	029213
F8IFD6X300	6" x 25'	6"	25 ft.	8	13.8 lb	029220
F8IFD7X300	7" x 25'	7"	25 ft.	8	16 lb	029237
F8IFD8X300	8" x 25'	8"	25 ft.	8	17.5 lb	029244
F8IFD10X300	10" x 25'	10"	25 ft.	8	22.5 lb	029251
F8IFD12X300	12" × 25'	12"	25 ft.	8	26.3 lb	029268
F8IFD14X300	14" × 25'	14"	25 ft.	8	29.0 lb.	029350

Mobile Home Insulated Flexible Ducts – R4.2 **Black Jacket**

- Extra-heavy polyethylene jacket.
- R-4.2 Value.



Model #	Size	Diameter	Length	R-Value	Weight	UPC Item Code (050206)
MIF12X300	12" x 25'	12"	25 ft.	4.2	18.5 lb	922620
MIF14X300	14" × 25'	14"	25 ft.	4.2	20.0 lb.	922729

Beaded Metal Duct Pipes (5 ft. Sections)

Model #	Diameter	Bundle Qty.	Weight	UPC Item Code (050206)
BDCP4X60	4"	10	31 lb	032893
BDCP5X60	5"	10	36 lb	032909
BDCP6X60	6"	10	42 lb	032916
BDCP7X60	7"	10	52 lb	032923
BDCP8X60	8"	10	58 lb	032930
BDCP10X60	10"	10	74 lb	032947
BDCP12X60	12"	10	96 lb	032961

Transitions & Connectors

This section includes elbows, reducers, wyes, tees, and other accessories.

90-Degree Round Adjustable Elbows

- Used to make angular turns in runs
- Adjustable to any angle through 90 degrees.



Model #	Diameter	Carton Qty.	Weight	UPC Item Code (050206)
B90E3	3"	24	9.6 lb	923009
B90E4	4"	24	12 lb	923108
B90E5	5"	24	17.5 lb	923207
B90E6	6"	24	21 lb	923306
90E7	7"	12	14 lb	923405
90E8	8"	12	1 <i>7</i> lb	923504
90E10	10"	6	17.5 lb	923603
90E12	12"	6	21 lb	923 <i>7</i> 02
90E14	14"	6	24 lb	923740



GAF

Transitions & Connectors

Round Reducers/ Increasers

- Used to reduce or increase diameter of pipe.
- Collar edges hemmed for added strength and safety.



Model #	Size	Carton Qty.	Weight	UPC Item Code (050206)
R4X3	4" to 3"	12	3.96 lb	925508
R5X4	5" to 4"	12	5.5 lb	925607
R6X4	6" to 4"	12	6.5 lb	925706
R6X5	6" to 5"	12	7.5 lb	925805
R7X4	7" to 4"	12	7.5 lb	925980
R7X6	7" to 6"	12	7.5 lb	925904
R8X6	8" to 6"	12	9.5 lb	926000
R8X7	8" to 7"	12	9.5 lb	926307
R1OX8	10" to 8"	6	7.55 lb	926109
R12X10	12" to 10"	6	8.3 lb	926208
R14X12	14" to 12"	6	12.5 lb	926406

Wyes

- Also called wye joints or reducing laterals.
- Used primarily for heating and air conditioning applications for transition from one pipe to two pipes.



Model #	Size	Carton Qty.	Weight	UPC Item Code (050206)
Y4X4X4	4" to 4" x 4"	6	8.3 lb	925089
Y6X6X6	6" to 6" x 6"	6	12 lb	925188
Y8X6X6	8" to 6" x 6"	6	12.3 lb	925102
Y8X8X8	8" to 8" x 8"	4	8.2 lb	925140
Y10X8X8	10" to 8" x 8"	6	16 lb	033777

45-Degree Wye Saddle

- Used to splice into an existing run of round pipe of equal or larger diameter.
- 45-degree angle branch.



T3X3X3

T4X4X4

T5X5X5

T6X6X6

T8X8X8

3"

4"

5"

6"

8"

Model #	Size	Carton Qty.	Weight	UPC Item Code (050206)
45YS4	4" to 4"	6"	4 lb	029367

6

6

6

6

3.5 lb

4 lb

7 lb

7 lb

10.3 lb

924105

924204

924303

924402

924600

Round Tees

- Used for venting bath & kitchen fans as well as heating and airconditioning applications.
- For 90-degree branch with same diameters.
- Use reducers/increasers to modify multiple pipe-size connections.
- 30-gauge galvanized steel.

Tee Saddle

- Used to splice into an existing run of round pipe of equal or larger diameter
- 90-degree angle branch.



Model #	Size	Carton Qty.	Weight	UPC Item Code (050206)
TS6	6" to 6"	6	5.8 lb	924907

Transitions & Connectors

Ductboard Triangular Terminal Box

- Precut for easy assembly using approved foil tape.
- FSK reinforced backing.



Model #	Size	R-Value	Carton Qty.	Weight	UPC Item Code (050206)
DTTB15	15"	6	6	18 lb	963203

In-Wall Duct Systems

This section includes rectangular stack (riser) and oval duct components.

Half Section Rectangular Stack Ducts

- For use between wall studs for venting: kitchen & bath fans; range hoods; heating & air-conditioning supply; and return ducts.
- Snap together no tools needed.
 Can be cut with tin snips.
- SOLD IN HALF SECTIONS



Model #	Size	Carton Qty.	Weight	UPC Item Code (050206)
RD2.25X12X24	2 ½" × 12"	12	13 lb	921852
RD3.25X10X36	3 ½" × 10"	18	30 lb	921906
RD3.25X12X36	3 ½" × 12"	12	23 lb	921968
RD3.25X14X36	3 ½" × 14"	12	27.3 lb	922002
RD3.25X10X60	3 ½" × 10"	12	50 lb	921944
RD3.25X12X60	3 ½" x 12"	12	55.2 lb	921746
RD3.25X14X60	3 ½" x 14"	12	48 lb	922040

Rectangular Stack Elbows

- Used with rectangular stack duct for 90-degree turns.
- Available in short-way and long-way configurations.



Model #	Size	Carton Qty.	Weight	UPC Item Code (050206)
90E3.25X10	$3 \frac{1}{4} \times 10^{\circ}$ Short	6	3.8 lb	923801
LW90E10X3.25	10" x 3 1/ ₄ " Long	6	9 lb	923900

Rectangular Stack Head

 For transition from rectangular stack duct to air register or grill (normally side wall registers).



Model #	Size	Dimensions	Carton Qty.	Weight	UPC Item Code (050206)
SH10X6	3 ¹ / ₄ " x 10"	10" x 6"	8	12 lb	932704

Stack Boots

 For straight line transition from round pipe or insulated flexible duct to rectangular stack duct.



Model #	Size	Diameter	Carton Qty.	Weight	UPC Item Code (050206)
SB12X2.25X6	12" x 2 1/4"	6"	12	16.8 lb	930809
SB10X3.25X4	10" x 3 1/4"	4"	16	12.65 lb	930021
SB10X3.25X5	10" x 3 1/4"	5"	14	11.05 lb	930120
SB10X3.25X6	10" x 3 1/4"	6"	12	13 lb	929902
SB10X3.25X7	10" x 3 1/4"	7"	10	10.2 lb	930007

 6



In-Wall Duct Systems

Stack Boot - 90-Degree

• For right-angle transition from round pipe or insulated flexible duct to rectangular stack duct.



Model #	Size	Diameter	Carton Qty.	Weight	UPC Item Code (050206)
90SB10X3.2X6	10" x 3 1/4"	6"	9	11 lb	930403

In-Wall Duct Systems

90-Degree Oval Flat Elbow

• For changing the horizontal direction of a run of oval pipe.



Model #	Diameter	Carton Qty.	Weight	UPC Item Code (050206)
OF90E6	6"	12	10.5 lb	985304

Rectangular Stack Duct Cap

• Used to terminate or block-off a run of rectangular stack duct.



Model #	Size	Carton Qty.	Weight	UPC Item Code (050206)
DC3.25X10	3 ¹ / ₄ " x 10"	6	2.25 lb	937129

Oval Stack Heads with Wings

- Provides right-angle transition from oval pipe to side wall register.
- Built-in wings for easy attachment to wall studs.



Model #	Size	Carton Qty.	Weight	UPC Item Code (050206)
OSHW10X6X6	10" x 6" to 6"	8	11 lb	985403
OSHW12X6X6	12" x 6" to 6"	6	8.9 lb	985502

Rectangular Stack Duct Starting Collar

• For transition from plenum or flat surface to stack duct.



Model #	Size	Carton Qty.	Weight	UPC Item Code (050206)
SCF3.25X10	3 ¹ / ₄ " × 10"	6	4.15 lb	932308

Oval-to-Round Boot

• Provides straight transition from round pipe or insulated flexible duct to oval pipe.



Model #	Size	Carton Qty.	Weight	UPC Item Code (050206)
OTRB6	6" to 6"	8	6.6 lb	985601

Fan Boot

- For transition from range hood top $3 \frac{1}{4}$ " x 10" opening to round pipe.
- Crimped collar.



Model #	Size	Diameter	Carton Qty.	Weight	UPC Item Code (050206)
FB3.25X10X7	3 ¹ / ₄ " x 10"	7"	10	12 lb	936528

10

12

Oval-to-Round Boot -90-Degree

• Provides right-angle transition from round pipe or insulated flexible duct to oval pipe.



Model #	Size	Carton Qty.	Weight	UPC Item Code (050206)
OTR90B6	6" to 6"	10	9.5 lb	985700

Oval Pipe

- For use between walls for supplying air to highwall registers or other floors.
- Efficient alternative to rectangular stack (riser) duct.

• For changing the vertical direction of a run of oval pipe.

90-Degree Oval

Vertical Elbow



Model #	Size
OP6X60	6" x 5'

OV90E6

	Oval-to-Round B

UPC Item Code

985007

985205

UPC Item Code

43 lb

8.7 lb



• For transition from round pipe or insulated flexible duct to oval pipe.



Model #	Size	Carton Qty.	Weight	UPC Item Code (050206)
OTREB6	6" to 6"	8	5.4 lb	985809



Register Boxes

This section includes all styles and configurations of register boxes.

Universal (Straight) **Register Boxes**

• For transition from round pipe or insulated flexible duct to air register or grill.



Model #	Size	Diameter	Carton Qty.	Weight	UPC Item Code (050206)
RB8X4X5	8" x 4"	5"	10	7 lb	927441
RB8X8X6	8" x 8"	6"	6	7.5 lb	926468
RB12X2.25X6	12" x 2.25"	6"	6	7 lb	926604
RB10X4X4	10" x 4"	4"	12	12.5 lb	926741
RB10X4X5	10" x 4"	5"	12	14 lb	926765
RB10X4X6	10" x 4"	6"	12	14.5 lb	926802
RB10X6X6	10" x 6"	6"	14	13.05 lb	926901
RB1OX1OX8	10" x 10"	8"	6	9.4 lb	926444
RB12X4X6	12" x 4"	6"	9	13 lb	927007
RB12X6X6	12" x 6"	6"	6	9 lb	927106
RB14X6X8	14" x 6"	8"	8	12.8 lb	927403
RB14X8X8	14" x 8"	8"	10	17.5 lb	927427

90-Degree Register Boxes	
= 02.00	

• For right-angle transition from round pipe or insulated flexible duct to air register or grill.

End Register Boxes

• For right-angle center-end transition

ble duct to air register or grill.

from round pipe or insulated flexi-



Model #	Size	Diameter	Carton Qty.	Weight	UPC Item Code (050206)
90RB12X2.2X6	12" x 2.25"	6"	6	10 lb	927601
90RB10X4X5	10" x 4"	5"	10	16 lb	927748
90RB10X4X6	10" x 4"	6"	10	16.3 lb	927809
90RB10X6X6	10" x 6"	6"	8	14 lb	927908
90RB12X4X5	12" x 4"	5"	9	14.8 lb	928080
90RB12X4X6	12" x 4"	6"	6	10.2 lb	928004
90RB12X6X6	12" x 6"	6"	7	12.8 lb	928103

Model #	Size
ERB12X2.2X6	12" x 2
ERB10X4X5	10" x
ERB10X4X6	10" x
ERB10X6X6	10" x
FRR12X/IXA	12" v

CRB6X6X6

CRB8X8X6

CRB10X10X8

CRB12X12X8

Model #	Size	Diameter	Carton Qty.	Weight	UPC Item Code (050206)
ERB12X2.2X6	12" x 2.25"	6"	6	8.8 lb	928707
ERB10X4X5	10" x 4"	5"	6	6.5 lb	928769
ERB10X4X6	10" x 4"	6"	6	7 lb	928622
ERB 1 OX6X6	10" x 6"	6"	6	8 lb	928721
ERB12X4X6	12" x 4"	6"	6	8.3 lb	928806

Ceiling Register Boxes

• For transition from round pipe or insulated flexible duct to air register or grill.



GreenBootsTM

- Register Boxes.
- Installation rails included.
- or insulated flexible duct to air



Model #	Size	Diameter	R-Value	Carton Qty.	Weight	UPC Item C (050206
DTB10X4X6	10" x 4"	6"	6	7	15 lb	031603
DTB10X6X6	10" x 6"	6"	6	7	14 lb	031612

6"

6"

8"

6" x 6"

8" x 8"

10" x 10"

12" x 12"

Register Boxes

Insulated Register Boxes

- For transition from round pipe or insulated flexible duct to air register or grill.
- Insulated no need to wrap. Insulation serves as noise deadener and helps control condensation.



Model #	Size	Diameter	R-Value	Carton Qty.	Weight	UPC Item Code (050206)
IRB8X4X4	8" × 4"	4"	6	6	9.8 lb	929100
IRB8X4X5	8" x 4"	5"	6	6	9.8 lb	929124
IRB10X6X6	10" x 6"	6"	6	8	18 lb	929704
IRB12X6X6	12" x 6"	6"	6	8	18 lb	929803
IRB12X6X7	12" x 6"	7"	6	6	14.3 lb	929308
IRB12X6X8	12" × 6"	8"	6	6	14.3 lb	929506
IRB14X6X8	14" × 6"	8"	6	5	13.3 lb	929605

Register Box Saddles


- Horizontal transition from round pipe to air register or grill.
- Can be cut down if necessary.



Model #	Size	Carton Qty.	Weight	UPC Item Code (050206)
RBS10X4	10" x 4"	6	8 lb	939420
RBS12X4	12" x 4"	6	9.5 lb	939444

Duct Board Insulated Register Boxes – R6

- For transition from round pipe or insulated flexible duct to air register or grill.
- R-6.0 Duct Board Insulation.
- Preinsulated no need to wrap.
- Insulation serves as noise deadener and helps control condensation.



Model #	Size	R-Value	Carton Qty.	Weight	UPC Item Code (050206)
DIRB6X6	6" x 6"	6	9	18.8 lb	928943
DIRB8X4	8" x 4"	6	12	24.8 lb	929148
DIRB8X8	8" x 8"	6	6	16.92 lb	929049
DIRB 1 OX6	10" x 6"	6	6	1 <i>7</i> lb	929742
DIRB 1 OX8	10" x 8"	6	6	19.9 lb	930182
DIRB10X10	10" x 10"	6	6	16.7 lb	929940
DIRB12X6	12" x 6"	6	6	19 lb	929841
DIRB12X8	12" x 8"	6	6	16.25 lb	929544
DIRB12X12	12" x 12"	6	4	1 <i>7</i> lb	929445

Snap-On Rail

• Easy method to attach flanged register boxes to joists or other nailing surfaces.



Model #	Carton Qty.	Weight	UPC Item Code (050206)
6SOR24	12	20.55 lb	929667

- Presealed and Preinsulated R-6
- For transition from round pipe register or grill.



Cold Air Frame 05

945056

945124

945322

945506

6.0 lb

10.9 lb

9.5 lb

15 lb

6

9

• Used in a heating & air conditioning system to provide the transition from the wall duct chase to a wall grille.



Model #	Size	Carton Qty.	Weight	UPC Item Code (050206)
CAF14X6	14" x 6"	6	5 lb	029374



13

Register Boxes

Universal Register Boxes with Flange

• For transition from round pipe or insulated flexible duct to air register or grill.

• Built-in flange to provide: area for register screws, sheet rock frame, nailing area for joists, and ability to install box before drywalling.




Model #	Size	Diameter	Carton Qty.	Weight	UPC Item Code (050206)
RBF8X4X6	8" × 4"	6"	6	8 lb	938522
RBF10X4X6	10" x 4"	6"	12	13.1 lb	938508
RBF10X6X6	10" x 6"	6"	12	1 <i>7</i> lb	938607
RBF12X4X6	12" x 4"	6"	6	8.2 lb	938706
RBF12X6X6	12" x 6"	6"	5	8.5 lb	938805
RBF12X12X8	12" x 12"	8"	6	15.5 lb	939109
RBF14X6X8	14" x 6"	8"	4	8.7 lb	938904
RBF14X8X8	14" x 8"	8"	7	14.5 lb	939000

Rooftop Venting

This section includes all products installed on or above the roof.

Roof Jacks with Vent Caps

- Used to receive and cover venting duct pipe from kitchen & bath fans, and for attic ventilation.
- Built-in roof flashing presssealed design for maximum leak protection.
- Made for 4:12 roof pitch.
- Adapts to pitches from 3:12 to 5:12.
- Includes cap for rain, snow, and debris protection.
- RIVC Models 28-gauge
- 26RJVC Models 26-gauge



Roof Jacks with Wagon Caps

- Used to receive and cover venting duct pipe from kitchen & bath fans, and for attic ventilation.
- Built-in roof flashing press-sealed design for maximum leak protection.

 • Made for 4:12 roof pitch.
- Adapts to pitches from 3:12 to 5:12.
- Includes cap for rain, snow, and debris protection.
- 28-gauge

Goose Neck Vents

- Galvanized
- Heavy-duty screen for small animal protection.
- Works well on all pitched roofs.
- Ample flashing for leak protection.
- 26-gauge



Model #	Fits	Base		Dimensions			Weight	UPC Code
	Pipe Diam.	Size	Α	В	С	Qty.		(050206)
RJVC3	3"	12" x 12"	8.5"	5.125"	10.25"	6	13.8 lb	936009
RJVC4	4"	13" x 13"	8.125"	6.125"	10.25"	6	15 lb	936108
RJVC5	5"	15" x 15"	8.125"	<i>7</i> .125"	10.5"	6	18.96 lb	034651
RJVC6	6"	15" x 15"	8.25"	8.125"	10.75"	6	21.5 lb	936306
RJVC7	7"	15" x 15"	6.625"	8.125"	9"	6	24 lb	936405
RJVC8	8"	18" x 18"	9.75"	10.125"	12.5"	6	29 lb	936504
26RJVC4	4"	13" x 13"	8.125"	6.125"	10.125"	6	16 lb	936023
26RJVC5	5"	15" x 15"	8.825"	7.125"	10.5"	6	18 lb	936061
26RJVC6	6"	15" x 15"	8.25"	8.125"	10.75"	6	22 lb	936085
26APV10	10"	16" x 16"	10.375"	9.875"	12"	6	27 lb	943250
F26RJVC4	4"	13" x 13"	7.625"	7.125"	10.125"	6	16 lb	936184
F26RJVC5	5"	15" x 15"	8.125"	7.125"	9.875"	6	18 lb	936269
F26RJVC6	6"	15" x 15"	8.25"	8.125"	10.75"	6	22 lb	936283
F26APV10	10"	16" x 16"	10"	9.875"	11.75"	10	40.5 lb	002032

Model #	Fits	Base		Dimensions			
	Pipe Diam.	Size	Α	В	С		
RJWC4	4"	13" x 13"	6.875"	6.125"	8.5"		
RJWC7	7"	15" x 15"	6.375"	8.125"	9.75"		

	Model #	Fits	Base	Dimension	าร
_		Pipe Diam.	Size	В	С
	GNV4	4"	11.625" x 9.12"	4.125" × 6.5"	6.375"
>	GNV6	6"	11.75" x 11.25"	6.125" x 6.625"	6.25"
	GNV10	10"	16" x 16"	10" × 10"	8.75"

Rooftop Venting

Goose Neck Vents in Aluminum

- Aluminum
- Heavy-duty screen for small animal protection.
- Great for appliance venting.

Goose Neck Vents

28-gaugeGNV10BL - No Collar

Includes damper.



Model #	Fits Pipe Diam.	Base Size	Carton Qty.	Hood Height	Weight	UPC Code (050206)
GNV4A	4"	9" x 11"	6	4.5"	5.05 lb	002322
GNV10A	10"	16" x 12"	6	7.75"	12.0 lb	005491

Model #	Fits Pipe Diam.	Base Size	Carton Qty.	Hood Height	Weight	UPC Code (050206)
GNV4BL	4"	9" x 11"	6	4.5"	8.4 lb	005491
GNV5BL	5"	9" x 11"	6	4.5"	10.5 lb	031353
GNV6BL	6"	14.75" x 13.5"	6	6.25"	17.5 lb	034620
GNV7BL	7"	14.75" x 13.5"	6	6.25"	17.65 lb	029169
GNV10BL	10"	16" x 12"	6	7.75"	14.5 lb	005484

GNV7BL	7"	14.75" x	13.5"	6	6.25"	17.6	5 lb	029169
GNV10BL	10"	16" x 1	12"	6	7.75"	14.5 lb		005484
Model #		its		Carton	Weig	ht		JPC Code
Model #	P	its ipe iam.		Carton Qty.	Weig	ht		JPC Code 050206)
Model #	P Di	ipe			Weigl		(

in Black Galvanized – Black • Heavy-duty screen for small animal protection. Great for appliance venting. • Includes damper.

Vent Caps

- To cap pipes through roof for rain, snow, and debris protection.
- 28-gauge



Model #	Fits Pipe Diam.	Carton Qty.	Weight	UPC Code (050206)
VC3	3"	10	5.8 lb	935101
VC4	4"	6	4.5 lb	935200
VC5	5"	6	4.5 lb	935309
VC6	6"	7	7.5 lb	935408
VC7	7"	6	6.6 lb	935507

Adjustable **Versa Caps**

- Recommended for flue, hot stack, or B-vent installations.
- Non-clogging positive draft design.
- Clamp fittings adjustable for all standard sizes.
- Aluminum construction.





Model #	Fits Pipe Diam.	Overall Height	Overall Diameter	Single & Double Wall Metal Pipe	Carton Qty.	Weight	UPC Code (050206)
3050	2.875" – 4.875"	4.5"	6.625"	3" & 4"	6	13.8 lb	936009
5070	4.875" - 6.875"	4.75"	9.5"	5" & 6"	6	15 lb	936108
7090	6.875" – 8.875"	5.875"	11.625"	7" & 8"	6	18.96 lb	034651
9011	8.875" - 10.875"	6.5"	12.75"	9" & 10"	6	21.5 lb	936306
1200	11.875" – 14"	8.6875"	17.5625"	12"*	6	24 lb	936405

^{*}Single wall pipe covers 12" & 14"

Roof Flashings with Tapered Stacks

- Used as boot flashings around pipes extending through roof.
- Tapered stack adapts to roof pitches from 3:12 to 5:12.
- Built-in roof flashing press-sealed design for maximum leak protection.
- 28-guage



Model #				Carton	Weight	UPC Code		
	Pipe Diam.	Size	Α	В	С	Qty.		(050206)
RFTS1/2	1/2"	12" x 12"	4.625"	6.625"	1	6	5.0 lb	934326
RFTS3/4	3/4"	12" x 12"	3.875"	3.625"	١	6	5 lb	934302
RFTS1	1"	12" x 12"	4.25"	3.625"	١	6	5.0 lb	934401
RFTS3	3"	12" x 12"	6.125"	5.125"	١	12	16 lb	934500
RFTS4	4"	13" × 13"	6.375"	6.125"	1	12	17.5 lb	934609
RFTS5	5"	15" × 15"	6.25"	7.125"	1	6	11 lb	934708
RFTS6	6"	15" x 15"	6.75"	8.125"	-	6	12 lb	934807
RFTS7	7"	15" x 15"	6.5"	8.125"	-	6	16 lb	934821

12

939802

939901

936047

936146

936344

16 lb

9.8 lb

10.5 lb

22.5 lb



Rooftop Venting

Heavy Gauge Systems

Storm Collars

- For rain, snow, and debris protection.
- Adjustable for various pitches.
- 28-guage



Model #	Fits	Base	Dimensions			Carton	Weight	
	Pipe Diam.	Size	A	В	С	Qty.		(050206)
SMC3	3"		-	ı	ı	6	1.8 lb	938003
SMC4	4"	_	_	_	_	6	2 lb	937808
SMC5	5"	_	_	_	_	6	2.5 lb	937884
SMC6	6"	_	_	_	_	6	2.5 lb	937907

Lead Roof Flashings

- Used as boot flashings around pipes extending through roof.
- Designed to adjust to most roof pitches.
- 2.5 lb. flashing



Model #	Fits	Base	D	imensior	15	Carton	Weight	UPC Code
	Pipe Diam.	Size	A	В	С	Qty.		(050206)
LRF1.5	1.5"	8.5" x 10.5"	10.5"	1.5"	_	12	36 lb	001325
LRF2	2"	8.5" × 10.5"	10.5"	2"	_	12	25 lb	001332
LRF3	3"	10.5" x 12"	10.5"	3"	-	6	27 lb	001363
LRF4	4"	10.5" x 12"	10.5"	4"	_	6	31 lb	001370

Wyes

- Used to vent two appliances together where codes allow.
- Crimped branch pipe in the direction of airflow.



Model #	Size	Carton Qty.	Weight	UPC Item Code (050206)
26FY4X4X4	4" to 4" x 4"	6	9 lb	029336
26FY6X6X6	6" to 6" x 6"	6	12 lb	029343

Reducers

- Used to reduce or increase round pipe from larger to smaller diameter.
- Collar edges hemmed for added strength and better fit.



Model #	Diameter	Carton Qty.	Weight	UPC Item Code (050206)
26R4X3	4" to 3"	12	6 lb	925522
26R6X4	6" to 4"	12	9.7 lb	925720

Stove Pipes

This section includes black stove pipe items.

Heavy Gauge Systems

This section includes heavy-duty 26-gauge and aluminum items.

Round Metal Pipes

- Crimped end with stop-bead for easy interlocking fit.
- Heavier gauge for venting of boilers, furnaces, and water heaters.



Model #	Diameter	Bundle Qty.	Weight	UPC Item Code (050206)
26CP3X24	3"	10	13.8 lb	920008
26CP4X24	4"	10	18 lb 92018	920183
26CP5X24	5"	10	18.9 lb	920282
26CP6X24	6"	10	23.7 lb	920381
26CP7X24	7"	10	25.2 lb	920480
26CP8X24	8"	10	31.6 lb	920589
AP4X24	4"	10	6.9 lb	990209

26CP3X24	3"	10	13.8 lb	920008
26CP4X24	4"	10	18 lb	920183
26CP5X24	5"	10	18.9 lb	920282
26CP6X24	6"	10	23.7 lb	920381
26CP7X24	7"	10	25.2 lb	920480
26CP8X24	8"	10	31.6 lb	920589
AP4X24	4"	10	6.9 lb	990209

Black Stove Pipe

- Crimped end with stop-bead for easy interlocking fit.
- Heavier 24-gauge for venting wood stoves.



Model #	Diameter	Carton Qty.	Weight	UPC Item Code (050206)
BAP6X24	6"	6	19.6 lb	029312

Black Stove Pipe Elbow

- Adjustable to 90-degree angle.
- Heavier 24-gauge for venting wood stoves.



Model #	Diameter	Carton Qty.	Weight	UPC Item Code (050206)	
BA90E6	6"	6	10.05 lb	006184	

Adjustable Elbows

- Adjustable to 90-degree angle.Crimped end for interlocking fit.
- Heavier gauge for venting of boilers, furnaces, and water heaters.



Model #	Diameter	Carton Qty.	Weight	UPC Item Code (050206)
26B90E3	3"	24	12 lb	922965
26B90E4	4"	24	1 <i>7</i> lb	923023
26B90E5	5"	24	22 lb	923221
26B90E6	6"	24	26 lb	923368
2690E7	7"	12	1 <i>7</i> lb	923429
2690E8	8"	12	21 lb	923542
A90E4	4"	12	3.7 lb	990247

Black Stove Pipe Round Tee

- Designed to fit round piping to extend a duct system.
- Heavier 24-gauge for venting wood stoves.



Model #	Diameter	Carton Qty.	Weight	UPC Item Code (050206)
BAT6X6X6	6"	6	11.2 lb	006078

Tee

- fans, and for heating and airconditioning applications.
- Use reducers to modify multiple pipe-size connections.



Model #	Diameter	Carton Qty.	Weight	UPC Item Code (050206)	
26T6X6X6	6"	6	9.2 lb	924440	

Black Stove Pipe Cast Iron Damper

- Used for adjusting air flow in black stove pipe.
- Cast iron construction.



Model #	Diameter	Carton Qty.	Weight	UPC Item Code (050206)
BACID6	6" 12		12 lb	029329



Miscellaneous Items **Stove Pipes**

Black Stove Pipe Duct Cap

- Designed to cap round piping so that you can impose stoppage on your stove pipe.
- Řemovable design allows easy cleaning of a capped stove pipe.
- Heavier 24-gauge for venting wood stoves.



Model #	Diameter	Carton Qty.	Weight	UPC Item Code (050206)
BADC6	6"	6	3.78 lb	006115

Fresh Air Vents

- Used to intake air into a combustion system or where fresh air intake is needed.
- Built-in bird screen.
- Galvanized steel construction.

• Used to hang insulated flexible duct, round pipe, rectangular duct, or plumbing pipe, depending

• Helps prevent sagging over

Straps & Hangers



Model #	Diameter	Carton Qty.	Weight	UPC Item Code (050206)
FAV4	4"	6	6.6 lb	937723
FAV5	5"	6	7.4 lb	937747
FAV6	6"	6	7.8 lb	937761

Model #	Size	Carton Qty.	Weight	UPC Item Code (050206)
3/4HS	$\frac{3}{4}$ " x 100 ft.	10	33 lb	954003
HS1.75WV	$1^{3}/_{4}$ " x 100 yds.	12	20.5 lb	955062
HS1.5S28	1 1/2" x 100 ft.	5	48.5 lb	029183
6DH12	12" perf steel strap. 6/pkg.	12	15 lb	954065

	0.20	Qty.		(050206)
3/4HS	$^{3}/_{4}$ " x 100 ft.	10	33 lb	954003
HS1.75WV	$1^{3}/_{4}$ " x 100 yds.	12	20.5 lb	955062
HS1.5S28	$1^{-1}/_{2}$ " x 100 ft.	5	48.5 lb	029183
6DH12	12" perf steel strap. 6/pkg.	12	15 lb	954065

Miscellaneous Items

Galvanized Steel Flat Sheets

- Make your own custom fittings.
- Can be cut to size for any application.
- 30-gauge galvanized steel.

1			
	7		
200			
4	3		
1	ăn		
1			>
	N	1	

Model #	Size	Carton Qty.	Weight	UPC Item Code (050206)
GFS24X361PK	24" × 36"	6	10.7 lb	029008
GFS36X48	36" × 48"	20	90 lb	937068

Splice Collars

long runs.

- Coupling used to connect two sections of insulated flexible duct.
- Crimped on both ends for an easy fit.



Model #	Diameter	Carton Qty.	Weight	UPC Item Code (050206)
FC4	4"	20	5.5 lb	934227
FC6	6"	18	8.75 lb	934265

Round Wall Vents

- Used for outside side wall termination of kitchen and bath fans, range hoods, and microwave venting.
- Built-in gravity damper.

Aluminum construction.

- Built-in screen (WVA4 & WV6SD)

Model #	Diameter	Carton Qty.	Weight	UPC Item Code (050206)
WWA4	4"	6	6 lb	777770
WVA6	6"	6	7 lb	937501
WVA7	7"	6	7.5 lb	937600

Ceiling Collars

• Used as finishing piece where pipe passes through ceiling, wall, or floor.



Model #	Diameter	Carton Qty.	Weight	UPC Item Code (050206)
CC4	4"	6	1.5 lb	933 <i>7</i> 01
CC6	6"	6	1.5 lb	933800

Round Duct Caps

• Used to terminate round pipe run.



Model #	Diameter	Carton Qty.	Weight	UPC Item Code (050206)
DC3	3"	6	2 lb	937105
DC4	4"	6	1.08 lb	937204
DC5	5"	6	2.5 lb	937228
DC6	6"	6	2.5 lb	937303
8DC	8"	6	3 lb	937327

Rectangular Wall Vent

- Used for outside sidewall termination of kitchen and bath fans, range hoods, and microwave
- Spring-controlled damper with foam gasket for tighter seal and quiet operation.
- Aluminum construction.



Model #	Size	Carton Qty.	Weight	UPC Item Code (050206)
VVVA3.25X10	3.25" x 10"	6	5.7 lb	937709

Rectangular Duct Caps

- Used to terminate rectangular duct run.
- 28-gauge galvanized steel.



Model #	Size	Carton Qty.	Weight	UPC Item Code (050206)
RDC12X8	12" × 8"	6	5 lb	952108
RDC14X8	14" × 8"	6	6 lb	952153
RDC16X8	16" x 8"	6	6 lb	952207
RDC24X8	24" × 8"	6	7.5 lb	952306

"S" & Drive Cleats

- For joining pieces of rectangular duct or rectangular stack duct.
- Galvanized steel construction.



Model #	Description	Carton Qty.	Weight	UPC Item Code (050206)
CS60	"S" Cleat	24	25.7 lb	948903
CD60	Drive Cleat	24	13.85 lb	959701

Round Wall Vent -Black

- Used for outside side wall termination of kitchen and bath fans, range hoods, and microwave venting.
- Built-in gravity damper.
- Built-in screen. • Black galvanized construction.



Model #	Diameter	Carton Qty.	Weight	UPC Item Code (050206)
WVA4BL	4"	6	6 lb	999097



Miscellaneous Items

Dampers

• For balancing and adjusting air flow in individual runs of round pipe.

Butterfly Damper

 Spring-loaded hardware for easy mounting into existing round pipe.

• Designed to vent a range hood or

• Split-sided gravity damper design.

microwave via round exhaust duct.



Model #	Diameter	Carton Qty.	Weight	UPC Item Code (050206)
D-4	4"	6	1.2 lb	933107
D-6	6"	6	2 lb	933305
D-8	8"	6	2 lb	933503

Model #	Diameter	Carton Qty.	Weight	UPC Item Code (050206)
BDD7	7"	6	3 lb	0291 <i>7</i> 6

Miscellaneous Items

Hex Type Screws (100 Pack) No. 8 x 3/4 "

• No. 8 x ³/₄" piercing, slotted hex head.

FlexRIGHT Flexible **Duct Elbow**

- Forms 90-degree flexible duct elbow.
- Fits sizes 4" to 16" flexible duct.
- Easy installation for new and existing ductwork.



Model #	Size	Carton Qty.	Weight	UPC Item Code (050206)
HT8X.75	No. 8 x ³ / ₄ " 100 per pack	21 pks.	9.2 lb	991008



Model #	Diameter	Carton Qty.	Weight	UPC Item Code (050206)
FR-2R	4" to 16"	12	8.8 lb	031674

Bathroom Exhaust Eave Vent

- Used to vent bathroom exhaust through the undereaves.
- 4" length.
- White plastic construction matches most undereaves.
- Easy installation with router saw.



Model #	Diameter	Carton Qty.	Weight	UPC Item Code (050206)
BFEV4	4"	12	4 lb	923252

Evaporative Cooler Dampers

- Helps limit the loss of heat during winter months in evaporative coolers.
- Galvanized steel construction.



Model #	Size	Carton Qty.	Weight	UPC Item Code (050206)
ECSD18	18"	6	10 lb	980408
ECSD20	20"	6	11.5 lb	980200

R-6 Ductwork Insulation Sleeves & Wrap

- Used to insulate round metal pipe or rectangular duct.
- Convenient sizes for smaller jobs.
- Easy installation for new and existing ductwork.



Model #	Size	Diameter	R-Value	Carton Qty.	Weight	UPC Item Code (050206)
INSLV6	6" Sleeve x 5'	6"	6	9	18 lb	023327
INSLV8	8" Sleeve x 5'	8"	6	9	18 lb	023310
INSWRP60	60 sq. ft. Wrap 2' x 30'	1	6	3	35.6 lb	023334

Kits

Add-A-Vent Room Addition Duct Kit

• Kit contains most of the ducting items needed in most standard room additions.



Model #	Diameter	R-Value	Carton Qty.	Weight	UPC Item Code (050206)
AAV6	6"	6	1	10 lb	031599

Add-A-Vent Room Addition Duct Kit Includes:

- 12 lin. ft. of R-6 6-in. insulated flexible duct
- 1 6-in. starting collar
- 1 10-in. x 4-in. x 6-in. straight register boot
- Installation rails

- Boot clips
- 2 tie straps • 3 yards of duct hanger
- 15 lin. ft. of duct tape
- 1 white 10-in. x 4-in.
- ceiling register grill

19

Water-Based Duct Sealants/Mastics

• Used to seal all ductwork seams.



Model #	Size	Carton Qty.	Weight	UPC Item Code (050206)
WBA10.5	10.5-oz. Tube	12 Tubes	12.75 lb	269541
WBA50	1/2-Gallon Tub	8 Tubs	45.6 lb	992005

Rectangular Appliance Wall Exhaust Vent

- Designed to fit most range hoods that will be vented outside through a wall.
- Extra long throat to hold most wall types.



Model #	Size	Carton Qty.	Weight	UPC Item Code (050206)
AVW3.25X10	3.25" x 10"	1	2.55 lb	029305

Fiberglass Weave

• Used with water-based sealant to reinforce seams.



Model #	Size	Carton Qty.	Weight	UPC Item Code (050206)
FGW3	3" x 150'	24 Rolls	12 lb	993002

Appliance Roof Exhaust Vent Kit

• Kit contains all of the ducting items needed in most standard installations for 7-in. range hood vents through the roof.



Model #	Diameter	Carton Qty.	Weight	UPC Item Code (050206)
AVR7	7"	1	9.75 lb	029299

Appliance Roof Exhaust Vent Kit Includes:

- 1 7-in. heavy-duty, black-painted metal roof vent
- 1 7-in. button lock elbow
- 1 3.25-in. x 10-in. transition
- 70" of 7" diameter smooth round pipe

