

SAFETY DATA SHEET

Issue Date 17-Jun-2016

Revision Date 12-Feb-2015

Version 1

1. PRODUCT AND COMPANY IDENTIFICATION

Product identifier **Product Name**

Mystigue Lotionized Hand Soap with Anti-Bacterial Agent PCMX

Other means of identification Product Code Synonyms

Details of the supplier of the safety data sheet **Company Name** Nyco Products Company 5332 Dansher Road Countryside, IL 60525 (708) 579-8100 nycoproducts.com Emergency telephone number **Emergency Telephone**

NL591

None

Chemtrec 1-800-424-9300

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This product has been classified in accordance with the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Oral	Not classified
Acute toxicity - Dermal	Not classified

Label elements

Emergency Overview

Appearance White Pearlescent

Physical state Liquid

Odor Fresh

Precautionary Statements - Response Immediately call a POISON CENTER or doctor/physician Specific Treatment (See Section 4 on the SDS)

Hazards not otherwise classified (HNOC) Other Information

· Harmful to aquatic life with long lasting effects

· Harmful to aquatic life

Unknown Acute Toxicity

0.0312822% of the mixture consists of ingredient(s) of unknown toxicity

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No.	Weight-%	Trade Secret
Cocamide DEA	68603-42-9	.1-1	*
Cocamidopropyl Betaine	61789-40-0	.1-1	*
4-Chloro-3,5-dimethylphenol	88-04-0	.1-1	*

*The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

First aid measures

Skin Contact	Wash off immediately with plenty of water. Wash skin with soap and water.		
Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.		
Inhalation	Remove to fresh air.		
Ingestion	Clean mouth with water and drink afterwards plenty of water.		
Most important symptoms and effect	ects, both acute and delayed		
Symptoms	Any additional important symptoms and effects are described in Section 11: Toxicology Information.		
Indication of any immediate medica	al attention and special treatment needed		
Note to physicians	Treat symptomatically.		

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media Caution: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical

No Information available.

Explosion data Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation, especially in confined areas.

Environmental precautions

Environmental precautions See Section 12 for additional ecological information.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up	Pick up and transfer to properly labeled containers.		
	7. HANDLING AND STORAGE		
Precautions for safe handling			
Advice on safe handling	Handle in accordance with good industrial hygiene and safety practice.		
Conditions for safe storage, includ	ing any incompatibilities		
Storage Conditions	Keep containers tightly closed in a dry, cool and well-ventilated place.		
Incompatible materials	None known based on information supplied.		

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Ethylene Glycol Stearate 111-60-4	TWA: 10 mg/m ³ except stearates of toxic metals	-	-
Glycerin 56-81-5	-	TWA: 15 mg/m ³ mist, total particulate TWA: 5 mg/m ³ mist, respirable fraction (vacated) TWA: 10 mg/m ³ mist, total particulate (vacated) TWA: 5 mg/m ³ mist, respirable fraction	-
Ethanol 64-17-5	STEL: 1000 ppm	TWA: 1000 ppm TWA: 1900 mg/m ³ (vacated) TWA: 1000 ppm (vacated) TWA: 1900 mg/m ³	IDLH: 3300 ppm TWA: 1000 ppm TWA: 1900 mg/m ³
Diethanolamine 111-42-2	TWA: 1 mg/m ³ inhalable fraction and vapor S*	(vacated) TWA: 3 ppm (vacated) TWA: 15 mg/m ³	TWA: 3 ppm TWA: 15 mg/m³
Formaldehyde 50-00-0	Ceiling: 0.3 ppm	TWA: 0.75 ppm (vacated) TWA: 3 ppm unless specified in 1910.1048 (vacated) STEL: 10 ppm 30 min unless specified in 1910.1048 (vacated) Ceiling: 5 ppm unless specified in 1910.1048 STEL: 2 ppm see 29 CFR 1910.1048	IDLH: 20 ppm Ceiling: 0.1 ppm 15 min TWA: 0.016 ppm

NIOSH IDLH Immediately Dangerous to Life or Health

Other Information

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

Appropriate	engineering	controls

Engineering Controls Showers, Eyewash stations & Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection	Wear safety glasses if handling large volume.
Skin and body protection	No special technical protective measures are necessary.
Respiratory protection	No protective equipment is needed under normal use conditions.
General Hygiene	Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Remarks • Method

Information on basic physical and chemical properties

Physical state
Appearance
Color
Odor
Odor threshold

Liquid White Pearlescent White Fresh No Information available

/ 212 ° F Degrees

Property_	Values
рН	7.0 - 8.0
Specific Gravity	1.03
Viscosity	> 1000 cP @ 25°C
Melting point/freezing point	No Information available
Flash point	None
Boiling point / boiling range	100 °C / 212 ° F Degre
Evaporation rate	No Information available
Flammability (solid, gas)	No data available
Flammability Limits in Air	
Upper flammability limit:	No Information available
Lower flammability limit:	No Information available
Vapor pressure	No Information available
Vapor density	No Information available
Water solubility	Complete
Partition coefficient	No Information available
Autoignition temperature	No Information available
Decomposition temperature	No Information available

Other Information

Density Lbs/Gal	8.58
VOC Content (%)	0.07972

10. STABILITY AND REACTIVITY

Reactivity

No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to avoid

Extremes of temperature and direct sunlight.

Incompatible materials

None known based on information supplied.

Hazardous Decomposition Products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

May cause eye irritation.

Inhalation

Inhalation of vapors in high concentration may cause irritation of respiratory system.

Skin Contact	Repeated or prolonged skin	Repeated or prolonged skin contact may cause allergic reactions with susceptible persons.			
Ingestion	May cause gastro intestinal	May cause gastro intestinal irritation.			
Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50		
Cocamide DEA 68603-42-9	= 12400 µL/kg (Rat)	-	-		
Cocamidopropyl Betaine 61789-40-0	= 4900 mg/kg (Rat)	-	-		
4-Chloro-3,5-dimethylphenol 88-04-0	= 3830 mg/kg (Rat)	-	-		
Information on toxicological effects					

Contact with eyes may cause irritation.

Symptoms

Eye contact

No Information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization Germ cell mutagenicity Carcinogenicity No Information available. No Information available.

The table below indicates whether each agency has listed any ingredient as a carcinogen. Ethanol has been shown to be carcinogenic in long-term studies only when consumed as alcoholic beverage.

Chemical Name	ACGIH	IARC	NTP	OSHA	
Cocamide DEA	-	Group 2B	-	Х	
68603-42-9					
IARC (International Age	ency for Research on Cance	r)			
Group 2B - Possibly Care	Group 2B - Possibly Carcinogenic to Humans				
OSHA (Occupational Sa	OSHA (Occupational Safety and Health Administration of the US Department of Labor)				
X - Present					
Reproductive toxicity	No Informatio	on available.			
STOT - single exposure	No Information	on available.			
STOT - repeated exposu	re No Informatio	on available.			
Chronic toxicity		been shown to be a reproc	ductive toxin only when co	nsumed as an alcoholic	
officine toxicity		hanol has been shown to b			
	0		be carcinogenic in long-ten	In studies only when	
		alcoholic beverage.			
Aspiration hazard	tion hazard No Information available.				
Numerical management of t	ovicity Dreduct Inform	ation			
Numerical measures of toxicity - Product Information					
Unknown Acute Toxicity	0.0312822%	0.0312822% of the mixture consists of ingredient(s) of unknown toxicity			
Clikitown Acute Toxicity					
The following values are	calculated based on cha	anter 3.1 of the GHS docu	iment		
•	26,030.00				
ATEmix (oral)	20,030.00				

12. ECOLOGICAL INFORMATION

Ecotoxicity

6.25628% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Sodium Chloride	-	5560 - 6080: 96 h Lepomis	340.7 - 469.2: 48 h Daphnia magna
7647-14-5		macrochirus mg/L LC50	mg/L EC50 Static 1000: 48 h
		flow-through 6420 - 6700: 96 h	Daphnia magna mg/L EC50
		Pimephales promelas mg/L LC50	
		static 4747 - 7824: 96 h	
		Oncorhynchus mykiss mg/L LC50	
		flow-through 12946: 96 h Lepomis	
		macrochirus mg/L LC50 static 6020	
		- 7070: 96 h Pimephales promelas	
		mg/L LC50 static 7050: 96 h	
		Pimephales promelas mg/L LC50	
		semi-static	

NL591 Mystique Lotionized Hand Soap with Anti-Bacterial Agent PCMX

	1		
Cocamide DEA 68603-42-9	-	3.6: 96 h Brachydanio rerio mg/L LC50 semi-static	4.2: 24 h Daphnia magna mg/L EC50
Cocamidopropyl Betaine 61789-40-0	0.55: 96 h Desmodesmus subspicatus mg/L EC50 1.0 - 10.0:	1.0 - 10.0: 96 h Brachydanio rerio mg/L LC50 2: 96 h Brachydanio	6.5: 48 h Daphnia magna mg/L EC50
	72 h Desmodesmus subspicatus mg/L EC50	rerio mg/L LC50 semi-static	
4-Chloro-3,5-dimethylphenol 88-04-0	-	1.3 - 2.1: 96 h Lepomis macrochirus mg/L LC50 static 0.13 - 1.0: 96 h	6.7 - 9: 48 h Daphnia magna mg/L EC50 Static
		Oncorhynchus mykiss mg/L LC50 static	
Glycerin 56-81-5	-	51 - 57: 96 h Oncorhynchus mykiss mL/L LC50 static	500: 24 h Daphnia magna mg/L EC50
Ethanol	-	12.0 - 16.0: 96 h Oncorhynchus	9268 - 14221: 48 h Daphnia magna
64-17-5		mykiss mL/L LC50 static 100: 96 h	mg/L LC50 2: 48 h Daphnia magna
		Pimephales promelas mg/L LC50	mg/L EC50 Static 10800: 24 h
		static 13400 - 15100: 96 h	Daphnia magna mg/L EC50
		Pimephales promelas mg/L LC50 flow-through	
Diethanolamine	7.8: 72 h Desmodesmus	4460 - 4980: 96 h Pimephales	55: 48 h Daphnia magna mg/L
111-42-2	subspicatus mg/L EC50 2.1 - 2.3:	promelas mg/L LC50 flow-through	EC50
	96 h Pseudokirchneriella	600 - 1000: 96 h Lepomis	
	subcapitata mg/L EC50	macrochirus mg/L LC50 static 1200	
		- 1580: 96 h Pimephales promelas	
		mg/L LC50 static	
Formaldehyde	-	22.6 - 25.7: 96 h Pimephales	2: 48 h Daphnia magna mg/L LC50
50-00-0		promelas mg/L LC50 flow-through	11.3 - 18: 48 h Daphnia magna
		1510: 96 h Lepomis macrochirus	mg/L EC50 Static
		µg/L LC50 static 41: 96 h	
		Brachydanio rerio mg/L LC50 static 0.032 - 0.226: 96 h Oncorhynchus	
		mykiss mL/L LC50 flow-through 100	
		- 136: 96 h Oncorhynchus mykiss	
		mg/L LC50 static 23.2 - 29.7: 96 h	
		Pimephales promelas mg/L LC50	
		static	

Persistence and degradability

No Information available.

Bioaccumulation

No Information available.

Other adverse effects

No Information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastes

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated packaging

Do not reuse container.

Chemical Name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
Formaldehyde	U122	Included in waste streams:	-	U122
50-00-0		K009, K010, K038, K040,		
		K156, K157		

14. TRANSPORT INFORMATION

The basic description below is specific to the container size. This information is provided for at a glance DOT information. Please refer to the container and/or shipping papers for the appropriate shipping description before tendering this material for shipment. For additional information, please contact the distributor listed in section 1 of this SDS.

DOT	Not regulated

TDG Not regulated

15. REGULATORY INFORMATION

International Inventories	
TSCA	Complies
DSL/NDSL	Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories	
Acute health hazard	No
Chronic Health Hazard	No
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals

Chemical Name	California Proposition 65	
Cocamide DEA - 68603-42-9	Carcinogen	
Diethanolamine - 111-42-2	Carcinogen	
Formaldehyde - 50-00-0	Carcinogen	

WARNING: This product contains a chemical known in the State of California to cause birth defects or other reproduction harm.

Chemical Name(s):

Acetic acid, 2,2,-dichloro-, Methanol

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Glycerin	Х	Х	Х
56-81-5			
Ethanol	Х	Х	Х
64-17-5			
Diethanolamine	Х	Х	Х
111-42-2			
Formaldehyde	X	X	X

50-00-0

U.S. EPA Label Information

EPA Pesticide Registration Number Not Applicable

16. OTHER INFORMATION				
NFPA_	Health hazards 0	Flammability 0	Instability 0	Physical and Chemical Properties Yes
HMIS	Health hazards 0	Flammability 0	Physical hazards 0	Personal protection A
Issue Date Revision Date	17-Jun-2016 12-Feb-2015			
Revision Note No Information available Disclaimer				
The information provide			est of our knowledge, info uidance for safe bandling	

date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet