

SAFETY DATA SHEET

Issue Date 21-Mar-2016

Revision Date 29-Oct-2015

Version 1

1. PRODUCT AND COMPANY IDENTIFICATION

Product identifier Product Name

Pink-EC Lotionized Hand Soap

Other means of identification Product Code Synonyms

NL358 None

Details of the supplier of the safety data sheetCompany NameNyco Products5332 Dansher

Nyco Products Company 5332 Dansher Road Countryside, IL 60525 (708) 579-8100 nycoproducts.com

Emergency telephone number Emergency Telephone

Chemtrec 1-800-424-9300

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This product has been classified in accordance with the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Oral	Not classified
Acute toxicity - Dermal	Not classified

Label elements

Emergency Overview

Appearance Pink Emulsion

Physical state Liquid

Odor Floral

Precautionary Statements - Response

Immediately call a POISON CENTER or doctor/physician Specific Treatment (See Section 4 on the SDS)

 Hazards not otherwise classified (HNOC)

 Other Information

 • Harmful to aquatic life with long lasting effects

 • Harmful to aquatic life

 Unknown Acute Toxicity
 0.02331024% of the mixture consists of ingredient(s) of unknown toxicity

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No.	Weight-%	Trade Secret
Cocamide DEA	68603-42-9	.1-1	*
Cocamidopropyl Betaine	61789-40-0	.1-1	*
Ethanol	64-17-5	<0.1	*

*The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

First aid measures				
Skin Contact	Wash off immediately with plenty of water for at least 15 minutes.			
Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.			
Inhalation	Remove to fresh air.			
Ingestion	Clean mouth with water and drink afterwards plenty of water.			
Most important symptoms and effects, both acute and delayed				
Symptoms	Any additional important symptoms and effects are described in Section 11: Toxicology Information.			
Indication of any immediate medical attention and special treatment needed				
Note to physicians	Treat symptomatically.			

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media Caution: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical

No Information available.

Explosion data Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures					
Personal precautions	Ensure adequate ventilation, especially in confined areas.				
Environmental precautions					
Environmental precautions	See Section 12 for additional ecological information.				
Methods and material for containment and cleaning up					
Methods for containment	Prevent further leakage or spillage if safe to do so.				
Methods for cleaning up	Pick up and transfer to properly labeled containers.				

7. HANDLING AND STORAGE

Precautions for safe handling				
Handle in accordance with good industrial hygiene and safety practice.				
Conditions for safe storage, including any incompatibilities				
Keep containers tightly closed in a dry, cool and well-ventilated place.				
None known based on information supplied.				

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Ethylene Glycol Stearate 111-60-4	TWA: 10 mg/m ³ except stearates of toxic metals	-	-
Glycerin 56-81-5	_	TWA: 15 mg/m ³ mist, total particulate TWA: 5 mg/m ³ mist, respirable fraction (vacated) TWA: 10 mg/m ³ mist, total particulate (vacated) TWA: 5 mg/m ³ mist, respirable fraction	-
Ethanol 64-17-5	STEL: 1000 ppm	TWA: 1000 ppm TWA: 1900 mg/m ³ (vacated) TWA: 1000 ppm (vacated) TWA: 1900 mg/m ³	IDLH: 3300 ppm TWA: 1000 ppm TWA: 1900 mg/m ³
Diethanolamine 111-42-2	TWA: 1 mg/m³ inhalable fraction and vapor S*	(vacated) TWA: 3 ppm (vacated) TWA: 15 mg/m ³	TWA: 3 ppm TWA: 15 mg/m ³
Formaldehyde 50-00-0	Ceiling: 0.3 ppm	TWA: 0.75 ppm (vacated) TWA: 3 ppm unless specified in 1910.1048 (vacated) STEL: 10 ppm 30 min unless specified in 1910.1048 (vacated) Ceiling: 5 ppm unless specified in 1910.1048 STEL: 2 ppm see 29 CFR 1910.1048	IDLH: 20 ppm Ceiling: 0.1 ppm 15 min TWA: 0.016 ppm

NIOSH IDLH Immediately Dangerous to Life or Health

Other Information

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

Appropriate engineering controls

Engineering Controls	Showers, Eyewash stations & Ventilation systems.
----------------------	--

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses if handling large volume.

Skin and body protection No special technical protective measures are necessary.

Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

General Hygiene Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Appearance Color Odor Odor threshold	Liquid Pink Emulsion Pink Floral No Information available	
Property pH Specific Gravity Viscosity Melting point/freezing point Flash point Boiling point / boiling range Evaporation rate Flammability (solid, gas) Flammability Limits in Air Upper flammability limit: Lower flammability limit: Vapor pressure Vapor density Water solubility Partition coefficient Autoignition temperature Decomposition temperature	Values7.0 - 8.01.03> 1200 cP @ 25°CNo Information availableNone100 °C / 212 ° F DegreesNo Information availableNo data availableNo Information available	<u>Remarks • Method</u>
Density Lbs/Gal VOC Content (%)	8.58 0.05939	

10. STABILITY AND REACTIVITY

Reactivity

No data available

<u>Chemical stability</u> Stable under recommended storage conditions. <u>Possibility of Hazardous Reactions</u> None under normal processing. <u>Conditions to avoid</u> Extremes of temperature and direct sunlight. <u>Incompatible materials</u> None known based on information supplied. <u>Hazardous Decomposition Products</u> None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information	Maybe harmful by inhalation, ingestion, in contact with eyes and skin,
Inhalation	Avoid breathing vapors or mists. May cause irritation of respiratory tract.
Eye contact	Avoid contact with eyes. Contact with eyes may cause irritation.
Skin Contact	Repeated or prolonged skin contact may cause allergic reactions with susceptible persons.
Ingestion	Do not taste or swallow. May cause gastro intestinal irritation.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Cocamide DEA 68603-42-9	= 12400 µL/kg (Rat)	-	-
Cocamidopropyl Betaine 61789-40-0	= 4900 mg/kg (Rat)	-	-
Ethanol 64-17-5	= 7060 mg/kg (Rat)	-	= 124.7 mg/L (Rat)4 h

Information on toxicological effects

Symptoms

No Information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization Germ cell mutagenicity Carcinogenicity

No Information available. No Information available.

The table below indicates whether each agency has listed any ingredient as a carcinogen. Ethanol has been shown to be carcinogenic in long-term studies only when consumed as alcoholic beverage.

Chemical Name	ACGIH	IARC	NTP	OSHA
Cocamide DEA 68603-42-9	-	Group 2B	-	Х
Ethanol 64-17-5	A3	Group 1	Known	Х

IARC (International Agency for Research on Cancer)

Group 2B - Possibly Carcinogenic to Humans

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present Reproductive toxicity No Information available.

STOT - single exposure

No Information available.

STOT - repeated exposure No Information available. Chronic toxicity

Ethanol has been shown to be a reproductive toxin only when consumed as an alcoholic beverage. Ethanol has been shown to be carcinogenic in long-term studies only when consumed as alcoholic beverage.

Aspiration hazard

Numerical measures of toxicity - Product Information

Unknown Acute Toxicity

0.02331024% of the mixture consists of ingredient(s) of unknown toxicity

The following values are calculated based on chapter 3.1 of the GHS document . ATEmix (oral) 30.092.00

12. ECOLOGICAL INFORMATION

Ecotoxicity

4.66093% of the mixture consists of components(s) of unknown hazards to the aquatic environment

No Information available.

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Sodium Chloride	-	5560 - 6080: 96 h Lepomis	340.7 - 469.2: 48 h Daphnia magna
7647-14-5		macrochirus mg/L LC50	mg/L EC50 Static 1000: 48 h
		flow-through 6420 - 6700: 96 h	Daphnia magna mg/L EC50
		Pimephales promelas mg/L LC50	
		static 4747 - 7824: 96 h	
		Oncorhynchus mykiss mg/L LC50	
		flow-through 12946: 96 h Lepomis	
		macrochirus mg/L LC50 static 6020	
		- 7070: 96 h Pimephales promelas	
		mg/L LC50 static 7050: 96 h	
		Pimephales promelas mg/L LC50	
		semi-static	
Cocamide DEA	-	3.6: 96 h Brachydanio rerio mg/L	4.2: 24 h Daphnia magna mg/L
68603-42-9		LC50 semi-static	EC50
Cocamidopropyl Betaine	0.55: 96 h Desmodesmus	1.0 - 10.0: 96 h Brachydanio rerio	6.5: 48 h Daphnia magna mg/L
61789-40-0	subspicatus mg/L EC50 1.0 - 10.0:	mg/L LC50 2: 96 h Brachydanio	EC50
	72 h Desmodesmus subspicatus	rerio mg/L LC50 semi-static	
	mg/L EC50		

-	51 - 57: 96 h Oncorhynchus mykiss	
		EC50
-		10800: 24 h Daphnia magna mg/L
	mykiss mL/L LC50 static 100: 96 h	EC50 9268 - 14221: 48 h Daphnia
	Pimephales promelas mg/L LC50	magna mg/L LC50 2: 48 h Daphnia
	static 13400 - 15100: 96 h	magna mg/L EC50 Static
	Pimephales promelas mg/L LC50	
	flow-through	
7.8: 72 h Desmodesmus	4460 - 4980: 96 h Pimephales	55: 48 h Daphnia magna mg/L
subspicatus mg/L EC50 2.1 - 2.3:	promelas mg/L LC50 flow-through	EC50
96 h Pseudokirchneriella	600 - 1000: 96 h Lepomis	
subcapitata mg/L EC50	macrochirus mg/L LC50 static 1200	
	- 1580: 96 h Pimephales promelas	
	mg/L LC50 static	
-	41: 96 h Brachydanio rerio mg/L	2: 48 h Daphnia magna mg/L LC50
	LC50 static 100 - 136: 96 h	11.3 - 18: 48 h Daphnia magna
	Oncorhynchus mykiss mg/L LC50	mg/L EC50 Static
	static 1510: 96 h Lepomis	Ũ
	macrochirus µg/L LC50 static 22.6 -	
	25.7: 96 h Pimephales promelas	
	LC50 static 0.032 - 0.226: 96 h	
	flow-through	
	subspicatus mg/L EC50 2.1 - 2.3: 96 h Pseudokirchneriella subcapitata mg/L EC50 -	 mL/L LC50 static 12.0 - 16.0: 96 h Oncorhynchus mykiss mL/L LC50 static 100: 96 h Pimephales promelas mg/L LC50 static 13400 - 15100: 96 h Pimephales promelas mg/L LC50 flow-through 7.8: 72 h Desmodesmus subspicatus mg/L EC50 2.1 - 2.3: 96 h Pseudokirchneriella subcapitata mg/L EC50 4460 - 4980: 96 h Pimephales promelas mg/L LC50 flow-through 600 - 1000: 96 h Lepomis macrochirus mg/L LC50 static 1200 - 1580: 96 h Pimephales promelas mg/L LC50 static 41: 96 h Brachydanio rerio mg/L LC50 static 100 - 136: 96 h Oncorhynchus mykiss mg/L LC50 static 1510: 96 h Lepomis macrochirus µg/L LC50 static 22.6 - 25.7: 96 h Pimephales promelas mg/L LC50 static 0.32 - 0.226: 96 h Oncorhynchus mykiss mL/L LC50

Persistence and degradability

No Information available.

Bioaccumulation

No Information available.

Chemical Name	Partition coefficient
Ethanol	-0.32
64-17-5	

Other adverse effects

Disposal of wastes

No Information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated packaging

Do not reuse container.

Chemical Name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
Formaldehyde	U122	Included in waste streams:	-	U122
50-00-0		K009, K010, K038, K040,		
		K156, K157		

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste Status	
Ethanol	Toxic	
64-17-5	Ignitable	

14. TRANSPORT INFORMATION

The basic description below is specific to the container size. This information is provided for at a glance DOT information. Please refer to the container and/or shipping papers for the appropriate shipping description before tendering this material for shipment. For additional information, please contact the distributor listed in section 1 of this SDS.

DOT

Not regulated

<u>TDG</u>

Not regulated

15. REGULATORY INFORMATION

International	Inventories
TSCA	
DSL/NDSL	

Complies Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 3	311/312 H	lazard Ca	tegories

Acute health hazard	No
Chronic Health Hazard	No
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals

Chemical Name	California Proposition 65	
Cocamide DEA - 68603-42-9	Carcinogen	
Ethanol - 64-17-5	Carcinogen	
	Developmental	
Diethanolamine - 111-42-2	Carcinogen	
Formaldehyde - 50-00-0	Carcinogen	

WARNING: This product contains a chemical known in the State of California to cause birth defects or other reproduction harm.

Chemical Name(s):

Acetic acid, 2,2,-dichloro-, Methanol

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Glycerin	X	X	Х
56-81-5			
Ethanol	X	X	Х
64-17-5			
Diethanolamine	Х	X	Х
111-42-2			
Formaldehyde	X	X	Х
50-00-0			

U.S. EPA Label Information

EPA Pesticide Registration Number Not Applicable

16. OTHER INFORMATION				
NFPA	Health hazards 0	Flammability 0	Instability 0	Physical and Chemical Properties Yes
HMIS	Health hazards 0	Flammability 0	Physical hazards 0	Personal protection A
Issue Date	21-Mar-2	016		
Revision Date	29-Oct-2	015		
Revision Note				
No Information available				
<u>Disclaimer</u>				
The information provide	ed in this Safety Data	Sheet is correct to the b	est of our knowledge, info	rmation and belief at the
date of its publication.	The information given	is designed only as a g	uidance for safe handling,	use, processing, storage,

date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet