

# SAFETY DATA SHEET

Revision Date 01-Dec-2016

Version 4

### **1. IDENTIFICATION**

Product identifier Product Name

Polyurethane Semi-Gloss

Other means of identification Product Code SKU(s)

C49504 C49501, C49504, C49516

Recommended use of the chemical and restrictions on useRecommended UseNo information available.Uses advised againstNo information available

Details of the supplier of the safety data sheet Supplier Address Old Masters

303 19th St. SE Orange City, IA 51041 Phone: 712-737-4993 Fax: 712-737-4997

Emergency telephone number Emergency Telephone

Chemtrec 1-800-424-9300

# 2. HAZARDS IDENTIFICATION

**Classification** 

#### **OSHA Regulatory Status**


This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin sensitization	Category 1
Germ cell mutagenicity	Category 1B
Carcinogenicity	Category 1B
Specific target organ toxicity (repeated exposure)	Category 1
Aspiration toxicity	Category 1
Flammable liquids	Category 3

**Emergency Overview** 

### Danger

Hazard statements May cause an allergic skin reaction May cause genetic defects May cause cancer Causes damage to organs through prolonged or repeated exposure May be fatal if swallowed and enters airways Flammable liquid and vapor



# **Precautionary Statements - Prevention**

Obtain special instructions before use Do not handle until all safety precautions have been read and understood Use personal protective equipment as required Contaminated work clothing should not be allowed out of the workplace Wear protective gloves Do not breathe dust/fume/gas/mist/vapors/spray Wash face, hands and any exposed skin thoroughly after handling Do not eat, drink or smoke when using this product Keep away from heat/sparks/open flames/hot surfaces. - No smoking Keep container tightly closed Ground/bond container and receiving equipment Use only non-sparking tools Take precautionary measures against static discharge Use explosion-proof electrical/ ventilating/ lighting/ equipment

#### **Precautionary Statements - Response**

IF exposed or concerned: Get medical advice/attention If skin irritation or rash occurs: Get medical advice/attention Wash contaminated clothing before reuse IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician Do NOT induce vomiting In case of fire: Use CO2, dry chemical, or foam for extinction

#### Precautionary Statements - Storage

Store locked up Store in a well-ventilated place. Keep cool

#### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

#### Hazards not otherwise classified (HNOC) Other Information

# May be harmful in contact with skin

Toxic to aquatic life with long lasting effects

Toxic to aquatic life
 Unknown acute toxicity

0% of the mixture consists of ingredient(s) of unknown toxicity

# **3. COMPOSITION/INFORMATION ON INGREDIENTS**

Chemical Name	CAS No.	Weight-%	Trade Secret
Mineral Spirits (Rule 66)	64742-47-8	15 - 40	*
Solvent Naphtha, Medium Aliphatic	64742-88-7	7 - 13	*
Aromatic 150	64742-94-5	1 - 5	*
Methyl Ethyl Ketoxime	96-29-7	0.1 - 1	*
Naphthalene	91-20-3	0.1 - 1	*
Stoddard Solvent	8052-41-3	0.1 - 1	*
*The exact percentage (concen	tration) of composition has	been withheld as a trade	secret.

Page 2/10

# 4. FIRST AID MEASURES

#### **Description of first aid measures**

General advice	Immediate medical attention is required. In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).		
Eye contact	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Keep eye wide open while rinsing. If symptoms persist, call a physician.		
Skin Contact	Wash off immediately with plenty of water.		
Inhalation	Remove to fresh air. Call a physician. If breathing is irregular or stopped, administer artificial respiration. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation.		
Ingestion	Do NOT induce vomiting. Rinse mouth. Drink plenty of water. If symptoms persist, call a physician.		
Self-protection of the first aider	Remove all sources of ignition.		
Most important symptoms and effe	cts, both acute and delayed		
Symptoms	No information available.		
Indication of any immediate medical attention and special treatment needed			
Note to physicians	Treat symptomatically.		

# **5. FIRE-FIGHTING MEASURES**

#### Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media CAUTION: Use of water spray when fighting fire may be inefficient.

#### <u>Specific hazards arising from the chemical</u> Flammable.

Explosion data Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

#### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

### 6. ACCIDENTAL RELEASE MEASURES

### Personal precautions, protective equipment and emergency procedures

Personal precautions	Remove all sources of ignition. Evacuate personnel to safe areas. Ensure adequate ventilation, especially in confined areas. Use personal protective equipment as required.
Environmental precautions	
Environmental precautions	Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. Do not flush into surface water or sanitary sewer system. See Section 12 for additional ecological information.

Methods and material for containment and cleaning up			
Methods for containment	Prevent further leakage or spillage if safe to do so.		
Methods for cleaning up	Pick up and transfer to properly labeled containers. Dam up. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Soak up with inert absorbent material.		
	7. HANDLING AND STORAGE		
Precautions for safe handling			
Advice on safe handling	Ensure adequate ventilation, especially in confined areas. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Take precautionary measures against static discharges. Use spark-proof tools and explosion-proof equipment. All equipment used when handling the product must be grounded.		
Conditions for safe storage, including any incompatibilities			
Storage Conditions	Keep tightly closed in a dry and cool place. Keep in properly labeled containers. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity).		
Incompatible materials	None known based on information supplied.		

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters

# Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Naphthalene	TWA: 10 ppm	TWA: 10 ppm	IDLH: 250 ppm
91-20-3	S*	TWA: 50 mg/m <sup>3</sup>	TWA: 10 ppm
		(vacated) TWA: 10 ppm	TWA: 50 mg/m <sup>3</sup>
		(vacated) TWA: 50 mg/m <sup>3</sup>	STEL: 15 ppm
		(vacated) STEL: 15 ppm	STEL: 75 mg/m <sup>3</sup>
		(vacated) STEL: 75 mg/m <sup>3</sup>	_
Stoddard Solvent	TWA: 100 ppm	TWA: 500 ppm	IDLH: 20000 mg/m <sup>3</sup>
8052-41-3		TWA: 2900 mg/m <sup>3</sup>	Ceiling: 1800 mg/m <sup>3</sup> 15 min
		(vacated) TWA: 100 ppm	TWA: 350 mg/m <sup>3</sup>
		(vacated) TWA: 525 mg/m <sup>3</sup>	-

NIOSH IDLH Immediately Dangerous to Life or Health

Other Information Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

Appropriate engineering controls

Engineering Controls	Showers
	Eyewash stations
	Ventilation systems.

### Individual protection measures, such as personal protective equipment

Eye/face protection	Tight sealing safety goggles.
Skin and body protection	No special technical protective measures are necessary.
Respiratory protection	If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

#### **General Hygiene Considerations**

When using do not eat, drink or smoke. Regular cleaning of equipment, work area and clothing is recommended.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

#### Information on basic physical and chemical properties

Physical state Appearance Color	liquid No information available No information available	Odor Odor threshold	No information available No information available
<u>Property</u> pH Melting point/freezing point Boiling point / boiling range	<u>Values</u> No information available No information available >= 107 °C / 225 °F	<u>Remarks • Method</u>	
Flash point Evaporation rate Flammability (solid, gas) Flammability Limit in Air	39 °C / 102 °F No information available No information available		
Upper flammability limit: Lower flammability limit: Vapor pressure	No information available No information available No information available		
Vapor density Specific Gravity Water solubility	No information available 0.90 No information available		
Solubility in other solvents Partition coefficient Autoignition temperature Decomposition temperature	No information available No information available No information available No information available		
Kinematic viscosity Dynamic viscosity Explosive properties	No information available No information available No information available		
Oxidizing properties <u>Other Information</u>	No information available		
Softening point Molecular weight VOC Content (%) Density Bulk density Percent solids by weight Percent volatile by weight	No information available No information available No information available 7.54 lbs/gal No information available 50.3% 49.7%		
Percent solids by volume Actual VOC (lbs/gal) Actual VOC (grams/liter) EPA VOC (lbs/gal) EPA VOC (grams/liter)	43.0% 3.7 449.1 3.7 449.1		
EPA VOC (lb/gal solids)			

# **10. STABILITY AND REACTIVITY**

# Reactivity

No data available

#### **Chemical stability**

Stable under recommended storage conditions.

#### **Possibility of Hazardous Reactions**

None under normal processing.

#### Conditions to avoid

Heat, flames and sparks.

#### **Incompatible materials**

Ρ

None known based on information supplied.

#### Hazardous Decomposition Products

None known based on information supplied.

# **11. TOXICOLOGICAL INFORMATION**

#### Information on likely routes of exposure

Product Information	No data available
Inhalation	No data available.
Eye contact	No data available.
Skin Contact	No data available.
Ingestion	No data available.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Mineral Spirits (Rule 66) 64742-47-8	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	> 5.2 mg/L (Rat)4 h
Solvent Naphtha, Medium Aliphatic 64742-88-7	> 25 mL/kg (Rat)	> 3000 mg/kg (Rabbit)	> 13 mg/L (Rat)4 h
Aromatic 150 64742-94-5	> 5000 mg/kg (Rat)	> 2 mL/kg (Rabbit)	> 590 mg/m³ (Rat)4 h
Methyl Ethyl Ketoxime 96-29-7	= 930 mg/kg (Rat)	1000 - 1800 mg/kg (Rabbit)	> 4800 mg/m³(Rat)4 h
Naphthalene 91-20-3	= 1110 mg/kg (Rat)= 490 mg/kg ( Rat)	= 1120 mg/kg (Rabbit)> 20 g/kg ( Rabbit)	> 340 mg/m³ (Rat)1 h
Stoddard Solvent 8052-41-3	-	> 3000 mg/kg (Rabbit)	-

#### Information on toxicological effects

Symptoms

No information available.

# Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization	No information available. No information available. No information available.					
Germ cell mutagenicity Carcinogenicity						
Chemical Name	ACGIH					
Naphthalene 91-20-3	A3	Group 2B	Reasonably Anticipated	Х		
ACGIH (American Conference of Governmental Industrial Hygienists) A3 - Animal Carcinogen IARC (International Agency for Research on Cancer) Group 2B - Possibly Carcinogenic to Humans Group 3 - Not classifiable as a human carcinogen NTP (National Toxicology Program) Reasonably Anticipated - Reasonably Anticipated to be a Human Carcinogen OSHA (Occupational Safety and Health Administration of the US Department of Labor) X - Present Reproductive toxicity STOT - single exposure STOT - repeated exposure No information available. No information available.						

Aspiration hazard No information available.

### Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document  $\ mg/kg$ 

# **12. ECOLOGICAL INFORMATION**

This product contains a chemical which is listed as a marine pollutant according to DOT.

#### **Ecotoxicity**

Toxic to aquatic life with long lasting effects

50.52% of the mixture consists of components(s) of unknown hazards to the aquatic environment
---

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Mineral Spirits (Rule 66)	-	45: 96 h Pimephales promelas mg/L	4720: 96 h Den-dronereides
64742-47-8		LC50 flow-through 2.2: 96 h	heteropoda mg/L LC50
		Lepomis macrochirus mg/L LC50	
		static 2.4: 96 h Oncorhynchus	
		mykiss mg/L LC50 static	
Solvent Naphtha, Medium Aliphatic	450: 96 h Pseudokirchneriella	800: 96 h Pimephales promelas	100: 48 h Daphnia magna mg/L
64742-88-7	subcapitata mg/L EC50	mg/L LC50 static	EC50
Aromatic 150	2.5: 72 h Skeletonema costatum	41: 96 h Pimephales promelas mg/L	0.95: 48 h Daphnia magna mg/L
64742-94-5	mg/L EC50	LC50 1740: 96 h Lepomis	EC50
	_	macrochirus mg/L LC50 static 45:	
		96 h Pimephales promelas mg/L	
		LC50 flow-through 19: 96 h	
		Pimephales promelas mg/L LC50	
		static 2.34: 96 h Oncorhynchus	
		mykiss mg/L LC50	
Methyl Ethyl Ketoxime	83: 72 h Desmodesmus subspicatus		750: 48 h Daphnia magna mg/L
96-29-7	mg/L EC50	promelas mg/L LC50 flow-through	EC50
		320 - 1000: 96 h Leuciscus idus	
		mg/L LC50 static 760: 96 h Poecilia	
		reticulata mg/L LC50 static	
Naphthalene	0.4: 72 h Skeletonema costatum	5.74 - 6.44: 96 h Pimephales	1.96: 48 h Daphnia magna mg/L
91-20-3	mg/L EC50	promelas mg/L LC50 flow-through	EC50 Flow through 1.09 - 3.4: 48 h
		1.99: 96 h Pimephales promelas	Daphnia magna mg/L EC50 Static
		mg/L LC50 static 1.6: 96 h	2.16: 48 h Daphnia magna mg/L
		Oncorhynchus mykiss mg/L LC50	LC50
		flow-through 31.0265: 96 h Lepomis	
		macrochirus mg/L LC50 static 0.91 -	
		2.82: 96 h Oncorhynchus mykiss	
		mg/L LC50 static	

# Persistence and degradability

No information available.

#### **Bioaccumulation**

No information available.

Chemical Name	Partition coefficient
Aromatic 150 64742-94-5	2.9 - 6.1
Methyl Ethyl Ketoxime 96-29-7	0.65
Naphthalene 91-20-3	3.6

Other adverse effects

No information available

# **13. DISPOSAL CONSIDERATIONS**

#### Waste treatment methods

**Disposal of wastes** 

Disposal should be in accordance with applicable regional, national and local laws and regulations.

#### Contaminated packaging

Do not reuse container.

US EPA Waste Number

D001	U140 U165 U239
------	----------------

Chemical Name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	<b>RCRA - U Series Wastes</b>
Naphthalene	U165	Included in waste streams:	-	U165
91-20-3		F024, F025, F034, F039,		
		K001, K035, K060, K087,		
		K145		

Chemical Name	RCRA - Halogenated Organic Compounds	RCRA - P Series Wastes	RCRA - F Series Wastes	RCRA - K Series Wastes
Naphthalene	-	-	Toxic waste	-
91-20-3			waste number F025	
			Waste description:	
			Condensed light ends, spent	
			filters and filter aids, and	
			spent desiccant wastes from	
			the production of certain	
			chlorinated aliphatic	
			hydrocarbons, by free	
			radical catalyzed processes.	
			These chlorinated aliphatic	
			hydrocarbons are those	
			having carbon chain lengths	
			ranging from one to and	
			including five, with varying	
			amounts and positions of	
			chlorine substitution.	

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste Status
Naphthalene	Toxic
91-20-3	

# **14. TRANSPORT INFORMATION**

DOT Marine pollutant Not regulated

This product contains a chemical which is listed as a marine pollutant according to DOT.

# **15. REGULATORY INFORMATION**

International Inventories	
TSCA	Complies
DSL/NDSL	Complies *
EINECS/ELINCS	Does not comply *
ENCS	Does not comply *
IECSC	Complies *
KECL	Complies *
PICCS	Does not comply *
AICS	Does not comply *

\* This product contains an unknown chemical, therefore, this product's compliance to the inventory list is NOT DETERMINED

#### Legend:

 TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

 DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

 EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

 ENCS - Japan Existing and New Chemical Substances

 IECSC - China Inventory of Existing Chemical Substances

 KECL - Korean Existing and Evaluated Chemical Substances

 PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

#### **US Federal Regulations**

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	SARA 313 - Threshold Values %	
Naphthalene	0.1	

#### SARA 311/312 Hazard Categories

Acute health hazard	Yes
Chronic Health Hazard	Yes
Fire hazard	Yes
Sudden release of pressure hazard	No
Reactive Hazard	No

#### CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Naphthalene 91-20-3	100 lb	Х	Х	х

#### CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
100 lb 1 lb	-	RQ 100 lb final RQ RQ 45.4 kg final RQ RQ 1 lb final RQ RQ 0.454 kg final RQ

### US State Regulations

#### California Proposition 65

This product contains the following Proposition 65 chemicals

Chemical Name	California Proposition 65	
Naphthalene - 91-20-3	Carcinogen	
Ethyl Benzene - 100-41-4	Carcinogen	

#### U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts
Solvent Naphtha, Medium Aliphatic 64742-88-7	X	-
Naphthalene	X	Х
91-20-3		

#### U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

#### Hazardous air pollutants (HAPS) content

This product contains no Hazardous Air Pollutants individually at 1% by weight, or greater.

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION
---

NFPA	Health haz	ards 1	Flammability 2	Instability 0	Physical and Chemical Properties -
HMIS_	Health haz	ards 1 *	Flammability 2	Physical hazards 0	Personal protection X
Chronic Hazard Star Le	egend	* = Chronic	Health Hazard		
Revision Date Revision Note No information available		01-Dec-201	6		

Disclaimer

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. Shipping information may vary based upon container size and shipping destination. Each user of this material needs to evaluate the conditions of use and design the appropriate protective mechanisms to prevent employee exposures, property damage, or release to the environment. The manufacturer assumes no responsibility for injury to the recipient or third persons, or for any damages to any property resulting from misuse of the product.

End of Safety Data Sheet