

SAFETY DATA SHEET

Revision Date 01-Dec-2016

Version 3

1. IDENTIFICATION

Product identifier Product Name

Wiping Stain Natural Tint Base

| Other means of identification | |
|-------------------------------|---------------------|
| Product Code | 11101 |
| SKU(s) | 11101, 11104, 11116 |

Recommended use of the chemical and restrictions on useRecommended UseNo information available.Uses advised againstNo information available

Details of the supplier of the safety data sheet Supplier Address Old Masters 303 19th St. SE Orange City, IA 51041

Phone: 712-737-4993 Fax: 712-737-4997

Emergency telephone number Emergency Telephone

Chemtrec 1-800-424-9300

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

| Skin sensitization | Category 1 |
|--|-------------|
| Germ cell mutagenicity | Category 1B |
| Carcinogenicity | Category 1A |
| Specific target organ toxicity (repeated exposure) | Category 1 |
| Aspiration toxicity | Category 1 |
| Flammable liquids | Category 3 |

Emergency Overview

Danger

Hazard statements May cause an allergic skin reaction May cause genetic defects May cause cancer Causes damage to organs through prolonged or repeated exposure May be fatal if swallowed and enters airways Flammable liquid and vapor



Precautionary Statements - Prevention

Obtain special instructions before use Do not handle until all safety precautions have been read and understood Use personal protective equipment as required Contaminated work clothing should not be allowed out of the workplace Wear protective gloves Do not breathe dust/fume/gas/mist/vapors/spray Wash face, hands and any exposed skin thoroughly after handling Do not eat, drink or smoke when using this product Keep away from heat/sparks/open flames/hot surfaces. - No smoking Keep container tightly closed Ground/bond container and receiving equipment Use only non-sparking tools Take precautionary measures against static discharge Use explosion-proof electrical/ ventilating/ lighting/ equipment

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention If skin irritation or rash occurs: Get medical advice/attention Wash contaminated clothing before reuse IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician Do NOT induce vomiting In case of fire: Use CO2, dry chemical, or foam for extinction

Precautionary Statements - Storage

Store locked up Store in a well-ventilated place. Keep cool

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Other Information

 May be harmful if swallowed Unknown acute toxicity

0% of the mixture consists of ingredient(s) of unknown toxicity

3. COMPOSITION/INFORMATION ON INGREDIENTS

| Chemical Name | CAS No. | Weight-% | Trade Secret |
|-----------------------------------|------------|----------|--------------|
| Linseed Oil | 8001-26-1 | 30 - 60 | * |
| Mineral Spirits (Rule 66) | 64742-47-8 | 10 - 30 | * |
| Crystalline Silica | 14808-60-7 | 5 - 10 | * |
| Solvent Naphtha, Medium Aliphatic | 64742-88-7 | 1 - 5 | * |
| Stoddard Solvent | 8052-41-3 | 0.1 - 1 | * |
| Methyl Ethyl Ketoxime | 96-29-7 | 0.1 - 1 | * |
| Mineral Spirits | 64742-48-9 | 0.1 - 1 | * |
| Neo C9-13 Acid, Cobalt Salts | 68955-83-9 | 0.1 - 1 | * |

| Cobalt neodecanoate | 27253-31-2 | 0.1 - 1 | * | |
|---|------------|---------|---|--|
| *The exact percentage (concentration) of composition has been withheld as a trade secret. | | | | |

4. FIRST AID MEASURES

Description of first aid measures

| General advice | Immediate medical attention is required. In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). | | |
|--|---|--|--|
| Eye contact | Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Keep eye wide open while rinsing. If symptoms persist, call a physician. | | |
| Skin Contact | Wash off immediately with plenty of water. | | |
| Inhalation | Remove to fresh air. Call a physician. If breathing is irregular or stopped, administer artificial respiration. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. | | |
| Ingestion | Do NOT induce vomiting. Rinse mouth. Drink plenty of water. If symptoms persist, call a physician. | | |
| Self-protection of the first aider | Remove all sources of ignition. | | |
| Most important symptoms and effe | cts, both acute and delayed | | |
| Symptoms | No information available. | | |
| Indication of any immediate medical attention and special treatment needed | | | |
| Note to physicians | Treat symptomatically. | | |
| 5. FIRE-FIGHTING MEASURES | | | |

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media CAUTION: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical

Flammable. WARNING: Spontaneous combustion (fire) may result from materials such as rags, steel wool, paper, clothing, and other waste soaked in linseed oil. Place in a sealed, water filled, metal container to prevent this.

Explosion data Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Remove all sources of ignition. Evacuate personnel to safe areas. Ensure adequate ventilation, especially in confined areas. Use personal protective equipment as required.

Environmental precautions

| Environmental precautions | Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. Do not flush into surface water or sanitary sewer system. See Section 12 for additional ecological information. | | |
|------------------------------------|--|--|--|
| Methods and material for containme | ent and cleaning up | | |
| Methods for containment | Prevent further leakage or spillage if safe to do so. | | |
| Methods for cleaning up | Pick up and transfer to properly labeled containers. Dam up. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Soak up with inert absorbent material. | | |
| | 7. HANDLING AND STORAGE | | |
| Precautions for safe handling | | | |
| Advice on safe handling | Ensure adequate ventilation, especially in confined areas. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Take precautionary measures against static discharges. Use spark-proof tools and explosion-proof equipment. All equipment used when handling the product must be grounded. | | |

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep tightly closed in a dry and cool place. Keep in properly labeled containers. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity).

Incompatible materials

None known based on information supplied.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

| Chemical Name | ACGIH TLV | OSHA PEL | NIOSH IDLH |
|----------------------------------|---|--|---|
| Crystalline Silica 14808-60-7 | TWA: 0.025 mg/m ³ respirable particulate matter | TWA: 50 μg/m³ TWA: 50 μg/m³ excludes construction work, agricultural operations, and exposures that result from the processing of sorptive clays (vacated) TWA: 0.1 mg/m³ respirable dust (250)/(%SiO2 + 5) mppcf TWA respirable fraction (10)/(%SiO2 + 2) mg/m³ TWA respirable fraction | IDLH: 50 mg/m ³ respirable dust TWA: 0.05 mg/m ³ respirable dust |
| Stoddard Solvent 8052-41-3 | TWA: 100 ppm | TWA: 500 ppm TWA: 2900 mg/m ³ (vacated) TWA: 100 ppm (vacated) TWA: 525 mg/m ³ | IDLH: 20000 mg/m ³ Ceiling: 1800 mg/m ³ 15 min TWA: 350 mg/m ³ |

NIOSH IDLH Immediately Dangerous to Life or Health

Other Information

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

Appropriate engineering controls

Engineering Controls

Showers Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

| Eye/face protection | Tight sealing safety goggles. |
|--------------------------------|---|
| Skin and body protection | No special technical protective measures are necessary. |
| Respiratory protection | If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations. |
| General Hygiene Considerations | When using do not eat, drink or smoke. Regular cleaning of equipment, work area and clothing is recommended. |

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

| Physical state Appearance Color | liquid No information available No information available | Odor Odor threshold | No information available No information available |
|---|---|-------------------------|--|
| Property pH Melting point/freezing point Boiling point / boiling range Flash point Evaporation rate Flammability (solid, gas) Flammability Limit in Air Upper flammability limit: | <u>Values</u> No information available No information available >= $117 \ ^{\circ}C / 243 \ ^{\circ}F$ 39 $\ ^{\circ}C / 102 \ ^{\circ}F$ No information available No information available | <u>Remarks • Method</u> | |
| Lower flammability limit: | No information available | | |
| Vapor pressure | No information available | | |
| Vapor density | No information available | | |
| Specific Gravity | 0.98 | | |
| Water solubility | No information available | | |
| Solubility in other solvents | No information available | | |
| Partition coefficient | No information available | | |
| Autoignition temperature | No information available | | |
| Decomposition temperature | No information available | | |
| Kinematic viscosity | No information available | | |
| Dynamic viscosity | No information available | | |
| Explosive properties | No information available | | |
| Oxidizing properties | No information available | | |
| Other Information | | | |
| Softening point | No information available | | |
| Molecular weight | No information available | | |
| VOC Content (%) | No information available | | |
| Density | 8.13 lbs/gal | | |
| Bulk density | No information available | | |
| Percent solids by weight | 75.4% | | |
| Percent volatile by weight | 24.6% | | |
| Percent solids by volume | 69.5% | | |
| Actual VOC (lbs/gal) | 2 | | |
| Actual VOC (grams/liter) | 240 | | |
| EPA VOC (lbs/gal) | 2 | | |
| EPA VOC (grams/liter) | 240 | | |
| EPA VOC (lb/gal solids) | 2.9 | | |

10. STABILITY AND REACTIVITY

Reactivity No data available

<u>Chemical stability</u> Stable under recommended storage conditions.

Possibility of Hazardous Reactions None under normal processing.

Conditions to avoid

Heat, flames and sparks.

Incompatible materials

None known based on information supplied.

Hazardous Decomposition Products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

| Product Information | No data available |
|---------------------|--------------------|
| Inhalation | No data available. |
| Eye contact | No data available. |
| Skin Contact | No data available. |
| Ingestion | No data available. |

| Chemical Name | Oral LD50 Dermal LD50 | | Inhalation LC50 | |
|--|-----------------------|----------------------------|-------------------------|--|
| Linseed Oil 8001-26-1 | > 15,000 mg/kg | - | - | |
| Mineral Spirits (Rule 66) 64742-47-8 | > 5000 mg/kg (Rat) | > 2000 mg/kg (Rabbit) | > 5.2 mg/L (Rat)4 h | |
| Crystalline Silica 14808-60-7 | = 500 mg/kg(Rat) | - | - | |
| Solvent Naphtha, Medium Aliphatic 64742-88-7 | > 25 mL/kg (Rat) | > 3000 mg/kg (Rabbit) | > 13 mg/L (Rat)4 h | |
| Stoddard Solvent 8052-41-3 | - | > 3000 mg/kg (Rabbit) | - | |
| Methyl Ethyl Ketoxime 96-29-7 | = 930 mg/kg(Rat) | 1000 - 1800 mg/kg (Rabbit) | > 4800 mg/m³ (Rat)4 h | |
| Mineral Spirits 64742-48-9 | > 5000 mg/kg (Rat) | > 3160 mg/kg (Rabbit) | 1.1 - 1.9 mg/L (Rat)4 h | |

Information on toxicological effects

Symptoms

No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

| Sensitization Germ cell mutagenicity Carcinogenicity | No information | No information available. No information available. No information available. | | | |
|--|----------------|---|-------|---|--|
| Chemical Name | ACGIH | ACGIH IARC NTP OSHA | | | |
| Crystalline Silica 14808-60-7 | A2 | Group 1 | Known | Х | |
| Neo C9-13 Acid, Cobalt Salts 68955-83-9 | - | Group 2B | - | Х | |

| Cobalt neodecanoate 27253-31-2 | - | Group 2B | - | Х | |
|---|-----------------------------------|-----------------------------|-----------|---|--|
| | erence of Governmental Inc | lustrial Hygienists) | | | |
| A2 - Suspected Human (| | det la rijglemete) | | | |
| | ency for Research on Cance | er) | | | |
| Group 1 - Carcinogenic t | o Humans | | | | |
| Group 2B - Possibly Car | cinogenic to Humans | | | | |
| Group 3 - Not classifiable | e as a human carcinogen | | | | |
| NTP (National Toxicolo | NTP (National Toxicology Program) | | | | |
| Known - Known Carcinog | Known - Known Carcinogen | | | | |
| OSHA (Occupational Sa | afety and Health Administra | tion of the US Department o | of Labor) | | |
| X - Present | X - Present | | | | |
| Reproductive toxicity | No information | on available. | | | |
| STOT - single exposure No information available. | | | | | |
| STOT - repeated exposure No information available. | | | | | |
| Target Organ Effects Eyes, lungs, Respiratory system. | | | | | |
| Aspiration hazard | No informatio | | | | |
| | | | | | |

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document $\ mg/kg$

12. ECOLOGICAL INFORMATION

Ecotoxicity

75.62% of the mixture consists of components(s) of unknown hazards to the aquatic environment

| Chemical Name | Algae/aquatic plants | Fish | Crustacea |
|-----------------------------------|----------------------------------|-------------------------------------|----------------------------------|
| Mineral Spirits (Rule 66) | - | 45: 96 h Pimephales promelas mg/L | 4720: 96 h Den-dronereides |
| 64742-47-8 | | LC50 flow-through 2.2: 96 h | heteropoda mg/L LC50 |
| | | Lepomis macrochirus mg/L LC50 | |
| | | static 2.4: 96 h Oncorhynchus | |
| | | mykiss mg/L LC50 static | |
| Solvent Naphtha, Medium Aliphatic | 450: 96 h Pseudokirchneriella | 800: 96 h Pimephales promelas | 100: 48 h Daphnia magna mg/L |
| 64742-88-7 | subcapitata mg/L EC50 | mg/L LC50 static | EC50 |
| Methyl Ethyl Ketoxime | 83: 72 h Desmodesmus subspicatus | | 750: 48 h Daphnia magna mg/L |
| 96-29-7 | mg/L EC50 | promelas mg/L LC50 flow-through | EC50 |
| | | 320 - 1000: 96 h Leuciscus idus | |
| | | mg/L LC50 static 760: 96 h Poecilia | |
| | | reticulata mg/L LC50 static | |
| Mineral Spirits | - | 2200: 96 h Pimephales promelas | 2.6: 96 h Chaetogammarus marinus |
| 64742-48-9 | | mg/L LC50 | mg/L LC50 |

Persistence and degradability

No information available.

Bioaccumulation

No information available.

| Chemical Name | Partition coefficient |
|-----------------------|-----------------------|
| Methyl Ethyl Ketoxime | 0.65 |
| 96-29-7 | |

Other adverse effects

No information available

13. DISPOSAL CONSIDERATIONS

| Waste treatment methods | |
|-------------------------|---|
| Disposal of wastes | Disposal should be in accordance with applicable regional, national and local laws and regulations. |
| Contaminated packaging | Do not reuse container. |
| US EPA Waste Number | D001 U239 |

This product contains one or more substances that are listed with the State of California as a hazardous waste.

| Chemical Name | California Hazardous Waste Status |
|--|-----------------------------------|
| Neo C9-13 Acid, Cobalt Salts 68955-83-9 | Тохіс |
| Cobalt neodecanoate 27253-31-2 | Тохіс |

14. TRANSPORT INFORMATION

DOT

Not regulated

15. REGULATORY INFORMATION

| Complies |
|-----------------|
| Complies * |
| Complies * |
| Does not comply |
| Complies * |
| Complies * |
| Does not comply |
| Does not comply |
| |

* This product contains an unknown chemical, therefore, this product's compliance to the inventory list is NOT DETERMINED

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
 DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List
 EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
 ENCS - Japan Existing and New Chemical Substances
 IECSC - China Inventory of Existing Chemical Substances
 KECL - Korean Existing and Evaluated Chemical Substances
 PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

| Acute health hazard | Yes |
|-----------------------------------|-----|
| Chronic Health Hazard | Yes |
| Fire hazard | Yes |
| Sudden release of pressure hazard | No |
| Reactive Hazard | No |

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals

| Chemical Name | California Proposition 65 |
|---------------------------------|---------------------------|
| Crystalline Silica - 14808-60-7 | Carcinogen |
| Ethyl Benzene - 100-41-4 | Carcinogen |

U.S. State Right-to-Know Regulations

| Chemical Name | New Jersey | Massachusetts |
|---|------------|---------------|
| Crystalline Silica 14808-60-7 | Х | Х |
| Solvent Naphtha, Medium Aliphatic 64742-88-7 | Х | - |
| Xylene 1330-20-7 | Х | Х |
| Cobalt neodecanoate 27253-31-2 | Х | - |
| Neo C9-13 Acid, Cobalt Salts 68955-83-9 | Х | - |

| Chemical Name | Pennsylvania |
|--------------------------------------|--------------|
| Linseed Oil | Х |
| 8001-26-1 | |
| Crystalline Silica | Х |
| 14808-60-7 | |
| Silica Amorphous- diatomaceous earth | Х |
| 68855-54-9 | |

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

Hazardous air pollutants (HAPS) content

This product contains no Hazardous Air Pollutants individually at 1% by weight, or greater.

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

| NFPA | Health hazards 1 | Flammability 2 | Instability 0 | Physical and Chemical Properties - |
|------------------|------------------------|-----------------|--------------------|---------------------------------------|
| HMIS | Health hazards 1 * | Flammability 2 | Physical hazards 0 | Personal protection X |
| Chronic Hazard S | Star Legend * = Chroni | c Health Hazard | | |

Chronic Hazard Star Legend

Revision Date 01-Dec-2016 **Revision Note** No information available

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. Shipping information may vary based upon container size and shipping destination. Each user of this material needs to evaluate the conditions of use and design the appropriate protective mechanisms to prevent employee exposures, property damage, or release to the environment. The manufacturer assumes no responsibility for injury to the recipient or third persons, or for any damages to any property resulting from misuse of the product.

End of Safety Data Sheet