





WEED B GON[®]

WEED KILLER
FOR LAWNS CONCENTRATE₂
CONCENTRADO HERBICIDA PARA CÉSPED₂

FOR USE ON MANY
NORTHERN & SOUTHERN LAWNS

FOR HOME LAWN USE ONLY
KEEP OUT OF REACH OF CHILDREN

CAUTION See inside booklet for first aid and additional precautionary statements.
MANTENER FUERA DEL ALCANCE DE LOS NIÑOS

PRECAUCIÓN Consulte el folleto del interior para conocer los avisos de primeros auxilios y de precaución adicionales.

Active Ingredients:

Dimethylamine Salt of 2,4-D Acid*	8.658%
Dimethylamine Salt of Mecoprop-p Acid**†	2.127%
Dicamba Acid***	0.371%
Other Ingredients:	88.844%
TOTAL	100.000%



LB4954

Isomer Specific Method, Equivalent to:
*2,4-D Acid 7.191%, 0.620 lbs./gal.
**Mecoprop-p Acid 1.758%, 0.152 lbs./gal.
***Dicamba Acid 0.371%, 0.032 lbs./gal.
†CONTAINS THE SINGLE ISOMER FORM OF MECOPROP-p.
*see inside for weed list



KILLS
250+
WEEDS†

NET CONTENTS/CONTENIDO NETO
32 fl. oz (1 quart) / 946 ml



WEED B GON®

WEED KILLER FOR LAWNS CONCENTRATE²

LAWN FRIENDLY WEED CONTROL⁺

- Directly connects to Ortho® Dial N Spray®
- Treats up to **16,000 sq ft**
- Kills weeds **to the roots**
- Rainproof in **1 hour**
- Results in **hours**

WHAT IT DOES: WHERE TO USE: WHEN TO USE:

Kills major broadleaf weeds including dandelion, chickweed, dollarweed and clover.
(See inside for complete list).

Kills the weeds not the lawn when used as directed.
For use on grasses including: St. Augustinegrass (excluding Floratam); Bahiagrass; Bermudagrass; Bluegrass; Buffalograss; Centipedegrass; Fescues; Ryegrass; Zoysiagrass.

Apply when daytime temperatures are below 90 °F.

⁺when used as directed



If for any reason you, the consumer, are not satisfied with this product, mail us your original proof of purchase to obtain a full refund of your purchase price.

Questions & Comments Call 1-800-225-2883
or visit our website at www.ortho.com

FPO

0 71549 04200 4
0505

© 2014 The ORTHO Group
World rights reserved.
Sold by **The ORTHO Group**
P.O. Box 190, Marysville, OH 43040
EPA Reg. No. 228-553-239
EPA Est. 239-1A-3I, 239-MS-1M,
85652-OH-1W
Superscript is first letter
of lot number.



LB4955

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. **READ ENTIRE LABEL BEFORE USE.**
SHAKE WELL BEFORE USING.



Use Precautions and Restrictions:

Do not allow people or pets to enter the treated area until sprays have dried. Do not apply this product in a way that will contact any person or pet, either directly or through drift. Keep people and pets out of the area during application. Do not exceed two applications per year with a minimum of 30 days between applications. Do not spray exposed roots of desirable plants. Do not exceed directed rates because damage to turf may occur. Use a lawn type sprayer with a coarse spray as wind drift is less likely. Spray when air is calm to avoid spray drift that might injure desirable ornamental plants. Do not spray as a fine mist as injury to non-target plants may occur. Make new dilution for each use. Do not apply directly to or near water, storm drains, gutters, sewers or drainage ditches. Do not apply within 25 feet of rivers, fish ponds, lakes, streams, reservoirs, marshes, estuaries, bays, and oceans. Do not apply when windy. To prevent product runoff, do not overwater the treated area to the point of runoff or apply when raining or when rain is expected that day. Rinse applicator over lawn area only. Do not apply to newly seeded grasses until they have been mowed 3 times. Do not reseed for 4 weeks after use. If lawn needs watering, water thoroughly before application. Spray entire lawn, wetting weeds and lawn grasses. Do not apply when temperature exceeds 90 °F. Allow 12 hours after application before watering lawn for maximum effectiveness on listed weeds.

HOW IT WORKS

Ortho® Weed B Gon® Weed Killer for Lawns Concentrate² contains three proven weed killers that target lawn weeds. This herbicide enters the lawn weeds through their leaves and moves throughout the plant to provide control. Lawns listed on this label will not be harmed when used as directed.

WHERE TO USE

This product can be applied to residential lawns with the following turfgrass types:

LAWNS TO BE TREATED:

Cool Season Turfgrass (Northern Lawns) Kentucky bluegrass, Ryegrass, tall fescue and Fine fescues.	32 fl oz treats 8,000 sq ft
--	------------------------------------

Warm Season Turfgrass (Southern Lawns) Bermudagrass ¹ (common and hybrid); St. Augustinegrass (excluding Floratam); Centipedegrass; Zoysiagrass; Buffalograss and Bahiagrass.	32 fl oz treats 16,000 sq ft
--	-------------------------------------

¹Application to hybrid Bermudagrass may cause temporary yellowing or discoloration but full recovery can be expected. Do not apply to hybrid Bermudagrass when daytime temperatures exceed 85 °F. Over-application or rates above those specified on this label can cause turf injury.

DO NOT apply Ortho® Weed B Gon® Weed Killer for Lawns Concentrate² to the following: Bentgrass (colonial and creeping); Carpetgrass; Dichondra; Lippia; Gardens including vegetables, fruit trees, vines and berries; Ornamental plants (flowers, trees, groundcovers, landscape beds and shrubs); Seashore paspalum; Floratam variety of St. Augustinegrass; Turfgrass species that are not listed on this label.

HOW MUCH TO USE

Northern Lawns: Add 2 fl oz per gallon of water for every 500 sq ft.
Southern Lawns: Add 1 fl oz per gallon of water for every 500 sq ft.

The maximum application rate is 4 fl oz of product per 1,000 sq ft per application (0.84 lb 2,4-D acid equivalent per acre per application). The maximum number of broadcast applications is limited to 2 per year. Allow at least 30 days between applications. The maximum seasonal rate is 8 fl oz of product per 1,000 sq ft (1.68 lb 2,4-D acid equivalent per acre).

WHEN TO USE

Apply this product when weeds are small and actively growing in the spring or fall.

HOW TO USE

Ortho® Dial N Spray® with Direct Connect Directions

SET: Ortho® Dial N Spray®	• Turn dial to 1 oz for Southern Lawns. • Turn dial to 2 oz for Northern Lawns.
CONNECT	• Remove jar from Ortho® Dial N Spray® sprayer. • Remove cap from the concentrate bottle. Keep cap for storage. • Screw the Ortho® Dial N Spray® sprayer onto concentrate bottle to attach. • Connect garden hose to the sprayer and turn on water.
SPRAY	• Press and hold trigger for continuous spray. Apply evenly. • Spray only until the surface of the lawn is wet.
FINISH	• Unscrew the concentrate bottle from the Ortho® Dial N Spray® sprayer. • Replace cap on the concentrate bottle. • To clean: Refer to the Ortho® Dial N Spray® cleaning instructions.

Refer to the Ortho® Dial N Spray® label and booklet for additional information.

Important: To prevent sprayer from clogging, always clean after use, as directed.

The application rate for this product is 2 fl oz of product per 500 sq ft of lawn for Northern Lawns or 1 fl oz of product per 500 sq ft of lawn for Southern Lawns.

Tank Sprayer Directions

Add 2 fl oz per gallon of water for every 500 sq ft for Northern Lawns.

Add 1 fl oz per gallon of water for every 500 sq ft for Southern Lawns.

Important: Over-application or rates above those recommended on this label can cause turf injury.

STORAGE AND DISPOSAL

PESTICIDE STORAGE	Keep from freezing. To be stored in original container and placed in areas inaccessible to children.
PESTICIDE DISPOSAL & CONTAINER HANDLING	Nonrefillable container. Do not reuse or refill this container. If empty: Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor (including toilet) or outdoor (including sewer) drain.

BROADLEAF WEEDS CONTROLLED

Alder, Annual yellow sweet clover, Artichoke, Aster, Austrian fieldcress, Bedstraw, Beggartick, Bident, Bindweed, Bird vetch, Bitterweed, Bitter wintercress, Black-eyed Susan, Black medic, Black mustard, Blackseed plantain, Blessed thistle, Bloodflower, Blue lettuce, Blue vervain, Box elder, Bracted plantain, Brassbuttons, Bristly ox tongue, Broadleaf dock, Broadleaf plantain, Broomweed, Buckhorn, Buckhorn plantain, Bulbous buttercup, Bull nettle, Bull thistle, Burdock, Broomweed, Broomrape, Catnip, Chickweed, Chicory, Cinquefoil, Clover, Cockle, Cocklebur, Coffeebean, Coffeeweed, Common chickweed, Common mullein, Common sowthistle, Corn chamomile, Creeping Jenny, Creeping Woodsorrel, Crimson clover, Croton, Cudweed, Curly dock, Curly indigo, Dandelion, Dead Nettle, Dock, Dogbane, Dogfennel, Dollarweed, Elderberry, English daisy, Fall dandelion, False dandelion, False flax, False sunflower, Fiddleneck, Field bindweed, Field pansy, Flea bane (Daisy), Fleweed, Florida betony, Florida pusley, Frenchweed, Galinsoga, Garlic mustard, Goathead, Goatsbeard, Goldenrod, Ground ivy, Gumweed, Hairy bittercress, Hairy fleabane, Hawkweed, Heal-all, Heartleaf drymary, (Continued) 3

BROADLEAF WEEDS CONTROLLED (Continued)

Hedge bindweed, Hedge mustard, Hemp, Henbit, Hoary cress, Hoary plantain, Hoary vervain, Honeysuckle, Hop clover, Horsenettle, Horsetail, Indiana mallow, Ironweed, Jewelweed, Jimsonweed, Kochia, Knawel, Knotweed, Lambsquarter, Lespedeza, Locoweed, Lupine, Mallow, Marshelder, Matchweed, Mexicanweed, Milk vetch, Milkweed, Mugwort, Morningglory, Mouseear chickweed, Musk thistle, Mustard, Narrowleaf plantain, Narrowleaf vetch, Nettle, Orange hawkweed, Oxalis, Oxeye daisy, Parsley-piert, Parsnip, Pearlwort, Pennycress, Pennywort, Peppergrass, Pepperweed, Pigweed, Pineywoods bedstraw, Plains coreopsis, Plantain, Poison hemlock, Poison ivy, Poison oak, Pokeweed, Poorjoe, Povertyweed, Prickly lettuce, Prickly sida, Primrose, Prostrate knotweed, Prostrate pigweed, Prostrate spurge, Prostrate vervain, Puncture vine, Purslane, Ragweed, Red clover, Redroot pigweed, Red sorrel, Redstem filaree, Rough cinquefoil, Rough fleabane, Roundleafed marigold, Rush, Russian pigweed, Russian thistle, St. Johnswort, Scarlet pimpernel, Scotch thistle, Sheep sorrel, Shepherds purse, Slender plantain, Smallflower galinsoga, Smartweed, Smooth dock, Smooth pigweed, Sneezeweed, Southern Wild Rose, Sowthistle, Spanishneedle, Spatterdock, Speedwell, Spiny amaranth, Spiny cocklebur, Spotted catsear, Spotted knapweed, Spotted spurge, Spurge, Spurweed, Stinging nettle, Stinkweed, Stichwort, Strawberry clover, Sumac, Sunflower, Sweet clover, Tall nettle, Tall vervain, Tansy mustard, Tansy ragwort, Tanweed, Tarweed, Thistle, Tick trefoil, Toadflax, Trailing crown vetch, Tumble mustard, Tumble pigweed, Tumbleweed, Velvetleaf, Venice mallow, Veronica, Vervain, Vetch, Virginia buttonweed, Virginia creeper, Virginia pepperweed, Wavyleaf bullthistle, Western dematis, Western salsify, White clover, White mustard, Wild mustard, Wild aster, Wild buckwheat, Wild carrot, Wild four-o'clock, Wild geranium, Wild lettuce, Wild marigold, Wild parsnip, Wild radish, Wild rape, Wild strawberry, Wild sweet potato, Wild vetch, Willow, Witchweed, Woolly morningglory, Woodsorrel, Woolly croton, Woolly plantain, Wormseed, Yarrow, Yellow Rocket, Yellow flower pepperweed, Yellow Woodsorrel and other broadleaf weeds.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. Causes moderate eye irritation. Avoid contact with eyes or clothing. Prolonged or repeated use of this product may cause allergic reaction in some individuals. Do not allow people or pets to enter the treated area until sprays have dried. Wear a minimum of a long-sleeved shirt, long pants, shoes and socks, safety glasses, and chemical resistant gloves made of any waterproof material when handling or applying this product.

Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco. Remove and wash contaminated clothing before reuse. Remove saturated clothing as soon as possible and shower.

FIRST AID

IF IN EYES	Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
IF SWALLOWED	Call poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.
IF ON SKIN OR CLOTHING	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 to 20 minutes. Call a poison control center or doctor for treatment advice.
HOT LINE NUMBER: Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-225-2883 for emergency medical treatment information.	

ENVIRONMENTAL HAZARDS

This product may adversely affect non-target plants. This product is toxic to fish and aquatic invertebrates. Do not apply directly to water. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas. Do not contaminate water when disposing of equipment wash water or rinsate.

This product has properties and characteristics associated with chemicals detected in groundwater. The use of this product in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination. Application around a cistern or well may result in contamination of drinking water or groundwater.

NOTICE: To the extent consistent with applicable law, the buyer assumes all risks of use, storage or handling of this product not in accordance with label directions.



If for any reason you, the consumer, are not satisfied with this product, mail us your original proof of purchase to obtain a full refund of your purchase price.

MODO DE EMPLEO

Se considera una violación a la ley federal usar este producto con otros fines que los indicados en la etiqueta. **LEA TODA LA ETIQUETA ANTES DE USAR EL PRODUCTO.**
AGITE BIEN ANTES DE USAR.



PRECAUCIONES Y RESTRICCIONES DE USO:

No deje que las personas o las mascotas ingresen a las áreas de tratamiento hasta que el rociado se haya secado. No aplique este producto de forma que entre en contacto con personas ni mascotas, ya sea directamente o al ser arrastrado por el viento. Durante la aplicación mantenga alejadas del área a las personas y las mascotas. No exceda dos aplicaciones por año con un mínimo de 30 días entre aplicaciones. No rocíe las raíces expuestas de las plantas que no desea eliminar. No exceda las cantidades indicadas porque puede dañar el césped. Use un rociador para jardín con un rociado más intenso que reduzca la posibilidad de que el producto sea arrastrado por el viento. Rocíe cuando el aire está en calma para evitar la deriva que podría dañar las plantas ornamentales que no desea eliminar. No rocíe con niebla fina ya que podría dañar las plantas que no desea eliminar. Haga una mezcla nueva cada vez que utilice el producto. No aplique directamente ni cerca de agua, drenajes pluviales, canaletas, alcantarillas o zanjas de desagüe. No aplique a menos de 25 pies (8 m) de distancia de ríos, estanques de peces, lagos, arroyos, pantanos, marismas, estuarios, bahías y océanos. No aplique cuando haga viento. Para evitar escumientos del producto, no riegue el área tratada al grado que oscurezca ni lo aplique cuando esté lloviendo o si se pronostican lluvias para ese día. Enjuague el aplicador sobre el jardín, únicamente. No aplique a céspedes recién sembrados sino hasta después de por lo menos el tercer corte de césped. No siembre de nuevo hasta 4 semanas después del uso. Si el césped necesita riego, riegue a fondo antes de la aplicación. Rocíe todo el jardín, humedeciendo tanto el césped como las malezas. No aplique el producto cuando la temperatura exceda los 90 °F (32 °C). Permita 12 horas después de la aplicación antes de regar el césped para lograr una máxima eficacia en las malezas indicadas.

CÓMO FUNCIONA

El Concentrado herbicida para césped Ortho® Weed B Gon® contiene tres herbicidas comprobados dirigidos a las malezas de céspedes. Este herbicida entra en la maleza del césped a través de sus hojas y se mueve a lo largo de la planta para proporcionar control. Los céspedes indicados en esta etiqueta no se verán perjudicados cuando se use según las indicaciones.

DÓNDE USARLO

Este producto puede aplicarse en jardines residenciales con los siguientes tipos de céspedes:

CÉSPEDES A TRATAR:

Césped para climas fríos (céspedes del norte)
32 onzas líquidas (946 ml) tratan 8,000 pies² (743 m²)
Césped azul de Kentucky, raigrás, cañuela alta y cañuelas finas.

Césped para climas cálidos (céspedes del sur)
32 onzas líquidas (946 ml) tratan 16,000 pies² (1,486 m²)
Céspedes Bermuda¹ (común e híbrido), San Agustín (excepto la variedad floratum), ciempiés, zoysia, búfalo y bahia.

¹La aplicación a césped Bermuda híbrido puede causar amarillamiento o decoloración temporal, pero puede esperarse la recuperación completa. No aplique el producto a césped Bermuda híbrido cuando las temperaturas diurnas superen los 85 °F (29 °C). La aplicación excesiva o en cantidades superiores a las indicadas en esta etiqueta puede causar daños al césped.

NO aplique el Concentrado herbicida para césped Ortho® Weed B Gon® a lo siguiente: césped agrostris (colonial y rastrero); césped alfombra; dicondra; lippia; jardines que incluyen vegetales, árboles frutales, parras y bayas; plantas ornamentales (flores, árboles, cubiertas vegetales, macizos de jardín y arbustos); césped del mar; variedad floratum del césped San Agustín; especies de césped que no están enumeradas en esta etiqueta.

CUÁNTO USAR

Para céspedes del norte: Agregue 2 onzas líquidas (59 ml) por galón de agua, por cada 500 pies² (46 m²).

Para céspedes del sur: Agregue 1 onza líquida (29.5 ml) por galón de agua, por cada 500 pies² (46 m²).

La cantidad máxima de aplicación es de 4 onzas líquidas (118 ml) de producto por cada 1,000 pies² (93 m²), por aplicación (el equivalente de 0.84 lb (0.38 kg) de ácido 2,4-D por acre, por aplicación). El número máximo de aplicaciones con un esparcidor de voleo es de 2 al año. Espere al menos 30 días entre aplicaciones. La cantidad máxima de aplicación por temporada es de 8 onzas líquidas (236 ml) de producto por cada 1,000 pies² (93 m²), por aplicación (el equivalente de 1.68 lb (0.76 kg) de ácido 2,4-D por acre, por aplicación).

CUÁNDO USARLO

Aplique este producto cuando las malezas son pequeñas y están en crecimiento activo en la primavera o el otoño.

CÓMO USARLO

Instrucciones para Ortho® Dial N Spray® con conexión directa

AJUSTE: Ortho® Dial N Spray®	• Gire el selector a la posición de 1 oz (29.5 ml) para los céspedes del sur. • Gire el selector a la posición de 2 oz (59 ml) para los céspedes del norte.
CONECTE	• Retire el depósito del rociador Ortho® Dial N Spray®. • Quite la tapa de la botella de concentrado y guárdela para almacenar el producto. • Enrosque el rociador Ortho® Dial N Spray® en la botella de concentrado. • Conecte la manguera de jardín del rociador y abra el agua.
ROCÍE	• Apriete la manija del rociador sin soltarla para un rociado continuo. Aplique uniformemente. • Rocíe solo hasta humedecer la superficie del césped.
TERMINE	• Desenrosque la botella de concentrado del rociador Ortho® Dial N Spray®. • Vuelva a cerrar la botella de concentrado con la tapa. • Para limpiar: consulte las instrucciones de limpieza de Ortho® Dial N Spray®.

Consulte la etiqueta y el folleto del Ortho® Dial N Spray® para obtener información adicional.

Importante: Para evitar que el rociador se obstruya, límpielo siempre después de usarlo, tal y como se indica.

La cantidad de aplicación de este producto es de 2 onzas líquidas (59 ml) por cada 500 pies² (46 m²) de césped del norte o de 1 onza líquida (29.5 ml) por cada 500 pies² (46 m²) de césped del sur.

Instrucciones de uso del rociador con depósito

Agregue 2 onzas líquidas (59 ml) por galón de agua, por cada 500 pies² (46 m²) para los céspedes del norte.

Agregue 1 onza líquida (29.5 ml) por galón de agua, por cada 500 pies² (46 m²) para los céspedes del sur.

Importante: La aplicación excesiva o en cantidades superiores a las recomendadas en esta etiqueta puede causar daños al césped.

ALMACENAMIENTO Y ELIMINACIÓN

ALMACENAMIENTO DEL PESTICIDA	Evite que se congele. Debe ser almacenado en su envase original y colocado en áreas inaccesibles para los niños.
ELIMINACIÓN Y MANEJO DEL ENVASE DEL PESTICIDA	Este envase no se puede rellenar. No vuelva a usar ni llenar este envase. Si está vacío: Tirelo a la basura o recíclalo, de ser posible. Si está parcialmente lleno: Llame a la agencia de control de desechos sólidos local para solicitar instrucciones sobre cómo eliminarlo. Nunca elimine el producto no utilizado en drenajes internos (incluido el inodoro) o externos (incluida la alcantarilla).

AVISOS DE PRECAUCIÓN

RIESGOS PARA LOS HUMANOS Y LOS ANIMALES DOMÉSTICOS

PRECAUCIÓN: Danino si se ingiere. Causa irritación moderada en los ojos. Evite el contacto con los ojos o la ropa. El uso prolongado o repetido de este producto puede producir reacciones alérgicas en algunas personas. No permita que personas ni mascotas accedan al área tratada hasta que el rociado se haya secado. Vista, al menos, una camisa de manga larga, pantalones largos, zapatos y medias o calcetines, y use lentes de seguridad y guantes resistentes a productos químicos fabricados en material impermeable al manejar o aplicar este producto.

Lávese con abundante agua y jabón después de manipular el producto y antes de comer, beber, masticar chicle o consumir tabaco. Quite y lave la ropa contaminada antes de volver a usarla. Quite la ropa empapada de producto lo antes posible y dúchese o báñese.

PRIMEROS AUXILIOS

SI ENTRA EN LOS OJOS	Mantenga el ojo abierto y enjuáguelo lentamente y con cuidado con agua por 15 a 20 minutos. Retire los lentes de contacto, de haberlos, después de transcurridos los primeros 5 minutos, y continúe enjuagando el ojo. Llame a un centro de control de envenenamientos o a un médico para recibir instrucciones de tratamiento.
SI SE INGIERE	Llame a un centro de control de envenenamientos o a un médico inmediatamente para recibir instrucciones de tratamiento. Que la persona beba un vaso de agua si puede tragar. No induzca el vómito a menos que así lo indique el centro de control de envenenamientos o el médico. No le dé nada por la boca a una persona inconsciente.
EN CASO DE CONTACTO CON LA PIEL O LA ROPA	Quite la ropa contaminada. Enjuague la piel de inmediato con abundante agua por 15 a 20 minutos. Llame a un centro de control de envenenamientos o a un médico para recibir instrucciones de tratamiento.

NÚMERO DE LÍNEA DIRECTA: Tenga el envase o la etiqueta del producto con usted cuando llame al centro de control de envenenamientos o al médico, o al acudir a recibir tratamiento. También puede llamar al 1-800-225-2883 para información sobre el tratamiento médico de emergencia.

RIESGOS MEDIOAMBIENTALES

Este producto puede afectar negativamente a las plantas que no desea eliminar. Este producto es tóxico para los peces y los invertebrados acuáticos. No aplique este producto directamente al agua. La deriva y el escurrimiento pueden ser peligrosos para los organismos acuáticos en aguas adyacentes a las áreas tratadas. No contamine el agua al deshacerse de la que use para lavar o enjuagar los utensilios.

Este producto tiene propiedades y características que se asocian con productos químicos detectados en aguas del subsuelo. El uso de este producto químico en áreas donde la tierra es permeable, en particular donde el manto freático está cerca de la superficie, puede acarrear la contaminación del agua del subsuelo. La aplicación alrededor de una cisterna o pozo puede ocasionar la contaminación del agua para beber o de la del subsuelo.

AVISO: En la medida contemplada por las leyes correspondientes, el comprador asume todo el riesgo por el uso, el almacenamiento o el manejo de este producto si no se siguen las instrucciones de la etiqueta.

La
Garantía
ORTHO

Si por alguna razón usted, el consumidor, no está satisfecho con este producto, envíenos por correo el comprobante de compra original para obtener un reembolso completo de su precio de compra.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. Causes moderate eye irritation. Avoid contact with eyes or clothing. Prolonged or repeated use of this product may cause allergic reaction in some individuals. Do not allow people or pets to enter the treated area until sprays have dried. Wear a minimum of a long-sleeved shirt, long pants, shoes and socks, safety glasses, and chemical resistant gloves made of any waterproof material when handling or applying this product. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco. Remove and wash contaminated clothing before reuse. Remove saturated clothing as soon as possible and shower.

FIRST AID

IF IN EYES	Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
IF SWALLOWED	Call poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.
IF ON SKIN OR CLOTHING	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 to 20 minutes. Call a poison control center or doctor for treatment advice.

HOT LINE NUMBER: Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-225-2883 for emergency medical treatment information.

ENVIRONMENTAL HAZARDS

This product may adversely affect non-target plants. This product is toxic to fish and aquatic invertebrates. Do not apply directly to water. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas. Do not contaminate water when disposing of equipment wash water or rinsate.

This product has properties and characteristics associated with chemicals detected in groundwater. The use of this product in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination. Application around a cistern or well may result in contamination of drinking water or groundwater.

STORAGE AND DISPOSAL

PESTICIDE STORAGE	Keep from freezing. To be stored in original container and placed in areas inaccessible to children.
PESTICIDE DISPOSAL & CONTAINER HANDLING	Nonrefillable container. Do not reuse or refill this container. If empty: Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor (including toilet) or outdoor (including sewer) drain.

NOTICE: To the extent consistent with applicable law, the buyer assumes all risks of use, storage or handling of this product not in accordance with label directions.



If for any reason you, the consumer, are not satisfied with this product, mail us your original proof of purchase to obtain a full refund of your purchase price.

© 2014 The ORTHO Group. World rights reserved.

Sold by The ORTHO Group
P.O. Box 190, Marysville, OH 43040

EPA Reg. No. 228-553-239

EPA Est. 239-1A-3/ 239-MS-1M, 85652-OH-1W

Superscript is first letter of lot number.



Questions & Comments
Call 1-800-225-2883
or visit our website
at www.ortho.com



OPEN RESEALABLE LABEL FOR DIRECTIONS
(ABRÁ LA ETIQUETA RESEALABLE PARA VER LAS INSTRUCCIONES)

LB4955