

# SECTION 3 / ECONOMY STEEL SECURITY DOORS

PRODUCT	PAGE
Economy steel security doors.....	54-58
Economy steel security door list.....	59

## ECONOMY STEEL SECURITY DOORS

This section includes photographs and specifications of Precision’s line of economy steel security doors. Although these products are not manufactured at our Redlands, CA facility, all items are welded, assembled and finished using high quality raw materials and are designed and priced to allow your customers the option of purchasing a reasonable quality, reasonably priced door.

For applications where finish, special options and custom features are critical, please go to section 2 of this catalog where our Precision made to order domestic steel security doors are shown.

Our economy line of steel security doors have a 90 day limited warranty against functional manufacturing defects only. Cosmetic defects do affect the applications and uses for which this door is designed. Due to these doors being a lower cost option to our domestic line of steel security doors, we cannot accept any returns or credits for cosmetic issues.

Only the standard sizes and colors shown are available on the Precision economy line of steel security doors.

### Standard “net” frame sizes

Standard “net” sizes shown indicate the typical “call-out” size plus the outside mounting frame. Please keep these dimensions in mind when ordering. If a standard sized door will not fit the opening measurements, please go to section 2, where “custom” sized product may be ordered.

Precision economy steel security doors come as **surface mount**.

The **standard sizes** indicated in this section represent “industry standard” door openings.

**Economy steel security door** dimensions for the Valdor, Regal, Regent & Orleans:

A. The net overall size, which includes the 3-piece mounting frame, is as follows:

Door Opening	Net Overall Size
2'6" x 6'8" (30" x 80")	2'8-1/2" x 6'9-1/2" (32-1/2" x 81-1/2")
2'8" x 6'8" (32" x 80")	2'10-1/2" x 6'9-1/2" (34-1/2" x 81-1/2")
3'0" x 6'8" (36" x 80")	3'2-1/2" x 6'9-1/2" (38-1/2" x 81-1/2")

**Economy steel security door** dimensions for the Flagstaff, Del Sol, Sedona, Monterrey & Woodguard:

A. The net overall size, which includes the 3-piece mounting frame, is as follows:

Door Opening	Net Overall Size
2'6" x 6'8" (30" x 80")	2'9" x 6'9-3/4" (33" x 81-3/4")
2'8" x 6'8" (32" x 80")	2'11" x 6'9-3/4" (35" x 81-3/4")
3'0" x 6'8" (36" x 80")	3'3" x 6'9-3/4" (39" x 81-3/4")

On products with perforated metal that is welded in place, the perforated metal may experience deformation and the item may have areas of insufficient finish.


To prevent oxidation (rust), touch up any scratches, chips, etc. with a quality rust inhibiting paint as soon as possible. In order to maintain a rust free finish, regularly inspect and re-paint as needed. In exposed, damp or coastal areas annual painting is recommended.

**Features**

- Standard size only - No custom sizes  
3'0" x 6'8" (39" x 81-3/4")
- 1" x 1-1/2" x 18 Ga. pre-hung steel mounting frame
- 1" sq. x 18 Ga. steel door frame
- 1/2" sq. x 18 Ga. vertical pickets
- 3/4" sq. x 18 Ga. horizontal pickets
- Double hole lock-box w/ 2-1/8" bore & 2-3/8" backset
- Continuous 1/8" x 3/4" steel lock side "tamper guard"
- Tamper-proof hinges
- 24 Ga. expanded steel mesh for extra security
- Non-handed
- Precision SAFEGUARD packaging - complete with one-way mounting screws

**Standard Finishes**

- Black or white finish with matching expanded steel mesh
- No other color options available for this door






**Features**

- Standard sizes only - No custom sizes  
2'8" x 6'8" (35" x 81-3/4")  
3'0" x 6'8" (39" x 81-3/4")
- 1-1/4" sq. x 18 Ga. pre-hung steel mounting frame
- 1" sq. x 18 Ga. steel door frame
- 3/4" Thick pine wood, colonial pattern with light oak stain insert
- Double hole lock-box w/ 2-1/8" bore & 2-3/8" backset
- Continuous 1/8" x 3/4" steel lock side "tamper guard"
- Tamper-proof hinges
- 24 Ga. perforated steel mesh for extra security
- Non-handed
- Precision SAFEGUARD packaging - complete with one-way mounting screws

**Standard Finishes**

- Bronze - light oak finish with bronze perforated steel mesh
- No other color options available for this door






### Features

- Standard size only - No custom sizes  
3'0" x 6'8" (38-1/2" x 81-1/2")
- 1" sq. x 18 Ga. 3-piece steel mounting frame
- 3/4" sq. x 18 Ga. steel door frame
- 1/2" sq. x 18 Ga. vertical steel pickets
- 1/2" Flat bar horizontal steel pickets
- 1/8" Thick x 1/2" wide steel scroll design
- Double hole lock-box w/ 2-1/8" bore & 2-3/8" backset
- Tamper-proof hinges
- 24 Ga. expanded steel mesh for extra security
- Non-handed
- Precision SAFEGUARD packaging - complete with one-way mounting screws

### Standard Finishes

- Black, bronze or white finish with matching expanded steel mesh
- No other color options available for this door

# REGAL (Series 3818)



### Features

- Standard sizes only - No custom sizes  
2'6" x 6'8" (32-1/2" x 81-1/2")  
2'8" x 6'8" (34-1/2" x 81-1/2")  
3'0" x 6'8" (38-1/2" x 81-1/2")
- 1" sq. x 18 Ga. 3-piece steel mounting frame
- 3/4" sq. x 18 Ga. steel door frame
- 1/2" sq. x 18 Ga. vertical steel pickets
- 1/2" Flat bar horizontal steel pickets
- 1/8" Thick x 1/2" wide steel scroll design
- Double hole lock-box w/ 2-1/8" bore & 2-3/8" backset
- Tamper-proof hinges
- 24 Ga. expanded steel mesh for extra security
- Non-handed
- Precision SAFEGUARD packaging - complete with one-way mounting screws

### Standard Finishes

- Black or white finish with matching expanded steel mesh
- No other color options available for this door

**Features**

- Standard sizes only - No custom sizes  
2'8" x 6'8" (35" x 81-3/4")  
3'0" x 6'8" (39" x 81-3/4")
- 1" sq. x 18 Ga. 3-piece steel mounting frame
- 3/4" sq. x 18 Ga. steel door frame
- 1/2" sq. x 18 Ga. vertical steel pickets
- 1/2" sq. x 18 Ga. horizontal steel pickets
- 1/8" Thick x 1/2" wide steel scroll design
- Double hole lock-box w/ 2-1/8" bore & 2-3/8" backset
- Tamper-proof hinges
- 24 Ga. expanded steel mesh for extra security
- Non-handed
- Precision SAFEGUARD packaging - complete with one-way mounting screws

**Standard Finishes**

- Black or white finish with matching expanded steel mesh
- No other color options available for this door



**Features**


- Standard sizes only - No custom sizes  
2'8" x 6'8" (34-1/2" x 81-1/2")  
3'0" x 6'8" (38-1/2" x 81-1/2")
- 1" sq. x 18 Ga. 3-piece steel mounting frame
- 3/4" sq. x 18 Ga. steel door frame
- 1/2" sq. x 18 Ga. vertical steel pickets
- 1/2" sq. Flat bar horizontal steel pickets
- 1/8" Thick x 1/2" wide steel scroll design
- Double hole lock-box w/ 2-1/8" bore & 2-3/8" backset
- Tamper-proof hinges
- 24 Ga. perforated steel mesh for extra security
- Non-handed
- Precision SAFEGUARD packaging - complete with one-way mounting screws

**Standard Finishes**

- Black, bronze or white with matching perforated steel mesh
- No other color options available for this door









### Features

- Standard size only - No custom sizes  
3'0" x 6'8" (39" x 81-3/4")
- 1-1/4" sq. x 18 Ga. 3-piece steel mounting frame
- 1" sq. x 18 Ga. steel door frame
- 1/2" sq. x 18 Ga. vertical steel pickets
- 1/2" sq. x 18 Ga. horizontal steel pickets
- Two signature aluminum castings
- Double hole lock-box w/ 2-1/8" bore & 2-3/8" backset
- Tamper-proof hinges
- 24 Ga. perforated steel mesh for extra security
- Non-handed
- Precision SAFEGUARD packaging - complete with one-way mounting screws

### Standard Finishes

- Black, bronze or white finish with matching perforated steel mesh
- No other color options available for this door

# DEL SOL (Series 3833)



### Features

- Standard sizes only - No custom sizes  
2'8" x 6'8" (35" x 81-3/4")  
3'0" x 6'8" (39" x 81-3/4")
- 1-1/4" sq. x 18 Ga. 3-piece steel mounting frame
- 1" x 2" x 18 Ga. steel door frame
- 1/2" sq. x 18 Ga. steel pickets
- Double hole lock-box w/ 2-1/8" bore & 2-3/8" backset
- Tamper-proof hinges
- 24 Ga. perforated steel mesh for extra security
- Non-handed
- Precision SAFEGUARD packaging - complete with one-way mounting screws

### Standard Finishes


- Almond, black or white finish with matching perforated steel mesh
- No other color options available for this door

**Features**

- Standard sizes only - No custom sizes  
2'8" x 6'8" (35" x 81-3/4")  
3'0" x 6'8" (39" x 81-3/4")
- 1-1/4" sq. x 18 Ga. 3-piece steel mounting frame
- 1" x 2" x 18 Ga. steel door frame
- 1/2" sq. x 18 Ga. vertical steel pickets
- 1/2" sq. x 18 Ga. horizontal steel pickets
- Three signature aluminum castings
- Double hole lock-box w/ 2-1/8" bore & 2-3/8" backset
- Tamper-proof hinges
- 24 Ga. perforated steel mesh for extra security
- Non-handed
- Precision SAFEGUARD packaging - complete with one-way mounting screws










**Standard Finishes**

- Adobe or almond with matching perforated steel mesh
- No other color options available for this door



# ECONOMY STEEL SECURITY DOORS Standard size security doors

*Economy steel security doors are only available in sizes and finishes listed below*

Name/ Series	Product Line	Description	Name/ Series	Product Line	Description
<b>Monterrey 3836</b> Page 54	<b>G3018</b>	 <p>Available in 3'0" x 6'8" only 1" x 1-1/2" x 18 Ga. pre-hung mounting frame 1" sq. x 18 Ga. steel door frame 1/2" sq. x 18 Ga. vertical pickets 24 Ga. expanded steel mesh Black or white with matching expanded steel mesh</p>	<b>Regent 3801</b> Page 56	<b>G3018</b>	 <p>Available in 2'8" &amp; 3'0" x 6'8" only 1" sq. x 18 Ga. 3-piece mounting frame 3/4" sq. x 18 Ga. steel door frame (5) 1/2" sq. x 18 Ga. vertical pickets 1/8" Thick x 1/2" wide steel scroll design 24 Ga. perf. steel mesh for extra security Black, bronze or white with matching perforated steel mesh</p>
<b>Woodguard 3809-I</b> Page 54	<b>G3018</b>	 <p>Available in 2'8" &amp; 3'0" x 6'8" only 1-1/4" sq. x 18 Ga. pre-hung mounting frame 1" sq. x 18 Ga. steel door frame 3/4" Thick colonial wood pattern 24 Ga. perf. steel mesh for extra security Bronze frame with matching perforated steel mesh and light oak stained wood insert</p>	<b>Flagstaff 3853</b> Page 57	<b>G3018</b>	 <p>Available in 3'0" x 6'8" only 1-1/4" sq. x 18 Ga. 3-piece mounting frame 1" sq. x 18 Ga. steel door frame 1/2" sq. x 18 Ga. pickets 1 Pair Granada castings 24 Ga. perf. steel mesh for extra security Black, bronze or white with matching perforated steel mesh</p>
<b>Valdor 3832</b> Page 55	<b>G3018</b>	 <p>Available in 3'0" x 6'8" only 1" sq. x 18 Ga. 3-piece mounting frame 3/4" sq. x 18 Ga. steel door frame 1/2" sq. x 18 Ga. pickets 1/8" Thick x 1/2" wide steel scroll design 24 Ga. expanded steel mesh Black, bronze or white with matching expanded steel mesh</p>	<b>Del Sol 3833</b> Page 57	<b>G3018</b>	 <p>Available in 2'8" &amp; 3'0" x 6'8" only 1-1/4" sq. x 18 Ga. 3-piece mounting frame 1" x 2" x 18 Ga. steel door frame 1/2" sq. x 18 Ga. pickets in sunburst pattern 24 Ga. perf. steel mesh for extra security Almond, black or white with matching perforated steel mesh</p>
<b>Regal 3818</b> Page 55	<b>G3018</b>	 <p>Available in 2'6", 2'8" &amp; 3'0" x 6'8" only 1" sq. x 18 Ga. 3-piece mounting frame 3/4" sq. x 18 Ga. steel door frame (5) 1/2" sq. x 18 Ga. vertical pickets 1/8" Thick x 1/2" wide steel scroll design 24 Ga. expanded steel mesh Black or white with matching expanded steel mesh</p>	<b>Sedona 3854</b> Page 58	<b>G3018</b>	 <p>Available in 2'8" &amp; 3'0" x 6'8" only 1-1/4" sq. x 18 Ga. 3-piece mounting frame 1" x 2" x 18 Ga. steel door frame 1/2" sq. x 18 Ga. pickets Sedona design top, bottom &amp; center castings 24 Ga. perf. steel mesh for extra security Adobe or almond with matching perforated steel mesh</p>
<b>Orleans 3851</b> Page 56	<b>G3018</b>	 <p>Available in 2'8" &amp; 3'0" x 6'8" only 1" sq. x 18 Ga. 3-piece mounting frame 3/4" sq. x 18 Ga. steel door frame 1/2" sq. x 18 Ga. pickets 1/8" Thick x 1/2" wide steel scroll design 24 Ga. expanded steel mesh Black or white with matching expanded steel mesh</p>			

**Limited warranty on economy security doors is 90 days after delivery.**

