



Product Catalogue

www.aamtech.com.au



Contents

Wash	1-2	Rust Treatment/Prevention	21
Degreasers	3-4	Lubricants	22
Specialty Cleaners / Misc.	5	Thread Sealants & Lockers	23
Cleaning Solvents & Stripper	6	Gasketing	24-25
Metal Cleaners	7	Adhesives & Sealants	26
Polishes & Cutting Compounds	8	Tyre Repair	27
Interior / Exterior Care	9-10	Hand Cleaners	28-29
Glass Treatment	11	Barrier / Repair Creams	30
Coolants	12-13	Sunscreen	31
Additives/Treatments	14-15	Dispensers	32
Fillers	16-17	Hand Cleaner/Skin Care - Application Guide	33
Primers	18		
Paint	19		
Special Coatings	20		



How to Order

PHONE
EMAIL

1800 177 989
sales@aamtech.com.au

Technical Information

For all technical queries such as MSDS sheets or TDS, please contact us on the above number or email.

Catalogue Disclaimer & Terms of Trade

ITW AAMTech makes every effort to maintain the accuracy and quality of the information provided in this catalogue. From time to time, products may be added or deleted from our range as required.

ITW AAMTech cannot guarantee and assumes no legal liability or responsibility for the accuracy or completeness of the information provided. The information contained in this catalogue is for general guidance only. You should neither act, nor refrain from action, on the basis of any such information. You should seek appropriate professional advice on your particular circumstances because the application of our products may vary depending on particular circumstances.

The copyright of all content in this catalogue is owned by ITW AAMTech and/or the various manufacturers of our equipment. No part of the ITW AAMTech catalogue may be changed, reproduced, stored in or transmitted on any website or medium without the prior written permission of ITW AAMTech. Requests to republish any material must be sent to sales@aamtech.com.au.

This catalogue is designed to show the key products across our various brands. Due to contractual or negotiated arrangements, not all products may be available to all customers. Please discuss your situation with your ITW AAMTech Account Manager for approval.

In case of any questions or remarks, feel free to contact us.

Version 1 – August 2015

Wash

CT18 Superwash



Concentrated multi-purpose powerful cleaning gel that breaks down and removes the toughest dirt, mud, grease, oil film, grime, soot and bugs leaving a streak free, sparkling clean finish on all surfaces. CT18 Superwash is excellent for cleaning all types of vehicles, 4WDs, motorcycles, caravans & boats.

Size	Part No.	Ctn. Qty.
1L	CT18-1L	6
5L	CT18-5L	4
20L	CT18-20L	Each
200L	CT18-200L	Each



TW20 Truck Wash



TW20 Truck Wash is a non-toxic, non-caustic, biodegradable heavy duty detergent with a balanced pH and is highly effective in removing dirt, mud, road grime, oil and exhaust soot. Safely cleans paintwork, chrome, rubber, windscreens, fibreglass, aluminium, tarpaulins, vinyl and most washable surfaces and rinses easily.

Size	Part No.	Ctn. Qty.
1L	ATTW1	6
5L	ATTW5	4
20L	ATTW20	Each
200L	ATTW200	Each



EcoWash



EcoWash is an environmentally friendly, pH neutral, rapid emulsion break vehicle wash and water based degreaser. With its **phosphate free** formula, it is suitable for heavy and light duty cleaning of vehicles, marine, farm machinery and equipment. EcoWash is non-hazardous, non-caustic and is safe on paintwork, glass and most washable surfaces.

Size	Part No.	Ctn. Qty.
20L	PFEW-20L	Each
200L	PFEW-200L	Each
1000L	PFEW-1000L	Each



Aqua Flow
Brush
(TWB2.3M)



Ideal for use with 'Wash Products' and attach to standard garden hoses.



Foam Gun (SPRAY-V).

Wash

CT20 Wash'n'Wax



Concentrated, rich gel that has been specially formulated to gently break through the toughest road grime whilst leaving a streak free, mirror like sheen on all vehicles. Contains a special blend of cleaning agents including rust inhibitors and wax to leave a protective coating on the surface.

Size	Part No.	Ctn. Qty.
1L	CT20-1L	6
5L	CT20-5L	4
20L	CT20-20L	Each
200L	CT20-200L	Each



TW22 Wash & Wax



TW22 Truck Wash & Wax is specially formulated to remove the toughest road grime whilst simultaneously adding a wax coating to the surface for protection and shine. It is heavy duty, non-toxic, pH neutral and high foaming. Cleans paintwork, chrome, rubber, windscreens, fibreglass, aluminium, tarpaulins, vinyl and most washable surfaces.

Size	Part No.	Ctn. Qty.
1L	ATWW1	6
5L	ATWW5	4
20L	ATWW20	Each



Blue Heeler



Blue Heeler Truck Wash is a non-toxic, non-caustic, biodegradable detergent with a neutral pH which removes dirt, mud, road grime, oil and exhaust soot. Blue Heeler may safely be used to clean paintwork, chrome, rubber, windscreens, fibreglass, aluminium, tarpaulins, vinyl and most washable surfaces.

Size	Part No.	Ctn. Qty.
5L	ATBH5	4
20L	ATBH20	Each
200L	ATBH200	Each



RL18 Super Blue



The 'original' Super Blue Truck Wash. This biodegradable and solvent-free wash easily removes dirt, mud, oil film and road grime. Safe to use on glass, rubber, aluminium, chrome, vinyl and tarpaulins.

Size	Part No.	Ctn. Qty.
5L	RL18-5L	4
20L	RL18-20L	Each
200L	RL18-200L	Each



Degreasers

CT14 Engine & Bilge Degreaser



Powerful water based degreaser that removes tough grease, oil, dirt and grime from most surfaces. Excellent for use on engines, engine parts, machinery, tools, benches, bikes, motor mowers and bilges. Non-toxic, non-flammable and contains no hydrocarbons.

Size	Part No.	Ctn. Qty.
1L	CT14-1L	6
5L	CT14-5L	4
20L	CT14-20L	Each
200L	CT14-200L	Each



Shock Treatment



Shock Treatment is an economical, biodegradable, non-flammable, water based concentrate degreaser. It is suitable for all types of engines, equipment parts and driveways. Safe to use on plastic, rubber, glass and most metals and alloys.

Size	Part No.	Ctn. Qty.
5L	STR-5L	4
20L	STR-20L	Each
200L	STR-200L	Each



Workshop Degreaser



Ready to use, water based, biodegradable, heavy duty degreaser that converts oil & grease into a water soluble solution. Great in the workshop or home for engines, lube bays, walls & concrete floors.

Size	Part No.	Ctn. Qty.
5L	CWD-5L	4
20L	CWD-20L	Each
200L	CWD-200L	Each



Degrease IT



Degrease-it is a heavy duty concentrated, rapid emulsion break, solvent-free, biodegradable water based degreaser, formulated to remove heavy deposits of grease, oil, dirt and grime from machinery, engines, concrete floors and most badly soiled substrates.

Size	Part No.	Ctn. Qty.
5L	ADDI5	4
20L	ADDI20	Each
200L	ADDI200	Each



Also available - Absorbent Dry Up 20kg Bags (ADDU20).

Ideal for spill clean ups.

Degreasers

Parts Wash



Parts Wash is a solvent cleaner designed for use in industrial parts washers. It will degrease and clean many hard surfaces including metals of most greases, oils and light deposits of gums and varnishes, and then evaporates to dryness. It contains a high flash point (65 degrees Celsius minimum) hydrocarbon solvent to meet the Australian Petroleum Institute standards for use in parts washer equipment requiring AS1940 Class C solvents.

Size	Part No.	Ctn. Qty.
20L	ADPW20	Each



Superclene



Superclene is a heavy duty general purpose, citrus cleaner/degreaser. Its combination of biodegradable natural orange oil extract, surfactants and powerful builders provide excellent cleaning performance for almost any application, including as a degreaser, a heavy duty vehicle wash and for cleaning workshop floors, trawlers and oil rigs.

Size	Part No.	Ctn. Qty.
5L	HSS5	3
20L	HSS20	Each
200L	HSS200	Each



Greasolve



Greasolve is a biodegradable, highly alkaline granular quick-break degreaser designed to remove grease and oil spills from concrete floors. Greasolve is suitable for cleaning garage and workshop floors, driveways and carparks and may also be used in soak-tanks to remove grease and oil from ferrous metal parts.

Size	Part No.	Ctn. Qty.
20Kg	ADG20BX	Each



Degreaser



Degreaser is a 100% active rapid emulsion break solvent based emulsifiable degreasing cleaning fluid suitable for removing grease, oil, dirt and grime from vehicle engines, motorbikes, lawn mowers, turbines, tools, lathes, work benches, lube floors and walls, driveways and boat bilges.

Size	Part No.	Ctn. Qty.
1L	ADD1	6
4L	ADD4	4
20L	ADD20	Each



Oilsolve



Oilsolve Degreaser is a 100% active rapid emulsion break solvent based emulsifiable degreasing cleaning fluid suitable for removing heavy deposits of grease, oil, dirt and grime from vehicle engines, motorbikes, lawn mowers, turbines, tools, lathes, work benches, lube floors and walls, driveways and boat bilges.

Size	Part No.	Ctn. Qty.
20L	ADO20	Each
200L	ADO200	Each



Specialty Cleaners / Misc.

Brake Clean



Heavy duty, fast acting, high solvency formula in a convenient aerosol can. Removes brake dust, oil, grease and contaminants from brake linings, pads and components. Assists in stopping brake squeal and leaves no residue.

Size	Part No.	Ctn. Qty.
400g - Aerosol	CBC-400G	12



Non-Chlorinated Brake & Parts Cleaner



Penetrates, dissolves and removes dirt and oil from brake systems and metal parts. Safer for aluminium. Leaves no contaminant-attracting residue or chlorinated solvent run-off.

Size	Part No.	Ctn. Qty.
14.5oz. - Aerosol	82220	12



AirCon Kleen



Quick and easy to use, one application per treatment. Formulated to deodorise and disinfect the heating, ventilation and air-conditioning system and freshen the vehicles interior by eliminating bacterial and fungal growth.

Size	Part No.	Ctn. Qty.
150g - Aerosol	ACK-150g	12



Wax & Grease Remover



Wax & Grease Remover (Silicone Release) effectively removes silicone, wax, polish, grease, oil, and tar from a vehicle's exterior paintwork. Apply before and after all sanding and prior to painting during the refinishing of a vehicle's paintwork. Prevents the occurrence of fish eyes in the applied paint film with correct use.

Size	Part No.	Ctn. Qty.
1L	ASWG1	6
4L	ASWG4	4
20L	ASSR20	Each



Portasol Portable Toilet Sanitiser



Portasol is a powerful anti-bacterial sanitiser that neutralises and destroys offensive odours in portable toilets. Waste can be disposed into sewerage or septic systems once Portasol has broke down. Ideal for motorhomes, caravans, buses, marine, camping, building sites and outdoor venues.

Size	Part No.	Ctn. Qty.
1L	POR-1L	6
5L	POR-5L	4



Cleaning Solvents & Stripper

All Purpose Thinner

SEPTONE

All Purpose Thinner is formulated for thinning Acrylic and Nitrocellulose Lacquers, Primer Surfacers and other products requiring an Acrylic or Lacquer Thinner.

Size	Part No.	Ctn. Qty.
1L	ASAP1	6
4L	ASAP4	4
20L	ASAP20	Each
200L	ASAP200	Each



Acetone

SEPTONE

Acetone is an extremely versatile solvent and has excellent solvency power for resins, gums, fats, oils, waxes, rubber, plastics, nitrocellulose, paints, lacquers, varnishes, adhesives and rubber cements. Acetone is commonly used in varnish and nail polish removers. It is ideal for a number of solvent and extraction applications. Not suitable for plastic surfaces.

Size	Part No.	Ctn. Qty.
500mL	ASA500	12
1L	ASA1	6
4L	ASA4	4
20L	ASA20	Each



Methylated Spirits & Turps

SEPTONE

Methylated Spirits and Turpentine are general purpose cleaning solvents which may be used for a number of uses around the workshop or home.

Size	Part No.	Ctn. Qty.
4L – Meth's	ASM4	6
20L – Meth's	ASM20	Each
20L - Turps	ASMT20	Each



Paint Stripper

SEPTONE

Paint Stripper is a phenolic based heavy duty paint remover designed especially for the stripping of specialist automotive coatings. Note: Paint Stripper is not recommended for the removal of paint from wooden surfaces and can adversely affect chrome, perspex, rubber and plastic components. Not recommended on fibreglass gelcoats.

Size	Part No.	Ctn. Qty.
500mL	AQPS500	12
1L	AQPS1	6
4L	AQPS4	4



Metal Cleaners

Ali Brite Aluminium Cleaner **SEPTONE**

Ali Brite is a etching type acid cleaner designed primarily for cleaning of aluminium in industrial situations. It is commonly used on aluminium trailer bodies (panttechnicons), aluminium tanks, aluminium bull bars, aluminium dinghies and also effectively cleans stainless steel. Ali Brite removes corrosion products and oxide films with minimal attack on the substrate.

Size	Part No.	Ctn. Qty.
1L	ATA1	6
5L	ATA5	4
20L	ATA20	Each



Blitz



Blitz is a unique formulation specifically designed for the effective cleaning of any aluminium or stainless applications such as intercoolers, turbo chargers, valve covers, radiators, bull bars, dinghies, side steps in part preparation of a high gloss finish. Blitz is safer to use than products containing hydrofluoric acid.

Size	Part No.	Ctn. Qty.
1L	CBZ-1L	6
5L	CBZ-5L	4
20L	CBZ-20L	Each



Hydroclean



Hydroclean is a thickened inhibited hydrochloric acid based cleaner incorporating a surfactant for reduced fuming. As a concrete cleaner, Hydroclean removes concrete residues from concrete truck bowls and associated equipment and removes excess concrete and mortar from brickwork. As a de-scaler, Hydroclean removes excessive scale build up from heat exchangers, boilers, condensers, radiators and associated pipework. Hydroclean is safe for use on any type of steel.

Size	Part No.	Ctn. Qty.
5L	ATHC5	4
20L	ATHC20	Each



Polishes / Cutting Compounds

Metal Polish



Metal Polish is suitable for use on a variety of metal surfaces, such as Chrome, Stainless Steel, Nickel, Brass, Copper and Aluminium. It will clean, polish and help protect the metal surface from staining and oxidation. (Not recommended for use on fine gold and silver)



Size	Part No.	Ctn. Qty.
250g	APMP250g	12
500g	APMP500g	12
4Kg	APMP4	4

Alushine



Alushine cleans, polishes and protects all bare metal surfaces. It has been developed for cleaning and polishing aluminium, stainless steel and chrome and leaves the surface with a protective mirror finish



Size	Part No.	Ctn. Qty.
1L	ALS-1L	6

Mr Buff



Mr Buff is a premium quality paste cutting compound recommended for automotive, marine and general industrial applications. Use Mr Buff on new paints to remove overspray and orange peel or on chalked paints to remove fine scratches and oxidation. Mr Buff removes surface imperfections, and then removes any swirl marks created while cutting to produce a smooth surface ready for polishing to a high gloss final finish. May also be diluted with up to 10% water prior to use if a reduced rate of cut is required.



Size	Part No.	Ctn. Qty.
500g	ACMB500	6
1Kg	ACMB1	6
3Kg	ACMB3	6
5Kg	ACMB5	4
25Kg	ACMB25	Each

Interior / Exterior Care

C-Thru Glass Cleaner



C-Thru is ammonia free and removes smears, finger marks, smog, tobacco tar residues and other soil deposits. It is safe for use on glass windows, windscreens, mirrors, whitegoods, laminated surfaces, chrome and stainless steel surfaces, ceramic tiles and porcelain. C-Thru will not damage paintwork, upholstery or rubber.

Size	Part No.	Ctn. Qty.
750mL Trigger	AVCT750	12
5L	AVCT5	4
20L	AVCT20	Each



Clear Windscreen & Glass Cleaner



Clear is fast acting and dries to a streak-free sparkling finish on surfaces including windscreens, mirrors, headlights, chrome & tinted windows. Clear effectively removes vinyl haze, tobacco film and finger marks on the interior and also removes road grime, smears, insects stains and salt spray on the exterior. Clear can also be used around the home to clean all types of glass.

Size	Part No.	Ctn. Qty.
500mL	CCL-500	12
5L	CCL-5L	4
20L	CCL-20L	Each



Shield Interior Protectant



Shield has been formulated to rejuvenate & protect all types of plastic, vinyl and rubber surfaces in the interior of your car while leaving a pleasant vanilla fragrance. Shield will apply a protective and conditioning coating to help protect the surface from fading or cracking keeping it supple and looking like new. Shield is non oily leaving your dashboards, bumpers, window trims and door panels conditioned & clean.

Size	Part No.	Ctn. Qty.
500mL Trigger	SPV-500M	12
5L	SPV-5L	4
20L	SPV-20L	Each



Detail



Detail is a ready to use, fragranced, all-purpose, non-caustic, spray and wipe cleaner for use on vehicle dashboards, consoles, door trims and upholstery. Detail can be used on most interior or exterior surfaces to remove tough ingrained grime, dirt, dust, finger marks, stains and grease and is excellent for cleaning hard to access areas like door jams, foot wells and under bonnet and boot lids where water rinsing is not practical.

Size	Part No.	Ctn. Qty.
500mL Trigger	CDT-500M	12
20L	CDT-20L	Each



Interior / Exterior Care

Magic Shine

SEPTONE

Magic Shine is a solvent based exterior surface rejuvenator which protects, revives and beautifies leather, vinyl, rubber and plastics by producing a deep wet-look long life gloss that restores the natural shine, feel and colour of the original material.

Size	Part No.	Ctn. Qty.
4L	AVMS4	4
20L	AVMS20	Each



Sheen

Chemtech
MADE TO WORK

Sheen is a clear, concentrated blend of premium silicones and solvents designed to provide a superior shine to tyres, plastic bumpers, mud flaps, plastic grills, mirror backs, rubber and vinyl sun roofs. It dries rapidly, reviving and bringing out the surface colour to an as new condition.

Size	Part No.	Ctn. Qty.
5L	CSH-5L	4
20L	CSH-20L	Each



Armour Cologne

SEPTONE

Armour Cologne is a fragranced surface rejuvenator which protects, revives and beautifies leather, vinyl, rubber, acrylics and plastics by restoring natural shine and colour of the original material. It contains silicone polymers producing a long lasting gloss finish which repels water.

Size	Part No.	Ctn. Qty.
250mL P/Pack	AVAC250	12
750mL Trigger	AVAC750	12
5L	AVAC5	4
20L	AVAC20	Each



Vinyl Shine

SEPTONE

Vinyl Shine protects, revives and beautifies exterior, vinyl, rubber, acrylics and plastics by restoring the natural shine and colour of the original material. Vinyl Shine contains a high level of silicone polymers which produces a long lasting high gloss finish which repels water.

Size	Part No.	Ctn. Qty.
5L	AVVS5	4
20L	AVVS20	Each



Tyre Sheen

SEPTONE

Tyre Sheen silicone-free water-based rejuvenator applies quickly and easily by atomiser spray to tyres. It produces a deep, black, natural appearance to tyres and rubber mudflaps, and revives the appearance of rubber and black vinyl bumper bars.

Size	Part No.	Ctn. Qty.
5L	AVTS5	4
20L	AVTS20	Each



Glass Treatment

Original Glass Treatment



Rain-X® Original Glass Water Repellent dramatically improves wet weather driving visibility by repelling rain. Simply apply the water beading treatment to exterior glass and watch the raindrops fly off the windshield while driving.

Size	Part No.	Ctn. Qty.
103mL	800002245	10
207mL	800002243	12
473mL Trigger	800002250	6
WIPES (25pk)	800002244	6



Glass Cleaner & Rain Repellent



Rain-X® 2-in-1 Glass Cleaner + Rain Repellent improves wet weather driving visibility and is easy to use! The Glass Cleaner applies water beading technology to enhance your driving visibility in one simple step.

Size	Part No.	Ctn. Qty.
680mL Trigger	5071268	6



Windshield Washer Additive



Simply add Rain-X® Washer Fluid Additive to water or any windshield washer fluid to apply Rain-X® technology.

Size	Part No.	Ctn. Qty.
296mL	RX11314	12



Headlight Restoration



Rain-X® Headlight Restoration Kit provides a deep clean to plastic yellowed, hazed headlights with the use of a specially designed polish and sealant. Multi step kit process provides a deeper clean than single step products.

Size	Part No.	Ctn. Qty.
Kit	800001809	6



Anti-Fog Wipes & Liquid



Rain-X® Anti-Fog eliminates and prevents interior fogging and steaming instantly. Ideal for use on mirrors and windows.

Size	Part No.	Ctn. Qty.
103mL	BCAF21112	10
WIPES (25pk)	5077368	6



Coolants

100 Plus Coolant



100 Plus is an organic radiator coolant, pre-mixed to 50% concentrate. Provides MAXIMUM protection for extreme hot & cold weather, towing & increased engine loads, high performance multi valve and turbo / supercharged engines.

- Ready to use with 50% ethylene glycol
- 5 years or 250,000km
- Type A - Organic
- -37°C Anti-Freeze Protection to +129°C Anti Boil Protection
- Corrosion Protection & Silicate, phosphate & amine free

Size	Part No.	Ctn. Qty.
5L – Red	TER1005L	3
5L – Green	TE1005L	3
205L – Green	TE100205L	Each



90 Plus Coolant



90 Plus is an organic radiator coolant, pre-mixed to 33% concentrate. Designed to meet the demands of everyday passenger vehicles where extra cooling system protection is required e.g. towing heavy trailers or caravans or during summer periods.

- Ready to Use with 33% ethylene glycol
- 4 years or 200,000km
- Type A - Organic
- -19° Anti-Freeze Protection to +125° Anti Boil Protection
- Corrosion Protection & Silicate, phosphate & amine free

Size	Part No.	Ctn. Qty.
1L – Red	TE901L	6
1L – Green	TER901L	6
5L – Red	TER905L	3
5L – Green	TE905L	3
20L – Green	TE9020L	Each
205L – Green	TE90205L	Each



60 Plus Coolant



60 Plus is a conventional pre-mixed radiator coolant designed for general purpose use. It will protect against overheating, aluminium corrosion, general rust, heat transfer loss, and rubber hose breakdown. Formulated to meet the demands of normal passenger vehicles under light to normal driving conditions.

- Ready to Use
- 3 years or 60,000km
- Type B - Conventional
- -2°C Anti-Freeze Protection to +122°C Anti Boil Protection
- Corrosion Protection

Size	Part No.	Ctn. Qty.
1L	TEG1L	6
5L	TEG5L	3



Coolants

Xtra Cool Gold Corrosion Inhibitor



Xtra Cool Gold corrosion inhibitor concentrate is formulated using the latest technology to provide optimum long life protection to aluminium alloys & all other metals used in the modern cooling system. Xtra Cool Gold may also be diluted using tap water and its concentrated formula makes up to 15 litres with 1L of product. Suitable for use in all vehicles not requiring anti-freeze protection. (Petrol & diesel)

- 1L makes up to 15 litres
- Type B - Organic
- 3 years / 60,000 km life span if diluted with tap water
- 3 years / 100,000 km life span if diluted with demineralised water
- Corrosion Protection & Silicate, phosphate & amine free

Size	Part No.	Ctn. Qty.
1L – Green	TEXG1L	6
1L – Red	TEXGR1L	6
20L – Green	TEXG20L	Each
20L – Red	TEXGR20L	Each
205L – Green	TEXG205L	Each



Xtra Cool Corrosion Inhibitor



XTRA COOL is a general purpose corrosion inhibitor concentrate. Keeps cooling water clean and rust free. Reduces corrosive attack on aluminium and cast iron. Will not harm radiator hoses.

- Type B - Conventional
- 2 years / 40,000 km life span
- 500mL treats up to a 10 litre system
- Corrosion Protection & Silicate, phosphate & amine free
- For vehicles requiring a glycol based coolant use Tectaloy Anti-Freeze Anti-Boil Long Life Concentrate Coolant

Size	Part No.	Ctn. Qty.
500mL	TEX500	12
20L	TEX20L	Each



Anti-Freeze Anti-Boil



Anti-Freeze Anti-Boil is an advanced blend of second generation organic inhibitor technology offering maximum protection for your cooling system. Recommended for all vehicles including petrol, diesel, gas, supercharged, turbocharged, and stationary engines particularly where the vehicle manufacturer specifies an anti-freeze / glycol concentration of between 25% to 50%.

- Type A - Organic
- 5 years or 250,000km
- -37° Anti-Freeze Protection to +129° Anti Boil Protection
- Corrosion Protection & Silicate, phosphate & amine free

Size	Part No.	Ctn. Qty.
1L – Green	TEAFG1L	6
5L – Green	TEAFG5L	3
5L – Red	TEAFR5L	3
20L – Green	TEAFG20L	Each
20L – Red	TEAFR20L	Each
205L – Green	TEAFG205L	Each



Additives/Treatments

MuKowt Radiator Flush



Maximise coolant performance & service life by cleaning & preconditioning your cooling system before refilling. With its gentle action alkaline solution, it is ideal for use to remove oil & sludge. Safe to use with alloys.



Size	Part No.	Ctn. Qty.
500mL	TE610	6

Radiator Stop Leak



Radiator Stop Leak is a premium water-based formula that prevents and seals external leaks in the cooling system and prevents head gasket seepage. This low viscosity product works fast but will not clog. Its buffered inhibitors help prevent corrosion. A sealing agent lubricates the water pump, which can improve efficiency, and prolong pump life.



Size	Part No.	Ctn. Qty.
325mL	68650	12

Petrol or Diesel Injector Cleaner



In order for a vehicle to perform as it was intended, it is essential that the injectors remain clean and free of build-up. Deposits on the fuel injectors can accumulate rapidly due to poor fuel quality. These deposits can adversely affect the ideal spray pattern from the injector nozzle, which is essential for optimum vehicle performance. These build-ups directly affect the engine power, fuel consumption, emissions (black smoke) and the general performance of the vehicle. Wynn's Injector Cleaners have been formulated to clean dirty injectors. Choose from either our petrol or diesel versions:-



Size	Part No.	Ctn. Qty.
325mL – Petrol	77218	12
325mL – Diesel	35318	12

Petrol or Diesel Complete Cleaner



Today's vehicles have sophisticated fuel systems to achieve their optimal performance, reduce fuel consumption and emissions. These highly tuned fuel systems are more susceptible to fouling from gums and varnishes that form during every day driving. Like cholesterol on the artery, this harmful fouling turns to carbon and builds up in fuel injectors, intake valves and combustion chambers which hinder engine performance & diminish the overall driveability of the car. Wynn's Complete Fuel System Cleaner has been formulated utilising the latest Wynn's global technology to totally clean, protect & lubricate the entire fuel system to keep the heart of your vehicle operating at peak performance.



Size	Part No.	Ctn. Qty.
325mL – Petrol	72018	12
325mL – Diesel	35018	12

Additives/Treatments

Engine Flush



With time even the best engine oil deteriorates and contaminates the engine with gums and varnish deposits that a simple oil change just cannot remove. Any new oil may be compromised and be contaminated by deposits left behind. Wynn's Engine Flush has been formulated to gently dissolve and remove internal engine contaminants by suspending them in a high level of dispersants. The non-solvent formula assures maximum drainage of the contaminants with the used oil, thereby minimising new oil contamination.

Size	Part No.	Ctn. Qty.
325mL	51621	12



Diesel Power



Diesel Power fuel additive has been specifically formulated to boost engine performance, improve fuel economy, clean injectors, reduce exhaust emissions, reduce engine corrosion, inhibit growth of algae and bacteria and improve fuel storage stability.

Size	Part No.	Ctn. Qty.
300mL	CDP-300M	12
1L	CDP-1L	6
5L	CDP-5L	3
20L	CDP-20L	Each
200L	CDP-200L	Each



Petrol Power



Petrol Power fuel additive has been specifically formulated to restore engine performance, improve fuel economy, clean injectors and keep them clean, reduce exhaust emissions, prevent formation of stable fuel-water emulsion, engine corrosion protection, inhibit growth of algae and bacteria, disperse insoluble gums and improve fuel storage stability.

Size	Part No.	Ctn. Qty.
300mL	CPP-300M	12



Motor Muscle Choke & Cleaner

Motor Muscle Carb & Choke Cleaner is a blend of solvents specifically formulated to dissolve and clean the residue deposited on carburetors and chokes during the normal operation of a motor vehicle or other petrol engine powered equipment. OEM certified. Oxygen sensor-safe. Improves engine performance. Suggested Applications: Manual and automatic chokes, baffle plates, air intakes, carburettor linkages, heat risers & PCV valves.

Size	Part No.	Ctn. Qty.
16oz	80079	12



Fillers

Edge™ UltraSand



Ultra Sand premium quality body filler has unparalleled sanding qualities as a result of the patent pending formula. Minimal sanding using 80 grit and its exceptional self-levelling ultra smooth finish, reduces repair cycle time and eliminates the need for putty from the repair process, saving cost and increasing productivity. It provides ultra superior adhesion over a wide range of substrates including steel, galvanised & zinc coated steel, SMC, aluminium and fibreglass (cosmetic repairs only).

Size	Part No.	Ctn. Qty.
3L	ABEUS3	4



Edge™ RapidSand



Rapid Sand is a quality lightweight body filler. It has been formulated for easy application and a self-levelling smooth finish reducing panel repair time and abrasives costs. Rapid Sand provides excellent adhesion across a wide range of substrates, including steel, galvanised & zinc coated steel, SMC, aluminium and fibreglass (cosmetic repairs only).

Size	Part No.	Ctn. Qty.
3L	ABERS3	4



Edge™ LightSand



Light Sand Body Filler is a lightweight body filler designed for smooth spreading and easy sanding. It's non-clog formula delivers great value in sandpaper savings. It is suitable for use over steel, galvanised & zinc coated steel, SMC, aluminium and fibreglass (cosmetic repairs only).

Size	Part No.	Ctn. Qty.
3L	ABELS3	4
15Kg	ABELS15	Each



Edge™ Finishing Putty



UltraSand Finishing Putty is a polyester putty for use as a finishing coat over body filler, large panels, or small spot filling. UltraSand is formulated to provide superior sanding properties, it sands with 180 grit but removes 20% more. UltraSand provides ultra adhesion to galvanised steel, aluminium, steel, fibreglass and sanded OEM paint.

RapidSand Finishing Putty is a polyester finishing and blending putty consisting of a unique formula providing optimum sanding performance. It is ideally suited for filling and skim coating body work, pinholes, grind marks, low spots and other surface imperfections. It provides excellent adhesion to galvanised steel, aluminium and steel and can be applied directly to sanded OEM clearcoat for small repairs.

Size	Part No.	Ctn. Qty.
473mL	RapidSand ABERSP473	6
473mL	UltraSand ABEUSP473	6



Fillers

Glass Fibre Filler

SEPTONE

Glass Fibre Filler is an easy to use fibre reinforced polyester putty, formulated to bridge holes up to 50mm in diameter in rusted metal panels in motor vehicles, caravans, trailers and boats and in guttering. Glass Fibre Filler is fast setting, exhibits maximum adhesion to metal with excellent resistance to shrinkage and is waterproof when fully cured.

Size	Part No.	Ctn. Qty.
500g	ABGF500	6
1Kg	ABGF1	6
3Kg	ABGF3	6
5.5Kg	ABGF55	4



Fibreglass Repair Kit

SEPTONE

Suitable for a variety of repairs including: Automotive, Marine and Home.

Repairs performed with this kit are waterproof, weather resistant, rot proof and unaffected by marine growth, borers and worms.

Size	Part No.	Ctn. Qty.
Kit	ABFR	10



Metal Tech

SEPTONE

Metal Tech is a stainless steel and fibreglass reinforced patching compound designed for use in the repair of holes, cracks, dents and rust outs in motor vehicles, caravans, trailers, boats and guttering. It is dependable and easy to use and adheres strongly to metal and aluminium panels, fibreglass, wood, plaster, masonite etc.

Size	Part No.	Ctn. Qty.
500g	ABMT500	6
1Kg	ABMT1	6
3Kg	ABMT3	6



Spray Putty

SEPTONE

Spray Putty is a quick drying putty designed to be applied over Primer Surfacer. It displays high build properties permitting easy filling of small indentations sand paper marks scratches and file marks. Spray Putty resists shrinkage and can be sanded with ease.

Size	Part No.	Ctn. Qty.
400g - Aerosol	AASP400	12
1L	ARSP1	6
4L	ARSP4	4



Primer Surfacer



Primer Surfacer is a fast drying single pack primer surfacer designed for spot and panel repairs to motor vehicles and for complete resprays of motor vehicles with enamel or acrylic lacquers. It exhibits excellent build and sanding properties, with excellent adhesion to bare metal and good holdout under enamels and acrylic lacquers. Suitable substrates to which Primer Surfacer may be applied include OEM paints, fibreglass, body fillers and Etch Primer. (Difficult metals will require an initial coat of Etch Primer).



Size	Part No.	Ctn. Qty.
400g - Aerosol	AAPS400	12
1L	ARPS1	6
4L	ARPS4	4

Primer Filler



Primer Filler has been designed to be used under acrylic lacquer, nitrocellulose and enamel paint systems. It offers excellent build and sanding qualities as well as first-class adhesion to bare metal (however the use of etch primer is advised over difficult metals such as aluminium and zinc.) May also be used over polyester body filler, fibreglass etc.



Size	Part No.	Ctn. Qty.
400g - Aerosol	AAPF400	12
1L	ARPF1	6
4L	ARPF4	4

Etch Primer



Etch Primer is a single pack acid etch zinc phosphate primer. It provides excellent adhesion to most metals including mild steel, aluminium, zinc anneal, galvanised iron, stainless steel, lead, brass and copper. It provides excellent anti-corrosive properties and is chromate free.



Size	Part No.	Ctn. Qty.
400g - Aerosol	AAEP400	12
1L	ARSEP1	6

Plastic Adhesion Primer



Plastic Adhesion Primer is a clear, rapid drying adhesion promoter suitable for unpainted plastic components. It is ideal for use on most plastic automotive body parts and other non-automotive plastic components. Do not use on soft vinyl surfaces.



Size	Part No.	Ctn. Qty.
400g - Aerosol	AAPP400	12

Paint

Liquid Chrome



A bright reflective chrome finish in the convenience of a spray can. No primer required and resists rain and water splash. Suitable for truck and trailer wheels, bull bars, bikes, chassis and most metal surfaces.

Size	Part No.	Ctn. Qty.
400g – Aerosol	CLC-400G	12




Hammer Finish



Hammer Finish is a self-priming, rapid drying hammered metal look paint. It is suitable for interior and exterior applications on both metal and timber surfaces. Once applied, it provides a tough, durable, anti-corrosive finish that is both decorative and hides surface imperfections.

Size	Part No.	Ctn. Qty.
400g – Aerosol - Blue	AAHFB400	12
400g – Aerosol - Charcoal	AAHFC400	12
400g – Aerosol - Silver	AAHFS400	12
1L – Blue	AFHFB1	6
1L – Charcoal	AFHFC1	6
1L – Silver	AFHFS1	6
4L – Blue	AFHFB4	4
4L – Charcoal	AFHFC4	4
4L – Silver	AFHFS4	4



Gloss Paint Acrylic



Acrylic Gloss paint is a fast drying acrylic finish, designed to be used on motor vehicles for small touch-ups and repairs. It may safely be used over properly prepared substrates like degreased and well sanded acrylic lacquer, 2-Pack enamels, Primer Surfacer and Primer Filler. Forms a high initial gloss and polishes to a deep full gloss finish. Produces a hard and durable finish. Available in: White, Black and Topcoat Clear.

Size	Part No.	Ctn. Qty.
400g – Aerosol - White	AAGW400	12
400g – Aerosol - Black	AAGB400	12
400g – Aerosol - Clear	AAAC400	12



Chassis Black



Chassis Black is an anti-corrosive black bituminous coating for the undercarriages of motor vehicles, caravans and trailers, for iron roofs, for guttering and for metal structures. It confers waterproofing and sound deadening properties to the coated surfaces.

Size	Part No.	Ctn. Qty.
1L	AUCB1	6
4L	AUCB4	4



Special Coatings

Flexcote



Flexcote is a waterproof, anti-corrosive, noise suppressing black bituminous compound designed for application by spray to the underside of motor vehicles. Flexcote may also be used as a coating for iron roofs, fibre roofs, inside guttering, downpipes, water tanks and on metal structures. Flexcote is also suitable for damp-proofing concrete and masonry walls, above and below ground, where no hydrostatic pressure exists.



Size	Part No.	Ctn. Qty.
1L Tall	AUF1T	6
4L	AUF4	4
20L	AUF20	Each

Bumper & Trim Paint 1L



Bumper & Trim Paint is a flexible self priming paint for bumpers and other rigid plastic components. Not suitable for use on rubber and soft surfaces such as vinyl.



Size	Part No.	Ctn. Qty.
1L	ARBT1	6

Stoneshield



Stone Shield is a heavy bodied, water based elasticised coating which provides excellent resistance against stone chip damage to the lower body sections of motor vehicles. Once dry, Stone Shield forms a durable, flexible coating with a high opacity stippled coloured surface finish which is ready to be top coated with the appropriate finish coats. Solvent based aerosol also available.



Size	Part No.	Ctn. Qty.
400g – Solvent Based Aerosol - Black	AASB400	12
400g – Solvent Based Aerosol - Grey	AASG400	12
1L – Water Based - Black	AUSB1T	6
1L – Water Based - White	AUSW1T	6



Body Deadener



Body Deadener is a waterproof, anti-corrosive, noise suppressing black bituminous compound designed for application to the undercarriages of motor vehicles. Body Deadener may also be used as a coating for iron roofs, fibre roofs, inside guttering, downpipes, water tanks and on metal structures. Body Deadener is also suitable for damp-proofing concrete and masonry walls, above and below ground, where no hydrostatic pressure exists. Once dry, Body Deadener forms a durable, flexible, weather-resistant barrier.



Size	Part No.	Ctn. Qty.
400g - Aerosol	AABD400	12
1L	AUBD1	6
4L	AUBD4	4

Rust Treatment / Prevention

Rust Shield



Rust Shield is a heavy duty corrosion preventative coating formulated to comply with AS2662, Part 1 - 1983 - Corrosion inhibition (Rust Proofing) - Motor Vehicles. Suitable for floor pans, firewalls, chassis members and wheel arches etc. of 4WD motor vehicles, caravans and trailers. It is a heavy bodied, waterproof, anti-corrosive, noise suppressing black compound fortified with bitumen, waxes and corrosion preventatives. Once dry it forms a durable, flexible coating with a stippled surface finish that provides excellent resistance against stone chip damage.

Size	Part No.	Ctn. Qty.
400g	AARS400	12
1L - Tall	AURU1T	6
4L	AURU4	4
20L	AURU20	Each



Rust Proof



Rust Proof is a heavy duty corrosion preventative coating. It is designed to inhibit the formation of rust in internal box sections, door cavities, sills and pillars of motor vehicles. Rust Proof penetrates through rust to give the parent metal protection from further rusting.

Size	Part No.	Ctn. Qty.
1L - Tall	AURP1T	6
4L	AURP4	4
20L	AURP20	Each



Fish Oil Rust Prevention



Fish Oil is a deodorised corrosion preventative designed to inhibit the formation of rust in internal box sections, door cavities, sills and pillars of motor vehicles, as well as on structural steel, railings, gates, bridges, pontoons and for the protection of welds.

Size	Part No.	Ctn. Qty.
400g - Aerosol	AAFO400	12
1L - Tall	AUFO1T	6
1L	AUFO1	12
4L	AUFO4	4
20L	AUFO20	Each



Rust Converter



Rust Converter is a phosphoric acid based rust converter used as a pre-painting treatment for converting surface rust (iron oxide) into iron phosphate, which forms an ideal base for further protective coatings. Rust Converter may be used on rusted galvanised roofs or surfaces, structural steel, automotive panels, or rusted nuts and bolts and hand tools.

Size	Part No.	Ctn. Qty.
50mL	AUR250	24
500mL	AUR500	6
1L	AUR1	6
4L	AUR4	4



Lubricants

Anti-Seize Lubricant



A heavy duty blend of aluminium, copper and graphite lubricants in a petroleum base. Use during assembly to prevent galling, corrosion and seizing and to assure easier disassembly. Inert, will not evaporate or harden in extreme temperatures. Salt, corrosion and moisture resistant. Temperature range -51°C to 871°C.

Size	Part No.	Ctn. Qty.
8.5oz Aerosol	PX81464	12



Nickel Anti-Seize



Protects metal parts from seizing and galling at temperatures up to 1,316°C. Copper-free, use under conditions of extreme pressure and temperature, and with stainless steel, titanium and nickel alloys.

Size	Part No.	Ctn. Qty.
16oz	PX77164	10



Copper Anti-Seize



A premium quality copper anti-seize and thread lubricant that may be used to prevent seizing, corrosion and galling where high temperature conditions exist. Temperature range -34°C to 982°C. Provides good electrical conductivity.

Size	Part No.	Ctn. Qty.
16oz	PX31163	12



Disc Brake Quiet



Stops brake squeal by dampening vibration at calliper/brake pad interface. Provides tighter fit and allows for easier disassembly. Protects against corrosion. Compatible with anti-lock brake systems. This product contains an elastomeric polymer for use with brake pads not having anti-squeal shims. Suggested Applications: Automotive disc brakes, outboard and inboard pads for disc braking systems, disc brake pads without anti-squeal shims

Size	Part No.	Ctn. Qty.
9oz Aerosol	PX80077	12



Truck & Farm Grease



Multi-purpose lubricant for bearings & chassis points. Withstands wash-out, shock loading & pound-out. Protects truck, farm, marine, industrial & mining equipment.

Size	Part No.	Ctn. Qty.
450g	TNF-450g	20



Thread Sealants & Lockers

High Temp Thread Sealant



OEM specified. Locks and seals threaded fittings. Resists leakage, vibration loosening, moisture, hydraulic fluids and diesel fuels. Lubricates threads for easy assembly and disassembly. Parts may be repositioned up to 4 hours after application. Temperature range from -54C to 204C. Contains PTFE. **Suggested Applications:** Head bolts into through holes, oil PSI sending units and sensors, oil and coolant lines, fuel fittings, rear axle fill plug, brake and power steering fittings



Size	Part No.	Ctn. Qty.
6mL	PX59214	12
50mL	PX59235	6

High-Performance Thread Sealant



OEM specified. Formulated specifically for metal, tapered pipe thread fittings, it replaces Teflon tape and pipe dopes. Cures rapidly to withstand 10,000 PSI. Prevents galling and protects mated threaded areas from rust and corrosion. Contains PTFE. **Suggested Applications:** Stainless steel fittings, head bolts into through holes, oil PSI sending units/sensors, oil and coolant lines, intake manifold switches, rear axle fill plug, fuel fittings



Size	Part No.	Ctn. Qty.
50mL	PX56521	6

Permanent Strength T/L Red



A permanent, high strength threadlocker that is applied to fasteners 3/8 inch to 1 inch (10mm to 25mm) in size before assembly. Designed for securing parts that must withstand heavy shock, vibration, or extreme chemical or environmental conditions. Localized heating and hand tools are required to separate parts. Mil-Spec (S-46163A) Type II, Grade O.



Size	Part No.	Ctn. Qty.
10mL	PX26210	6

High Strength T/L Red Gel



High strength threadlocker for heavy-duty applications. Ideal for all nut and bolt applications 3/8 inch to 1 inch (10mm to 25mm). Especially well-suited for permanently locking studs. Locks against vibration loosening. Requires extra effort or special tools for removal.



Size	Part No.	Ctn. Qty.
10g	PX27010	6

Medium Strength T/L Blue Gel



All-purpose, medium strength threadlocker. Ideal for all nut and bolt applications 1/4 inch to 1 inch (6mm to 25mm). Locks and seals while preventing parts from loosening due to vibration. Protects threads from corrosion. Removable with hand tools for easy disassembly.



Size	Part No.	Ctn. Qty.
10g	PX24010	6

Gasketing

The Right Stuff



Heavy-bodied, black, elastomeric rubber provides instant seal. Superior flexibility and adhesion accommodates joint movement. Excellent oil and transmission fluid resistance. Non-corrosive. Low odour. Low volatility. Temperature range of 59°C to 232°C continuous, 260°C intermittent. **Suggested Applications:** Automotive and marine gaskets, valve covers, gearbox covers, pumps, compressors, oil pans, thermostat housings, water pumps



Size	Part No.	Ctn. Qty.
5oz Cartridge	PX29206	6
10oz Cartridge	PX33694	6
7oz Power Can	PX25224	6

Ultra Grey



OEM specified. Designed for high-torque and high vibration applications. Ultra Grey exceeds manufacturers' performance requirements. Non-corrosive and low-odour. Maximum vibration resistance, with outstanding resistance to oils, cooling and shop fluids. Guaranteed not to leak. Temperature range -54°C to 260°C intermittent. **Suggested Applications:** Valve covers, oil pans, intake manifold end seals, timing covers, water pumps, thermostat housings



Size	Part No.	Ctn. Qty.
3.5oz tube	PX89145	12
13oz	PX82195	6

Ultra Blue



OEM specified. Sensor-safe, low odour, non-corrosive. Outstanding oil resistance and joint movement values. Temperature range -54°C to 260°C intermittent; resists auto and shop fluids and vibration. **Suggested Applications:** Valve covers, oil pans, timing covers, transmission pans, differential covers



Size	Part No.	Ctn. Qty.
3.5oz	PX87724	12
9.5oz Can	PX85519	6

Ultra Black



OEM specified. Fast-curing formula. Sensor safe, low odour, non-corrosive. Meets performance specs of OE silicone gaskets. Retains high flexibility, oil resistance properties through use of a patented adhesion system. Temperature range -54°C to 260°C intermittent; resists auto and shop fluids and vibration. **Suggested Applications:** Valve covers, oil pans, intake manifold end seals, timing covers, transmission pans



Size	Part No.	Ctn. Qty.
3.5g	PX82180	12

Ultra Copper



OEM specified. Highest operating temperatures for 4-cylinder, turbocharged or high-performance engines. Sensor-safe, low odour, non-corrosive. Superior adhesion. Temperature range -59°C to 371°C intermittent; resists auto and shop fluids and vibration. **Suggested Applications:** Exhaust manifolds/ headers, valve covers, oil pans, timing covers, water pumps, thermostat housings



Size	Part No.	Ctn. Qty.
3oz	PX81878	12

Gasketing

High Temp Red



OEM specified. Formulated for hi-temp applications, or heavy-duty use (such as towing, etc.). Replaces almost any cut gasket by making reliable formed-in-place gaskets that resist cracking, shrinking and migrating caused by thermal cycling. Coats pre-cut gaskets to increase reliability. Temperature range -54°C to 343°C intermittent; resists auto and shop fluids. First generation 1970-1980 gasket maker.

Suggested Applications: Valve covers, oil pans, timing covers, water pumps, thermostat housings, transmission pans

Size	Part No.	Ctn. Qty.
3oz	PX81161	12



Sensor Blue RTV Silicone Gasket



Formulated for oxygen sensor equipped engines. First generation 1970-1980 gasket maker. Temperature range of -54°C to 343°C intermittent; resists auto and shop fluids.

Suggested Applications: Valve covers, oil pans, timing covers, water pumps, thermostat housings, transmission pans

Size	Part No.	Ctn. Qty.
3oz	PX80022	12
12.9oz	PX80628	12



Anaerobic Flange Sealant



Flexible, gasketing material for use on rigid machined flanges with less than .015" gap. OEM approved use where OEs specify anaerobic gasket (cures in the absence of air). Withstands temperatures to 149C. Eliminates preformed, pre-cut, paper, rubber and cork gaskets. Flexes with flanges that move in service.

Suggested Applications: Water pumps, thermostat housings, transmission pans, transmission case covers, trans-axle casings, O-ring replacement

Size	Part No.	Ctn. Qty.
50mL	PX51531	10



Aviation Form-a-Gasket



Non-hardening liquid gasket sealant/dressing/coating is a thin, brushable dressing or sealer for close-fitting parts. Suitable for continuous temperatures to 400°F (204°C). Resistant to antifreeze, aviation fuels, high-detergent oils and lubricants. Conforms to MIL-S-45180 D, Type III.

Suggested Applications: Close-fitting machined surfaces, sealing hoses, solid gaskets

Size	Part No.	Ctn. Qty.
2oz	PX80018	12
16oz	PX80017	12



Adhesives & Sealants

Contact Adhesive



Contact Adhesive permanently bonds a wide range of surfaces, including vehicle upholstery, weather strips, leather, vinyl, canvas, rubber, glass, timber, MDF and particle board, cork, laminates, ceramic, vinyl flooring and urethane foam etc. This product is heat and water resistant.



Size	Part No.	Ctn. Qty.
350g - Aerosol	AACA400	12
250mL	AMCA250	6
500mL	AMCA500	6

Rear View Mirror Adhesive



Approved and used by GM, Ford and Daimler-Chrysler. Permanently remounts mirrors to windshields. Achieves handling strength in seconds; mirror-mounting strength in 15 minutes. Available in single and multi-applications. ODC-free.



Size	Part No.	Ctn. Qty.
2 Part Kit	PX81844	12

Carpet Adhesive



High-strength spray adhesive designed for repairing interior parts which have become detached or loosened. VOC compliant, it bonds foam, fabrics, plastics, rubbers, and other automotive materials. Resistant to extreme weather conditions. Water-resistant. Dries clear. High temperature formula. Level 3* **Suggested Applications:** Headliners, carpets, trunk linings and inside door panels



Size	Part No.	Ctn. Qty.
17oz - Aerosol	PX07828	6

Black Silicone Adhesive



General-purpose, black RTV indoor/outdoor sealant. Seals, bonds, repairs, mends and secures glass, metal, plastics, fabric, vinyl, weather stripping and vinyl tops. Protects and repairs electrical wiring. Waterproof and flexible. Temperature range -75F to 450F (-59C to 232C); resists oil, water, weather, vibration, grease. **Suggested Applications:** Windshields, door frames, electrical connections, seams and roofs.



Size	Part No.	Ctn. Qty.
3oz Tube	PX81158	12
12.9oz Cartridge	PX81173	12

Windscreen Sealant



Windscreen Sealant is a soft, non-hardening joint sealing compound which forms a tough skin but remains permanently soft and flexible beneath. It may be used for both exterior and interior applications as a waterproofing and dust-proofing sealant and is capable of withstanding joint movements of up to 2%. **CAUTION:** Windscreen Sealant is not recommended to bond replacement windshields.



Size	Part No.	Ctn. Qty.
500g	AMWS500	12

Tyre Repair

Slime Tube Sealant



Slime Tube Sealant prevents and repairs flat tyres caused by punctures up to 3mm in diameter and is suitable for all bicycle tube tyres. Its non-toxic, non-corrosive, non-flammable, water soluble formula remains liquid and will not dry out. As the tube rotates it pushes the sealant to the tread area creating a protective layer, repairing punctures as they occur.

Size	Part No.	Ctn. Qty.
16oz	10004	6



Slime Tire Sealant



Tubeless automotive tyre sealant for all tyres and is TPMS safe. Instantly and repeatedly repairs tread area punctures up to 6mm in diameter for up to 2 years. Non-toxic, non-corrosive, non-flammable and water soluble.

Size	Part No.	Ctn. Qty.
16oz	10011	6
32oz	10009	6



Smart Spair



Two-step repair process, fill with slime, replace the valve core and inflate tyre. Smart Spair is for standard tyres and stores easily. The slime sealant seeks out and repairs tread area punctures up to 6mm in diameter repeatedly. Tyre inflator included.

Size	Part No.	Ctn. Qty.
Kit	40013	3



Quick Spair



Quick Spair is a single use solution for safe emergency tyre repair. It seals punctures up to 4.8mm and inflates the tyre in seconds without the need for a jack, spare tyre or any tools. (Treated tyre to be repaired within 3 days or 160km after use). 500mL pack size suits standard tyres, 600mL suits larger tyres.

Size	Part No.	Ctn. Qty.
500mL	60089	6
600mL	60090	6



Hand Cleaners

Protecta® Grit

SEPTONE®

Protecta® Grit is a premium quality extra heavy duty hand cleaner formulated to remove grease, oil, metal dust, carbon black, coal dust and most industrial soils. Protecta® Grit's blend of hydrocarbon solvents, surfactants and natural pumice abrasive provides an exceptionally fast working cleaning ability. Protecta® Grit contains lanolin, aloe vera, Vitamin E and jojoba oil for added skin protection and moisturising. Protecta® Grit is silicone-free.

Size	Part No.	Ctn. Qty.
500g	IHPG500	12
4L - Tin	IHPG4	4
4L - Cartridge	IHPG4L	2
8L - Cartridge	IHPG8L	2
20Kg	IHPG20	Each



Protecta® Pink

SEPTONE®

Protecta® Pink is a premium quality heavy duty hand cleaner formulated to remove grease, oil, metal dust, carbon black, coal dust and most industrial soils. Protecta® Pink's blend of hydrocarbon solvents and surfactants provides an exceptionally fast working cleaning ability. Protecta® Pink contains lanolin, aloe vera, Vitamin E and jojoba oil for added skin protection and moisturising. Protecta® Pink is silicone-free.

Size	Part No.	Ctn. Qty.
500g - Refill	IHPP500R	12
500g - Pump	IHPP500D	12
4L	IHPP4	4
20Kg	IHPP20	Each



Orange Scrub

SEPTONE®

Orange Scrub is a heavy duty hand cleaner containing high quality citrus oils and a fast working pumice abrasive. It is designed to remove most industrial soils including dirt, mud, dusts, coal dusts, oils, greases and solvents. Orange Scrub contains no petroleum solvents and is pH controlled to more closely match that of the skin. It contains added moisturisers to help prevent dry skin and is silicone-free.

Size	Part No.	Ctn. Qty.
500g	IHOS500	12
2.5L	IHOS2	3
5L	IHOS5	4
20L	IHOS20	Each



Eliminator

SEPTONE®

Eliminator is a specialty hand cleaner designed specifically to remove paints, adhesives and other resin based products including acrylics, enamels, urethanes, epoxies, 2 Pack paints, marine and household paints, varnishes & stains, polyester and epoxy resins, sealants and adhesives. Eliminator contains fast working pumice and a lanolin derivative also provides natural moisturising and super-fattening to the skin.

Size	Part No.	Ctn. Qty.
500mL	IHPE500	12
4L	IHPE4	4



Hand Cleaners

Citra Scrub



Citra Scrub is a heavy duty, waterless hand cleaner containing citrus oil, formulated to remove most industrial soils including dirt, dust, mud, oil, grease, solvents and coal dust. It contains spherical scrubbers to gently remove ingrained soils with added moisturisers to help prevent dry skin. Citra Scrub is silicone free.

Size	Part No.	Ctn. Qty.
500mL	IHCS500	12
4L	IHCS4	4
4L - Cartridge	IHCS4L	2
8L - Cartridge	IHCS8L	2
20Kg	IHCS20	Each



Protecta® Gold



Protecta® Gold is a solvent free heavy duty hand cleaner which has been formulated for low skin irritancy with the addition of scrubbers to gently clean hands just as efficiently as traditional solvent based hand cleaners. It removes most industrial soils, including dirt, mud, dusts, coal dusts, oils, greases and solvents. Protecta® Gold is silicone free and may be used in hard water, sea and bore water. Regular use of Protecta® Gold helps prevent industrial dermatitis.

Size	Part No.	Ctn. Qty.
4L - Cartridge	IHGO4L	2
5L - Pump	IHGO5	4
20L	IHGO20	Each



Nature Clean



Nature Clean is a solvent free water based hand cleaner designed to remove most industrial soils, including dirt, mud, dusts, coal dusts, oils, greases and solvents. Nature Clean is silicone free and may be used in hard water, sea and bore water. It contains spherical scrubbers to gently remove ingrained dirt and with regular use Nature Clean helps prevent industrial dermatitis.

Size	Part No.	Ctn. Qty.
500mL	IHNC500	12
5L - Refill	IHNC5	4
5L - Pump	IHNC5D	4
20L	IHNC20	Each



Fast Orange



Biodegradable, waterless, petroleum solvent free hand cleaner contains no harsh chemicals, mineral oils or ammonia. Pure fresh smelling natural citrus power removes resins, oil, grease, tar, grime, soil, printer's ink, epoxies, paint, rubber cement, gasket and tile cements. Fast Orange is fortified with aloe, lanolin, glycerin and other skin conditioners.

Size	Part No.	Ctn. Qty.
440mL	PX25113	12
1.9L	PX25217	6
3.8L	PX25218	4
18L	PX25185	Each



Barrier / Repair Creams

Protecta® Guard



Protecta® Guard is non-greasy, non-irritant barrier cream designed to protect the skin from dry powders and dusts, oils, greases and solvents. Protecta® Guard is insoluble in most petroleum-derived solvents and provides a high degree of protection against products such as paints, bitumen, greases, adhesives, oils and petrol. Protecta® Guard contains moisturisers to soften rough scaly skin and with regular use will help prevent industrial dermatitis. Protecta® Guard is silicone-free.

Size	Part No.	Ctn. Qty.
500mL	ISPG500	12
4Kg	ISPG4	4



Protecta® Plus



Protecta® Plus is a non-greasy, non-irritant barrier cream designed to protect the skin from water, moisture and from water-borne irritants including acids, alkalis, electrolyte solutions and wet soils. Protecta® Plus is highly water repellent, even after long periods of contact with water and provides natural moisturising and super-fattening to the skin to help prevent chafed, chapped, cracked and windburnt skin. Regular use of Protecta® Plus helps prevent industrial dermatitis. Protecta® Plus is silicone-free.

Size	Part No.	Ctn. Qty.
500mL	ISPP500	12



Protecta® Care



Protecta® Care After Work Cream - skin repair cream

Protecta® Care helps skin damaged by hard work to repair itself and maintain its protection from the environment. Protecta® Care is designed to replace the fatty acid mantle that work and washing remove. Regular use of Protecta Care helps prevent industrial dermatitis.

Size	Part No.	Ctn. Qty.
500mL	ISPC500	12



Sani Safe



Sani Safe Gel kills up to 99.9% of germs without water. It is an alcohol based gel that air dries in seconds to provide extra protection from cross infection. It contains moisturisers, is pH balanced to be gentle on skin and it is fragrance free.

Size	Part No.	Ctn. Qty.
125mL	ISHS125	24
500mL	ISHS500	12
1L Pod	ISHS1P	6



Sunscreen

Protecta® Maxi SPF50+



Protecta® Maxi SPF50+ Sunscreen is designed for sun sensitive skin and skin exposed to sunlight for extended time. It has been formulated to provide very high protection from the sun's harmful UV-A and UV-B rays. It is 4 hours water resistant and low irritant 'Dry Touch' formula rubs in easily and absorbs quickly without leaving skin feeling greasy. Contains soothing Vitamin E and Aloe Vera to help hydrate skin.



Size	Part No.	Ctn. Qty.
125mL	ISPSS125	15
500mL	ISPSS500	12
1L	ISPSS1	6

Protecta® Bodyguard



Protecta® Bodyguard SPF30+ Sunscreen provides high protection against harmful UV-A and UV-B rays and also contains insect repellent. It is formulated for sun sensitive skin, rubs in easily and retains its protection for up to 2 hours of water immersion. Protecta® Bodyguard is PABA and Oxybenzone free.



Size	Part No.	Ctn. Qty.
125mL	ISBG125	15
500mL	ISBG500	12
1L	ISBG1	6

For AAMTech's range of handwash and cleaning products see our Hygiene Catalogue



Dispensers

Plastic Pump & Lid Suit 4L Tin



Part No.	Ctn. Qty.
IZD4KP	Each

Plastic Pump 20L Cube



Part No.	Ctn. Qty.
IZD20LP	12

Plastic Pump Suit 20Kg Drum



Part No.	Ctn. Qty.
IZD20KP	Each

Metal Pump & Lid Suit 4L Tin



Part No.	Ctn. Qty.
IZD4KM	Each

Plastic Pump 5L Bottle



Part No.	Ctn. Qty.
IZD5LP	Each

Metal Pump Suit 20Kg Drum



Part No.	Ctn. Qty.
IZD20KM	Each

Wall Bracket Suit 5L Bottle



Part No.	Ctn. Qty.
IZWB45L	Each

Wall Bracket Suit 500mL Bottle



Part No.	Ctn. Qty.
IZWB500	Each

Cartridge Dispenser



Part No.	Ctn. Qty.
IZDC	Each

Wall Dispenser Suit 1L Pods



Part No.	Ctn. Qty.
IZDS1M	Each

Product Application Guide

Hand Cleaners - Medium & Heavy Duty

PRODUCT NAME	PROTECTA® PINK	PROTECTA® GRIT	CITRA® SCRUB	ORANGE SCRUB	ELIMINATOR	PROTECTA® GOLD	NATURE CLEAN	FAST ORANGE
PRODUCT TYPE	WATERLESS	WATERLESS	WATERLESS	WATERLESS	WATERLESS	SOLVENT FREE	SOLVENT FREE	WATERLESS
CLEANING REQUIREMENT								
Grease & Oil	✓	✓	✓	✓	✓	✓	✓	✓
Dirt & Grime	✓	✓	✓	✓	✓	✓	✓	✓
Soils/Cement/Fertilisers	✓	✓	✓	✓	✓	✓	✓	✓
Diesel Oil/Fuels	✓	✓	✓	✓	✓	✓	✓	
Carbon Black	✓	✓	✓	✓	✓			✓
Graphite Grease	✓	✓	✓	✓	✓			✓
Bitumen/Tar/Asphalt	✓	✓	✓	✓	✓			✓
Inks/Dyes					✓			✓
All Paints - Auto/Industrial/ Marine					✓			
Resins/Glues/Adhesives					✓			
Body Fillers/Polyester & Epoxy Resins					✓			
Sealants - Silicone/Urethane					✓			

Hand Sanitisers - Barrier Creams - Sunscreens

PRODUCT NAME	SANISAFE GEL	PROTECTA® GUARD	PROTECTA® PLUS	PROTECTA® CARE	PROTECTA® MAXI SPF 50+ SUNSCREEN	BODYGUARD SPF 30+ INSECT REPELLENT
PRODUCT TYPE	WATERLESS	CREAM	CREAM	CREAM	CREAM	CREAM
CLEANING REQUIREMENT						
Instant Hand Sanitising	✓					
Barrier for Grease/Oils/Solvents		✓				
Barrier For Dry Soils/Cement/Fertiliser		✓				
Barrier For Solvents/Paints/Coatings		✓				
Barrier For Resins/Adhesives/Sealants		✓				
Skin Repair - After Work				✓		
Barrier For Wet Areas			✓	✓		
Barrier For Acids/Alkalines			✓			
Barrier For Wet Soils/Cement/Fertiliser			✓			
Sun Protection - 2 Hour Water Resistant						✓
Sun Protection - 4 Hour Water Resistant					✓	
Insect & Sun Protection						✓

www.aamtech.com.au

PH: 1800 177 989 or email sales@aamtech.com.au
1-9 Nina Link, Dandenong South, VIC 3175