



Certificate of Ownership

is hereby proclaimed by

Smart Cabinetry

We are humbled and thank you in your decision to choose our cabinets. Competition among cabinet companies throughout the world is fierce; and in spite of these conditions Smart Cabinetry has made progress due to its advanced management philosophy, designed to ensure a better future for its customers. Smart Cabinetry is growing into a brand appreciated by its customers because it is continuously striving to achieve the single goal of making good quality products with an emphasis on our customer. Our management philosophy is simple; trust and a hands-on approach are at the core of our business. We strive to be the best, which is only possible if our customers we value, our communities we live, the environment we operate, and our facilities where we manufacture are in balance. Smart Cabinetry has continued to engage in environmental activities such as the use and development of environmentally friendly technologies and clean production. Additionally, Smart Cabinetry is continuously striving to fulfill its responsibility as a good "citizen" - through organizational contributions to the communities we serve. Our values have not changed yet they continue to evolve with you, our customer.

Our pledge to you is to manufacture cabinets under our guiding principles:

INTEGRITY. The foundation for all that we do. Integrity includes honesty, decency, consistency, and courage. We are committed to building on these values. DIALOGUE. We will listen carefully to diverse points of view and engage in thoughtful dialogue. We will broaden our understanding of issues in order to better address the needs and concerns of our customers and each other. TRANSPARENCY. We will ensure that information is available, accessible, and understandable. SHARING. We will share knowledge and technology to advance our understanding, to improve our products and the environment. BENEFITS. We will use sound and innovative manufacturing practices and thoughtful and effective stewardship to deliver high-quality products that are beneficial to our customers and to the environment. RESPECT. We will respect the religious, cultural, and ethical concerns of people throughout the world. The safety of our employees, the communities where we operate, our customers, consumers, and the environment will be our highest priority. ACT AS OWNERS TO ACHIEVE RESULTS. We will create clarity of direction, roles, and accountability; build strong relationships with our customers and external partners; make wise decisions; steward our company resources; and take responsibility for achieving agreed-upon results. CREATE A GREAT PLACE TO WORK. We will ensure diversity of people and thought; foster innovation, creativity and learning; practice inclusive teamwork; and reward and recognize our people.

We will live by our values, have fun, and take pride in what we do. Our values are to maintain a work environment where people enjoy coming to work, to serve and exceed customer expectations, and to be profitable and result oriented.





Table of Contents:

Or	Online Order Entry 4				
En	Environmental Certifications 5				
W	Wood and Finish Characteristics 6				
Cle	eaning and Care / Minor Repairs	7-9			
Dc	or Styles: Standard Overlay	10 - 12			
Do	or Styles: Modified Full Overlay	13 - 14			
Do	or Styles: Full Overlay	15 - 16			
Со	nstruction Features / Photos	17			
Wa	all Cabinet Features	18			
Ba	se Cabinet Features	18			
Tal	l Cabinet Features	19			
Va	nity Cabinet Features	19			
AN	ISI / ADA Compliant Cabinet Features	20			
Ca	binet Dimensions	21			
Bli	nd Cabinets: Minimum / Maximum Pulls	22			
Ca	binet Modifications	23			
Wa	all Cabinets	24			
	Standard Wall	24 - 26			
	Blind Wall	27			
	Corner Wall	27-28			
	Appliance Garages	28			
	Peninsula Wall	28 - 29			
	Microwave Wall / Stacked Wall Cabinets	29-30			
	Open Shelf Wall	31			
	Wine Rack	32			
	Wall Organizers	32			
Ba	se Cabinets	33			
	Standard Base	33 - 34			
	Drawer Bases	34			
	Sink Base / Farm Sink	34 - 35			
	Base Microwave Cabinets	35			
	Blind Base	36			
	Corner Base / Lazy Susan	36 - 37			
	Peninsula Base	38			
	Open Shelf	38			
	Angled End Base	39			
	Sink Fronts	39 - 40			
	Range Riser / Benches	40			

Tall Cabinets	41
12" Deep Tall	41
24" Deep Tall	42
Tall Fronts	43
Tall Oven Cabinets	43 - 44
Broom Closets / Bookcases	45
Universal Access	46
Sink Base (Removable Front)	46
Sink Base (Pocket Door)	46
Wall Hung ADA & UFAS	46
Vanity Cabinets	47
Sink Base Vanity	47
18" Deep Vanity	48
Sink / Drawer Combo	48 - 49
Vanity File	49
Standard with Drawers	50-51
Vanity Sink Fronts / Knee Drawers	51
Wall Boutique / Tall Linen	52
Accessories	53
Floating Shelves / Roll Out Shelves	53
Pull out Storage / Tilt Out Sink Trays	54
Toe Kicks / Skins	54
Waste Bins / End Panels	55
Fillers / Legs / Brackets / BEP 75 Panels	56 - 57
Valances / Moulding / Light Rail	58 - 60
Shelves / Sink Floor / Veneer Shelving	60
Hinges / Heat Shields	61-62
Lazy Susan / Touch Up / Drawer Slides / GRASS Slides	62
Screws / Bumpers / Shelf Clips / False Front Clips	63
Square Tapered Leg / Square Post leg	64
Troubleshooting Guide	65
step by step guide available at www.smartcabinetry.com/cabinetinstallation.php	
Frequently Asked Questions	66
Accessorial Charges / Installation Tips	67
Claims Instructions / Disclaimer for Painted Wood	68 - 69
Warranty	70 - 71
Notes	72 - 73

Online Order Entry



<Back to Report

Customer Information Customer Purchase Order Number (limited to 24 characters)			Order Information					
			New Order Order Type		Warranties must be completed o Form. Include photos via email or			
Account Bill To			Select a Door Style		Wood Species	Panel Type		
Bill To Address			Select a Finish		Glaze: N/A Glaze		v	
Bill To Address Line 2				Select a Slide	-	 Slide Cost List (Per I	Drawerbox)	
City		State	Zip	Select Construction				
O Customer Phone Number	0 Customer Fax I	Number		1.00 Estimated Multiplier				

We're very pleased to offer our Online Order Entry system to our Dealers. As a valued customer, you'll now be able to create, modify, duplicate, and submit any order online from our website! Orders entered online reduce confirmation errors, and allow for quicker order submissions.

To get started, contact customer support for your unique log-in ID and Password. Visit www.SmartCabinetry.com, and start entering orders **the smart way**.

Cor	firmation	Customer PO	Door Style
8	N/A	Order 2	Freeport
0	N/A	Order 1	Alpine

Copy Orders

Duplicate an order at the push of a button. Copy all of your order's data into a new order where you can change anything you'd like. And now you can submit multiple orders at once too. Large project work can be entered in a matter of minutes!

item	Quantity	List	Net
B12	1	\$248.00	\$248.00
B15	2	\$260.00	\$260.00
B18	3	\$271.00	\$271.00
B21	4	\$279.00	\$279.00
B24	5	\$306.00	\$306.00
B27	6	\$321.00	\$321.00
B30	7	\$359.00	\$359.00
B33	8	\$374.00	\$374.00
B36	9	\$382.00	\$382.00
839	1	\$399.00	\$399.00
839	ô.	0.00	0.00
839-	1		
839FH			
B39FHHC			
839HC	100		
839HCPLY			
839HCSTDTK			
B39HCSTDTK-			

Cabinet SKU's at your fingertips

Our new SKU list has auto-completion, so finding the right part number has never been easier. The new system makes it a breeze to submit an order to us, saving you and your customers time.

Online Ordering available only for registered dealers of Smart Cabinetry. Dealers must apply through our application process including the following forms: Distributor / Dealer Profile, Personal Guarantee, DNBi: Credit Application (must be completed online), and the Tax Exempt Form. Information regarding the application process can be found on our website: www. smartcabinetry.com/creditpolicy.php

Environmental Certifications & Memberships





Smart Cabinetry is nationally recognized by ANSI/KCMA to have passed a rigorous battery of tests that simulate many years of typical household use. Testing is performed by approved third party independent

laboratories. Samples for testing are selected in an unannounced visit to our manufacturing plant. To find more information about KCMA, visit <u>kcma.org</u>



Membership benefits allow us to focus on what we do best; provide quality built cabinets at an affordable cost.



The Kitchen Cabinet Manufactures Association developed the Environmantal Stewardship Program to encourage practices that benefit the environment. The voluntary program gives cabinet manufacturers a way to demonstrate

their commitment to sustainability and helps to identify products that are better for you, your home, and the environment.



USGBC is Smart Cabinetry's source for up-to-date, information on the LEED rating systems. Find more info about LEED at <u>usgbc.org/leed</u>

Wood & Finish Characteristics



Maple



The maple wood used by Smart Cabinetry comes from the colder climates of upper Michigan and Pennsylvania. These supplies are manufactured within 25 miles of our plant and delivered daily assuring Smart Customers the whitest of wood without developing any staining. Even though maple is quick growing, its grain is straight, fine- textured, and strong. Within the grain are variations in color ranging from light to dark reddish brown as well as mineral streaks, swirls, and pitch flecks. Over the years, the interaction of sunlight with the oxygen in the wood will give your cabinetry a soft golden glow.

Northern Red Oak



Smart Cabinetry receives its red oak wood components and panel products from vendors within 25 miles of our plant and delivered daily. Red oak's grain is quite dominant and varies from straight lines to arched or pointed patterns. Colors in the heartwood range from pink to green as well as from light to dark, whereas the sapwood of red oak is white to light brown. Like so many other woods, the color of red oak cabinetry deepens as the wood interacts with natural light. The wood is similar in general appearance to white oak, but with a slightly less pronounced figure due to the smaller rays.



Painted Finishes

We are pleased to offer painted door styles. As climate and environments fluctuate in temperature and humidity, organic components will shrink and expand variably. These natural occurrences can create cracks and/or seems in the painted surface. Page 67 of this book discusses many situations that may arise from using painted cabinetry. It is important to understand how painted surfaces will behave prior to ordering your next kitchen.

Smart Wood Finishes

The coatings applied to our cabinets consist of LOW VOC environmentally safe materials. All top coats and stain coatings used by Smart Cabinetry meet or exceed Green Guard Emission Standards. In addition to our environmental stewardship, our coatings have a high durability: resistance to stains, abrasion, chemical, impact, and scratch resistance are among our long list of advantages. Smart Cabinetry's coatings create less waste and use less energy, which ultimately allow us to continue our mission to deliver above industry value at affordable prices. Naturally, however, your choice of wood species will have the most impact on the cabinet's final appearance, because wood grain and natural characteristics will show through stain colors. Color stains will render the actual color of the cabinet, bring out the natural beauty of the wood, and amplify those inherent "character marks." Softer areas of the wood will accept more stain and often appear darker than other areas. Potential "natural" variances in color cannot be controlled even with the latest technology in diamond tooling and sanding in multiple stations through out our facility. Differing densities inherently create different effects regardless of the hours expended selecting only the finest hardwoods.

Cleaning & Care





A soft cotton cloth dampened with warm water is usually sufficient to clean your cabinets. If more thorough cleaning is required, use on the following cleaning solutions:

- A mixture of dishwashing liquid and warm water.
- A mild all-purpose cleaner. Make sure it does not contain ammonia, silicone, or acid.

Use the mildest cleaning solution that will successfully clean your cabinets. Stronger products may damage or discolor your cabinet finish and are not recommended. After cleaning, wipe all surfaces with a clean, damp cloth. Dry immediately using another soft, clean cloth.

Splatters and Spills

Clean spills and splatters immediately. Prolonged exposure to spills, including food, water, other liquids, oil, and grease splatters can cause permanent discoloration or damage to your cabinet's finish.

Cleaning Products to Avoid

Avoid using the following products on your cabinets:

- Harsh chemicals including ammonia and bleach.
- Abrasive cleaning products such as tub and sink cleaners, scouring powder, scouring pads, or steel wool.
- Sponges or dish cloths. They may contain particles that could scratch your cabinets, or they may contain food and oil residue.
- Solvent-based or petroleum-based products such as mineral spirits, nail-polish removers or paint thinners.
- Silicone-based cleaning, waxing or polishing products.

Regular Dusting

Use a clean, soft and lint-free cotton cloth for regular dusting. Packaged dusting sheets are not required or recommended. Do not use pre-moistened dusting sheets, and do not use aerosol products made for dusting.

Waxing and Polishing

Waxing is not required or recommended. Over time, waxing and polishing compounds may build up on the surface of your cabinets and cause a hazy, streaky or yellowed appearance.

The cabinetry you have selected has its own personality and character, as well as a richness and depth in its color and grain. You may notice the variations in the grain and color of your cabinet if you have selected a natural or light finish. Variations will be less apparent with darker stains. Your cabinets have been constructed from carefully selected quality hardwoods. Because imperfections are part of the natural beauty of hardwood, and not the result of the manufacturing of your cabinets, your warranty cannot cover differences in color, grain and other natural variations. Nor can it cover possible differences in color when adding new cabinetry to old. We encourage you to enjoy the natural beauty of solid wood and appreciate those characteristics that give it personality.

Cleaning & Care

Cleaning Glass Doors

Extra care is required when cleaning glass doors. Spray an ammonia-free glass cleaner on a clean, soft, lint-free cloth or paper towel. Do not spray cleaner directly on the glass. It could seep behind the window dividers and cause damage.

Scratches, Gouges, and Nicks

A touch-up kit is available to hide surface damage. Contact the sales representative or distributor where you purchased your cabinetry to purchase the colormatched touch-up kit for your specific cabinets. Use the kit's touch-up pen to hide minor blemishes. Use the kit's tinted putty stick to fill deeper scratches, gouges or nicks. Detailed instructions are provided in each kit.

Avoid Moisture Damage

Avoid draping damp clothes or dish towels over cabinet doors. This moisture can cause permanent damage, such as peeling and discoloration, to the cabinet's finish.

Avoid Heat Damage

Lansing in Stone

The heat generated when using an oven's self-cleaning feature is much greater than during normal use. This heat can damage nearby cabinetry. Although this is a rare occurrence, you can minimize the risk of heat damage by removing cabinet doors and drawers nearest the oven before using its self-cleaning feature.

Avoid Light Damage

Exposure to direct sunlight tends to darken the color of natural wood products. Sunlight can also fade painted wood surfaces. You should consider draperies or blinds to shield your cabinets from direct sunlight. Additional information about your cabinets can be found at www.smartcabinetry.com.



Squire shown in Root Beer

Lexington shown in Polar White and Harbor Gray

Rockport shown in Slate





Minor Repairs





You may encounter some unavoidable situations that create minor problems with your cabinetry. Before calling your dealer/installer for help, consider the following:

Minor scratches or dents in your cabinetry can be treated with a touch up kit. For major damage like severe scratching, broken doors or drawers, paint spills, etc., call your dealer for help or replacement.

If over time screws become loose on hinges, you can achieve a temporary fix by gluing a small diameter dowel rod into the hole using a high quality wood glue. Cut the dowel rod flush with the top of the screw hole and place into the hole. Let the glue dry and then replace the screw. Do not over tighten, or you will risk stripping it out again. Minor door alignment can be corrected by adjusting the hinges. Generally, when you open the cabinet door, you will find the side-to-side adjustment slot on the door part of the hinge and the up and down adjustment on the frame portion of the hinge. Simply tighten / loosen these screws to adjust the cabinet door.

Minor roughness in end grain can be corrected with "light weight sanding paper" and top coat. If concerned please call dealer.

In most cases your cabinetry is protected by our five year guarantee from the hardware manufacturer. For hinges and hardware that do not work properly, contact your dealer for assistance.

When adding additional cabinetry in the same room at a later date, consider the following:

To help minimize the color differences between any old and new units: Place the new cabinetry on a different wall, so any color difference won't be as noticeable. Replace existing trim and molding with darker/lighter wood to give the old and new cabinets a unified look. Experiment with multiple finishes in the same wood species for a new look.



Montana shown in Polar White

Northport shown in Slate

Denver shown in Polar White

Door Styles: Standard Overlay







Bridgeport - Powder Coated

Finish	Polar White - Textured Finish
Door	Routed Raised Panel
Profile	Reversed Bevel
Drawer	Solid Front
Frame	Maple
	9" wide cabinets have slab doors.



Arctic - Powder Coated

Finish	Polar White-Smooth Finish
Door	Solid Slab
Profile	Square Edge
Drawer	Solid Front
Frame	Maple



Brighton - Maple

Finish	Ginger, Honey, Pecan, Carmel, Root Beer, Chestnut, <mark>Slate</mark> , Coffee, Polar White*, Buttercream*, Stone*, Harbor Gray*
Door	Veneer Flat Panel
Profile	Reversed Bevel
Drawer	Slab Drawer Front, can be upgraded to 5-piece



Chateau - Maple

Finish	Ginger, Honey, Pecan, Carmel, Root Beer, Chestnut, Slate, Coffee, Polar White*, Buttercream*, Stone*, Harbor Gray*
Door	Routed Slab
Profile	Reversed Bevel
Drawer	Solid Front

*Painted - disclaimer on page 69 Printed finish coloring is for representation only. Order samples for accurate color matching.

Portage - Maple

Finish	Ginger, Honey, Pecan, Carmel, Root Beer, Chestnut, Slate, Coffee, Polar White*, Buttercream*, Stone*, Harbor Gray*
Door	V-Notch
Profile	Square Edge
Drawer	Slab Drawer Front, can be upgraded to 5-piece

Door Styles: Standard Overlay Continued





Prescott - Maple

Finish	Ginger, Honey, Pecan, Carmel, Root Beer, Chestnut, Slate, Coffee, Polar White*, Buttercream*, Stone*, Harbor Gray*
Door	Veneer Raised Panel
Profile	Reversed Bevel
Drawer	Solid Front



Carolina - Maple

Finish	Ginger, Honey, Pecan, Carmel, Root Beer, Chestnut, Slate, Coffee, Polar White*, Buttercream*, Stone*, Harbor Gray*
Glaze	Pewter, Chocolate, Black
Door	Veneer Raised Panel Miter
Profile	Reversed Bevel
Drawer	5 piece Double Channel Miter



Pacific - Maple

Finish	Ginger, Honey, Pecan, Carmel, Root Beer, Chestnut, Slate, Coffee, Polar White*, Buttercream*, Stone*, Harbor Gray*
Glaze	Pewter, Chocolate, Black
Door	Veneer Flat Panel Miter
Profile	Reversed Bevel
Drawer	5 piece Double Channel Miter



Hudson - Oak

Finish	Nutmeg, Pecan, Spice, Slate, Coffee
Door	Veneer Flat Panel
Profile	Square Edge
Drawer	Solid Front



Rockport - Maple

Finish	Ginger, Honey, Pecan, Carmel, Root Beer, Chestnut, Slate, Coffee, Polar White*, Buttercream*, Stone*, Harbor Gray*
Door	Solid Slab
Profile	Square Edge
Drawer	Solid Front

Door Styles: Standard Overlay Continued

SMART C A B I N E T R Y®



Dover - Oak

Finish	Nutmeg, Pecan, Spice, <mark>Slate</mark> , Coffee
Door	Veneer Flat Panel
Profile	Reversed Bevel
Drawer	Solid Front



Edgewood - Oak

Finish	Nutmeg, Pecan, Spice, Slate, Coffee
Door	Solid Slab
Profile	Square Edge
Drawer	Solid Front



Sheffield / Squire - Maple

Finish	Ginger, Honey, Pecan, Carmel, Root Beer, Chestnut, Slate, Coffee, Polar White*, Buttercream*, Stone*, Harbor Gray*
Door	Veneer Flat Panel
Profile	Reversed Bevel (Sheffield), Square Edge (Squire)
Drawer	Slab Drawer Front, can be upgraded to 5-piece



Oxford - Oak

Finish	Nutmeg, Pecan, Spice, Slate, Coffee
Door	Veneer Raised Panel
Profile	Reversed Bevel
Drawer	Solid Front



Lexington - Maple

Finish	Ginger, Honey, Pecan, Carmel, Root Beer, Chestnut, Slate, Coffee, Polar White*, Buttercream*, Stone*, Harbor Gray*
Door	Veneer Flat Panel
Profile	Square Edge
Drawer	Slab Drawer Front, can be upgraded to 5-piece

Door Styles: Modified Full Overlay

SMART C A B I N E T R Y®



Lancaster - Maple

Finish	Ginger, Honey, Pecan, Carmel, Root Beer, Chestnut, Slate, Coffee, Polar White*, Buttercream*, Stone*, Harbor Gray*
Door	Veneer Raised Panel
Profile	Reverse Bevel
Drawer	Solid Front



Freeport - Maple

Finish	Ginger, Honey, Pecan, Carmel, Root Beer, Chestnut, Slate, Coffee, Polar White*, Buttercream*, Stone*, Harbor Gray*
Door	Solid Slab
Profile	Square Edge
Drawer	Solid Front



Montana - Maple

Finish	Ginger, Honey, Pecan, Carmel, Root Beer, Chestnut, Slate, Coffee, Polar White*, Buttercream*, Stone*, Harbor Gray*
Door	Veneer Flat Panel, 3-1/4" Rail
Profile	Square Edge
Drawer	Solid Front

9" wide cabinets have reversed cope and rails.



Omaha-Oak

Finish	Nutmeg, Pecan, Spice, Slate, Coffee
Door	Veneer Flat Panel, 3 ¼" Rail
Profile	Square Edge
Drawer	Solid Front

9" wide cabinets have reversed cope and rails.



Churchill - Oak

Finish	Nutmeg, Pecan, Spice, Slate, Coffee
Door	Flat Panel
Profile	Square Edge
Drawer	Solid Front



Baymont - Maple

Finish	Ginger, Honey, Pecan, Carmel, Root Beer, Chestnut, Slate, Coffee, Polar White*, Buttercream*, Stone*, Harbor Gray*
Door	Veneer Flat Panel
Profile	Reverse Bevel
Drawer	Solid Front

*Painted - disclaimer on page 69 Printed finish coloring is for representation only. Order samples for accurate color matching.

DOOr Styles: Modified Full Overlay Continued





Nantucket - Oak

Finish	Nutmeg, Pecan, <mark>Spice</mark> , Slate, Coffee
Door	Solid Slab
Profile	Square Edge
Drawer	Solid Front



Glacier - Powder Coated

Finish	Polar White - Smooth Finish
Door	Solid Slab
Profile	Square Edge
Drawer	Solid Front



Cambridge / Stirling - Maple

Finish	Ginger, Honey, Pecan, Carmel, Root Beer, Chestnut, Slate, Coffee, Polar White*, Buttercream*, Stone*, Harbor Gray*
Door	Veneer Flat Panel
Profile	Reverse Bevel (Cambridge), Square Edge (Stirling)
Drawer	Slab Drawer Front, can be upgraded to 5-piece



Tippecanoe - Maple

Finish	Ginger, Honey, <mark>Pecan</mark> , Carmel, Root Beer, Chestnut, Slate, Coffee, Polar White*, Buttercream*, Stone*, Harbor Gray*
Door	Veneer Flat Panel
Profile	Square Edge
Drawer	Slab Drawer Front, can be upgraded to 5-piece

Door Styles: Full Overlay





Northport - Thermofoil

Finish	Slate
Door	Solid Slab
Profile	Square Edge
Drawer	Solid Front
Frame	Maple

Door Back Melamine Must have heat shields in place to honor warranty. Disclaimer is on page 69.



Denver - Thermofoil

Polar White
Solid Slab
Square Edge
5 Piece Drawer Front
Maple
Melamine

Must have heat shields in place to honor warranty. Disclaimer is on page 69.



Brentwood - Thermofoil

Finish	Coffee and Polar White	
Door	Solid Slab	
Profile	Square Edge	
Drawer	Solid Front	
Frame	Oak	
Door Back	Melamine Must have heat shields in place to honor warranty. Disclaimer is on page 69.	

VEW

Summit - Maple

Finish	Ginger, Honey, Pecan, Carmel, Root Beer, Chestnut, Slate, Coffee, Polar White*, Buttercream*, Stone*, Harbor Gray*
Door	Veneer Flat Panel
Profile	Square Edge
Drawer	Slab Drawer Front, can be upgraded to 5-piece

A C		

Lansing - Maple

Finish	Ginger, Honey, Pecan, Carmel, Root Beer, Chestnut, Slate, Coffee, Polar White*, Buttercream*, Stone*, Harbor Gray*
Door	V-Notch
Profile	Square Edge
Drawer	Slab Drawer Front, can be upgraded to 5-piece

Door Styles: Full Overlay Continued





Deco - Maple

Finish	Ginger, Honey, Pecan, Carmel, Root Beer, Chestnut, Slate, Coffee, Polar White*, Buttercream*, Stone*, Harbor Gray*
Door	Stair Step
Profile	Square Edge
Drawer	Slab Drawer Front, can be upgraded to 5-piece



Berkshire - Maple

Finish	Ginger, Honey, Pecan, Carmel, Root Beer, Chestnut, Slate, Coffee, Polar White*, <mark>Buttercream</mark> *, Stone*, Harbor Gray*
Glaze	Pewter, Chocolate, Black
Door	Veneer Raised Panel Miter
Profile	Reversed Bevel
Drawer	5 piece Double Channel Miter



Belmont - Maple

Finish	Ginger, Honey, Pecan, Carmel, Root Beer, Chestnut, Slate, Coffee, Polar White*, Buttercream*, Stone*, Harbor Gray*
Glaze	Pewter, Chocolate, Black
Door	Veneer Flat Panel Miter
Profile	Reversed Bevel
Drawer	5 piece Double Channel Miter

Standard Construction Features:



6-way Adjustable hinges (standard overlay detail)



6-way Adjustable Hinges (full overlay detail)



Solid Wood Dovetail Drawers



Powder Coated Adjustable Shelves



Particleboard Construction (back detail)



Removable False Front Drawer Clips



I-Beam Construction



Powder Coated Water Resistant Flooring (Flooring on Sink Base & Vanity Base Cabinets)

Upgraded Construction Features:



Plywood Option



Side Mount Full Extension (100 lb dynamic)



Undermount Soft Close Drawer Slides (751b dynamic)



5 Piece Drawer Front



Smart Ultimate Cabinet



Soft Close Standard Overlay 6-Way Adjustable Hinges



Soft Close Full Overlay 6-Way Adjustable Hinges

Wall Cabinet Features

Back


Wall cabinet: ½" woodgrain laminate rabbeted into ends, wood glued and stapled to top and bottom.

End Panels

1/2" substrate with light maple wood grain interior, designated laminate exterior.

Frames

³⁄₄" thick and 1 ¹⁄₂" wide, kilndried hardwood assembled under pressure with screws. Offers maximum strength and squareness.





Tops and Bottoms

1/2" substrate with light maple wood grain laminate interior and exterior.

Adjustable Shelves

³/₄" thick, 12" depth shelves, powder coated over MDF core.
Optional ³/₄" thick partical board, 12" depth shelves
Attached with locking shelf clips.

Hinges

Braces

tops.

108° 6-way adjustable, selfclosing concealed hinges.

Increase Depth Cabinets MUST be installed between cabinets or end panels of the same depth.

Full depth braces provide Ibeam stability and convenient

anchor points for counter

Features captive roller, (75lb)

epoxy-coated stay-closed

5/8" solid dovetail drawers,

featuring four-sided construc-

tion and captive 1/4" matching

108° 6-way adjustable, self-

closing concealed hinges.

Drawer Guides

side guides.

Drawers

Hinges

laminate bottom.

Base Cabinet Features

Back

Base cabinet: 1/2" woodgrain laminate rabbeted into ends, glued top and bottom with industrial grade hot melt glue.

Adjustable Shelves 🔙

³⁄₄" thick, 12" depth shelves, powder coated over MDF core. Optional ³⁄₄" thick partical board, 12" depth shelves Attached with locking shelf clips.

End Panels

1/2" substrate with light maple wood grain interior, designated laminate exterior.

Frames

3⁄4" thick and 1 1⁄2" wide, kilndried hardwood assembled under pressure with screws. Offers maximum strength and squareness.


Toe Kicks

 $4\, \ensuremath{\sc 2}\ensuremath{\sc 2}\ensure$

Sink base floors are powder coated for extra durability.

Floors

18



Vanity Cabinet Features

Available in base and ADA height

Back

Vanity Cabinet: ½" woodgrain laminate rabbeted into ends, glued top and bottom with industrial grade hot melt glue.

End Panels


1/2" substrate with light maple wood grain interior, designated laminate exterior.

Frames

%¹¹ thick and 1 ½¹¹ wide, kilndried hardwood assembled under pressure with screws. Offers maximum strength and squareness.

Toe Kicks

 $4 \frac{1}{2}$ " toe kicks with $3 \frac{1}{2}$ " inset on all standard base cabinets.



Braces

Full depth braces provide I-beam stability and convenient anchor points for counter tops.

Drawer Guides

Features captive roller, (75lb) epoxy-coated stay-closed side guides.

Drawers

⁵/₈" solid dovetail drawers, featuring four-sided construction and captive ¼" matching laminate bottom.

Hinges

108° 6-way adjustable, selfclosing concealed hinges.

Floors

Vanity sink base floors are powder coated for extra durability.

ANSI / ADA Cabinet Features (Handicap Accessible)



Back

ANSI / ADA: ½" woodgrain laminate rabbeted into ends, glued top and bottom with industrial grade hot melt glue. 32 ½" height.

Drawer Guides


Features captive roller, (75lb) epoxy-coated stay-closed side guides.

End Panels

1/2" substrate with light maple wood grain interior, designated laminate exterior.

Frames

³/4" thick and 1 ½" wide, kilndried hardwood assembled under pressure with screws. Offers maximum strength and squareness.



Braces

Full depth braces provide lbeam stability and convenient anchor points for counter tops.

Drawers

5%" plywood dovetail drawers, featuring four-sided construction and captive ¼" matching laminate bottom.

Hinges

Floors

108° 6-way adjustable, selfclosing concealed hinges.


Sink base floors are powder coated for extra durability.

Toe Kicks

9" toe kicks with 6 ½" inset on all ANSI / ADA compliant cabinets. Also available with 4-1/2" toe kick. See page 23; STDTK

Cabinet Dimensions







Blind Cabinets: Minimum / Maximum Pull Distance





Reversible Blind Bases





Reversible Blind Walls





	А	В	С	Standard Door	Full Overlay Door
BBC33 (Full Height Door)	21"	12"	16 ½"	7"	8 1⁄2"
BBC36	25"	11"	14 1⁄2"	9"	10 1⁄2"
BBC39	30"	8 1⁄2"	12"	11 ½"	13"
BBC42	36"	5 1⁄2"	9"	14 1⁄2"	16"
BBC45	42"	3"	6"	17 ½"	19"
BBC48	45"	1 1⁄2"	4 1⁄2"	19"	20 1⁄2"

A = Cabinet Width

B = Minimum Pull

C = Maximum Pull

NOTES

•Order filler separately.

• Reversible for left or right.

• If hardware applied, pull 1" over minimum space.

•6" center stile allows room to pull cabinet.

	A	В	С	Standard Door	Full Overlay Door
WBC24	23"	1"	5"	10"	11 ½"
WBC27	26"	1"	5"	13"	14 1⁄2"
WBC30	29"	1"	5"	16"	17 ½"
WBC33	32"	1"	5"	19"	20 1⁄2"
WBC36B	35"	1"	5"	11"	11 ¾"
WBC39B	38"	1"	5"	12 ½"	13 ¼"
WBC42B	41"	1"	5"	14"	14 ¾"
WBC45B	44"	1"	5"	15 ½"	16 ¾"
WBC48B	47"	1"	5"	17"	17 ¾"

A = Cabinet Width

B = Minimum Pull

C = Maximum Pull

NOTES

•Order filler separately.

- Reversible for left or right.
- •If hardware applied, pull 1" over minimum space.
- •6" center stile allows room to pull cabinet.

Cabinet Modifications




Code	Definition	Example
RF	Removeable Front (32 $\frac{1}{2}$ " - 4 $\frac{1}{2}$ " toe)	vsb36bhcstdtic rf _ada
RFPANEL	Removable Front Panel for Removable Front Cabinet	RFPANEL_VSB36
F	Face Frame and Doors	W1230 F S F 12 VS F 12
FF	Face Frame Only	B12 FF
В	Butt Doors	B24 B
PLY	Plywood Cabinet	B12 PLY
HC	Universal Access (32 ½" - 9" toe)	B12 HC
BH	Base Height for Vanity Cabinets	VB12 BH
FH	Full Height Door	B12 FH
ND	No Doors (applies to full height, wall only)	B12FH ND, W3030ND
CASE	Cabinet Box Only	B12CASE
Р	Peninsula Cabinet	B24B P , W2430P
HCSTDTK	Standard Toe Kick Height (32 $^{\prime\prime}\!\!\!/_2^{\prime\prime}$ - 4 $^{\prime\prime}\!\!\!/_2^{\prime\prime}$ toe)	B12HCSTDTK, VSB12HCSTDTK
PLYA	Plywood Construction, Plywood Shelves	B12 PLYA
_MAX	Plywood Construction, Treated Toekick	B12 _MAX
_ULT	Plywood Construction, Treated Base	B12 _ULT
GPREP	Glass Prep. Doors	W3030B GPREP
MI	Matching Interior	B12ND MI
GPREPMI	Glass Prep. + Matching Interior	W3030B GPREPMI
SH	Shelf (single) ¾" thick	SH12 (SH Width)
SHMI	SH + MI = Shelf matching interior becomes 3/4	SHMI 12
DR	Door	DR 1013 (DR Width Height)
DF	Drawer Front	DF 5528 (DF Height Width)
DF**CLIP	False Front with mounting clips attached	DF5528CLIP (DF Height Width
DB**WS	Drawer Box (with Slides "WS")	DB 10214 WS (DB Width Depth Height WS)
ROS	Roll Out Shelf (Field Install)	ROS24 (only available in 24" deep)
_ROS	Roll out Shelf (Factory Install)	B24B _ROS (only available in 24" deep)
4HOLE	Lazy Susan Replacement Door with 4 Hinges (Door to Frame)	DR1028S3 4HOLE
_NODRILL	Lazy Susan Replacement Door with no Hinges (Door to Door)	DR1028S3_NODRILL
_FDSH	Full Depth Shelf	B36B _FDSH

Wall Cabinets

	12	" High Wall	15	5" High Wall	Over-	he-Refrigerator
Wall	30" 12" 12"	14" 10"	30" 15" 12"		30" 15" 24"	
	12" High Dou	uble	15" High Dou	uble	15" High - Re	efrigerator
	• W3012B	W3912	• W3015B	W3915	W241524B	W361524B
	W3312B	W4212	W3315B	W4215	W271524B	W391524
	W3612B	W4812B (4 door)	W3615B	W4815B (4 door)	• W301524B	W421524
					W331524B	W481524B (4 door)
					Also available in	12" 18" 21" & 24" Heights
					(W Width Hei	ight 24 B)

18" High Wall Cabinets


..Also available in 21" High



 18" High Single

 • W1518
 W2118

 W1818
 W2418



 18" High Double - Butt

 • W2418B
 W3318B

 W2718B
 W3618B

 W3018B
 W4818B
 (4 door)

39" 17 1/2" 18" 12"

18" High Double • W3918


> W4218 W4518


Wall Cabinets

24" High Wall Cabinets

...Also available in 27" High

 \mathbb{S}





24"	39		.7 1/2"
	o #11 P 1		

24" High Single	
W1224	


W2124 . W1524 W2424 W1824

24" High Double - Butt					
• W2424B	W3324B				
W2724B	W3624B				
W3024B	W4824B	(4 door)			

	24" High Double
•	W3924
	W4224

W4524

30" High Wall Cabinets



9" wide Bridgeport doors have slab doors. 9" wide Montana doors have reversed cope and rails.

36" High Wall Cabinets


Wall

12" 36" 12"	10"	24" 36" 12"	34"	39" 36" 12"	17 1/2"
36" High Sing	gle	36" High Dou	ble - Butt	36" High Doubl	le
W936	W1836	• W2436B	W3336B	• W3936	
• W1236	W2136	W2736B	W3636B	W4236	
W1536	W2436	W3036B			

9" wide Bridgeport doors have slab doors.


9" wide Montana doors have reversed cope and rails.


42" High Wall Cabinets



9" wide Bridgeport doors have slab doors. 9" wide Montana doors have reversed cope and rails.

Wall Blind Cabinets





30" High Blind (Left shown above)

 • WBC2430
 WBC3930B

 WBC2730
 WBC4230B

 WBC3030
 WBC4530B

 WBC3330
 WBC4830B

 WBC3630B
 WBC4830B



VDC2450	• •• •• •• •• •• •• •• •• •• •• •• •• •
WBC2736	WBC4236B
WBC3036	WBC4536B
WBC3336	WBC4836B
WBC3636B	

24" High Blind WBC2424 WBC3924B WBC2724 WBC4224B WBC3024 WBC4524B

WBC4824B

A

Minimum and maximum pull dimen-

sions located on page 21.


WBC3324

WBC3624B


42" High Blind	
WBC2442	WBC3942B
WBC2742	WBC4242B
WBC3042	WBC4542B
WBC3342	WBC4842B
WBC3642B	

24"& 30" High Wall Cabinets





DWA2430




36" High Corner Wall (2 shelves)


• DWA2436

42" High Corner Wall (3 shelves) DWA2442





Wall Cabinets




W3618BP

W3624BP

Wall Cabinets

36" High Wall Peninsula Cabinets



30" High Wall Peninsula Cabinets

30" High Single Peninsula

W930P W2130P


• W1230P

W1530P

W1830P

9" wide Bridgeport doors have slab doors. 9" wide Montana doors have reversed cope and rails.

36" High Wall Peninsula Cabinets



30" High Double Peninsula

• W2430BP	W3930P
W2730BP	W4230P
W3030BP	W4530P
W3330BP	W4830BP (4 door)
W3630BP	


30" High Microwave Wall Cabinets

36" High Singl	e Peninsula
W936P	W1836P
• W1236P	W2136P
W1536P	


9" wide Bridgeport doors have slab doors. 9" wide Montana doors have reversed cope and rails.

36" High Double Peninsula

	•	
•	W2436BP	W3636BP
	W2736BP	W3936P
	W3036BP	W4236P
	W3336BP	



30" High	
• MWW2430BMI	(18" deep)
MWW2730BMI	(18'' deep)
MWW3030BMI	(18'' deep)




• MWW243012BEXSMI	(12" deep)
MWW273012BEXSMI	(12" deep)
MWW303012BEXSMI	(12'' deep)

Wa


36" High Microwave Wall Cabinets

42" High Microwave Wall Cabinets

22'








30" 30" 18"

17" Open Microwave Wall Cabinets

17" Opening • MWW3030BOP17MI MWW3036BOP17MI MWW3042BOP17MI






WS11548	WS11554	WS11560	
WST1848	WST1854	WST1860	
WST2148	WST2154	WST2160	
WST2448	WST2454	• WST2460	


Wa

Diagonal Wall End Cabinet



Diagonal End Cabinet

• WEC1230 1 fixed shelf WEC1236 1 fixed shelf



13"


12

WEC1242 2 fixed shelves

30" High Wall End Open Shelf

36" High Wall End Open Shelf

42" High Wall End Open Shelf





3/4" Thick Construction (1/4" side)




Wall

15" High Wine Rack	30" High Wine Rack	18" / 36" / 42" High Wine Rack
15" High	30" High	18'' 36'' 42'' High
WR2415MI WR3615MI	WR1530MI WR2430MI	• WR3018MI WR1542MI
• WR3015MI WR4215MI	• WR1830MI	
		WR1236MI
		WR1536MI
Wall Organizers	Wall Spice Drawers	Wall Wine Cube












Base Cabinets





- B1512FH
- B1812FH
- B2112FH



Double Door	- Full Height
• B2412BFH	B3312BFH
B2712BFH	B3612BFH
B3012BFH	

34 1/2" 24"


Single Door / Drawer		
	В9	B18
	B12	B21
	B15	B24

9" wide Bridgeport doors have slab doors. 9" wide Montana doors have reversed cope and rails.

Base Cabinets

Double Door / Drawer Cabinets


3 Drawer Base Cabinets



Revised - 12/21/18


Base


Base Cabinets



Base Microwave Cabinets

Base Microwave Cabinets 17" Open-ing






Lazy Susan Cabinets

24" Spinner 34 1/2" 18"

Lazy Susan


• LS33 (Left shown above)



Lazy Susan


• LS36 (Left shown above)

Blind Base Cabinets




Additional filler must be ordered separately. Minimum and maximum pull dimensions located on page 21.

Super Lazy Susan Cabinets





Diagonal Base Cabinets



Base

Square Corner Base Cabinets






Square Corner Base

• SCB33 (Left shown above) Fixed Shelf


Square Corner Base


• SCB36 (Left shown above) Fixed Shelf


Super Square Corner Base Cabinets



Peninsula Base Cabinets







Base Corner - PeninsulaPBCC27

Single Door - Peninsula • B12P B18P


B15P B21P


Double Door - Peninsula					
B24BP	B39P	(2 Drawer)			
B27BP	B42P	(2 Drawer)			
B30BP	B45P	(2 Drawer)			
B33BP	B48BP	(2 Drawer)			
B36BP		(8 doors)			

	insu	 	- I.
- E			er
	1130		

Base End Open Shelf


Base End Corner





Base End Open Shelf BEOS1224L (3/4" thick, 1/4" side)


• BEOS1224R (3/4" thick, 1/4" side)




• BEC24B

Base

Cleat for install ships loose.




Sink Fronts



Base

Base Cabinets




Benches

Base

	21" Benches BENCH1D1221 BENCH1D1521 BENCH1D1821
18" Benches	24" Benches
BENCH1D1218	BENCH1D1224
BENCH1D1518	BENCH1D1524
BENCH1D1818	BENCH1D1824

84" High Tall Cabinets




Tall Single Door

 T128412
 T188412


 T158412
 • T218412

 Included shelves are fixed. Shelf kits sold separately.

96" High Tall Cabinets




Included shelves are fixed. Shelf kits sold separately.




Tall Double Door		
T248412B	T338412B	
T278412B	•T368412B	
T308412B		
Included shelves are fixed. Shelf kits sold separately.		


90" High Tall Cabinets



Tall Single Door	
T129012	T189012
T159012	•T219012

Included shelves are fixed. Shelf kits sold separately.






Cabinet installs on included detached toe kick box (allows for easier install)

T309612B

Included shelves are fixed. Shelf kits sold separately. 41

B : following Cabinet Size Designates Butt Doors Specifications Subject to Change Without Notice

84" High Tall Cabinets





Tall Single Door

T128424	T188424
T158424	•T218424

Included shelves are fixed. Shelf kits sold separately.

96" High Tall Cabinets





36"

84'

24"

Tall Double Door

T248424B

T278424B

T308424B

separately.

16'

32 1/2"

28'


T338424B

• T368424B

Included shelves are fixed. Shelf kits sold

Included shelves are fixed. Shelf kits sold separately.

90" High Tall Cabinets



Tall

Revised - 12/21/18



28"


32 1/2"

28"


96" High Tall Fronts


90" High Tall Fronts

36" 17" 16" 32 1/2" 79 1/2 28"		36" 17" 28 91 1/2 28
Utility Front	Utility Front	Utility Front
UF1584 UF2784B	UF1590 UF2790B	UF1596 UF2796B
UF1884 UF3084	UF1890 UF3090	UF1896 UF3096
UF2184 UF3384	UF2190 UF3390	UF2196 UF3396
UF2484B ● UF3684	UF2490B • UF3690	UF2496B • UF3696
84" High Oven Cabinets	90" High Oven Cabinets	96" High Oven Cabine



84" High Tall Fronts






Tall

B : following Cabinet Size Designates Butt Doors Specifications Subject to Change Without Notice

84" High Single Oven


90" High Single Oven

% High Single Oven



SOV2784B SOV3084B


• SOV3384B



96" High Oven with 2 Drawers

• OV2D3396B

Detached toe kick box, order end Skin for exposed side.




SOV2790B

SOV3090B


• SOV3390B

96 Single Oven SOV2796B SOV3096B • SOV3396B Detached toe kick box, order end Skin for exposed side.

Tall Broom Closet



Bookcases



	84" High Broom Closets				
	TBC158412 TBC158424				
	TBC188412	TBC188424			
	TBC248412B	TBC248424B			
	TBC308412B	TBC308424B			
	90" High Broom Closets				
TBC159012 TBC159024					

TBC159012	TBC159024
TBC189012	TBC189024
• TBC249012B	TBC249024B
TBC309012B	TBC309024B

	96" High Broom Closets			
	TBC159612	TBC159624		
	TBC189612	TBC189624		
•	TBC249612	TBC249624		
	TBC309612	TBC309624		

72" High Book	cases
BC127212	BC277212
BC157212	BC307212
• BC187212	BC337212
BC217212	• BC367212
BC247212	
84" High Book	cases
BC128412	BC278412
BC158412	BC308412
BC188412	BC338412
BC218412	BC368412
BC248412	
96'' High Book	cases
BC129612	BC279612
BC159612	BC309612
BC189612	BC339612
BC219612	BC369612
BC249612	

Universal Access


Universal Access Sink Base Cabinet

23.5 1/2" 32 Standard Toekick 24'

Handicap Sink Base (Removable Front)

SB30BHCSTDTKRF_ADA

 SB33BHCSTDTKRF_ADA SB36BHCSTDTKRF_ADA Removable shipping supports included. Matching wall hung cabinet included. Removable panel with clips not included. Also available as ADA or UFAS.




Handicap Vanity Sink Base (Removable Front)


VSB30BHCSTDTKRF_ADA

• VSB33BHCSTDTKRF_ADA VSB36BHCSTDTKRF_ADA Removable shipping supports included. Matching wall hung cabinet included. Removable panel with clips not included. Also available as ADA or UFAS.

Universal Access Sink Base Pocket Door



Wall Hung Cabinets ADA & UFAS




Installation supports Recommended

Vanity Sink Base Cabinets		WATE	R	WATER
	27" 31 1/2 21"	12 1/2" 19"	45" 31 1/2 21"	20 1/2"
Single Door	Double Doo	pr - Butt	Double Do	or - Double Drawer
VSB18	VSB24B	VSB36B	VSB39	● VSB45
• VSB21	• VSB27B	VSB48B (4 doors)	VSB42	
VSB1816 (16" deep)	VSB30B	VSB54B (4 doors)		
VSB2416 (16" deep)	VSB33B			

WATER

Vanity Sink Base Full Height Door Cabinets




Vanity

Vanity Sink 2-D	rawer Cabinets 18"	Deep	Vanity Sin	k 2-Drawer Cabinets
27" 31 1/2" 18"		42" 31 1/2" 18" 16"	27" 31 1/2" 21"	
	_		Vanity Sink Dr	awer Base
Vanity Sink Dra		Vanity Sink Drawer Base	VS2D24L	VS2D36L
VS2D2418L	VS2D3318L	• VS2D4218BL	VS2D24R	VS2D36R
VS2D2418R	VS2D3318R	VS2D4218BR	• VS2D27L	VS2D42BL (2 Door)
• VS2D2718L	VS2D3618L	VS2D4518BL (2 False Drawer Fronts)	VS2D27R	VS2D42BR (2 Door)
VS2D2718R	VS2D3618R	VS2D4518BR (2 False Drawer Fronts)	VS2D30L	VS2D45BL (2 Door)
VS2D3018L		VS2D4818BL (2 False Drawer Fronts)	VS2D30R	VS2D45BR (2 Door)
VS2D3018R		VS2D4818BR (2 False Drawer Fronts)	VS2D33L	VS2D48BL (2 Door)
			VS2D33R	VS2D48BR (2 Door)
				(2 False Drawer Fronts)


WATER

Vanity Center Drawer Base Cabinets




• VCD54


Vanity 🔨




WATER

Vanity Sink Combination Cabinets





Vanity File Cabinets



Vanity


WATER

Vanity Desk Height


		28 1/2"	
1 Door 1 Dra	awer	2 Door 1Drav	ver
VB12DH	VB21DH	• VB27BDH	VB33BDH
VB15DH • VB18DH	VB24DH	VB30BDH	VB36BDH

Single Door / Drawer Cabinets

Double Door / Drawer Cabinets



Vanity





Vanities offered in handicap (ADA) and Base heights. Revised - 12/21/18

3 Drawer Vanity Base Cabinets

Vanity Sink Front

33"





27"	19"
Double Doo	or
VSF15	• VSF33B
VSF18	VSF36B
VSF21	VSF39

VSF42

VSF45

VSF48B (4 door)

VSF24B

VSF27B VSF30B


vanity	Drawer	Base

V3D12 V3D21 • V3D15 V3D24

V3D18


er Base - 18'' Deep	
V3D2118	
V3D2418	
	V3D2118

Vanity Knee Drawer




Vanity

Vanity Wall Boutique




Tall Linen Cabinet


Vanity



Vanities offered in handicap (ADA) and Base heights. Revised - 12/21/18




Roll Out Shelves - Double (for non-butt door cabinets)



Pull Out Storage Cabinet

Tilt-Out Sink Trays



• DRF30

Accessories //

TK8L

(Box of 20)

(Single 9" tall

(Single Piece)

Handicap Piece)

TK8


• TK8S

TK8SHC

Waste Bins


Wood Veneer End Skins

		30" 11 1/4"
Single Bin	Double Bin	Wood Veneer End Skin
• BIN1_15 35 quart bin	BIN2_18	• WES30 (11.25x30) BES (23.25x34.5)
	• BIN2_21 35 quart bin	WES36 (11.25x36) VES (20.25x31.5)
		WES42 (11.25x42) TES (23.25x96)
B15_BIN1 (factory install)	B18_BIN2 (factory install) B21_BIN2 (factory install)	WES4218 (17.25x42)
Door comes attached	B21_BIN2 (factory install) Door comes attached	(1/4" thick)
bog comes attached		
Laminated End Skins	Decorative End Panel	
<i>"</i>		




Laminated End Skin

BESL (23.25x34.5)				
VESL (20.25x31.5)				
TESL (23.25x96)				
WES4218L (17.25x42)				
(1/4" thick)				



Wall End Panel				
DWP12	• DWP30			
DWP15	DWP36			
DWP18	DWP42			
DWP24				

Decorative Panel comes in door style ordered




Base End Panel • DBP24


Decorative Panel comes in door style ordered


Wood Voncor Panoling	Laminated Paneling	Removable Front Panel Kit
Wood Veneer Paneling	Laminalea Faneiling	kemovable noni ranerki
96"	96"	27" 20" 20" Laminated 1/2' thick
Wood Veneer 48'' Wide • P4896 (48x96) P4834.5 (48x34.5) (1/4" thick)	Laminated (1/4" thick) • P4896L (48x96) P4834.5L (48x34.5) Laminated (1/2" thick) P.54896L (48x96)	RFPPANEL_SB30 RFPPANEL_SB33 RFPPANEL_SB36 RFPPANEL_SB39 RFPPANEL_SB42 RFPPANEL_VSB30 RFPPANEL_VSB33 RFPPANEL_VSB36 Includes Clips
Tall End Panels	Wall End Panels	Base End Panels
B4" 12" Tall End Panels (1side matching)	Wall End Panels	Base End Panels
84" 12"		34 1/2"

Revised - 12/21/18


Vanity End Panels	TEP 75 Panels	Wall / Tall Fillers
<image/> <image/> <image/> <image/> <image/> <text><text><text></text></text></text>	90° 9	Wall Filler WF330 WF342 WF630 WF642 WF930 TF384 TF684 TF396 TF696 TF696
Base Corner Filler	Leg	Wood Support Bracket
Image: A standard de la contentBase CornerBCF3x3	harpine $harpine$	Bracket • WSB66 WSB79 WSB1212







Standard Door Hinge	Full Overlay Door Hinge	Soft Close Hinge - Standard
Standard Door Hinges HINGES 2 qty, 6-way adjustable	Full Overlay Door Hinge OVER_LAY_HINGES 2 qty, 6-way adjustable	Soft Close Hinge - Standard HINGES_SOFT HINGES_SOFT_25 25 pairs
Lazy Susan Door Hinge		Soft Close Hinge - Full Overlay
Attaches Door to Face Frame LSHINGE_SIDE 2 qty	Attaches Door to Door LSHINGE_CENTER 2 qty	Soft Close Hinge - Full Overlay HINGES_SOFT_FOL HINGES_SOFT_FOL_25 25 pairs



Dawer Box Slides

		G*GRASS [®]
Standard Slides	Full Extension Slides	Undermount Soft Close Drawer Slides
15SLIDE SET 15" deep	15SLIDE SET FULL EXT 15" deep	15SLIDE SET UNDER 15" deep
18SLIDE SET 18" deep	18SLIDE SET FULL EXT 18" deep	18SLIDE SET UNDER 18" deep

	Full Extension Slides	U	
)	15SLIDE SET FULL EXT	15" deep	1
1	18SLIDE SET FULL EXT	18" deep	1
1	21SLIDE SET FULL EXT	21" deep	2
	24SLIDE SET FULL EXT	24" deep	2
	100 lb dynamic rating		7!

G*GR/	ASS®
Undermount Soft Cl	
15SLIDE SET UNDER	15" deep
18SLIDE SET UNDER	18" deep
21SLIDE SET UNDER	21" deep
24SLIDE SET UNDER	24" deep
75 lb dynamic rating	

21SLIDE SET


24SLIDE SET

75 lb dynamic rating

21" deep


24" deep

Screws	Door Bumpers	3/4" Thick Shelf Clips
Screws DRFRONT SCREW25 DRFRONT SCREW25 Drawer Front Screws HINGE SCREW25 Door Hinge Screws SLIDE SCREW25 Drawer Slide Screws	Bumpers Bumpers100 (100 count) Bumpers_Box (5,000 count)	Shelf Clips SHELFCLIPS25_75 (25 count) SHELFCLIPS100_75 (100 count)
Keku Clips	False Front Clips	




Wall Hung Cabinet Parts 8 piece for male and female

KEKU_CLIP_SET_4



False Front Clips4.5_FALSEFRONT_CLIP(1 pair)





Troubleshooting Guide



Some problems that may arise during installation can be remedied with the following troubleshooting table.

Problem	Cause	Solution
Doors on a double door cabinet do not	Hinges are in need of adjustment	Adjust hinges until cabinet doors line up properly. Consult www.smartcabinetry.com/ hardware.php for information regarding hardware adjustment.
line up	Cabinet is out of square	Loosen screws in back and use shims to make the cabinet plumb. Re-tighten screws. Overtightening screws will damage the cabinet backing. Slowly tighten until the head of the screw is flush with the back of the cabinet.
	Hinges are in need of adjustment	Adjust hinges until cabinet doors line up properly. Consult www.smartcabinetry.com/ hardware.php for information regarding hardware adjustment.
Door is not flush to the face frame	Hinge(s) are twisted or bent	Contact your dealer for support.
	Cabinet door is warped	Humidity levels can cause warping. Allow door to hang through one heating season. If it remains warped more than 1/4", call your dealer.
	Cabinet is out of square	Loosen screws in back and use shims to make the cabinet plumb. Re-tighten screws. Overtightening screws will damage the cabinet backing. Slowly tighten until the head of the screw is flush with the back of the cabinet.
	Drawer glide is misaligned	Adjust drawer guide until drawer closes flush against frame. Consult www.smartcabine- try.com/hardware.php for information regarding hardware adjustment.
Drawer is not flush to the face frame	Cabinet is out of square	Loosen screws in back and use shims to make the cabinet plumb. Re-tighten screws. Overtightening screws will damage the cabinet backing. Slowly tighten until the head of the screw is flush with the back of the cabinet.
Cabinet shelf is sagging in the middle	Shelf peg is not properly inserted	Adjust pegs accordingly, insert on the back side of the middle wood frame section (center mullion). Use all shelf pegs in their proper positions.
Scratches, nicks, or dents	Damage occurred during installation	Contact your installer or dealer, touch up kits are available for order through your dealer.
su aunes, nicks, or dents	Damage occurred during shipping	See page 63, "What if my shipment is damaged?"

IMPORTANT: It is not advisable to install cabinets wider than 36 inches or deeper than 12 inches on a wall independently. If essential to ones kitchen, the installer of the kitchen must secure the cabinet to a permanent structure, i.e. interior wall.

IMPORTANT: Structural modification of a wall cabinet can significantly weaken the cabinet. For this reason modifications to Smart Cabinetry are not recommended, such as cutting the back to clear wall obstructions. If an obstruction exists, we suggest you first try to use cabinet(s) that do not require modifications. If modification is required, the warranty of the cabinet is void and it is the responsibility of the installer to take appropriate steps to compensate for any loss of strength or support due to the modification.

Soffit exists: Install permanently to a soffit by running four #10 lag bolts 3" in length through the top face frame into the "2x" structure (x4, x6, x8 or larger and a minimum) directly to the overhead structure or ceiling joist.

Soffit doesn't exist: The cabinets must attach to an adjoining cabinet which is affixed to wall or permanent interior structure. If it is at the end of a cabinet run install a tall end panel (TEP) and attach to its frame establishing a "permanent" fixture supporting the cabinet permanently attached to the TEP which is permanently attached to the floor.

Failure to follow these instructions will void all warranties. The result could be the cabinet falling off the wall which becomes a liability not warranted by Smart Cabinetry.

Frequently Asked Questions



When does my lead time begin?

Lead time begins after the 24 hour confirmation review and sign-off process.

Can I get an estimate for my shipping costs?

Estimates are available on request. **Please contact Shipping Department for a quote**. Freight estimates are valid for thirty business days from date of email sent to customer. Freight estimates are calculated and quoted by the most economical mode of transport.

How do I know when my cabinets will deliver?

For the actual date of delivery, please contact the shipping department 3-4 days prior to the projected ship week listed on your order confirmation.

How many cabinets can ship on one truck load?

250-300 cabinets or 3,000 cubes are standard for one truckload. (Subject to change according to SKU sizes)

What if my shipment is damaged?

Upon delivery notify the delivery driver of the damage and request that he/she make a note of the damage on the bill of lading. Sign the Bill of Lading, as proof of delivery; include identified damage noted on signed Bill of Lading. All damaged items need to be accepted by the customer. Do not reject damaged items.

Damage claims will need to be filed on Smart Claims Form prior to shipping replacements. To file a damage claim, please fill out claims, form in its entirety, then fax to Smart Cabinetry @ 1 866-836-5747. Include your order number, buyer's name, shipping address and a brief description of damage. Send pictures of damage along with the claims form. Upon receipt of the claim form, Smart Cabinetry will send a confirmation. Smart Cabinetry cannot be held responsible for any labor costs accrued during the installation of products sold via any of its channels of distribution due to claim. This includes, but is not limited to, items that may be flawed or have become damaged in transit.

Notes: This policy does not cover freight damages or shortages due to shipping of product. Customer must receive product in accordance with Smart Cabinetry shipping and receiving policy, and may be required to submit information verifying the claim. These policies are set by our freight carriers, so failure to comply will result in loss of compensation for the customer.

*Production lead times are for standard new orders only. JCO and Claim orders are scheduled twice per week. JCO and Claim orders may close before 24 hour sign-offs to expedite production.

Accessorial Charges



We receive many questions regarding accessorial services and charges. Accessorial charges are fees for performing services beyond normal pick up, transport, and delivery. Accessorial Fees and types of services provided are subject to change without notice. Fees are included in the freight quote when services requested are understood at time of order. For a complete list of accessorial charges, contact logistics@smartcabinetry.com.

The origin, destination, zip codes, classification, shipping weight, and any additional services that may be required in transit, will determine actual charges. Rates and additional charges will be determined using our signed rules and accessorial charges in place at the time of pick up. If no signed rules and accessorial charges are in place at the time of pickup, rates will be subject to Smart Cabinetry's rules. Final rates will be calculated based on actual freight characteristics and will be invoiced if additional charges apply. Note: Accessorial Services carry a nominal charge as such it is our customer's responsibility to include the services necessary at time of order.

Installation Tips

Do not store cabinets in a moist environment. Wood products, especially one piece cabinet doors, absorb excess moisture in the air and can expand. These minor changes in size due to improper storage are not covered by Smart Cabinetry's limited 5 year warranty. Store cabinets in a dry and conditioned environment.

Ensure the floor is level before starting any installation. It will be necessary to locate any uneven areas and shim or scribe cabinets in order to make the installation plumb, true and square.

Start with wall cabinets and begin in a corner. Measure from the corner to the first stud, and mark the measurement on the inside of the cabinet to be installed. Repeat this process for each and every stud. Drill a pilot hole through the back of the cabinet 3/4" down from the top and 3/4" up from the bottom. Fasten the cabinet to the wall with wood screws. Do not fully tighten the screws until all wall cabinets are in place.

Properly attach all wall cabinets to a soffit. Affix to a per-

manent structure by running lag bolts through the top face frame into the "2 x" structure directly overhead.

If soffit does not exist, the cabinets must be attached to an adjoining cabinet which is affixed to a permanent interior structure. For end of run cabinets, install a tall end panel and attach to its frame establishing a "permanent" fixture which supports the cabinet.

When installing a blind cabinet, make sure the cabinet is pulled out from the wall the appropriate distance as called for in your kitchen plan. See page 19 for guidelines about blind cabinet pull distances.

Adjust cabinet doors easily with a Phillips screwdriver. Rotate the micro screw nearest the door to adjust side to side. Loosen middle screw, align door, and tighten the screw to adjust the door's height. Finally, rotate the cam screw near the inside of the cabinet to adjust the depth of the door.

For a more in depth installation guide, visit our website: smartcabinetry.com/cabinetinstallation.php

Claims Instructions

Damage and/or product shortage:

Claims are valid when proper documents and documentation submitted and signed by the customer and the transportation company. Documents include Smart Claims Form, Signed BOL, and photographs of damage.

Missing Items Claim:

Must be made at time of delivery and documented on the bill of lading. Claims can then be made via fax to 1 866-836-5747. Include Smart Claims Form, a copy of the signed BOL (proof of delivery), and notation of missing item.

Damage Claims:

Must be made within 24 HOURS OF PRODUCT DELIVERY and documented on the bill of lading (BOL) in addition to a properly filled out Smart Claims Form. **Claims must be submitted via fax to 1 866-836-5747.**

Pictures showing damage are required when submitting request for warranty / replacement of cabinets.



Concealed Damage Claims:

Claims can be made up to 30 days after receipt of order. Signed BOL's (Proof of Delivery), Smart Claim Form and pictures are necessary to process ones claim. Concealed Damage Claims are defined as requests made greater than 24 hours after original delivery date. Items claimed as "damage" are documented claims made within 24 hours of receipt of goods. Concealed Damage Claims costs are shared "proportionately" between our organizations. Approved concealed damage claim value is no more or less than 50%. Concealed damages are a 50/50 split on replacement. Return Shipment is at customers expense.

Disclaimer for Painted Wood



Painted finish Agreement (provided by dealer/distributor) to be signed by customer before finalizing any orders containing special finishes.

All wood products naturally expand and contract with changes in temperature and humidity. This natural movement may cause painted finishes to develop separation lines or breaks where any two pieces of wood join together. These breaks may become more noticeable as time passes. Like other finishes, paint is also susceptible to changes in color due to exposure to natural light, extreme heat, smoke, and abrasive cleaners. Areas with additional contact with water or fluids onto doors or drawer fronts could break-down the finish with overexposure.

Therefore, for the reasons stated above, the warranty of Smart Cabinetry's painted product (special finishes), STRUCTURALLY, is one year from date of purchase. However, there is no warranty and there is no implied period to warranty noticeable imperfections as discussed above.



separation of door corner



separatioin of door end



separation of frame joint

Disclaimer for Thermofoil Doors

Thermofoil Doors (Brentwood, Northport, Denver) should note heat shields are required for installations next to heat sources; stoves, ovens, heaters, etc. Heat shields on page 62.

Disclaimer for Maple and Oak Slab Doors

Slab Doors (Rockport, Freeport, Chateau, Edgewood, Nantucket) depending on the regional environmental climate change can decrease or increase in the dryness or humidity. This can cause doors to shrink or swell in size in a very short period of time. Cabinets should not be delivered and stored into areas of drywall mudding, painting, or open air environments. Smart Cabinetry is not responsible or liable for cabinet doors shrinking or swelling after shipping.



LIMITED 5 YEAR WARRANTY

Five Year Limited Warranty on Cabinets, excluding special finishes. Smart LLC, d/b/a Smart Cabinetry warrants to original purchaser for a period of five years from the original date of purchase that all components of Smart Cabinetry shall be free from defects in material and workmanship under normal use. This warranty is only applicable to products used in standard North American residential applications and is not transferable.

Should defects in material or workmanship exist during the applicable warranty period in any Smart LLC product, Smart Cabinetry will elect at its discretion to either repair or replace the defective material or component free of charge. This warranty covers only parts and materials of the products supplied by Smart Cabinetry. Not covered under this warranty are counter tops, appliances, plumbing fixtures, etc. or the costs, including labor, to remove and reinstall materials and related components such as fittings, appliances, etc. This warranty shall become void if the cabinets are in any way modified, improperly installed or damaged prior to or during the installation. This limited warranty applies only in the case of the standard residential application in the United States, and is void for all other applications. Furthermore, this warranty will not apply to cabinets damaged by misuse, neglect, abuse, acts of God, exposure to extreme temperatures, the effects of normal wear and tear or exposure to moisture including, but not limited to, excessive or continued exposure to moisture as a result of leakage, improper plumbing, flooding, etc.

Hardwoods vary in color, characteristics, and may exhibit subtle changes as they age. Sunlight, smoke, household cleaners and other environmental conditions may also affect the color match over time. These variations are considered the nature of the material in relation to their environmental exposure and are not covered under this warranty.

Hardwoods will expand and contract physically when environmental changes occur in the normal setting of ones kitchen. Changes in temperature, humidity, or prolonged moisture will cause normal "movement" in hardwood products. Hairline cracks or "separation" may appear consequently becoming visible over joint areas. Painted face frames, doors and other painted products (doors) may develop joint separation and visible cracks. Visual variations such as these are considered normal and customary in our industry. Characteristics developing from the materials used constructing Smart Cabinetry relative to its environment is not covered under Smart LLC 5 year limited warranty.

Smart cabinetry's five year limited warranty shall become void from the improper use of household chemicals. Alkaline, acidic and ammonia based detergents and cleaners, as well as vinegar and strong solvent based cleaners, and excess water exposure severely affect the finish of a Smart cabinet. This also includes mineral spirits, paint thinner or any other harsh cleaning chemicals including citrus and citrus based cleaners or any abrasive cleaning products.

Smart cabinetry reserves the right to alter designs, specifications and materials, and will periodically do so, as conditions require and improvements are developed, without obligation to make similar changes to products previously manufactured. The repair(s) or replacement(s) are contingent upon the current product offerings of styles and construction options within the Smart Cabinetry Product Line at the time of the warranty claim. If a warranty claim is filed after a product has become obsolete, or has undergone design, specification or material changes, we reserve the right to honor the warranty in one



of the following manners:

- 1. To replace the affected component with a new component of the same style.
- 2. OR any affected component to achieve a uniform appearance with a comparable product style.

If components are replaced, Smart Cabinetry cannot guarantee the finish of these replacements will exactly match the finish and appearance of the components in the residential application due to the changes that occur during hardwoods natural aging process. Imperfections are part of its inherent natural beauty. Wood varies in color and characteristics that exhibit subtle changes as it ages. For example, white-painted face frames will eventually have visible seam lines at the joint areas, and individual cabinet wood species will darken or lighten with time. Imperfections are not the result of manufacturing ones cabinets, Smart Cabinetry's Limited 5 Year Warranty will not cover differences in color, grain and natural variations including but not limited to those "character" imperfections indigenous to the species of hardwoods used by Smart Cabinetry nor does it cover possible differences in color when adding new cabinetry to old.

Smart Cabinetry does not warrant the installation of "stand alone" or independent cabinets in widths greater than thirty-six inches and depths greater than 12" inches. All cabinets regardless of design dimension or shape must be affixed to "studs", permanently fastened to interior wall, floor or ceiling joists attached to permanent structures i.e. interior partition wall or floor. IMPORTANT: Structural modification of a wall cabinet can significantly weaken the cabinet. For this reason modifications are not recommended, if modification is required, the warranty of the cabinet is void and it is the responsibility of the installer to take appropriate steps to compensate for any loss of strength or support due to the modification. *** SEE INSTALLATION INSTRUCTIONS

THIS WARRANTY IS THE EXCLUSIVE WARRANTY OF SMART CABINETRY AND IS IN LIEU OF AND SMART CABINETRY DISCLAIMS ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.

This warranty applies only to products manufactured or supplied by Smart Cabinetry. Any interpretation herein other than written is unwarranted.

This warranty applies only to products used in residential applications within the United States and is not transferable to subsequent owners. This warranty supersedes all previous warranties from date of issuance. This Warranty constitutes the exclusive remedy against Smart Cabinetry for alleged defects in materials and workmanship.

This warranty gives you specific legal rights and you may have other rights, which vary from state to state. Some states do not allow the exclusion or limitation of incidental or consequential damages, so the above limitations or exclusions may not apply to you.

To obtain replacement(s) under Smart Cabinetry's Five Year Limited warranty, first contact your authorized Smart Cabinetry dealer or distributor, who will arrange for inspection of the cabinet. A dated sales receipt as proof of purchase is required to obtain benefits from this warranty.

If you have difficulty obtaining assistance, please write: Smart Cabinetry, 70680 CR-23 New Paris, Indiana 46553.

Phone: (574) 831-5010 Fax: (574) 831-5018 or Email customerservice@smartcabinetry.com.

Notes	

Smart Cabinetry® An **acpi**.brand 2019 Cabinet Specifications Guide



Proudly Made in America