

STANLEY® CONSUMER FASTENING SELECTION GUIDE

STAPLERS	FASTENER TYPE				
	DURABILITY	EASY SQUEEZE	HI/LO POWER SETTING	STAPLES	BRADS
Electric Staplers					
Electric Stapler / Brad Nailer TRE550	XXXXX		X	X	X
Manual Staplers					
Heavy-duty Staple Gun / Brad Nailer TR250	XXXXX	XXXXX	X	X	X
Heavy-duty Staple Gun with Hi/Lo Setting TR150HL	XXXX	XXXXX	X	X	
Heavy-duty Staple Gun TR150	XXX	XXXXX	X	X	
Heavy-duty Staple Gun/ Cable Tacker CT10X	XXX	XXX	X	X	
All Steel Light-duty Chrome-Plated Staple Gun TR45	XX	XXX		X	
Electric Brad Nailer TRE650					
Electric Brad Nailer TRE650	XXXX		X		X
Heavy-duty Hammer Tacker PHT250C					
Heavy-duty Hammer Tacker PHT250C	XXXXX			X	
Hammer Tacker PHT150C					
Hammer Tacker PHT150C	XXX			X	

RIVETS

SIZE	MR100CG	MR77C	MR55CS	MR33C	
Steel Rivets					
PSS42-1B	1/8" x 1/8"	X	X	X	X
PSS44-1B	1/8" x 1/4"	X	X	X	X
PSS48-1B	1/8" x 1/2"	X	X	X	X
Aluminum Rivets					
PAA42-1B	1/8" x 1/8"	X	X	X	X
PAA42W-1B	1/8" x 1/8" White	X	X	X	X
PAA44-1B	1/8" x 1/4"	X	X	X	X
PAA46-1B	1/8" x 3/8"	X	X	X	X
PAA48-1B	1/8" x 1/2"	X	X	X	X
PAA52-1B	5/32" x 1/8"	X	X	X	X
PAA54-1B	5/32" x 1/4"	X	X	X	X
PAA58-5B	5/32" x 1/2"	X	X	X	X
PAA610-5B	3/16" x 5/8"	X	X	X	X
PAA62-5B	3/16" x 1/8"	X	X	X	X
PAA64-5B	3/16" x 1/4"	X	X	X	X
PAA66-5B	3/16" x 3/8"	X	X	X	X
PAA68-5B	3/16" x 1/2"	X	X	X	X
Rivet Pack					
R120	Assortment	X	X	X	X

GLUE

	GR100	GR25-2	GR20	GR10
Dual Melt Standard Glue Sticks				
GS10DT				X
GS15DT	X	X	X	
GS20DT	X	X	X	
GS25DT	X	X	X	
Standard Woodworking Glue				
GS260	X	X	X	
Formula II Super Strength Standard Glue Sticks				
GS500	X	X	X	

RIVETERS/GLUE GUNS

	DURABILITY	FEATURE
Riveters		
Contractor Grade Riveter MR100CG	XXXXX	Heavy-Duty
Swivel Head Riveter MR77C	XXXX	Swivel Head
Right-Angle Riveter MR55CS	XXX	Right Angled
Medium Duty Riveter MR33C	XXX	Right Angled
Glue Guns		
DualMelt Pro™ Glue Gun Kit GR100	XXXXX	Hi & Lo Settings
Trigger-Feed Dual-Melt Glue Gun GR25-2	XXX	Hi & Lo Settings
Trigger Feed Hot-Melt Glue Gun GR20	XX	Hi Settings
Mini Hot-Melt Glue Gun GR10	XX	Hi Settings



STAPLES	SIZE	TRE550	TR250	TR150HL	TR150	CT10X	TR45	TRE650	PHT250C	PHT150C
Heavy-Duty Staples										
TRA704T	1/4"	X	X	X	X	X				X
TRA705T	5/16"	X	X	X	X	X			X	X
TRA706T	3/8"	X	X	X	X	X			X	X
TRA708T	1/2"	X	X	X	X	X			X	
TRA709T	9/16"	X	X	X	X	X				
Heavy-Duty Stainless Steel Narrow Crown Staples										
TRA704SST	1/4"	X	X	X	X	X				X
TRA706SST	3/8"	X	X	X	X	X			X	X
TRA708SST	1/2"	X	X	X	X	X			X	
Heavy-Duty Monel Narrow Crown Staples										
TRA704MT	1/4"	X	X	X	X	X				X
TRA706MT	3/8"	X	X	X	X	X			X	X
Light-Duty Staples										
TRA204T	1/4"						X			
TRA205T	5/16"						X			
TRA206T	3/8"						X			
Cable Staples										
CT106T	3/8"					X				
CT107T	7/16"					X				
CT108T	1/2"					X				
CT109T	9/16"					X				
CT306T	3/8"					X				
CT308T	1/2"					X				
18-Gauge Brads										
SWKBN050S	1/2"	X	X					X		
SWKBN625S	5/8"	X	X					X		
SWKBN075	3/4"							X		
SWKBBN100	1"							X		
SWKWBN100	1"							X		
SWKBN1187	1-3/16"							X		
SWKBN1250	1-1/4"							X		
Heavy-Duty PowerCrown® Staples										
TRB504T	1/4"	Bostitch® PowerCrown® Tools								
TRB506T	3/8"									
Heavy-Duty Wide Crown Staples										
TRC604T	1/4"	Ace®, Black & Decker®, Craftsman® and Duo Fast Wide Crown® products								
TRC606T	3/8"									

STANLEY® ELECTRIC BRAD NAILER

- Housing made of a polycarbonate blend for strength and durability.
- Adjustable power setting allows user to select either Hi/Lo setting to adapt to material density.
- Soft grip handle, cap, and trigger reduces hand fatigue and provides a slip resistant grip.
- Contact-fire safety switch will not fire a brad unless nailer is pressed against a work surface.
- Slide loading magazine allows for quick loading and features a magnetic strip to hold brads in place when open.
- Brad indicator window allows user to know if nailer is loaded and also turns red when the nailer is almost out of brads.
- On/Off switch allows the tool to be easily shut off when not in use.
- Open nose design allows for easy jam clearing.
- 8 ft. electrical cord.
- Rugged injection molded carrying case included.
- Holds up to 100 brads.



Product #	Capacity Range	Color	Uses	Overall Length (in)
TRE650Z	Brads: 5/8" to 1-1/4" 18-gauge	Gray/Black	SWKBN Series	10-1/2

STANLEY® ELECTRIC STAPLER BRAD NAILER

- Heavy-duty design delivers outstanding driving power.
- Hi/Lo power for hard and soft materials.
- Flush-nose design solves the problem of stapling in tight spots.
- Contoured grip for extra comfort.
- Anti-jam mechanism saves time on the job.
- 8' power cord.
- Nose safety.



Product #	Capacity Range	Color	Uses	Overall Length (in)
TRE550Z	Staples: 1/4", 5/16", 3/8", 1/2", 9/16" Brads: 1/2", 9/16", 5/8"	Yellow	TRA700 Series, Arrow® T-50®	7-1/4

Arrow, T-50, T-25, T-75 and JT-21 are trademarks of Arrow Fastener Co., Inc.

STANLEY® HEAVY-DUTY STAPLE GUN BRAD NAILER

- Easy-squeeze product works overtime as a staple gun, brad nailer, cable tacker, and wire tacker.
- All-metal drive channel for penetration.
- Heavy-duty aircraft-aluminum housing for long-lasting, lightweight durability.
- Hi/Lo power lever for hard and soft materials.
- Flush-nose design solves the problem of stapling in tight spots.
- Lock-down handle for storage.
- Quick-view window simplifies staple identification.
- Bottom-loading, easy-slide, full-stick staple load.



Product #	Capacity Range	Color	Uses	Overall Length (in)
TR250	Staples: 1/4", 5/16", 3/8", 1/2", 9/16" Brads: 1/2, 9/16, 5/8	Gray/Black	TRA700 Series, Arrow® T-50®	7

Arrow, T-50, T-25, T-75 and JT-21 are trademarks of Arrow Fastener Co., Inc.



STANLEY® HEAVY-DUTY STAPLE GUN WITH HI/LO SETTING

- Easy-squeeze handle reduces hand fatigue.
- Hi/Lo power lever for hard and soft materials.
- Heavy-duty aircraft-aluminum housing for long-lasting, lightweight durability.
- Anti-jam mechanism saves time on the job.
- Delivers high power and deep penetration.
- Bottom-loading, easy-slide, full-stick staple load.



Product #	Capacity Range	Color	Overall Length (in)	Uses
TR150HL	Staples: 1/4", 5/16", 3/8", 1/2", 9/16"	Gray/Black	7	TRA700 Series, Arrow® T-50®

Arrow, T-50, T-25, T-75 and JT-21 are trademarks of Arrow Fastener Co., Inc.

STANLEY® HEAVY-DUTY STAPLE GUN

- Easy-squeeze handle reduces hand fatigue.
- Heavy-duty aircraft-aluminum housing for long-lasting, lightweight durability.
- Anti-jam mechanism saves time on the job.
- Delivers high power and deep penetration.
- Bottom-loading, easy-slide, full-stick staple load.



Product #	Capacity Range	Color	Overall Length (in)	Uses
TR150	Staples: 1/4", 5/16", 3/8", 1/2", 9/16"	Yellow/Black	7	TRA700 Series, Arrow® T-50®

Arrow, T-50, T-25, T-75 and JT-21 are trademarks of Arrow Fastener Co., Inc.

STANLEY® HEAVY-DUTY CHROME-PLATED STAPLE GUN

- Chrome plated housing made of a steel construction for strength and durability.
- Metal stapler core slides out by squeezing the latch and pulling, giving access to staple channel for easy and fast bottom load.
- Stapler core stays in the housing, making it difficult to lose.
- Staple indicator window indicates staple size and allows user to know if stapler is loaded or needs reloading.
- Flush nose will fit flush against perpendicular surfaces such as the junction of a wall or ceiling.
- Handle lock for safe storage.
- Unique handle locking mechanism allows end user to lock handle without engaging the staple driving mechanism.
- Easy access to staple channel allows for jam clearing.




Product #	Capacity Range	Color	Uses	Overall Length (in)
TR110	Staples: 1/4", 5/16", 3/8", 1/2", 9/16"	Chrome	TRA700 Series, Arrow® T-50®	7-1/4

Arrow, T-50, T-25, T-75 and JT-21 are trademarks of Arrow Fastener Co., Inc.

STANLEY® LIGHT-DUTY CHROME-PLATED STAPLE GUN

- Chrome plated housing made of a steel construction for strength and durability.
- Spring loaded staple push rod to load staples.
- Staple indicator window allows user to know if stapler is loaded or needs reloading.
- Flush nose will fit flush against perpendicular surfaces such as the junction of a wall or ceiling.
- Handle lock for safe storage.
- Unique jam clearing feature allows end user to open up and draw down the staple channel for jam clearing.



Product #	Capacity Range	Color	Overall Length (in)	Uses
TR45	Staples: 1/4", 5/16", 3/8"	Chrome	6	TRA200 Series, Arrow® JT-21®

Arrow, T-50, T-25, T-75 and JT-21 are trademarks of Arrow Fastener Co., Inc.

STANLEY® LIGHT-DUTY STAPLE GUN

- Lightweight staple gun housing made of ABS for durability.
- Metal stapler core slides out by squeezing the latch and pulling, giving access to staple channel for easy and fast bottom load.
- Stapler has a 5" measuring scale molded in.



Product #	Capacity Range	Color	Uses	Overall Length (in)
TR40	Staples: 1/4", 5/16", 3/8"	Gray/Black	TRA204, TRA205, TRA206; Arrow® JT21®	6-1/4

Arrow, T-50, T-25, T-75 and JT-21 are trademarks of Arrow Fastener Co., Inc.

STANLEY® ALL PLASTIC LIGHT-DUTY ABS STAPLE GUN

- Lightweight staple gun housing made of ABS for durability.
- Stapler core slides out by squeezing the tabs and pulling, giving access to staple channel for easy and fast bottom load.
- Stapler core stays in the housing, making it difficult to lose.
- Staple indicator window allows user to know if stapler is loaded and also turns red when the stapler is almost out of staples.
- Stapler has a 4" measuring scale molded in.
- Unique handle locking mechanism allows end user to lock handle without engaging the staple driving mechanism or use of a traditional handle lock clip.
- Easy access to staple channel allows for jam clearing.



Product #	Capacity Range	Color	Uses	Overall Length (in)
TR35	Staples: 1/4", 5/16", 3/8"	Yellow/Black	TRA200 Series, Arrow® JT-21®	5-5/8

Arrow, T-50, T-25, T-75 and JT-21 are trademarks of Arrow Fastener Co., Inc.



STANLEY® HEAVY-DUTY STAPLE GUN CABLE TACKER

- Easy-squeeze product works overtime as a staple gun, brad nailer, cable tacker, and wire tacker.
- All-metal drive channel for penetration.
- Heavy-duty aircraft-aluminum housing for long-lasting, lightweight durability.
- Hi/Lo power lever for hard and soft materials.
- Flush-nose design solves the problem of stapling in tight spots.
- Lock-down handle for storage.
- Quick-view window simplifies staple identification.
- Bottom loading, easy-slide, full-stick staple load.



Product #	Capacity Range	Color	Uses	Overall Length (in)
CT10X	Staples: 3/8", 7/16", 1/2", 9/16"	Black/Gray	CT100 Series, CT300 Series, Arrow® T-25®	7

Arrow, T-50, T-25, T-75 and JT-21 are trademarks of Arrow Fastener Co., Inc.

STANLEY® PLIER STAPLER

- Comfort-grip handle reduces hand fatigue.
- Staples up to 20 sheets of paper.



Product #	Color	Uses	Overall Length (in)
TR65	Chrome/Black	TRO400T	7-1/8

STANLEY® FATMAX® HAMMER TACKER

- Driver mechanism delivers more than 500,000 cycles for long-life performance.
- Anti-jam mechanism reduces downtime and increases productivity.
- Bottom-load, high-capacity, quick-load magazine accepts up to two full sticks of staples to minimize reloading time.
- Chrome-plated steel construction frame for corrosion resistance and durability.
- Ergonomic comfort grip minimizes fatigue and maximizes comfort.
- Surface guard won't tear Tyvek® and felt.
- Loads two full sticks of staples.



Product #	Capacity Range	Uses	Overall Length (in)	Weight (lbs)
PHT250C	Staples: 5/16", 3/8", 1/2"	TRA700 Series, Arrow® T-50®	13-1/2	2.64

Arrow, T-50, T-25, T-75 and JT-21 are trademarks of Arrow Fastener Co., Inc. Tyvek® is a registered trademark of E. I. du Pont de Nemours and Company or its affiliates.

STANLEY® HEAVY-DUTY HAMMER TACKER

- Used for fast installation of carpeting, roofing materials or insulation.
- Contractor-quality design.
- Full-rubber grip absorbs shock and protects hand.
- Heavy-duty steel construction for added durability.
- Loads two full sticks of staples.



Product #	Capacity Range	Uses	Overall Length (in)	Weight (lbs)
PHT150C	Staples: 1/4", 5/16", 3/8"	TRA700 Series, Arrow® T-50®	12	2.13

Arrow, T-50, T-25, T-75 and JT-21 are trademarks of Arrow Fastener Co., Inc.

STANLEY® HEAVY-DUTY NARROW CROWN STAPLE AND BRAD ASSORTMENTS

- For heavy-duty stapling jobs such as insulation, carpet underlaying and roofing felt.
- Color-coded packaging makes size and product selection easy.
- (336) 1/4" 24-Gauge Staples
- (504) 5/16" 24-Gauge Staples
- (504) 3/8" 24-Gauge Staples
- (504) 1/2" 24-Gauge Staples
- (252) 9/16" 24-Gauge Staples
- (400) 5/8" 18-Gauge Staples



Product #	Crown Width (in)	Gauge	Quantity	For Use In
TRA700BN	27/64	18 & 24	2500	TR60, TR85, TR100, TR110, TR150, TR150HL, TR200, TR250, TRE500, TRE550, PHT150, PHT250 PHT350T
TRA700BN35	27/64	18 & 24	3500	TR60, TR85, TR100, TR110, TR150, TR150HL, TR200, TR250, TRE500, TRE550, PHT150, PHT250 PHT350T



STANLEY® HEAVY-DUTY NARROW CROWN STAPLES

- For Heavy-duty stapling jobs such as insulation, carpet underlaying and roofing felt.
- Color-coded packaging makes size and product selection easy.



Product #	Crown Width (in)	Leg Length (in)	Gauge	Type	Quantity	For Use In
TRA704T	27/64	1/4	24	Chisel Point	1000	TR100 series, TR200 series, TRE500 series, PHT150, TR60; Arrow® ET-50™, ET2025™, ETC50™, ETF50BN™, ETN50™, T-50®PBN, T55™, T55™C, T-50®, T55™, HT50A; Powershot™ 5700, 8000
TRA705T	27/64	5/16	24	Chisel Point	1000	TR100 Series, TR200 Series, TRE500 Series, PHT150, TR60; Arrow® ET50™, ET2025™, ETC50™, ETF50BN™, ETN50™, T-50®PBN, T55™, T55™C, T-50®, T55™, HT50A; Powershot™ 5700, 8000
TRA706T	27/64	3/8	24	Chisel Point	1000	TR100 Series, TR200 Series, TRE500 Series, PHT150, TR60; Arrow® ET50™, ET2025™, ETC50™, ETF50BN™, ETN50™, TR50®OC, T-50®PBN, T-55™, T55™C, T-50®, HT50A; Powershot™ 5700, 8000
TRA708T	27/64	1/2	24	Chisel Point	1000	TR100 Series, TR200 Series, TRE500 Series, TR60
TRA709T	27/64	9/16	24	Divergent Point	1000	TR100 Series, TR200 Series, TRE500 Series, TR60
STHT71833	27/64	1/4	24	Chisel Point	1250	TR60, TR85, TR100, TR110, TR150, TR150HL, TR200, TR250, TRE500, TRE550, PHT150, PHT250, PHT350T
STHT71834	27/64	5/16	24	Chisel Point	1250	TR60, TR85, TR100, TR110, TR150, TR150HL, TR200, TR250, TRE500, TRE550, PHT150, PHT250, PHT350T
STHT71836	27/64	3/8	24	Chisel Point	1250	TR60, TR85, TR100, TR110, TR150, TR150HL, TR200, TR250, TRE500, TRE550, PHT150, PHT250, PHT350
STHT71837	27/64	1/2	24	Chisel Point	1250	TR60, TR85, TR100, TR110, TR150, TR150HL, TR200, TR250, TRE500, TRE550, PHT150C, PHT250C, & PHT350T
STHT71838	27/64	9/16	24	Chisel Point	1250	TR60, TR85, TR100, TR110, TR150, TR150HL, TR200, TR250, TRE500, TRE550, PHT150, PHT250, PHT350T
TRA704TCS	27/64	1/4	24	Chisel Point	1500	TR60, TR85, TR100, TR110, TR150, TR150HL, TR200, TR250, TRE500, TRE550, PHT150, PHT250, PHT350T
TRA705TCS	27/64	5/16	24	Chisel Point	1500	TR60, TR85, TR100, TR110, TR150, TR150HL, TR200, TR250, TRE500, TRE550, PHT150, PHT250, PHT350T
TRA706TCS	27/64	3/8	24	Chisel Point	1500	TR60, TR85, TR100, TR110, TR150, TR150HL, TR200, TR250, TRE500, TRE550, PHT150, PHT250, PHT350
TRA708TCS	27/64	1/2	24	Chisel Point	1500	TR60, TR85, TR100, TR110, TR150, TR150HL, TR200, TR250, TRE500, TRE550, PHT150C, PHT250C, & PHT350T
TRA709TCS	27/64	9/16	24	Divergent Point	1500	TR60, TR85, TR100, TR110, TR150, TR150HL, TR200, TR250, TRE500, TRE550, PHT150, PHT250, PHT350T
*STHT74749	–	1/4, 3/8, 1/2	–	–	2000	TRA704, TRA706, TRA708
TRA704-5C	27/64	1/4	24	Chisel Point	5000	TR60, TR85, TR100, TR110, TR150, TR15HL, TR200, TR250, TRE500, TRE550, PHT150
TRA705-5C	27/64	5/16	24	Chisel Point	5000	TR60, TR85, TR100, TR110, TR150, TR15HL, TR200, TR250, TRE500, TRE550, PHT150, PHT250, PHT350T
TRA706-5C	27/64	3/8	24	Chisel Point	5000	TR100 Series, TR200 Series, TRE500 Series, PHT150, TR60; Arrow® ET50™, ET2025™, ETC50™, ETF50BN™, ETN50™, TR50®OC, T-50®PBN, T-55™, T55™C, T-50®, HT50A; Powershot™ 5700, 8000
TRA708-5C	27/64	1/2	24	Chisel Point	5000	TR60, TR85, TR100, TR110, TR150, TR15HL, TR200, TR250, TRE500, TRE550, PHT250, PHT350T

Arrow, T-50, T-25, T-75 and JT-21 are trademarks of Arrow Fastener Co., Inc.

*STHT74749 includes 660 of the TRA704 staples and 670 each of the following staples: TRA706 & TRA708.

STANLEY® HEAVY-DUTY STAINLESS STEEL NARROW CROWN STAPLES

- For corrosive or marine environments and upholstery work.
- Color-coded packaging makes size and product selection easy.



Product #	Crown Width (in)	Leg Length (in)	Gauge	Type	Quantity	For Use In
TRA704SST	27/64	1/4	24	Chisel Point	1000	TR100, TR200, TRE500, PHT150, TR250, Arrow® T-50®
TRA706SST	27/64	3/8	24	Chisel Point	1000	TR100, TR200, TRE500, PHT150, TR250, Arrow® T-50®
TRA708SST	27/64	1/2	24	Chisel Point	1000	TR100, TR200, TRE500, PHT150, TR250, Arrow® T-50®

Arrow, T-50, T-25, T-75 and JT-21 are trademarks of Arrow Fastener Co., Inc.

STANLEY® LIGHT-DUTY STAPLE ASSORTMENTS

- For light-duty household and crafting stapling jobs.
- Color-coded packaging makes size and product selection easy.




Product #	Contents	Crown Width (in)	Quantity	For Use In
TRA200BN	(500) 1/4" Staples (500) 5/16" Staples (500) 3/8" Staples	29/64	1500	TR35, TR40, TR45, Arrow® JT-21®

Arrow, T-50, T-25, T-75 and JT-21 are trademarks of Arrow Fastener Co., Inc.

STANLEY® LIGHT-DUTY WIDE CROWN STAPLES

- For light-duty household and crafting stapling jobs.
- Color-coded packaging makes size and product selection easy.



Product #	Crown Width (in)	Leg Length (in)	Gauge	Type	Quantity	For Use In
TRA204T	29/64	1/4	24	Chisel Point	1000	TR35, TR40 and TR45 and Arrow® JT-21®
TRA205T	29/64	5/16	24	Chisel Point	1000	TR35, TR40 and TR45 and Arrow® JT-21®
TRA206T	29/64	3/8	23	Chisel Point	1000	TR35, TR40 and TR45 and Arrow® JT-21®
*STHT74912	—	—	—	—	1500	—

Arrow, T-50, T-25, T-75 and JT-21 are trademarks of Arrow Fastener Co., Inc.

*STHT74912 includes 500 each of the following staples: TRA204T, TRA205T & TRA206T.



STANLEY® HEAVY-DUTY FLAT NARROW CROWN STAPLES

- For stapling low-voltage wires.
- Galvanized to reduce corrosion.
- Color-coded packaging makes size and product selection easy.



Product #	Crown Width (in)	Leg Length (in)	Gauge	Type	Quantity	For Use In
CT306T	5/16	3/8	23	Divergent Point	1000	CT10X, Arrow® T-25®
CT308T	5/16	1/2	23	Divergent Point	1000	CT10X, Arrow® T-25

Arrow, T-50, T-25, T-75 and JT-21 are trademarks of Arrow Fastener Co., Inc.

STANLEY® ROUND CROWN CABLE STAPLES

- For stapling low-voltage wires.
- Galvanized to reduce corrosion.
- Color-coded packaging makes size and product selection easy.




Product #	Crown Width (in)	Leg Length (in)	Gauge	Type	Quantity	For Use In
CT106T	5/16	3/8	23	Divergent Point	1000	CT10X and Arrow® T-25®
CT107T	5/16	7/16	23	Divergent Point	1000	CT10X and Arrow® T-25®
CT108T	5/16	1/2	23	Divergent Point	1000	CT10X and Arrow® T-25®
CT109T	5/16	9/16	23	Divergent Point	1000	CT10X and Arrow® T-25®

Arrow, T-50, T-25, T-75 and JT-21 are trademarks of Arrow Fastener Co., Inc.

STANLEY® HEAVY-DUTY WIDE CROWN STAPLES

- For heavy-duty stapling jobs such as insulation, carpet underlaying and roofing felt.
- Color-coded packaging makes size and product selection easy.



Product #	Crown Width (in)	Leg Length (in)	Gauge	Type	Quantity	For Use In
TRC604T	1/2	1/4	24	Chisel Point	1000	TR70; Ace® 22084, 22087, 27175; Craftsman® 6843, 6844, 6846, 68471, 68447, 68477, 68481
TRC606T	1/2	3/8	24	Chisel Point	1000	TR70; Ace® 22084, 22087, 27175; Craftsman® 6843, 6844, 6846, 68471, 68447, 68477, 68481
TRC606-5C	1/2	3/8	24	Chisel Point	5000	TR70; Ace® 22084, 22087, 27175; Craftsman® 6843, 6844, 6846, 68471, 68447, 68477, 68481

Ace® is a trademark of Peace Industries, Ltd., Craftsman® is a trademark of KCD IP, LLC.

STANLEY® BRAD NAILS


- Used for craft, hobby and finish carpentry projects.
- Color-coded packaging makes size and product selection a cinch.
- Durable plastic reusable package.
- Sturdy plastic packaging reduces staple breakage.



Product #	Color	Gauge	Quantity	For Use In
SWKBN050S		18	1000	SWK-125BN; Bostitch™ BT125, BT200, BT35B, SB-1842BN, SB-1850BN, TRE500; Porter Cable® BN125, BN200; Senco SLP20; Accuset A125BN, A200BN; Task Force 181499
SWKBN625S		18	1000	SWK-125BN; Bostitch™ BT125, BT200, BT35B, SB-1842BN, SB-1850BN, TRE500; Porter Cable® BN125, BN200; Senco SLP20; Accuset A125BN, A200BN; Task Force 181499
SWKBN075		18	1000	SWK-125BN; Bostitch™ BT125, BT200, BT35B, SB-1842BN, SB-1850BN, TRE500; Porter Cable® BN125, BN200; Senco SLP20; Accuset A125BN, A200BN; Task Force 181499
SWKWBN100	White	18	1000	SWK-125BN; Bostitch™ BT125, BT200, BT35B, SB-1842BN, SB-1850BN, TRE500; Porter Cable® BN125, BN200; Senco SLP20; Accuset A125BN, A200BN; Task Force 181499
SWKBBN100	Brown	18	1000	SWK-125BN; Bostitch™ BT125, BT200, BT35B, SB-1842BN, SB-1850BN, TRE500; Porter Cable® BN125, BN200; Senco SLP20; Accuset A125BN, A200BN; Task Force 181499
SWKBN1187		18	1000	SWK-125BN; Bostitch™ BT125, BT200, BT35B, SB-1842BN, SB-1850BN, TRE500; Porter Cable® BN125, BN200; Senco SLP20; Accuset A125BN, A200BN; Task Force 181499
SWKBN1250		18	1000	SWK-125BN; Bostitch™ BT125, BT200, BT35B, SB-1842BN, SB-1850BN, TRE500; Porter Cable® BN125, BN200; Senco SLP20; Accuset A125BN, A200BN; Task Force 181499

STANLEY® OFFICE STAPLES

- Standard office staples



Product #	Crown Width (in)	Quantity	For Use In
TRO400T	5/16	5000	TR65



STANLEY® HEAVY-DUTY RIVETER

- Designed for stainless steel rivets for marine applications.
- Long handle makes riveter easy to squeeze.
- Rugged, contractor-grade die-cast metal construction for long life.
- Equipped with removable ejector spring.
- Uses 3/32", 1/8", 5/32" and 3/16" diameter steel and aluminum rivets.
- Uses 1/8" and 5/32" diameter stainless rivets.



Product #	Color	Overall Length (in)
MR100CG	Yellow/Gray	11-1/8

STANLEY® HEAVY-DUTY SWIVEL HEAD RIVETER

- Sets rivets at right angle or straight-on with a simple twist of rivet head.
- Rugged die-cast metal construction for long life.
- Extra nose pieces and wrench are conveniently stored in handle.
- Long handle makes riveter easy to squeeze.
- Uses 3/32", 1/8", 5/32" and 3/16" diameter steel and aluminum rivets.
- Rivets in hard-to-get places.



Product #	Color	Overall Length (in)
MR77C	Yellow/Black	11-1/8

STANLEY® RIGHT-ANGLE RIVETER

- Spring-loaded handle ejects rivet stem automatically.
- All-steel construction for long-lasting durability.
- Extra nose pieces and wrench are conveniently stored in handle.
- Right-angle riveter.
- Long handle makes riveter easy to squeeze.
- Uses 3/32", 1/8", 5/32" and 3/16" diameter steel and aluminum rivets.



Product #	Color	Overall Length (in)
MR55C5	Silver/Black	10

STANLEY® BLIND RIVET KIT

- General purpose riveter uses most common steel and aluminum rivet sizes.
- Blow mold case for increased protection and convenient storage.



Product #	Contents	Color
STHT72179	MR33C Medium Duty Riveter 60 Assorted Steel Rivets: (20) 1/8" x 1/4" (15) 1/8" x 3/8" (25) 1/8" x 1/2"	Yellow/Black

STANLEY® MEDIUM-DUTY RIVETER

- Spring-loaded handle ejects rivet stem automatically.
- Slim-nose design fits in difficult-to-reach places.
- Housing made of steel.
- Right-angle riveter.
- Long handle makes riveter easy to squeeze.
- Uses 3/32", 1/8", 5/32" and 3/16" diameter steel and aluminum rivets.



Product #	Color	Overall Length (in)
MR33C	Yellow/Black	10

STANLEY® ALUMINUM RIVETS

- Medium-strength aluminum can be used with aluminum and where rust is a potential problem.
- Reusable, full-visibility packaging simplifies product selection and storage.



Product #	Gripping Range (in)	Hole Dia. (in)	Quantity
PAA42-1B	1/8	1/8	100
PAA42W-1B	1/8	1/8	100
PAA44-1B	1/4	1/8	100
PAA46-1B	3/8	1/8	100
PAA48-1B	1/2	1/8	100
PAA52-5B	1/8	5/32	50
PAA54-5B	1/4	5/32	50
PAA58-5B	1/2	5/32	50
PAA610-5B	5/8	3/16	50
PAA62-5B	1/8	3/16	50
PAA64-5B	1/4	3/16	50
PAA66-5B	3/8	3/16	50
PAA68-5B	1/2	3/16	50

STANLEY® ALUMINUM BACK-UP PLATES

- 3/16" diameter.
- Aluminum construction for rust resistance.
- Reclosable package for convenient storage.



Product #	Hole Dia. (in)	Quantity
PBA6	3/16	100



STANLEY® STEEL RIVETS

- Used for joining steel to steel.
- Reusable, full-visibility packaging simplifies product selection and storage.
- High-strength, all-steel construction.



Product #	Gripping Range (in)	Hole Dia. (in)	Quantity
PSS42-1B	1/8	1/8	100
PSS44-1B	1/4	1/8	100
PSS48-1B	1/2	1/8	100

STANLEY® STEEL RIVET BACK UP PLATES

- Steel construction for strength and durability.
- Reclosable packaging for convenient storage.
- Used for joining soft materials, such as leather, or when a hole is oversized.
- Adds strength to rivet hole.



Product #	Type	Internal Dia. (in)	Quantity
PBS4	Steel	1/8	40

STANLEY® RIVET PACK ASSORTMENT

- Assorted pack contains 120 aluminum and steel rivets in the most popular sizes.
- Reusable, full-visibility packaging simplifies product selection and storage.



Product #	Contents	Hole Dia. (in)	For Use In
R120	(25) 1/8 x 1/8" Steel Rivets (20) 1/8 x 1/4" Steel Rivets (15) 1/8 x 3/8" Steel Rivets (25) 1/8 x 1/8" Aluminum Rivets (20) 1/8 x 1/4" Aluminum Rivets (15) 1/8 x 3/8" Aluminum Rivets	1/8	MR33C, MR55C5, MR77C

STANLEY® DUALMELT PRO™ GLUE GUN KIT

- Delivers industrial performance with consumer appeal.
- Exclusive auto shutoff light for reliability and long life.
- Dual heater provides outstanding glue output.
- Temperature switch for both high and low temperature glue applications.
- On/off light and protected nozzle.
- Cushion grip for comfortable, slip-resistant trigger action.
- Interchangeable nozzle capability.
- Fold-out stand for handy storage while in use.



Product #	Contents	Operating Temperature (F)	Power (watts)	Overall Length (in)	Volts	Uses
GR100	(1) DualMelt Pro™ Glue Gun (1) Spreader Tip (1) Extender Tip (6) Dual Temp. Glue Sticks (6) Glue Sticks (5) Super Strength Glue Sticks	275°–410°	80	8-1/2	120	GS15DT, GS20DT, GS25DT, GS230, GS260, GS500

STANLEY® DUALMELT™ GLUE GUN KIT

- DualMelt™ Glue Gun controls glue temperature for versatility.
- Convenient kit includes: 10 All-Purpose, 10 Super Strength, 10 Wood Glue Sticks.
- Individual glue stick ID easily IDs glue types and temps outside the package.



Product #	Contents	Operating Temperature (F)	Power (watts)	Overall Length (in)	Volts
STHT72317	GR25-2 Trigger-Feed DualMelt™ Glue Gun 30 Glue Sticks: (10) All Purpose (10) Super (10) Wood	275° (Low); 410° (High)	80	6-1/2	120

STANLEY® TRIGGER-FEED DUALMELT™ GLUE GUN

- Offers the versatility of high- and low-temperature gluing in one gun.
- Convenient, one-touch high/low selector switch.
- Uses standard dual-temperature glue on both settings and hot-melt formulas on high setting.
- Heats up quickly and bonds within 60 seconds.
- Fold-out stand for handy storage while in use.



Product #	Operating Temperature (F)	Power (watts)	Overall Length (in)	Volts	Uses
GR25-2	275° (Low); 410° (High)	80	8-1/2	120	GS15DT, GS20DT, GS25DT, GS230S, GS260A, GS264BK, GS500



STANLEY® TRIGGER-FEED HOT MELT GLUE GUN

- Quality engineered for reliable performance.
- Trigger-feed mechanism controls glue flow.
- Heats up quickly and bonds within 60 seconds.
- Uses standard hot melt sticks.
- Fold-out stand for handy storage while in use.



Product #	Operating Temperature (F)	Power (watts)	Overall Length (in)	Volts	Uses
GR20	410°	30	8-1/2	120	GS15DT, GS20DT, GS25DT, GS230S, GS260A, GS264BK, GS500

STANLEY® TRIGGER-FEED HOT MELT GLUE GUN KIT

- Quality engineered for reliable performance.
- Trigger-feed mechanism controls glue flow.
- Heats up quickly and bonds within 60 seconds.
- Uses standard hot melt sticks.
- Fold-out stand for handy storage while in use.



Product #	Contents	Operating Temperature (F)	Power (watts)	Overall Length (in)	Volts	Uses
GR20K	(6) Formula II Super Strength Glue Sticks (6) All Purpose Glue Sticks (1) Glue Pad	410°	30	8-1/2	120	GS15DT, GS20DT, GS25DT, GS230S, GS260A, GS264BK, GS500

STANLEY® MINI HOT MELT GLUE GUN

- Small, portable size for quick gluing jobs in tight spots.
- Trigger-feed mechanism controls glue flow.
- Uses standard .28" mini hot melt sticks.
- Fold-out stand for handy storage while in use.



Product #	Operating Temperature (F)	Power (watts)	Overall Length (in)	Volts	Uses
GR10	385°	15	4-1/4	120	GS10DT

STANLEY® DUAL-MELT GLUE MINI STICKS

- For use in mini hot melt, low temperature and dual temperature glue guns.
- Excellent for bonding heat-sensitive materials and general applications.



Product #	Diameter (in)	Quantity	Set Time (seconds)	Overall Length (in)	For Use In
GS10DT	1/4	24	30 – 60	4	GR10

STANLEY® DUALMELT™ GLUE STICKS

- For use in standard hot-melt, low-temperature and dual-temperature glue guns.
- Excellent for bonding heat-sensitive materials and general applications.



Product #	Diameter (in)	Quantity	Set Time (seconds)	Overall Length (in)	For Use In
GS15DT	7/16	6	30 – 60	4	GR20, GR25-2, GR100
GS20DT	7/16	24	30 – 60	4	GR20, GR25-2, GR100
GS25DT	7/16	12	30 – 60	10	GR20, GR25-2, GR100

STANLEY® SUPER STRENGTH GLUE STICKS

- Extra-strength adhesive.
- Hot melt glue sticks for bonding ceramic, rubber, leather, metal, acrylic, and fiberglass.



Product #	Diameter (in)	Quantity	Set Time (seconds)	Overall Length (in)	For Use In
GS500	7/16	6	25 – 30	4	GR20, GR25-2, GR100