

REFRIGERATOR FILTERS



Swift
GREENFILTERS®

A breakthrough in
environmentally
friendly water filters

Fridge Filters Line

Supports All Major OEM Brands

Replacements for:

- Amana
- Bosch
- Fisher Paykel
- Frigidaire
- GE
- Hot Point
- Jenn Air
- Kenmore
- LG
- Maytag
- Pur
- Samsung
- Sub Zero
- Sears
- Thermador
- Whirlpool




We Use Coconuts in Our Filters



Swift Green chooses to use coconut shells for producing activated carbon. The use of coconut shells reflects our company's green initiatives by providing a natural, renewable source of activated carbon for our filters.

The use of activated carbon to remove harmful impurities from water has been practiced since Roman times. Activated carbon has a large, extremely porous surface area, making it an effective absorbent material. Common natural substances such as lignite, coal, wood, and coconut shells can be used to make activated carbon.



Since consumers tend to demand what is inside of coconuts, the shells are often thrown into the ocean or burned as waste.



Country	Production (tonnes)	Footnote
Philippines	19,550,000	
Indonesia	15,540,000	
India	15,024,100	
Brazil	2,759,044	
Sri Lanka	2,390,000	1
Thailand	1,721,849	2
Vietnam	1,548,400	3
Cambodia	1,084,000	4
Papua New Guinea	677,000	5
Malaysia	550,120	
Tanzania	370,000	6
Total	54,715,484	7

1 = Exported in official figures, 2 = Official figures, 3 = Official estimates, 4 = Unofficial figures, 5 = Unofficial estimates, 6 = Unofficial figures, 7 = Unofficial figures.

Source: Food and Agriculture Organization of the United Nations, Economic and Social Department, The Statistical Outlook.

Grown in over eighty countries, 61 million tons of coconuts are produced each year. This mass production provides a renewable source of activated carbon for our filters.



Market Drivers



- Consumer **awareness** towards water quality issues is increased when **health, fitness, and wholesome diets** are emphasized.



- Using water filters can **reduce** the use of plastic water bottles.



- Antiquated municipal water **treatment** systems do not meet the health needs of residents.



- The **ease and convenience** of using a water dispenser can encourage children to drink more water.

Filter Reductions

Pharmaceutical Reduction

*Prescription Drugs

Meproamate	Birth control
Phenytoin	Anti-epileptic
Estrone	Anti-anxiety drugs
Atenolol	Beta blocker
Trimethoprim	Antibiotic
Carbamazepine	Anti-convulsant



*Over-the-Counter

Ibuprofen, Naproxen
Anti-inflammatory, pain reliever

Chemical & VOC Reduction

*Herbicides & Pesticides

DEET
Pesticide active in insect repellents
Metolachlor, Linuron
Herbicides used to control grasses and weeds

*Chemical Compounds

TCEP, TCP	Used as a flame retardant
BPA	Used as a plasticizer
Nonyl phenol	Precursor to commercial detergents

*Also Reduces (VOC):

Lead	Chlorine Taste & Odor
Cysts	P-Dichlorobenzene
Alachlor	Turbidity
Lindane	Asbestos
2, 4-D	Atrazine
Mercury	Benzene
Toxaphene	



List of Filters

Filters	Page	Filters	Page
SGF BO52	1	SGF M9	18
SGF BO90	2	SGF MSWF	19
SGF DA20B	3	SGF MXRC	20
SGF DSA21	4	SGF PA07	21
SGF DSB30	5	SGF W01	22
SGF FP48	6	SGF W10	23
SGF FQSVF	7	SGF W31	24
SGF G9	8	SGF W41	25
SGF GSWF	9	SGF W70	26
SGF GWF	10	SGF W71	27
SGF GXSTQR	11	SGF W80	28
SGF LA07	12	SGF W84	29
SGF LA22	13	SGF WF1CB	30
SGF LA50	14	SGF WFCB	31
SGF LB60	15	SGF ZS48	32
SGF LGFR06	16	SGF 123304	33
SGF M07	17		

B052

*REPLACEMENT FOR: Bosch 640565 / Cuno CS-52

1



Reductions

- *Pharmaceutical Reduction
- *LEAD
- * See page 4 for full list

REPLACEMENT FOR:

Bosch/Cuno **OCS:** 640565, B20CS5, B20CS8, 55866-05, 55866-06, 1257074, 70020002518, AP3961137, W1085590, CS-51, CS-52, CS-450, CS-451, CS-452, CS-562, OCS CS52

Aqua-Pure: C-CS-FF, C-CS-S

Whirlpool: WHKF-IMPLUS, WHKF-R-PLUS, 2168701, 56932

WSB-1, WSQ-1, RWF1100, WF297

Max. Operating Temperature:

38C/100F

Min. Operating Temperature:

0.6C/33F

Max. Working Pressure:

689kPa/100psi

Min. Working Pressure:

140kPa/20psi

Rated Capacity: VOC

1135.62 litres/ 300 gallons

Rated Capacity: CTO

7570.824 litres/2000 gallons

Flow Rate:

1.9 lpm/0.5 gpm

Single Filter:

2.5"l x 13.75" h x 2.25"w/0.65lbs

Master box:

13"l x 15"h x 10.25"w/20lbs/24Qty

Skid

60cases per skid/1440 total filters

***REPLACEMENT FOR: BOSCH 644845**

B090



Reductions

- *Pharmaceutical Reduction
- *LEAD
- * See page 4 for full list

2

REPLACEMENT FOR:

Bosch Models: 101443-A, 641425, 740570, 9000, 9000 077104, 9000077095, 9000077104, 9000194412, BORPLFTR10, BT-644845, REPLFLTR10, WSB-1

EcoAqua/ Tier1/ Water Sentinel Models: EFF-6025A, 101443, 1014430109, 1017320109, 9000077096, BT644845, RWF1110, WSB-1

Max. Operating Temperature:

38C/100F

Min. Operating Temperature:

0.6C/33F

Max. Working Pressure:

689kPa/100psi

Min. Working Pressure:

140kPa/20psi

Rated Capacity: VOC

1135.62 litres/300 gallons

Rated Capacity: CTO

7570.824 litres/2000 gallons

Flow Rate:

1.9 lpm/0.5 gpm

Single Filter:

2.25"l x 11.75" h x 2.25"w/0.7lbs

Master box:

11"l x 13.85" h x 9.25" w /17 lbs/24Qty

Skid

91cases per skid/2184 total filters

DA20B

*REPLACEMENT FOR: Samsung DA29-0020B

3



Reductions

- *Pharmaceutical Reduction
- *LEAD
- * See page 4 for full list

REPLACEMENT FOR:

Samsung: 9101, DA-97-08006A, DA-97-08006A-B, DA-97-08006B, DA29-00019A, DA29-00020A, DA29-00020B, HAF-CIN, HAF-CIN-EXP

Tier1: RWF1011, 469101, 4609101000

Water Sentinel: WSS-2

Aqua Fresh: WF294

EcoAqua: EFF-6027A

Max. Operating Temperature:

38C/100F

Min. Operating Temperature:

0.6C/33F

Max. Working Pressure:

689kPa/100psi

Min. Working Pressure:

140kPa/20psi

Rated Capacity: VOC

1135.62 litres/ 300 gallons

Rated Capacity: CTO

7570.824 litres/2000 gallons

Flow Rate:

1.9 lpm/0.5 gpm

Single Filter:

2.5"l x 11.75" h x 2.25"w/0.6 lbs

Master box:

11"l x 13.85"h x 9.25"w /17lbs/24Qty

Skid

91 cases per skid / 2184 total filters

*REPLACEMENT FOR: Samsung DA29-00012A

DSA21

*New Design



4

Reductions

- *Pharmaceutical Reduction
- *LEAD
- * See page 4 for full list

REPLACEMENT FOR:

Samsung Models: DA29-00012A, DA29-00012B, DA97-03175A, HAFCN, PS1154348, PS2123061, PS2389167

Max. Operating Temperature:

38C/100F

Min. Operating Temperature:

0.6C/33F

Max. Working Pressure:

689kPa/100psi

Min. Working Pressure:

140kPa/20psi

Rated Capacity: VOC

1135.62 litres/ 300 gallons

Rated Capacity: CTO

11356.24 litres/3000 gallons

Flow Rate:

1.9 lpm/0.5 gpm

Single Filter:

2.5"l x 13.75" h x 2.25"w/0.75lbs

Master box:

13"l x 15"h x 10.25"w /20lbs/24Qty

Skid

60cases per skid/1440 total filters

DSB30

*REPLACEMENT FOR: Samsung DA29-00003G



Reductions

- *Pharmaceutical Reduction
- *LEAD
- * See page 4 for full list

REPLACEMENT FOR:

Samsung/Tier1: DA29-00002A, DA29-00003, DA29-000038, DA29-00003A, DA29-00003A-B, DA29-00003B, DA29-00003F, DA29-00003G, DA29-00003H, DA29-0002, DA29-0002B, DA29-0003B, DA29-0003G, DA2900003, DA2900003A, DA2900003B, DA2900003G, DA2900003H, DA290002B, DA290003G, DA61-00159, DA61-00159A-B, DA97-06317A, EFF-6011A, HAFUCU1, HAFIN2

Tier1/Water Sentinel/Whirlpool/Aqua Fresh/EcoAqua: RWF1010, WSS-1, W10132126, WF289, EFF-6011A

Max. Operating Temperature:

38C/100F

Min. Operating Temperature:

0.6C/33F

Max. Working Pressure:

689kPa/100psi

Min. Working Pressure:

140kPa/20psi

Rated Capacity: VOC

1135.62 litres/ 300 gallons

Rated Capacity: CTO

11356.24 litres/3000 gallons

Flow Rate:

1.9 lpm/0.5 gpm

Single Filter:

3.25"l x 8" h x 3.25"w/0.71 lbs

Master box:

7.5"l x 20.5" h x 13.75" w /20lbs/24Qty

Skid

50 cases per skid / 1250 total filters

*REPLACEMENT FOR: Fisher Paykel 836848

FP48



Reductions

- *Pharmaceutical Reduction
- *LEAD
- * See page 4 for full list

6

REPLACEMENT FOR:

Fisher & Paykel Models: 67003662, 836848, 836860, E402B, E522B, RO185011, WF296, WF60

Tier1 Models: E442B, PS2067635, RF90A180DU, RWF1080, WF-60

EcoAqua/Tier1: EFF-6017A, 67003662

Max. Operating Temperature:	38C/100F
Min. Operating Temperature:	0.6C/33F
Max. Working Pressure:	689kPa/100psi
Min. Working Pressure:	140kPa/20psi
Rated Capacity: VOC	1135.62 litres/300 gallons
Rated Capacity: CTO	7570.824 litres/2000 gallons
Flow Rate:	1.9 lpm/0.5 gpm

Single Filter:	2.71"l x 10.45" h x 2.71"w/0.7lbs
Master box:	11.5"l x 17.25"h x 11.25"w /18.75 lbs/24Qty
Skid	84cases per skid/2016 total filters

FQSVF

*REPLACEMENT FOR: GE FQSVF



Reductions

- *Pharmaceutical Reduction
- *LEAD
- * See page 4 for full list

REPLACEMENT FOR:

GE Models: FQSLF

Max. Operating Temperature:	38C/100F
Min. Operating Temperature:	0.6C/33F
Max. Working Pressure:	689kPa/100psi
Min. Working Pressure:	140kPa/20psi
Rated Capacity: VOC	1135.62 litres/300 gallons
Rated Capacity: CTO	7570.824 litres/2000 gallons
Flow Rate:	1.9 lpm/0.5 gpm

Single Filter:	2.25"l x 11.75" h x 2.25"w/0.6lbs
Master box:	11"l x 13.85"h x 9.25"w /17 lbs/24Qty
Skid	91cases per skid/2184 total filters

*REPLACEMENT FOR: GE MWF

G9



8

Reductions

- *Pharmaceutical Reduction
- *LEAD
- * See page 4 for full list

REPLACEMENT FOR:

GE: 101057-A, 101300-0110, 101300-A, 197D6321P001, AP3859302, AP3967843, FXRC, FXRT, GWF, GWF01, GWF06, GWFA, GWFDS, HWF, HWFA, HXRT, MWF, MWFA, MWFAP, MWFDS, MXRC, OPFG-RF300, PC40677, PC61278A, PS981638, PS983115, PT11577906

WF287, GERF-100, EFF-6013A, RWF1060, WSG-1, 9905, 46-9905, 9991, 46-9991, 9996, 46-9996

Max. Operating Temperature:

38C/100F

Min. Operating Temperature:

0.6C/33F

Max. Working Pressure:

689kPa/100psi

Min. Working Pressure:

140kPa/20psi

Rated Capacity: VOC

1135.62 litres/ 300 gallons

Rated Capacity: CTO

11356.24 litres/3000 gallons

Flow Rate:

1.9 lpm/0.5 gpm

Single Filter:

3.25"l x 8" h x 3.25"w/0.85lbs

Master box:

7.5"l x 20.5"h x 13.75"w /20lbs/24Qty

Skid

50cases per skid/1250 total filters

*REPLACEMENT FOR: GE GSWF

9



Reductions

- *Pharmaceutical Reduction
- *LEAD
- * See page 4 for full list

REPLACEMENT FOR:

GE: GSWF, GSWFDS, GTS18SHP, GTH22SHP, GTS18KHP, GTS22KHP, PC36011, PC56994, PC58696, PDS20MCP, PDS20SCP, PDS22MCP, PDS22SCP, PDS22SHR, PFCS1NJWSS, PS951515, PTS22LHP, PTS22SHP, PTS25LHP, PTS25SHP, 100749-C, 100749C, 100810A, 215C1152P002, 238C2334P001, 35917-MN-1

46-9914, AP3418061, RWF1061, WF282, EFF-6023A, WF298

Max. Operating Temperature:

38C/100F

Min. Operating Temperature:

0.6C/33F

Max. Working Pressure:

689kPa/100psi

Min. Working Pressure:

140kPa/20psi

Rated Capacity: VOC

1135.62 litres/ 300 gallons

Rated Capacity: CTO

7570.824 litres/2000 gallons

Flow Rate:

1.9 lpm/0.5 gpm

Single Filter:

2.25"l x 11.75" h x 2.25"w/0.65lbs

Master box:

11"l x 13.85" h x 9.25" w /17 lbs/24Qty

Skid

91cases per skid/2184 total filters

*REPLACEMENT FOR: GE RPWF



Reductions

- *Pharmaceutical Reduction
- *LEAD
- * See page 4 for full list

10

REPLACEMENT FOR:

GE Models: RPWFE

Water Sentinel Models: WSG-4

Max. Operating Temperature:	38C/100F
Min. Operating Temperature:	0.6C/33F
Max. Working Pressure:	689kPa/100psi
Min. Working Pressure:	140kPa/20psi
Rated Capacity: VOC	757.082 litres/200 gallons
Rated Capacity: CTO	7570.824 litres/2000 gallons
Flow Rate:	1.9 lpm/0.5 gpm
Single Filter:	2.25"l x 11.75" h x 2.25"w/0.6lbs
Master box:	11"l x 13.85"h x 9.25"w /17 lbs/24Qty
Skid	91cases per skid/2184 total filters

***REPLACEMENT FOR: GE FQSLF**

11

Reductions

- *Pharmaceutical Reduction
- *LEAD
- * See page 4 for full list

REPLACEMENT FOR:**GE Models:** FQSVF

Max. Operating Temperature:	38C/100F
Min. Operating Temperature:	0.6C/33F
Max. Working Pressure:	689kPa/100psi
Min. Working Pressure:	140kPa/20psi
Rated Capacity: VOC	1135.62 litres/300 gallons
Rated Capacity: CTO	7570.824 litres/2000 gallons
Flow Rate:	1.9 lpm/0.5 gpm
Single Filter:	2.25"l x 11.75" h x 2.25"w/0.6lbs
Master box:	11"l x 13.85"h x 9.25"w /17 lbs/24Qty
Skid	91cases per skid/2184 total filters

*REPLACEMENT FOR: LG LT 700P

LA07



12

Reductions

- *Pharmaceutical Reduction
- *LEAD
- * See page 4 for full list

REPLACEMENT FOR:

LG: ADQ36006101, ADQ36006101-S, ADQ36006102, ADQ36006102-S

EcoAqua: EFF-6032A

Kenmore: 46-9690, 4609690000

Tier1: RWF1052

Water Sentinel: WSL-3

Max. Operating Temperature:

38C/100F

Min. Operating Temperature:

0.6C/33F

Max. Working Pressure:

689kPa/100psi

Min. Working Pressure:

138kPa/20psi

Rated Capacity: CTO

3785.41 litres/1000 gallons

Flow Rate:

1.9 lpm/0.5 gpm

Single Filter:

1.75"l x 8.5" h x 1.75"w/0.35lbs

Master box:

11"l x 8" h x 7.5" w /9 lbs/24Qty

Skid

220cases per skid/5280 total filters

LA22

*REPLACEMENT FOR: LG 5231JA2002A (LT500P)



13

Reductions

- *Pharmaceutical Reduction
- *LEAD
- * See page 4 for full list

REPLACEMENT FOR:

LG: LT500P, 5231JA2002, 5231JA2002A-S, 5231JA2002B, 5231JA2002B-S, PS2487038, ADQ72910907

GE: OPFG-RF300

Kenmore: GEN11042FR-08, 9890

Tier1: OPFL-RF300, RWF1050, 4609890000

Water Sentinel: WSL-1

Aqua Fresh: WF290

EcoAqua: EFF-6005A

Max. Operating Temperature:

38C/100F

Min. Operating Temperature:

0.6C/33F

Max. Working Pressure:

689kPa/100psi

Min. Working Pressure:

140kPa/20psi

Rated Capacity: CTO

11356.24 litres/3000 gallons

Flow Rate:

1.9 lpm/0.5 gpm

Single Filter:

3.25"l x 8" h x 3.25"w/0.8 lbs

Master box:

7.5"l x 20.5"h x 13.75"w /20lbs/24Qty

Skid

50 cases per skid / 1250 total filters

*REPLACEMENT FOR: LG 5231JA2006A

LA50



14

Reductions

- *Pharmaceutical Reduction
- *LEAD
- * See page 4 for full list

REPLACEMENT FOR:

LG Models: LT600P, 5231JA2005A, 5231JA2005A-S, 5231JA2006, 5231JA2006A, 5231JA2006A-S, 5231JA2006B, 5231JA2006B-S, 5231JA2006E, 5231JA2006F, 5231JA2006F-S, 5231JJ2001C, CLS30320001, CLS3032001, PS2441842

Swift Green: SGF-LB60

Tier1: RWF1051

Water Sentinel: WSL-2

Aqua Fresh/Supco: WF600, WF600

EcoAqua: EFF-6003A, EFF-6004A

Kenmore: 46-9990, 9990, 9990P, 4609990000

Max. Operating Temperature:

Min. Operating Temperature:

Max. Working Pressure:

Min. Working Pressure:

Rated Capacity: CTO

Flow Rate:

Single Filter:

Master box:

Skid

38C/100F

0.6C/33F

689kPa/100psi

140kPa/20psi

11356.24 litres/3000 gallons

1.9 lpm/0.5 gpm

2.5"l x 13.75" h x 2.25"w/0.9lbs

13"l x 15" h x 10.25" w /20 lbs/24Qty

60cases per skid/1440 total filters

*REPLACEMENT FOR: LG 5231JA2006B (LT600P)

15



Reductions

- *Pharmaceutical Reduction
- *LEAD
- * See page 4 for full list

REPLACEMENT FOR:

LG: LT600P, 5231JA2005A, 5231JA2005A-S, 5231JA2006, 5231JA2006A, 5231JA2006A-S, 5231JA2006B, 5231JA2006B-S, 5231JA2006E, 5231JA2006F, 5231JA2006F-S, 5231JJ2001C, CLS30320001, CLS3032001, PS2441842

Supco/Water Sentinel: WF300, WSL-2

Tier1: RWF1051

EcoAqua: EFF-6003A, EFF-6004A

Kenmore: 46-9990, 9990, 9990P, 4609990000

Max. Operating Temperature:

Min. Operating Temperature:

Max. Working Pressure:

Min. Working Pressure:

Rated Capacity: VOC

Rated Capacity: CTO

Flow Rate:

Single Filter:

Master box:

Skid

38C/100F

0.6C/33F

689kPa/100psi

140kPa/20psi

1135.62 litres/300 gallons

11356.24 litres/3000 gallons

1.9 lpm/0.5 gpm

2.5"l x 13.75" h x 2.25"w/0.9 lbs

13"l x 15"h x 10.25"w /20lbs/24Qty

60 cases per skid / 1440 total filters

*REPLACEMENT FOR: LG - M7251253 FR-06

LGFR06



16

Reductions

- *Pharmaceutical Reduction
- *LEAD
- * See page 4 for full list

REPLACEMENT FOR:

LG Models: M7251242F, M725124FR-06, M7251253F-06

Max. Operating Temperature:	38C/100F
Min. Operating Temperature:	0.6C/33F
Max. Working Pressure:	689kPa/100psi
Min. Working Pressure:	140kPa/20psi
Rated Capacity: VOC	1135.62 litres/300 gallons
Rated Capacity: CTO	11356.24 litres/3000 gallons
Flow Rate:	1.9 lpm/0.5 gpm
Single Filter:	2.5"l x 13.75" h x 2.25"w/0.65lbs
Master box:	13"l x 15"h x 10.25"w /20 lbs/24Qty
Skid	60cases per skid/1440 total filters

*REPLACEMENT FOR: Maytag UKF-7003



Reductions

- *Pharmaceutical Reduction
- *LEAD
- * See page 4 for full list

REPLACEMENT FOR:

Maytag: UK7003, UKF-5001, UKF-6001, UKF-7001, UKF-7002, UKF-7003, UKF-7003P, UKF-7003T, UKF-5001, UKF-6001, UKF-7001, UKF-7002, UKF-7003, UKF-7003P, UKF-7003T, UKF5001AXX, UKF6001AXX, UKF7001AXX, UKF7002AXX, UKF7003AXX, UKF7003AXXP, UKF7003AXXT, UKF7003T, AP4343710, P1AC250, P1AC416, PS2326378

Aqua Fresh: WF288

Tier1: RWF1041

Water Sentinel: WSM-1

Everydrop/Dacor/Brita: EDR7D1, AFF4, MYRF-100

Max. Operating Temperature:

38C/100F

Min. Operating Temperature:

0.6C/33F

Max. Working Pressure:

689kPa/100psi

Min. Working Pressure:

140kPa/20psi

Rated Capacity: VOC

1135.62 litres/300 gallons

Rated Capacity: CTO

11356.24 litres/3000 gallons

Flow Rate:

1.9 lpm/0.5 gpm

Single Filter:

3.25"l x 8" h x 3.25"w/0.9lbs

Master box:

7.5"l x 20.5"h x 13.75"w /20 lbs/24Qty

Skid

50cases per skid/1250 total filters

*REPLACEMENT FOR: Maytag UKF-8001

M9



18

Reductions

- *Pharmaceutical Reduction
- *LEAD
- * See page 4 for full list

REPLACEMENT FOR:

Maytag/Amana/Kenmore: 101412, 101414-B, 101412-C, 101412-D, 12589201, 12589203, 12589206, 12589208, 12589210, 13040210, 9005, 9005P, 9006, 9006P, 9992, 9992P, 4609005000, 469005, 46-9005-750, 46-9006, 46-9006-750, 46-9992, 46-9992-100, 67002269, 67002671, 67003526, 67003527, 67003528, 67003640, 67006467, 67006474, 67006475, 67006476, 67006633, 67006637, 67006639, 8171032, 8171249, UKF-8001, UKF-8001P, UKF-8001T, UKF8001AXX, UKF8001AXX-750, UKF-8001, UKF-8001P, UKF-8001T, UKF8001AXX, UKF8001AXXP, UKF8001AXXT, UKF8001AXX-200, UKF8001AXX-750, AP4343647, F4WP6M1, OWF50, OWF50-NI300, OWF50-WI500, OWF51, PS2326380, PS805431, WF50, WF50-WI500, WF50-KNI300, WF50-KWI500, WF50-NI300, WF50-NI500, WF51

Whirlpool/Kitchen Aid: 4396395, 4396395P, 4396395T, 67003523, 67003523-750, 67003591, 67003727, 67006470

Swift Green: SGF-M10

Tier1/Viking: RWF1040, RWFFR

Aqua Fresh/Dacor/EcoAqua: WF295, AFF3, EFF-6007A

Max. Operating Temperature:

38C/100F

Min. Operating Temperature:

0.6C/33F

Max. Working Pressure:

689kPa/100psi

Min. Working Pressure:

140kPa/20psi

Rated Capacity: VOC

1135.62 litres/300 gallons

Rated Capacity: CTO

7570.824 litres/2000 gallons

Flow Rate:

1.9 lpm/0.5 gpm

Single Filter:

2.25"l x 11.75" h x 2.25"w/0.65 lbs

Master box:

11"l x 13.85"h x 9.25"w /17lbs/24Qty

Skid

91 cases per skid / 2184 total filters

MSWF

*REPLACEMENT FOR: GE MSWF

19



Reductions

- *Pharmaceutical Reduction
- *LEAD
- * See page 4 for full list

REPLACEMENT FOR:

GE: 101820A, 101821B, 238C2334P003, AP3997949, MSWF, MSWFDS, PC46783, PS1559689, WR02X12345, WR02X12801

Aqua Fresh: WF282

Kenmore: 9914, 46-9914

Tier1: RWF1062

Max. Operating Temperature:

38C/100F

Min. Operating Temperature:

0.6C/33F

Max. Working Pressure:

689kPa/100psi

Min. Working Pressure:

140kPa/20psi

Rated Capacity: VOC

1135.62 litres/ 300 gallons

Rated Capacity: CTO

7570.824 litres/2000 gallons

Flow Rate:

1.9 lpm/0.5 gpm

Single Filter:

2.25"l x 11.75" h x 2.25"w/0.65 lbs

Master box:

11"l x 13.85" h x 9.25" w /17lbs/24Qty

Skid

91 cases per skid / 2184 total filters

*REPLACEMENT FOR: GE MXRC

MXRC



*New Design



20

Reductions

- *Pharmaceutical Reduction
- *LEAD
- * See page 4 for full list

REPLACEMENT FOR:

GE: 46-9905, 9905, 9905P, FXRC, FXRC1, FXRT, GXRC, HXRT, MXRC, PS220814, WR97X10006

Max. Operating Temperature:

38C/100F

Min. Operating Temperature:

0.6C/33F

Max. Working Pressure:

689kPa/100psi

Min. Working Pressure:

140kPa/20psi

Rated Capacity: VOC

1135.62 litres/ 300 gallons

Rated Capacity: CTO

11356.24 litres/3000 gallons

Flow Rate:

1.9 lpm/0.5 gpm

Single Filter:

3.25"l x 8" h x 3.25"w/0.75 lbs

Master box:

7.5"l x 20.5"h x 13.75"w /24 lbs/24Qty

Skid

50 cases per skid / 1250 total filters

*REPLACEMENT FOR: Panasonic NRBH-12590

21



Reductions

- *Pharmaceutical Reduction
- *LEAD
- * See page 4 for full list

REPLACEMENT FOR:

Panasonic: CNRBH-125950 USED IN PANASONIC NR SEARIES REFRIGERATORS NR-B53V1 AND NR B54X1

Max. Operating Temperature:
Min. Operating Temperature:
Max. Working Pressure:
Min. Working Pressure:
Rated Capacity: CTO
Flow Rate:

38C/100F
0.6C/33F
689kPa/100psi
140kPa/20psi
3785.41 litres/1000 gallons
1.9 lpm/0.5 gpm

Single Filter:
Master box:
Skid

1.75"l x 8.5" h x 1.75"w/0.35lbs
11"l x 8"h x 7.5"w /9 lbs/24Qty
220cases per skid/5280 total filters

*REPLACEMENT FOR: Whirlpool 4396510

W01



22

Reductions

*Pharmaceutical Reduction

*LEAD

* See page 4 for full list

REPLACEMENT FOR:

Whirlpool/Kitchen Aid: 223764, 2186444, 2200203, 2203220, 2203221, 2203980, 2255518, 2255519, 2255520, 2255709, 2305766, 2305767, 2305768, 4392857, 4392922, 4396163, 4396164, 4396508, 4396509, 4396510, 4396547, 4396548, 4396562, 4396563, 4396918, 4392857R, 4396508P, 4396508T, 4396509P, 4396510P, 4396510T, 46195023294, 46099010000, 46099020000, 46099080000, 469010, 491849, 643898, L400, L400V, L500, LC400, LC400V, NL240, NL240V, NL300, NLC240, NLC240V, NLC250, PL400V, PNL240V, PS879461, PWF-L400V, PWF-NL240V, WF-300BR, WF-LC400V, WF-NL300, WF-NLC240V, WF-NLC250

Maytag/Kenmore: 46-9010, 46-9902, 46-9908, 6508, 9902, 9902P, 9908, 9908P, 9010, 9010P, 8212491, 8212652, AP3182816, AP3182817

WF285, WPRF-100, EFF-6002, EFF-6002A, AFF5, EDR5RXD1, KSZ6T9500, RWF1020, WSW-1, WSW-2

Max. Operating Temperature:

Min. Operating Temperature:

Max. Working Pressure:

Min. Working Pressure:

Rated Capacity: VOC

Rated Capacity: CTO

Flow Rate:

38C/100F

0.6C/33F

689kPa/100psi

140kPa/20psi

1135.62 litres/300 gallons

11356.24 litres/3000 gallons

1.9 lpm/0.5 gpm

Single Filter:

Master box:

Skid

2.25"l x 11.75" h x 2.25"w/0.6 lbs

11"l x 13.85" h x 9.25"w /17lbs/24Qty

91 cases per skid / 2184 total filters

W10

*REPLACEMENT FOR: Whirlpool 4396701

23



Reductions

- *Pharmaceutical Reduction
- *LEAD
- * See page 4 for full list

REPLACEMENT FOR:

Whirlpool Model: 4396701, 4396703, 2301705, 2301706, WF-NL120V, WFN120V, NL120V, WF-L120V, WFL120V, L120V, WF-LC200V, WFLC200V, LC200V, WF-L200V, WFL200V, L200V, WF-L200, WFL200, L200

Kitchen Aid Model: 4396702

Sears/Kenmore Model: 46-9915, 469915, 9915, 4609915000

Max. Operating Temperature:

38C/100F

Min. Operating Temperature:

0.6C/33F

Max. Working Pressure:

689kPa/100psi

Min. Working Pressure:

140kPa/20psi

Rated Capacity: VOC

757.082 litres/200 gallons

Rated Capacity: CTO

7570.824 litres/2000 gallons

Flow Rate:

1.9 lpm/0.5 gpm

Single Filter:

2.25"l x 11.75" h x 2.5"w/0.4lbs

Master box:

11"l x 13.85" h x 9.25" w /17 lbs/24Qty

Skid

91cases per skid/2184 total filters

*REPLACEMENT FOR: Whirlpool 8171413

W31



24

Reductions

- *Pharmaceutical Reduction
- *LEAD
- * See page 4 for full list

REPLACEMENT FOR:

Whirlpool Models: 46-9002, 469002, 8171413, 8171413P, 8171413R, 8171413T, 8171414, 8171787, 9002, NL200, NLCS200, WFI-NL200, WFI-NLC200, WFI-NLCS200

Tier1 Models: 2204324, 2204326, 2206039, 2206048, 2213384, 4609002000, 8171414P, 8171414R, 8171414T, 8171788, 9002P, EFF-6010A, NLC200, PS390643, RWF1022, WF-286

Water Sentinel /Aqua Fresh/EcoAqua/ EveryDrop/Kenmore/ Swift Green: WSW-4, WF286, EFF-6009A, EFF-6010A, EDR8D1, 46-9002, SGF-W41

Max. Operating Temperature:

38C/100F

Min. Operating Temperature:

0.6C/33F

Max. Working Pressure:

689kPa/100psi

Min. Working Pressure:

140kPa/20psi

Rated Capacity: CTO

11356.24 litres/3000 gallons

Flow Rate:

1.9 lpm/0.5 gpm

Single Filter:

3.25"l x 8" h x 3.25"w/0.8lbs

Master box:

7.5"l x 20.5"h x 13.75"w /20 lbs/24Qty

Skid

50cases per skid/1250 total filters

*REPLACEMENT FOR: Whirlpool 8171414



Reductions

- *Pharmaceutical Reduction
- *LEAD
- * See page 4 for full list

REPLACEMENT FOR:

Whirlpool Models: 46-9002, 469002, 8171413, 8171413P, 8171413R, 8171413T, 8171414, 8171787, 9002, NL200, NLCS200, WFI-NL200, WFI-NLC200, WFI-NLCS200

Tier1 Models: 2204324, 2204326, 2206039, 2206048, 2213384, 4609002000, 8171414P, 8171414R, 8171414T, 8171788, 9002P, EFF-6010A, NLC200, PS390643, RWF1022, WF-286

Water Sentinel /Aqua Fresh/EcoAqua/ EveryDrop/Kenmore/ Swift Green: WSW-4, WF286, EFF-6009A, EFF-6010A, EDR8D1, 46-9002, SGF-W31

Max. Operating Temperature:

38C/100F

Min. Operating Temperature:

0.6C/33F

Max. Working Pressure:

689kPa/100psi

Min. Working Pressure:

140kPa/20psi

Rated Capacity: VOC

1135.62 litres/300 gallons

Rated Capacity: CTO

11356.24 litres/3000 gallons

Flow Rate:

1.9 lpm/0.5 gpm

Single Filter:

3.25"l x 8" h x 3.25"w/0.8lbs

Master box:

7.5"l x 20.5"h x 13.75"w /20 lbs/24Qty

Skid

50cases per skid/1250 total filters

*REPLACEMENT FOR: WHIRLPOOL W1095370

W70



Reductions

- *Pharmaceutical Reduction
- *LEAD
- * See page 4 for full list

26

REPLACEMENT FOR:

Whirlpool Models: W1095370

Max. Operating Temperature:
Min. Operating Temperature:
Max. Working Pressure:
Min. Working Pressure:
Rated Capacity: CTO
Flow Rate:

38C/100F
0.6C/33F
689kPa/100psi
140kPa/20psi
1757 litres/200 gallons
1.9 lpm/0.5 gpm

W71

*REPLACEMENT FOR: Whirlpool 4396710

27



Reductions

- *Pharmaceutical Reduction
- *LEAD
- * See page 4 for full list

REPLACEMENT FOR:

Whirlpool Models: 4396710, 4396710P, 4396711, 4396841, 4396841B, 4396841P, 4396841T, 6710, 8212650, 9020, 9030, P2RFG2, PBSS, RWFFRSXS, T1RFKB1, T2RFG2, T2WG2L, W10121145, W10121146, W10193691

Kenmore/ PUR Models: 46-9030, W10186667

Max. Operating Temperature:

38C/100F

Min. Operating Temperature:

0.6C/33F

Max. Working Pressure:

689kPa/100psi

Min. Working Pressure:

140kPa/20psi

Rated Capacity: VOC

1135.62 litres/300 gallons

Rated Capacity: CTO

11356.24 litres/3000 gallons

Flow Rate:

1.9 lpm/0.5 gpm

Single Filter:

13.75"l x 2.5" h x 2.25"w/0.8lbs

Master box:

13"l x 15"h x 10.25"w /20 lbs/24Qty

Skid

60cases per skid/1440 total filters

*REPLACEMENT FOR: Whirlpool 4396508

W80



28

Reductions

- *Pharmaceutical Reduction
- *LEAD
- * See page 4 for full list

REPLACEMENT FOR:

Whirlpool Models: 2186444, 2203220, 2203221, 2255519, 2255709, 2305766, 2305767, 2305768, 4392857, 4392857R, 4392922, 4396164, 4396508, 4396508P, 4396508T, 4396510, 4396510P, 4396510T, 4396547, 4396548, 4396562, 4396563, 4396918, 46-9010, 4609010000, 4609902000, 4609908000, 469010, 491849, 643898, 8212491, 9010, 9010P, 9902, 9902P, 9908P, AP3182816, EFF-6002, EFF6002, EFF6002A, LC400, LC400V, NL240, NL240V, NL300, NLC240, NLC240V, PL400V, PNL240V, PS879461, PWF-L400V, PWF-NL240V, WF-285, WF-300BR, WF-LC400V, WF-NLC240V, WF-NLC250

Tier1: 2200203, 2203980, 223764, 2255518, 2255520, 4396163, 4396509, 4396509P, 46-9902, 46-9908, 46195023294, 469902, 469908, 6508, 9908, AFF5, AP3182817, EFF-6002A, KSZ6T9500, L400, L400V, L500, NLC250, RWF1020, WF-NL300

Aqua Fresh/Brita/EcoAqua/EveryDrop/Kenmore/Maytag/Swift Green/Thermador: WF285, WPRF-100, EFF-6002A, EDR5RXD1, 46-9010, 8212652, SGF-W01, KSZ6T9500

Max. Operating Temperature:	38C/100F
Min. Operating Temperature:	0.6C/33F
Max. Working Pressure:	689kPa/100psi
Min. Working Pressure:	140kPa/20psi
Rated Capacity: VOC	946.353 litres/250 gallons
Rated Capacity: CTO	11356.24 litres/3000 gallons
Flow Rate:	1.9 lpm/0.5 gpm

Single Filter:	2.25"l x 11.75" h x 2.25"w/0.6lbs
Master box:	11"l x 13.85" h x 9.25" w / 17 lbs/24qty
Skid	91cases per skid/2184 total filters

W84

*REPLACEMENT FOR: Whirlpool 4396841

29



Reductions

- *Pharmaceutical Reduction
- *LEAD
- * See page 4 for full list

REPLACEMENT FOR:

Whirlpool Models: 4396710, 4396710P, 4396711, 4396841, 4396841B, 4396841P, 4396841T, 8212650, 9020, 9030, P2RFGW2, PBSS, T1RFKB1, T2RFGW2, T2WG2L, W10121145, W10121146, W10193691

Kenmore/ PUR/ EveryDrop Models: 46-9030, W10186667, EDR3RXD1

Max. Operating Temperature:

38C/100F

Min. Operating Temperature:

0.6C/33F

Max. Working Pressure:

689kPa/100psi

Min. Working Pressure:

140kPa/20psi

Rated Capacity: VOC

1135.62 litres/300 gallons

Rated Capacity: CTO

11356.24 litres/3000 gallons

Flow Rate:

1.9 lpm/0.5 gpm

Single Filter:

2.5"l x 13.75" h x 2.25"w/0.8lbs

Master box:

13"l x 15"h x 10.25"w /20 lbs/24Qty

Skid

60cases per skid/1440 total filters

*REPLACEMENT FOR: Frigidaire WF1CB

WF1CB
(F2)



Reductions

- *Pharmaceutical Reduction
- *LEAD
- * See page 4 for full list

30

REPLACEMENT FOR:

Frigidaire/Tier1: 218657600, 218657600, 218657701, 218710901, 218710902, 218717805, 218732306, 218904501, 218904602, 218907800, 218994101, 240389101, 240389102, 240394501, 5303917752, 5303917836, 5303917937, 5303918017, AP2591529, PS503627, PS898866, NGRG-100, NGRG-2000, RC-101, RC-200, RC-900, RF-100, RF-200, RG-100, WF1CB, WFCB, 4609906000, 4609910000, RWF1030

WSF-1, WSF-2, WSF-4, 46-9906, 46-9910, 9906, 9906P, 9910, 9910P, WFCB-EFF, WF1CB-EFF, FRRF-100, WF284

Max. Operating Temperature:

Min. Operating Temperature:

Max. Working Pressure:

Min. Working Pressure:

Rated Capacity: CTO

Flow Rate:

Single Filter:

Master box:

Skid

38C/100F

0.6C/33F

689kPa/100psi

140kPa/20psi

3785.41 litres/1000 gallons

1.9 lpm/0.5 gpm

2"l x 6" h x 2.5"w/0.25 lbs

9"l x 10"h x 7"w /6lbs/24Qty

280 cases per skid / 6720 total filters

WFCB
(F1)

*REPLACEMENT FOR: Frigidaire WFCB



31

Reductions

- *Pharmaceutical Reduction
- *LEAD
- * See page 4 for full list

REPLACEMENT FOR:

Frigidaire/Tier1: 218657600, 218657701, 218710901, 218710902, 218717805, 218732306, 218904501, 218904602, 218907800, 218994101, 240389101, 240389102, 240394501, 5303917752, 5303917836, 5303917937, 5303918017, NGRG-100, NGRG-2000, RC-101, RC-200, RC-900, RF-100, RF-200, RG-100, WF1CB, AP2591529, PS503627, PS898866, RWF1030, 4609906000, 4609910000

WF284, FRRF-100, FCB-EFF, WF1CB-EFF, 46-9906, 46-9910, 9906, 9906P, 9910, 9910P, WSF-1, WSF-2, WSF-4

Max. Operating Temperature:

38C/100F

Min. Operating Temperature:

0.6C/33F

Max. Working Pressure:

689kPa/100psi

Min. Working Pressure:

140kPa/20psi

Rated Capacity: VOC

567.712 litres/ 150 gallons

Rated Capacity: CTO

5678.118 litres/1500 gallons

Flow Rate:

1.9 lpm/0.5 gpm

Single Filter:

2"l x 6" h x 2.5"w/0.25lbs

Master box:

9"l x 10"h x 7"w /6lbs/24Qty

Skid

280cases per skid/6720 total filters

*REPLACEMENT FOR: Sub Zero 4204490

ZS48



32

Reductions

- *Pharmaceutical Reduction
- *LEAD
- * See page 4 for full list

REPLACEMENT FOR:

Sub-Zero Models: 4290510

EcoAqua Models: EWF-8003A

Max. Operating Temperature:

38C/100F

Min. Operating Temperature:

0.6C/33F

Max. Working Pressure:

689kPa/100psi

Min. Working Pressure:

140kPa/20psi

Rated Capacity: VOC

1135.62 litres/300 gallons

Rated Capacity: CTO

12491.86 litres/3300 gallons

Flow Rate:

1.9 lpm/0.5 gpm

Single Filter:

2.5"l x 8" h x 3.25"w/0.75lbs


Master box:

13"l x 15"h x 10.25"w /20 lbs/24Qty

Skid

60cases per skid/1440 total filters

123304

***REPLACEMENT FOR: Amana 12527304**

33

Reductions

- *Pharmaceutical Reduction
- *LEAD
- * See page 4 for full list

REPLACEMENT FOR:

Amana: 09014P, 09904P, 12319801, 12388401, 12388402, 12388403, 12388406, 12388407, 12527301, 12527302, 12527303, 12527304, 12527305, 12527307, 12527309, 12527504, 46-9014, 46-9014P, 46-9904, 46-9904P, 4609014000, 4609904000, 469014, 469014P, 469904, 469904P, 67003634, 9014, 9014P, 9904, 9904P, AP4310541, EA-1, FILTER 9, FILTER9, OPFA-RF300, PS1965106, RWF1090, WF-292, WF-30, WF-40, WF-401, WF-4010, WF-401P, WF-401S, WF-401T, WF292, WF30, WF40, WF401, WF4010, WF401P, WF401S, WF401T, WSA-1

Max. Operating Temperature:**Min. Operating Temperature:****Max. Working Pressure:****Min. Working Pressure:****Rated Capacity: VOC****Rated Capacity: CTO****Flow Rate:****Single Filter:****Master box:****Skid****38C/100F****0.6C/33F****689kPa/100psi****140kPa/20psi****1135.62 litres/ 300 gallons****11356.24 litres/3000 gallons****1.9 lpm/0.5 gpm****3.25"l x 8" h x 3.25"w/0.85lbs****7.5"l x 20.5"h x 13.75"w /20lbs/240ty****50cases per skid/1250 total filters**

Swift Cross Reference Guide

Brand	OEM Number	SGF Model Number	Brand	OEM Number	SGF Model Number
3M			Aqua-Pure		
	WHCFR-PLUS	SGF-BO52		C-CS-FF	SGF-BO52
	WHFK-R-PLUS	SGF-BO52		C-CS-S	SGF-BO52
	EVOLFLTR10	SGF-BO52			
Amana/Maytag			Bosch		
	67003662	SGF-FP48		1257074	SGF-BO52
	RO185011	SGF-FP48		5586605	SGF-BO52
				5586606	SGF-BO52
				640565	SGF-BO52
				70020002518	SGF-BO52
Aqua Fresh				AP3961137	SGF-BO52
	WF282	SGF-G22		B20CS5	SGF-BO52
	WF282	SGF-G23		B20CS8	SGF-BO52
	WF284	SGF-WFCB		W1085590	SGF-BO52
	WF284	SGF-WF1CB		101443	SGF-BO90
	WF285	SGF-W01		1014430109	SGF-BO90
	WF285	SGF-W80		101443-A	SGF-BO90
	WF286	SGF-W31		1017320109	SGF-BO90
	WF286	SGF-W41		641425	SGF-BO90
	WF287	SGF-G9		644845	SGF-BO90
	WF288	SGF-M07		644845 (9000 ULTRA CLARITY)	SGF-BO90
	WF289	SGF-DSB30			
	WF290	SGF-LA22		740570	SGF-BO90
	WF293	SGF-W10		9000	SGF-BO90
	WF294	SGF-DA20B		9000 077104	SGF-BO90
	WF295	SGF-M9		9000077095	SGF-BO90
	WF600	SGF-LA50		9000077096	SGF-BO90
				9000077104	SGF-BO90

Swift Cross Reference Guide



Brand	OEM Number	SGF Model Number	Brand	OEM Number	SGF Model Number
Bosch			Dacor		
	9000101443	SGF-BO90		AFF3	SGF-M9
	9000194412	SGF-BO90		AFF4	SGF-M07
	AP3962558	SGF-BO90		AFF5	SGF-W01
	BORPLFTR10	SGF-BO90		AFF5	SGF-W80
	BT644845	SGF-BO90			
	KWF1000	SGF-BO90			
	REPFLTR10	SGF-BO90	EcoAqua		
	REPLFLTR10	SGF-BO90		EFF-6001A	SGF-W10
	RF280013	SGF-BO90		EFF-6002	SGF-W01
				EFF-6002A	SGF-W01
Brita				EFF-6002	SGF-W80
	FRRF-100	SGF-WFCB		EFF-6002A	SGF-W80
	FRRF-100	SGF-WF1CB		EFF-6003A	SGF-LA50
	GERF-100	SGF-G9		EFF-6004A	SGF-LA50
	MYRF-100	SGF-M07		EFF-6003A	SGF-LB60
	WPRF-100	SGF-W01		EFF-6004A	SGF-LB60
	WPRF-100	SGF-W80		EFF-6005A	SGF-LA22
				EFF-6007A	SGF-M9
				EFF-6009A	SGF-W31
Cuno				EFF-6010A	SGF-W31
	CS51	SGF-BO52		EFF-6009A	SGF-W41
	CS52	SGF-BO52		EFF-6010A	SGF-W41
	CS450	SGF-BO52		EFF-6011A	SGF-DSB30
	CS451	SGF-BO52		EFF-6013A	SGF-G9
	CS452	SGF-BO52		EFF-6017A	SGF-FP48
	CS562	SGF-BO52		EFF-6023A	SGF-G22
	OCS CS52	SGF-BO52		EFF-6025A	SGF-BO90
				EFF-6027A	SGF-DA20B
				EFF-6032A	SGF-LA07

Swift Cross Reference Guide

Brand	OEM Number	SGF Model Number	Brand	OEM Number	SGF Model Number
EcoAqua			Frigidaire		
	EWf-8003A	SGF-ZS48		WFCB	SGF-WFCB
	WFCB-EFF	SGF-WFCB		218657600	SGF-WFCB
	WF1CB-EFF	SGF-WFCB		218657701	SGF-WFCB
	WFCB-EFF	SGF-WF1CB		218710901	SGF-WFCB
	WF1CB-EFF	SGF-WF1CB		218710902	SGF-WFCB
				218717805	SGF-WFCB
				218732306	SGF-WFCB
				218904501	SGF-WFCB
Everydrop				218904602	SGF-WFCB
	EDR1RXD1	SGF - W70		218907800	SGF-WFCB
	EDR3RXD1	SGF-W84		218994101	SGF-WFCB
	EDR4RXD1	SGF-M9		240389101	SGF-WFCB
	EDR5RXD1	SGF-W01		240389102	SGF-WFCB
	EDR5RXD1	SGF-W80		240394501	SGF-WFCB
	EDR6D1	SGF-W10		5303917752	SGF-WFCB
	EDR7D1	SGF-M07		5303917836	SGF-WFCB
	EDR8D1	SGF-W31		5303917937	SGF-WFCB
				5303918017	SGF-WFCB
Fisher & Paykel				NGRG-100	SGF-WFCB
	E402B	SGF-FP48		NGRG-2000	SGF-WFCB
	E442B	SGF-FP48		RC-101	SGF-WFCB
	E522B	SGF-FP48		RC-200	SGF-WFCB
	836848	SGF-FP48		RC-900	SGF-WFCB
	836860	SGF-FP48		RF-100	SGF-WFCB
	WF60	SGF-FP48		RF-200	SGF-WFCB
	PS2067635	SGF-FP48		RG-100	SGF-WFCB
	RF90A180DU	SGF-FP48		WF1CB	SGF-WFCB
				AP2591529	SGF-WFCB
				PS503627	SGF-WFCB
				PS898866	SGF-WFCB

Swift Cross Reference Guide



Brand	OEM Number	SGF Model Number	Brand	OEM Number	SGF Model Number
Frigidaire			Frigidaire		
	WF1CB	SGF-WF1CB		WFB	SGF-WF1CB
	218657600	SGF-WF1CB		WFCB	SGF-WF1CB
	218657701	SGF-WF1CB		SWFCB	SGF-WF1CB
	218710901	SGF-WF1CB		SWF1CB	SGF-WF1CB
	218710902	SGF-WF1CB			
	218717805	SGF-WF1CB			
	218732306	SGF-WF1CB	GE		
	218904501	SGF-WF1CB		MWF	SGF-G9
	218904602	SGF-WF1CB		101057A	SGF-G9
	218907800	SGF-WF1CB		101300-0110	SGF-G9
	218994101	SGF-WF1CB		101300A	SGF-G9
	240389101	SGF-WF1CB		197D6321P001	SGF-G9
	240389102	SGF-WF1CB		AP3859302	SGF-G9
	240394501	SGF-WF1CB		AP3967843	SGF-G9
	5303917752	SGF-WF1CB		FXRC	SGF-G9
	5303917836	SGF-WF1CB		FXRT	SGF-G9
	5303917937	SGF-WF1CB		GWF	SGF-G9
	5303918017	SGF-WF1CB		GWF01	SGF-G9
	AP2591529	SGF-WF1CB		GWF06	SGF-G9
	PS503627	SGF-WF1CB		GWFA	SGF-G9
	PS898866	SGF-WF1CB		GWFD5	SGF-G9
	NGRG-100	SGF-WF1CB		HWF	SGF-G9
	NGRG-2000	SGF-WF1CB		HWFA	SGF-G9
	RC-101	SGF-WF1CB		HXRT	SGF-G9
	RC-200	SGF-WF1CB		MWF	SGF-G9
	RC-900	SGF-WF1CB		MWFA	SGF-G9
	RF-100	SGF-WF1CB		MWFAP	SGF-G9
	RF-200	SGF-WF1CB		MWFD5	SGF-G9
	RG-100	SGF-WF1CB		MXRC	SGF-G9

Swift Cross Reference Guide

Brand	OEM Number	SGF Model Number	Brand	OEM Number	SGF Model Number
GE			GE		
	OPFG-RF300	SGF-G9		PDS20SCP	SGF-G22
	PC40677	SGF-G9		PDS22MCP	SGF-G22
	PC61278A	SGF-G9		PDS22SCP	SGF-G22
	PS981638	SGF-G9		PDS22SHR	SGF-G22
	PS983115	SGF-G9		PFCS1NJWSS	SGF-G22
	PT11577906	SGF-G9		PS951515	SGF-G22
				PTS22LHP	SGF-G22
	MXRC	SGF-G11		PTS22SHP	SGF-G22
	46-9905	SGF-G11		PTS25LHP	SGF-G22
	9905	SGF-G11		PTS25SHP	SGF-G22
	9905P	SGF-G11		100749C	SGF-G22
	FXRC	SGF-G11		100810A	SGF-G22
	FXRC1	SGF-G11		215C1152P002	SGF-G22
	FXRT	SGF-G11		238C2334P001	SGF-G22
	GXRC	SGF-G11		35917-MN-1	SGF-G22
	HXRT	SGF-G11			
	PS220814	SGF-G11		101820A	SGF-G23
	WR97X10006	SGF-G11		101821B	SGF-G23
				238C2334P003	SGF-G23
	GSWF	SGF-G22		AP3997949	SGF-G23
	GSWFDS	SGF-G22		MSWF	SGF-G23
	GTS18SHP	SGF-G22		MSWFDS	SGF-G23
	GTH22SHP	SGF-G22		PC46783	SGF-G23
	GTS18KHP	SGF-G22		PS1559689	SGF-G23
	GTS22KHP	SGF-G22		WR02X12345	SGF-G23
	PC36011	SGF-G22		WR02X12801	SGF-G23
	PC56994	SGF-G22			
	PC58696	SGF-G22		OPFG-RF300	SGF-LA22
	PDS20MCP	SGF-G22			

Swift Cross Reference Guide

Brand	OEM Number	SGF Model Number	Brand	OEM Number	SGF Model Number
GE			Kenmore		
	FQSLF	SGF - GSTQ		46-9906	SGF-WF1CB
	FQSVF	SGF - GSTQ		46-9910	SGF-WF1CB
	GXSL5S	SGF - GSTQ		9906	SGF-WF1CB
	GXSL55R	SGF - GSTQ		9906P	SGF-WF1CB
	GQSL55R	SGF - GSTQ		9910	SGF-WF1CB
	GXSL55F	SGF - GSTQ		9910P	SGF-WF1CB
	GQSL55F	SGF - GSTQ			
				9905	SGF-G9
	RPWF	SGF - GWF		46-9905	SGF-G9
	RPWFE	SGF - GWF		9991	SGF-G9
				46-9991	SGF-G9
	FQSVF	SGF - GSVF		9996	SGF-G9
	FQSLF	SGF - GSVF		46-9996	SGF-G9
	GNSV70	SGF - GSVF			
	GNSV75	SGF - GSVF		9914	SGF-G22
	GXSV65R	SGF - GSVF		46-9914	SGF-G22
	GXSV65	SGF - GSVF		AP3418061	SGF-G22
	GXSV65F	SGF - GSVF			
				9914	SGF-G23
				46-9914	SGF-G23
Kenmore					
	46-9906	SGF-WFCB		46-9690	SGF-LA07
	46-9910	SGF-WFCB		4609690000	SGF-LA07
	9906	SGF-WFCB			
	9906P	SGF-WFCB		GEN11042FR-08	SGF-LA22
	9910	SGF-WFCB		GEN11042F-08	SGF-LA22
	9910P	SGF-WFCB		9890	SGF-LA22

Swift Cross Reference Guide

Brand	OEM Number	SGF Model Number	Brand	OEM Number	SGF Model Number
Kenmore			Kenmore		
	46-9990	SGF-LA50		46-9002	SGF-W31
	9990	SGF-LA50		4609002000	SGF-W31
	9990P	SGF-LA50		9002	SGF-W31
	4609990000	SGF-LA50		9002P	SGF-W31
	46-9990	SGF-LB60		9002	SGF-W41
	9990	SGF-LB60		9002P	SGF-W41
	9990P	SGF-LB60		46-9002	SGF-W41
	4609990000	SGF-LB60		4609002000	SGF-W41
	46-9010	SGF-W01		9930	SGF-W70
	46-9902	SGF-W01		46-9930	SGF-W70
	46-9908	SGF-W01			
	6508	SGF-W01		9020	SGF-W71
	9902	SGF-W01		9030	SGF-W71
	9902P	SGF-W01		46-9030	SGF-W71
	9908	SGF-W01			
	9908P	SGF-W01		9010	SGF-W80
	9010	SGF-W01		9010P	SGF-W80
	9010P	SGF-W01		46-9010	SGF-W80
	8212491	SGF-W01		9902	SGF-W80
	8212652	SGF-W01		9902P	SGF-W80
	AP3182816	SGF-W01		46-9902	SGF-W80
	AP3182817	SGF-W01		9908	SGF-W80
				9908P	SGF-W80
	9915P	SGF-W10		46-9908	SGF-W80
	46-9915	SGF-W10		4609010000	SGF-W80
	4609915000	SGF-W10		4609902000	SGF-W80
				4609908000	SGF-W80
				643898	SGF-W80

Swift Cross Reference Guide



Brand	OEM Number	SGF Model Number	Brand	OEM Number	SGF Model Number
Kenmore			Kitchen Aid/Whirlpool		
	9020	SGF-W84		4392922	SGF-W01
	9030	SGF-W84		4396163	SGF-W01
	46-9030	SGF-W84		4396164	SGF-W01
				4396508	SGF-W01
				4396509	SGF-W01
				4396510	SGF-W01
Kitchen Aid/Whirlpool				4396547	SGF-W01
	4396395	SGF-M9		4396548	SGF-W01
	4396395P	SGF-M9		4396562	SGF-W01
	4396395T	SGF-M9		4396563	SGF-W01
	67003523	SGF-M9		4396918	SGF-W01
	67003523-750	SGF-M9		4392857R	SGF-W01
	67003591	SGF-M9		4396508P	SGF-W01
	67003727	SGF-M9		4396508T	SGF-W01
	67006470	SGF-M9		4396509P	SGF-W01
				4396510P	SGF-W01
	223764	SGF-W01		4396510T	SGF-W01
	2186444	SGF-W01		46195023294	SGF-W01
	2200203	SGF-W01		4609010000	SGF-W01
	2203220	SGF-W01		4609902000	SGF-W01
	2203221	SGF-W01		4609908000	SGF-W01
	2203980	SGF-W01		469010	SGF-W01
	2255518	SGF-W01		491849	SGF-W01
	2255519	SGF-W01		643898	SGF-W01
	2255520	SGF-W01		L400	SGF-W01
	2255709	SGF-W01		L400V	SGF-W01
	2305766	SGF-W01		L500	SGF-W01
	2305767	SGF-W01		LC400	SGF-W01
	2305768	SGF-W01		LC400V	SGF-W01
	4392857	SGF-W01			

Swift Cross Reference Guide

Brand	OEM Number	SGF Model Number	Brand	OEM Number	SGF Model Number
Kitchen Aid/Whirlpool			Kitchen Aid/Whirlpool		
	NL240	SGF-W01		643898	SGF-W80
	NL240V	SGF-W01		2186444	SGF-W80
	NL300	SGF-W01		223764	SGF-W80
	NLC240	SGF-W01		2200203	SGF-W80
	NLC240V	SGF-W01		2203220	SGF-W80
	NLC250	SGF-W01		2203221	SGF-W80
	PL400V	SGF-W01		2203980	SGF-W80
	PNL240V	SGF-W01		2255518	SGF-W80
	PS879461	SGF-W01		2255519	SGF-W80
	PWF-L400V	SGF-W01		2255520	SGF-W80
	PWF-NL240V	SGF-W01		2255709	SGF-W80
	WF-300BR	SGF-W01		2305766	SGF-W80
	WF-LC400V	SGF-W01		2305767	SGF-W80
	WF-NL300	SGF-W01		2305768	SGF-W80
	WF-NLC240V	SGF-W01		4392857	SGF-W80
	WF-NLC250	SGF-W01		4392857R	SGF-W80
				4392922	SGF-W80
	9010	SGF-W80		4396163	SGF-W80
	9010P	SGF-W80		4396164	SGF-W80
	46-9010	SGF-W80		4396508	SGF-W80
	9902	SGF-W80		4396508P	SGF-W80
	9902P	SGF-W80		4396508T	SGF-W80
	46-9902	SGF-W80		4396509	SGF-W80
	9908	SGF-W80		4396509P	SGF-W80
	9908P	SGF-W80		4396510	SGF-W80
	46-9908	SGF-W80		4396510P	SGF-W80
	4609010000	SGF-W80		4396510T	SGF-W80
	4609902000	SGF-W80		4396547	SGF-W80
	4609908000	SGF-W80		4396548	SGF-W80

Swift Cross Reference Guide



Brand	OEM Number	SGF Model Number	Brand	OEM Number	SGF Model Number
Kitchen Aid/Whirlpool			LG		
	4396562	SGF-W80		LT700P	SGF-LA07
	4396563	SGF-W80		ADQ36006101	SGF-LA07
	4396918	SGF-W80		ADQ36006101S	SGF-LA07
	6508	SGF-W80		ADQ36006102	SGF-LA07
	46195023294	SGF-W80		ADQ36006102S	SGF-LA07
	AP3182816	SGF-W80			
	AP3182817	SGF-W80		LT500P	SGF-LA22
				5231JA2002A	SGF-LA22
	8212491	SGF-W80		5231JA2002	SGF-LA22
	L400	SGF-W80		5231JA2002A-S	SGF-LA22
	L400V	SGF-W80		5231JA2002B	SGF-LA22
	L500	SGF-W80		5231JA2002B-S	SGF-LA22
	LC400	SGF-W80		PS2487038	SGF-LA22
	LC400V	SGF-W80		ADQ72910907	SGF-LA22
	NL240	SGF-W80			
	NL240V	SGF-W80		LT600P	SGF-LA50
	NL300	SGF-W80		5231JA2005A	SGF-LA50
	NLC240	SGF-W80		5231JA2005A-S	SGF-LA50
	NLC240V	SGF-W80		5231JA2006	SGF-LA50
	NLC250	SGF-W80		5231JA2006A	SGF-LA50
	PL400V	SGF-W80		5231JA2006A-S	SGF-LA50
	PNL240V	SGF-W80		5231JA2006B	SGF-LA50
	PS879461	SGF-W80		5231JA2006B-S	SGF-LA50
	PWF-L400V	SGF-W80		5231JA2006E	SGF-LA50
	PWF-NL240V	SGF-W80		5231JA2006F	SGF-LA50
	WF-300BR	SGF-W80		5231JA2006F-S	SGF-LA50
	WF-LC400V	SGF-W80		5231JJ2001C	SGF-LA50
	WF-NLC240V	SGF-W80		CLS30320001	SGF-LA50
	WF-NLC250	SGF-W80		CLS3032001	SGF-LA50
	WF-NL300	SGF-W80		PS2441842	SGF-LA50

Swift Cross Reference Guide

Brand	OEM Number	SGF Model Number	Brand	OEM Number	SGF Model Number
LG			Maytag		
	LT600P	SGF-LB60		7001	SGF-M07
	5231JA2005A	SGF-LB60		7002	SGF-M07
	5231JA2005A-S	SGF-LB60		7003	SGF-M07
	5231JA2006	SGF-LB60		UK7003	SGF-M07
	5231JA2006A	SGF-LB60		UFK-5001	SGF-M07
	5231JA2006A-S	SGF-LB60		UFK-6001	SGF-M07
	5231JA2006B	SGF-LB60		UFK-7001	SGF-M07
	5231JA2006B-S	SGF-LB60		UFK-7002	SGF-M07
	5231JA2006E	SGF-LB60		UFK-7003	SGF-M07
	5231JA2006F	SGF-LB60		UFK-7003P	SGF-M07
	5231JA2006F-S	SGF-LB60		UFK-7003T	SGF-M07
	5231JJ2001C	SGF-LB60		UKF-5001	SGF-M07
	CLS30320001	SGF-LB60		UKF-6001	SGF-M07
	CLS3032001	SGF-LB60		UKF-7001	SGF-M07
	PS2441842	SGF-LB60		UKF-7002	SGF-M07
				UKF-7003	SGF-M07
	M7251242F-06	SGF - LGFR06		UKF-7003P	SGF-M07
	M725124FR-06	SGF - LGFR06		UKF-7003T	SGF-M07
	M7251253F-06	SGF - LGFR06		UKF5001AXX	SGF-M07
	M7251253FR-06	SGF - LGFR06		UKF6001AXX	SGF-M07
				UKF7001AXX	SGF-M07
	ADQ401	SGF - ADQ401		UKF7002AXX	SGF-M07
	ADQ73613401	SGF - ADQ401		UKF7003AXX	SGF-M07
	ADQ72910901	SGF - ADQ401		UKF7003AXXP	SGF-M07
	LT800P	SGF - ADQ401		UKF7003AXXT	SGF-M07
				AP4343710	SGF-M07
				P1AC250	SGF-M07
Maytag				P1AC416	SGF-M07
	5001	SGF-M07		PS2326378	SGF-M07
	6001	SGF-M07			

Swift Cross Reference Guide



Brand	OEM Number	SGF Model Number	Brand	OEM Number	SGF Model Number
Maytag			Maytag		
	101412	SGF-M9		67006467	SGF-M9
	101412-C	SGF-M9		67006474	SGF-M9
	101412-D	SGF-M9		67006475	SGF-M9
	101414-B	SGF-M9		67006476	SGF-M9
	12589201	SGF-M9		67006633	SGF-M9
	12589203	SGF-M9		67006637	SGF-M9
	12589206	SGF-M9		67006639	SGF-M9
	12589208	SGF-M9		8171032	SGF-M9
	12589210	SGF-M9		8171249	SGF-M9
	13040210	SGF-M9		8001	SGF-M9
	9005	SGF-M9		8001P	SGF-M9
	9005P	SGF-M9		UK8001	SGF-M9
	9006	SGF-M9		UFK-8001	SGF-M9
	9006P	SGF-M9		UFK-8001P	SGF-M9
	9992	SGF-M9		UFK-8001T	SGF-M9
	9992P	SGF-M9		UFK8001AXX	SGF-M9
	46-9005	SGF-M9		UFK8001AXX-750	SGF-M9
	4609005000	SGF-M9		UKF-8001	SGF-M9
	469005-750	SGF-M9		UKF-8001P	SGF-M9
	46-9006	SGF-M9		UKF-8001T	SGF-M9
	469006-750	SGF-M9		UKF8001AXX	SGF-M9
	46-9992	SGF-M9		UKF8001AXXP	SGF-M9
	46-9992-100	SGF-M9		UKF8001AXXT	SGF-M9
	67002269	SGF-M9		UKF8001AXX-200	SGF-M9
	67002671	SGF-M9		UKF8001AXX-750	SGF-M9
	67003526	SGF-M9		AP4343647	SGF-M9
	67003527	SGF-M9		F4WP6M1	SGF-M9
	67003528	SGF-M9		OWF50	SGF-M9
	67003640	SGF-M9		OWF50-NI300	SGF-M9

Swift Cross Reference Guide

Brand	OEM Number	SGF Model Number	Brand	OEM Number	SGF Model Number
Maytag			Panasonic		
	OWF50-WI500	SGF-M9		NRBH-12590	SGF-PA07
	OWF51	SGF-M9			
	PS2326380	SGF-M9			
	PS805431	SGF-M9	PUR		
	WF50	SGF-M9		PBSS	SGF-W71
	WF50-WI500	SGF-M9		W10121145	SGF-W71
	WF50-KNI300	SGF-M9		W10121146	SGF-W71
	WF50-KWI500	SGF-M9		W10186667	SGF-W71
	WF50-NI300	SGF-M9		W10193691	SGF-W71
	WF50-NI500	SGF-M9			
	WF51	SGF-M9		PBSS	SGF-W84
				W10121145	SGF-W84
	46-9010	SGF-W01		W10121146	SGF-W84
	46-9902	SGF-W01		W10186667	SGF-W84
	46-9908	SGF-W01		W10193691	SGF-W84
	6508	SGF-W01			
	9902	SGF-W01			
	9902P	SGF-W01	Samsung		
	9908	SGF-W01		DA-97-08006A	SGF-DA20B
	9908P	SGF-W01		DA97-08006A-B	SGF-DA20B
	9010	SGF-W01		DA-97-08006B	SGF-DA20B
	9010P	SGF-W01		DA29-00019A	SGF-DA20B
	8212491	SGF-W01		DA29-00020A	SGF-DA20B
	8212652	SGF-W01		DA29-00020B	SGF-DA20B
	AP3182816	SGF-W01		HAF-CIN	SGF-DA20B
	AP3182817	SGF-W01		HAF-CIN-EXP	SGF-DA20B
	8212652	SGF-W80		DA29-00012A	SGF-DSA21
	67003662	SGF-FP48		DA29-00012B	SGF-DSA21
	RO185011	SGF-FP48		DA97-03175A	SGF-DSA21

Swift Cross Reference Guide



Brand	OEM Number	SGF Model Number	Brand	OEM Number	SGF Model Number
Samsung			Samsung		
	HAFCN	SGF-DSA21		DA97-06317A	SGF-DSB30
	PS1154348	SGF-DSA21		HAFCUI	SGF-DSB30
	PS2123061	SGF-DSA21		HAFCU1	SGF-DSB30
	PS2389167	SGF-DSA21		HAFIN2	SGF-DSB30
				FA-0083U	SGF-DSB30
	DA29-0002	SGF-DSB30		TADA29-00003A	SGF-DSB30
	DA29-00002	SGF-DSB30		TADA29-00003B	SGF-DSB30
	DA29-00002A	SGF-DSB30			
	DA29-00002A-8	SGF-DSB30			
	DA29-00002A-B	SGF-DSB30	Subzero		
	DA29-0002B	SGF-DSB30		4204490	SGF-ZS48
	DA29-00028	SGF-DSB30		4204496	SGF-ZS48
	DA29-000028	SGF-DSB30		4290510	SGF-ZS48
	DA29-0003	SGF-DSB30			
	DA29-00003	SGF-DSB30			
	DA29-000038	SGF-DSB30	Subzero		
	DA29-00003A	SGF-DSB30		WF296	SGF-FP48
	DA29-00003A-B	SGF-DSB30		WF297	SGF-BO52
	DA29-00003B	SGF-DSB30		WF298	SGF-G22
	DA29-00003F	SGF-DSB30		WF300	SGF-LA50
	DA29-00003G	SGF-DSB30		WF600	SGF-LA50
	DA29-00003H	SGF-DSB30		WF300	SGF-LB60
	DA29-0003B	SGF-DSB30			
	DA29-0003G	SGF-DSB30			
	DA61-159	SGF-DSB30	Thermador		
	DA61-00159	SGF-DSB30		KSZ6T9500	SGF-W01
	DA61-00159A	SGF-DSB30			
	DA61-00159A-B	SGF-DSB30		KSZ6T9500	SGF-W80
	DA61-00159A-8	SGF-DSB30		491849	SGF-W80



Swift Cross Reference Guide

Brand	OEM Number	SGF Model Number	Brand	OEM Number	SGF Model Number
Tier1			Tier1		
	RWF1010	SGF-DSB30		RWF1050	SGF-LA22
	PS2509506	SGF-DSB30		OPFL-RF300	SGF-LA22
				4609890000	SGF-LA22
	RWF1011	SGF-DA20B			
	46-9101	SGF-DA20B		RWF1051	SGF-LA50
	4609101000	SGF-DA20B			
				RWF1051	SGF-LB60
	RWF1020	SGF-W01			
				RWF1052	SGF-LA07
	RWF1020	SGF-W80			
				RWF1062	SGF-G23
	RWF1021	SGF-W10			
				RWF1080	SGF-FP48
	RWF1022	SGF-W31			
				RWF1100	SGF-BO52
	RWF1022	SGF-W41			
				RWF1110	SGF-BO90
	RWF1030	SGF-WFCB			
	4609906000	SGF-WFCB			
	4609910000	SGF-WFCB			
			Viking		
				RWFFR	SGF-M9
	RWF1030	SGF-WF1CB		RWFFRSXS	SGF-W71
	4609906000	SGF-WF1CB			
	4609910000	SGF-WF1CB			
			Water Sentinel		
	RWF1040	SGF-M9		WSB-1	SGF-BO90
	RWF1041	SGF-M07		WSB-1	SGF-BO52
				WSQ-1	SGF-BO52

Swift Cross Reference Guide



Brand	OEM Number	SGF Model Number	Brand	OEM Number	SGF Model Number
Water Sentinel			Whirlpool		
	WSF-1	SGF-WFCB		4396395	SGF-M9
	WSF-2	SGF-WFCB		4396395P	SGF-M9
	WSF-4	SGF-WFCB		4396395T	SGF-M9
	WSF-1	SGF-WF1CB		67003523	SGF-M9
	WSF-2	SGF-WF1CB		67003523-750	SGF-M9
	WSF-4	SGF-WF1CB		67003591	SGF-M9
	WSG-1	SGF-G9		67003727	SGF-M9
	WSG-4	SGF - GWF		67006470	SGF-M9
	WSL-1	SGF-LA22			
	WSL-2	SGF-LA50		223764	SGF-W01
	WSL-2	SGF-LB60		2186444	SGF-W01
	WSL-3	SGF-LA07		2200203	SGF-W01
	WSM-1	SGF-M07		2203220	SGF-W01
	WSS-1	SGF-DSB30		2203221	SGF-W01
	WSS-2	SGF-DA20B		2203980	SGF-W01
	WSW-1	SGF-W01		2255518	SGF-W01
	WSW-2	SGF-W01		2255519	SGF-W01
	WSW-1	SGF-W80		2255520	SGF-W01
	WSW-2	SGF-W80		2255709	SGF-W01
	WSW-4	SGF-W31		2305766	SGF-W01
	WSW-4	SGF-W41		2305767	SGF-W01
				2305768	SGF-W01
				4392857	SGF-W01
Whirlpool				4392922	SGF-W01
	WHKF-IMPLUS	SGF-BO52		4396163	SGF-W01
	WHKF-R-PLUS	SGF-BO52		4396164	SGF-W01
	2168701	SGF-BO52		4396508	SGF-W01
	56932	SGF-BO52		4396509	SGF-W01
	W10132126	SGF-DSB30		4396510	SGF-W01

Swift Cross Reference Guide

Brand	OEM Number	SGF Model Number	Brand	OEM Number	SGF Model Number
Whirlpool			Whirlpool		
	4396547	SGF-W01		PL400V	SGF-W01
	4396548	SGF-W01		PNL240V	SGF-W01
	4396562	SGF-W01		PS879461	SGF-W01
	4396563	SGF-W01		PWF-L400V	SGF-W01
	4396918	SGF-W01		PWF-NL240V	SGF-W01
	4392857R	SGF-W01		WF-300BR	SGF-W01
	4396508P	SGF-W01		WF-LC400V	SGF-W01
	4396508T	SGF-W01		WF-NL300	SGF-W01
	4396509P	SGF-W01		WF-NLC240V	SGF-W01
	4396510P	SGF-W01		WF-NLC250	SGF-W01
	4396510T	SGF-W01			
	46195023294	SGF-W01		6701	SGF-W10
	4609010000	SGF-W01		9915	SGF-W10
	4609902000	SGF-W01		2301706	SGF-W10
	4609908000	SGF-W01		4396701	SGF-W10
	469010	SGF-W01		4396703	SGF-W10
	491849	SGF-W01		4396706	SGF-W10
	643898	SGF-W01		L200	SGF-W10
	L400	SGF-W01		L200V	SGF-W10
	L400V	SGF-W01		LC200V	SGF-W10
	L500	SGF-W01		L120V	SGF-W10
	LC400	SGF-W01		NL120V	SGF-W10
	LC400V	SGF-W01		NLC120V	SGF-W10
	NL240	SGF-W01		WF-L200V	SGF-W10
	NL240V	SGF-W01		WFINL120V	SGF-W10
	NL300	SGF-W01		WFI-NL120V	SGF-W10
	NLC240	SGF-W01			
	NLC240V	SGF-W01		2204324	SGF-W31
	NLC250	SGF-W01		2204326	SGF-W31

Swift Cross Reference Guide



Brand	OEM Number	SGF Model Number	Brand	OEM Number	SGF Model Number
Whirlpool			Whirlpool		
	2206039	SGF-W31		8171413T	SGF-W41
	2206048	SGF-W31		8171414	SGF-W41
	2213384	SGF-W31		8171414P	SGF-W41
	8171413	SGF-W31		8171414R	SGF-W41
	8171414	SGF-W31		8171414T	SGF-W41
	8171787	SGF-W31		8171787	SGF-W41
	8171788	SGF-W31		8171788	SGF-W41
	8171413P	SGF-W31		PS390643	SGF-W41
	8171413R	SGF-W31		NL200	SGF-W41
	8171413T	SGF-W31		NLC200	SGF-W41
	8171414P	SGF-W31		NLCS200	SGF-W41
	8171414R	SGF-W31		WFI-NL200	SGF-W41
	8171414T	SGF-W31		WFI-NLC200	SGF-W41
	PS390643	SGF-W31		WFI-NLCS200	SGF-W41
	NL200	SGF-W31			
	NLC200	SGF-W31		4396710	SGF-W71
	NLCS200	SGF-W31		4396710P	SGF-W71
	WFI-NL200	SGF-W31		4396711	SGF-W71
	WFI-NLC200	SGF-W31		4396841	SGF-W71
	WFI-NLCS200	SGF-W31		4396841B	SGF-W71
				4396841P	SGF-W71
	2204324	SGF-W41		4396841T	SGF-W71
	2204326	SGF-W41		6710	SGF-W71
	2206039	SGF-W41		8212650	SGF-W71
	2206048	SGF-W41		P2RFGW2	SGF-W71
	2213384	SGF-W41		T1RFBK1	SGF-W71
	8171413	SGF-W41		T2RFGW2	SGF-W71
	8171413P	SGF-W41		T2WG2L	SGF-W71
	8171413R	SGF-W41			

Swift Cross Reference Guide

Brand	OEM Number	SGF Model Number	Brand	OEM Number	SGF Model Number
Whirlpool			Whirlpool		
	2186444	SGF-W80		4396563	SGF-W80
	223764	SGF-W80		4396918	SGF-W80
	2200203	SGF-W80		6508	SGF-W80
	2203220	SGF-W80		46195023294	SGF-W80
	2203221	SGF-W80		AP3182816	SGF-W80
	2203980	SGF-W80		AP3182817	SGF-W80
	2255518	SGF-W80		643898	SGF-W80
	2255519	SGF-W80		8212491	SGF-W80
	2255520	SGF-W80		L400	SGF-W80
	2255709	SGF-W80		L400V	SGF-W80
	2305766	SGF-W80		L500	SGF-W80
	2305767	SGF-W80		LC400	SGF-W80
	2305768	SGF-W80		LC400V	SGF-W80
	4392857	SGF-W80		NL240	SGF-W80
	4392857R	SGF-W80		NL240V	SGF-W80
	4392922	SGF-W80		NL300	SGF-W80
	4396163	SGF-W80		NLC240	SGF-W80
	4396164	SGF-W80		NLC240V	SGF-W80
	4396508	SGF-W80		NLC250	SGF-W80
	4396508P	SGF-W80		PL400V	SGF-W80
	4396508T	SGF-W80		PNL240V	SGF-W80
	4396509	SGF-W80		PS879461	SGF-W80
	4396509P	SGF-W80		PWF-L400V	SGF-W80
	4396510	SGF-W80		PWF-NL240V	SGF-W80
	4396510P	SGF-W80		WF-300BR	SGF-W80
	4396510T	SGF-W80		WF-LC400V	SGF-W80
	4396547	SGF-W80		WF-NLC240V	SGF-W80
	4396548	SGF-W80		WF-NLC250	SGF-W80
	4396562	SGF-W80		WF-NL300	SGF-W80

Swift Cross Reference Guide




Brand	OEM Number	SGF Model Number	Brand	OEM Number	SGF Model Number
Whirlpool					
	4396710	SGF-W84			
	4396710P	SGF-W84			
	4396711	SGF-W84			
	4396841	SGF-W84			
	4396841B	SGF-W84			
	4396841P	SGF-W84			
	4396841T	SGF-W84			
	8212650	SGF-W84			
	P2RFGW2	SGF-W84			
	T1RFKB1	SGF-W84			
	T2RFGW2	SGF-W84			
	T2WG2L	SGF-W84			
	FILTER1	SGF - W70			
	P4RFBW	SGF - W70			
	PS2378001	SGF - W70			
	P5WB2L	SGF - W70			
	W10276924	SGF - W70			
	W10291030	SGF - W70			
	W10295370	SGF - W70			
	W10295370A	SGF - W70			
	W1095370	SGF - W70			

Market Growth

Refrigerator Water Filter Market: Revenue Forecast (U.S.) 2004-2014

Source: Frost & Sullivan



About Swift Green Filters



Manufactures Green Replacement Refrigerator Filters.



Supplies Water Filtration Products, Solutions, and Drinking Systems.



Executive Team With Over 25 years of Experience in Engineering, Production, Sales, and Marketing.



Committed to creating products that offer consumers a healthy and environmental friendly alternative.

Why Swift

56



Our Products are Fully Green



We Offer an Extensive Range
of Replacement Filters



We Offer Healthy Margins
for Retailers

All of Our Products are
Retail Ready



English and French



French & Spanish

How Are We Green and Eco-Friendly



Swift Green Filter products are environmentally friendly.



57

Conventional carbon filters release pollution and greenhouse gases into the air during production.

Using our innovative technology, we can reduce pollution by converting these gas emissions into thermal energy.

Swift Green is proud to be the first company to establish an environmentally friendly filter product line. Both our stylish packaging and eco-friendly filters are fully recyclable.

Our goal is to continue building on our green strategy by incorporating our eco-friendly values into all current and future products.

Our dedication to providing high-quality, environmentally responsible products is reflected throughout our Swift Green Filters brand.

Green & Eco Friendly?

58



Coconuts
are sourced
and selected



**Coconuts are
charred (heated)
in a reactor**

Methane and VOC
gases are captured
and converted into
thermal energy



**Coconut char is
rotated inside
of a kiln**

This process
creates the
Activated Carbon
we use in our
filters



**Granular Activated Carbon
and Carbon Blocks**

High performance granular
carbon is produced and
converted into consumer
products

Product Line Overview



Fridge Filters



Innovative manufacturer of replacement fridge filters

Supports all major OEM brands

Fully Green Product

Made in Canada and USA

Certified / WQA Gold 42

Replacement Filters & Parts



Leading supplier of OEM replacement filters & parts

In stock for direct delivery

Complements our existing product lines

Filtration Systems



Retail & Commercial Products

Multi Stage Filtration Systems

Provides safe, clean water

Inexpensive & simple to install

Fridge Filter Market Opportunity

60

1996

1996: KX Industries develops the first filter for refrigerator ice and cold water dispensers.



New technology is adopted and revised to support all major refrigerator brands.



The average life expectancy of a refrigerator is 16 years.

In 2012 – 2020
Most homes will have a fridge with water and ice dispensers.

Fridge Filter Market Opportunity



Canadian Market Opportunity

CURRENT: Approx C\$ 200M*

POTENTIAL: C\$700M+ 2012-17

*Data from Statistics Canada
12,985,000 Canadian Households.
99.8% Canadian homes have a fridge
73.7% of Canadian homes have at least 1 Fridge
26.1% Canadian homes have 2 or more fridges
Filter replacement 32-48 times in lifetime of fridge
Average expenditure per home: \$70 (Replacement 2x yr)



USA Market Opportunity

CURRENT: Approx US\$3 Billion

POTENTIAL: C\$8B+ 2012-17

*Data extrapolated from Statistica 2016, source American Home Appliance Manufacturers (AHAM)
125 Million Households in the US, 40 million refrigerators shipped 2012-2015, Average 10 million per year
By end of 2016, up to 50% of households will have a refrigerator that requires a filter
Average expenditure per home per year \$70 (at least 2 filters per year)
Current US Sales Potential Per Year: At least \$3.5 Billion
Minimum Growth Year to Year: 20%

Fridge Filter Market Opportunity



The water filter industry does not have clearly defined or established green requirements for replacement fridge filters.



The first company in the water filter industry to establish a green filter product line

Consumer & Retail Benefits



Consumer Benefits

Taste: Produces cleaner, better-tasting drinking water.

Clean: Reduces chlorine taste and odor.

Certified: Tested and certified by the Water Quality Association to NSF/ANSI Standard 42.

Green: Both our filters and packaging are fully recyclable, and all of our filters are produced using our environmentally friendly manufacturing process.

Retail Benefits

Convenient: We offer filter replacements for over 80% of refrigerators on the market.

Multi Language: Packaging is available in both French and English.


Cost Effective: We offer lower price alternatives for replacement fridge filters.

Well Designed Packaging: Our filters are retail-ready with packaging designed to reflect our green, high-quality products.

New Revenue Stream: Fridge filters are a fast-growing marketing opportunity.

Creating Retail Sales

64



Business Opportunity



The Retailer

OWN and service a full Swift Green product line

REDUCE the use of multiple vendors, Swift Green provides a single source solution

CREATE your own Swift Green product mix

BUILD new high-profit revenue streams

Cross Sell Up Sell Opportunity

Product can be sold in multiple store departments such as hardware, home supplies, and filter departments.

Water refill, hardware, home supplies, existing filter locations

Consumer Demand

Filters need to be replaced every 3-6 months

Lower MSRP compared to OEM's

High Margin Sales