

# Exterior Wood Screws

## Deck-Drive™ DWP WOOD SS Screw

*Decking, Docks and Boardwalks; Finishing, Millwork and Trim*


The Deck-Drive™ DWP Wood SS screw is a powerful fastening solution for deck, dock and general exterior applications where extra corrosion protection is needed. With its specially-designed sharp-point and unique box-threads, the DWP is ideally suited for the majority of wood used in today's deck boards. Choose Type 316 stainless steel for seaside and coastal environments. Available in hand-drive and in collated strips for use in our Quik Drive® auto-feed screw driving system, DWP screws are also offered in a variety of sizes to fasten fascia and trim.

### Features:

- Unique "box" thread design with raised-ridge technology greatly reduces driving torque, which allows you to drive more screws on a single battery charge
- Specially-designed sharp point penetrates hard wood products with ease
- 6-lobe drive helps prevent driver-bit cam-out, resulting in easier driving and longer bit life
- Choose Type 316 stainless steel for seaside applications

This screw is also available collated for the Quik Drive® system. See p. 257 for details.

### Flat-Head



### Type 316 Stainless Steel

| Size | Length (in.) | Head Diameter (in.) | Bit Size | Approx. Count Per lb. | 1 lb. Model No. | 5 lb. Model No. | Deck Pack |           | Bulk Bucket |            |
|------|--------------|---------------------|----------|-----------------------|-----------------|-----------------|-----------|-----------|-------------|------------|
|      |              |                     |          |                       |                 |                 | Count     | Model No. | Count       | Model No.  |
| #8   | 1 ¼          | 0.34                | T20      | 176                   | T08125WP1       | T08125WP5       | —         | —         | 5,000       | T08125WPB  |
| #8   | 1 ½          | 0.34                | T20      | 150                   | T08162WP1       | —               | 350       | T08162WPP | 4,000       | T08162WPB  |
| #8   | 2            | 0.34                | T20      | 128                   | T08200WP1       | T08200WP5       | 350       | T08200WPP | 3,000       | T08200WPB  |
| #8   | 2 ½          | 0.34                | T20      | 102                   | T08250WPF1      | T08250WPF5      | —         | —         | 1,750       | T08250WPFB |
| #8   | 3            | 0.34                | T20      | 82                    | T08300WPF1      | T08300WPF5      | —         | —         | 1,750       | T08300WPFB |
| #10  | 2            | 0.34                | T25      | 96                    | T10200WP1       | T10200WP5       | —         | —         | 2,500       | T10200WPB  |
| #10  | 2 ½          | 0.34                | T25      | 82                    | T10250WP1       | T10250WP5       | 350       | T10250WPP | 1,750       | T10250WPB  |
| #10  | 3            | 0.34                | T25      | 68                    | T10300WP1       | T10300WP5       | 350       | T10300WPP | 1,750       | T10300WPB  |
| #10  | 3 ½          | 0.34                | T25      | 56                    | T10350WP1       | —               | 250       | T10350WPP | 1,000       | T10350WPB  |
| #10  | 4 ½          | 0.34                | T25      | 43                    | —               | —               | —         | —         | 1,000       | T10450WPCM |
| #12  | 2 ½          | 0.44                | T27      | 56                    | T12250WP1       | T12250WP5       | —         | —         | 1,750       | T12250WPB  |
| #12  | 3            | 0.44                | T27      | 48                    | T12300WP1       | T12300WP5       | —         | —         | 1,500       | T12300WPB  |
| #12  | 3 ½          | 0.44                | T27      | 42                    | T12350WP1       | T12350WP5       | —         | —         | 1,000       | T12350WPB  |
| #12  | 4            | 0.44                | T27      | 36                    | T12400WP1       | T12400WP5       | 100       | T12400WPP | 750         | T12400WPB  |
| #12  | 4 ½          | 0.44                | T27      | 32                    | T12450WP1       | T12450WP5       | —         | —         | 750         | T12450WPB  |
| #12  | 5            | 0.44                | T27      | 29                    | T12500WP1       | T12500WP5       | —         | —         | 500         | T12500WPB  |
| #12  | 6            | 0.44                | T27      | 24                    | T12600WP1       | T12600WP5       | —         | —         | 600         | T12600WPB  |
| #14  | 3            | 0.46                | T27      | 36                    | T14300WP1       | T14300WP5       | —         | —         | 1,000       | T14300WPB  |
| #14  | 3 ½          | 0.46                | T27      | 33                    | T14350WP1       | T14350WP5       | —         | —         | 750         | T14350WPB  |
| #14  | 4            | 0.46                | T27      | 26                    | —               | T14400WP5       | 100       | T14400WPP | 700         | T14400WPB  |
| #14  | 5            | 0.46                | T27      | 21                    | T14500WP1       | T14500WP5       | —         | —         | 500         | T14500WPB  |
| #14  | 6            | 0.46                | T27      | 18                    | T14600WP1       | T14600WP5       | —         | —         | 500         | T14600WPB  |


6-lobe bit replacements: T20 uses BIT20T-2; T25 uses BIT25T-2; T27 uses BIT27T-2.

# Exterior Wood Screws

## Deck-Drive™ DWP WOOD SS Screw (cont.)

Decking, Docks and Boardwalks; Finishing, Millwork and Trim

Flat-Head



Type 305 Stainless Steel

| Size | Length (in.) | Head Diameter (in.) | Bit Size | Approx. Count Per lb. | 1 lb. Model No. | 5 lb. Model No. | Deck Pack |           | Bulk Bucket |            |
|------|--------------|---------------------|----------|-----------------------|-----------------|-----------------|-----------|-----------|-------------|------------|
|      |              |                     |          |                       |                 |                 | Count     | Model No. | Count       | Model No.  |
| #8   | 1¼           | 0.34                | T20      | 176                   | S08125WP1       | S08125WP5       | —         | —         | 5,000       | S08125WPB  |
| #8   | 1⅝           | 0.34                | T20      | 150                   | S08162WP1       | S08162WP5       | 350       | S08162WPP | 4,000       | S08162WPB  |
| #8   | 2            | 0.34                | T20      | 128                   | S08200WP1       | S08200WP5       | 350       | S08200WPP | 3,000       | S08200WPB  |
| #8   | 2½           | 0.34                | T20      | 102                   | S08250WPF1      | S08250WPF5      | —         | —         | 1,750       | S08250WPFB |
| #8   | 3            | 0.34                | T20      | 82                    | S08300WPF1      | S08300WPF5      | —         | —         | 1,750       | S08300WPFB |
| #10  | 1            | 0.34                | T25      | 172                   | S10100WP1       | S10100WP5       | —         | —         | 4,500       | S10100WPB  |
| #10  | 1½           | 0.34                | T25      | 134                   | S10150WP1       | S10150WP5       | —         | —         | 3,500       | S10150WPB  |
| #10  | 2            | 0.34                | T25      | 96                    | S10200WP1       | S10200WP5       | —         | —         | 2,500       | S10200WPB  |
| #10  | 2½           | 0.34                | T25      | 82                    | S10250WP1       | S10250WP5       | 350       | S10250WPP | 1,750       | S10250WPB  |
| #10  | 3            | 0.34                | T25      | 68                    | S10300WP1       | S10300WP5       | 350       | S10300WPP | 1,750       | S10300WPB  |
| #10  | 3½           | 0.34                | T25      | 56                    | S10350WP1       | S10350WP5       | —         | —         | 1,000       | S10350WPB  |
| #12  | 2½           | 0.44                | T27      | 56                    | S12250WP1       | S12250WP5       | —         | —         | 1,750       | S12250WPB  |
| #12  | 3            | 0.44                | T27      | 48                    | S12300WP1       | S12300WP5       | —         | —         | 1,500       | S12300WPB  |
| #12  | 3½           | 0.44                | T27      | 42                    | S12350WP1       | S12350WP5       | —         | —         | 1,000       | S12350WPB  |
| #12  | 4            | 0.44                | T27      | 36                    | S12400WP1       | S12400WP5       | 100       | S12400WPP | 800         | S12400WPB  |
| #12  | 4½           | 0.44                | T27      | 32                    | S12450WP1       | S12450WP5       | —         | —         | 750         | S12450WPB  |
| #12  | 5            | 0.44                | T27      | 29                    | S12500WP1       | S12500WP5       | —         | —         | 500         | S12500WPB  |
| #14  | 4            | 0.46                | T27      | 26                    | —               | S14400WP5       | 100       | S14400WPP | 700         | S14400WPB  |


6-lobe bit replacements: T20 uses BIT20T-2; T25 uses BIT25T-2; T27 uses BIT27T-2.

# Exterior Wood Screws

## Deck-Drive™ DWP WOOD SS Screw (cont.)

Decking, Docks and Boardwalks; Finishing, Millwork and Trim


### Trim-Head, Unpainted



### Type 316 Stainless Steel

| Size | Length (in.) | Head Diameter | Bit Size | Approx. Count Per lb. | 1 lb. Model No. | 5 lb. Model No. | Clam Shell |           | 350-Count Model No. | Bulk Bucket |           |
|------|--------------|---------------|----------|-----------------------|-----------------|-----------------|------------|-----------|---------------------|-------------|-----------|
|      |              |               |          |                       |                 |                 | Count      | Model No. |                     | Count       | Model No. |
| #7   | 1 5/8        | 0.23          | T15      | 195                   | T07162WP1       | T07162WP5       | 100        | T07162FWP | T07162WPP           | 4,000       | T07162WPB |
| #7   | 2 1/4        | 0.23          | T15      | 138                   | T07225WP1       | T07225WP5       | 86         | T07225FWP | T07225WPP           | 1,750       | T07225WPB |
| #7   | 3            | 0.23          | T15      | 98                    | T07300WP1       | T07300WP5       | 60         | T07300FWP | T07300WPP           | 1,750       | T07300WPB |

### Trim-Head, Unpainted




### Type 305 Stainless Steel

| Size | Length (in.) | Head Diameter (in.) | Bit Size | Approx. Count Per lb. | 1 lb. Model No. | 5 lb. Model No. | Clam Shell |           | 350-Count Model No. | Bulk Bucket |           |
|------|--------------|---------------------|----------|-----------------------|-----------------|-----------------|------------|-----------|---------------------|-------------|-----------|
|      |              |                     |          |                       |                 |                 | Count      | Model No. |                     | Count       | Model No. |
| #7   | 1            | 0.23                | T15      | 303                   | S07100WP1       | S07100WP5       | —          | —         | —                   | 5,000       | S07100WPB |
| #7   | 1 1/4        | 0.23                | T15      | 264                   | S07125WP1       | S07125WP5       | —          | —         | S07125WPP           | 5,000       | S07125WPB |
| #7   | 1 5/8        | 0.23                | T15      | 195                   | S07162WP1       | S07162WP5       | 135        | S07162FWP | S07162WPP           | 4,000       | S07162WPB |
| #7   | 2            | 0.23                | T15      | 156                   | S07200WP1       | S07200WP5       | —          | —         | S07200WPP           | 4,000       | S07200WPB |
| #7   | 2 1/4        | 0.23                | T15      | 138                   | S07225WP1       | S07225WP5       | 100        | S07225FWP | S07225WPP           | 1,750       | S07225WPB |
| #7   | 2 1/2        | 0.23                | T15      | 121                   | S07250WP1       | S07250WP5       | —          | —         | S07250WPP           | 1,750       | S07250WPB |
| #7   | 3            | 0.23                | T15      | 98                    | S07300WP1       | S07300WP5       | 60         | S07300FWP | S07300WPP           | 1,750       | S07300WPB |
| #8   | 2 1/2        | 0.25                | T20      | 109                   | —               | —               | 70         | S08250FWP | S08250WPP           | 1,750       | S08250WPB |
| #8   | 3            | 0.25                | T20      | 91                    | —               | —               | 70         | S08300FWP | S08300WPP           | 1,750       | S08300WPB |
| #9   | 3 1/2        | 0.25                | T20      | 70                    | S09350WP1       | S09350WP5       | 35         | S09350FWP | —                   | 1,500       | S09350WPB |
| #9   | 4            | 0.25                | T20      | 61                    | S09400WP1       | S09400WP5       | —          | —         | —                   | 1,000       | S09400WPB |

6-lobe bit replacements: T15 uses BIT15T-2; T20 uses BIT20T-2.

### Trim-Head, Painted

- Painted heads blend with hardwood decking material




### Type 316 Stainless Steel

| Size | Length (in.) | Head Diameter* (in.) | Bit Size | 350-Count Model No. | 1750-Count Model No. |
|------|--------------|----------------------|----------|---------------------|----------------------|
| #7   | 1 5/8        | 0.23                 | T15      | T07162WJI           | T07162WCI            |
| #7   | 2 1/4        | 0.23                 | T15      | T07225WJI           | T07225WCI            |
| #7   | 3            | 0.23                 | T15      | T07300WJI           | T07300WCI            |



\* T-15 6-lobe drive (replacement bit model BIT15T-2, see p. 111 for more information).



### Type 305 Stainless Steel

| Size | Length (in.) | Head Diameter* (in.) | Bit Size | 350-Count Model No. | 1750-Count Model No. |
|------|--------------|----------------------|----------|---------------------|----------------------|
| #8   | 2 1/2        | 0.26                 | T20      | S08250WJI           | S08250WCI            |
| #10  | 2 1/2        | 0.34                 | T25      | S10250WJI           | S10250WCI            |
| #10  | 3            | 0.34                 | T25      | S10300WJI           | S10300WCI            |

