

STINGER[®]

A person wearing a light-colored t-shirt, light-colored jeans, and work boots is standing on a dark roof. They are holding a Stinger power tool, which is a handheld device with a green and black body and a long, thin, flexible hose. The tool has a green circular component on the front. The background is a dark, textured surface, possibly a roof or a wall. The overall image is in black and white, with the Stinger logo and the person's clothing highlighted in a light color.

PRODUCT CATALOG

STINGER®



STINGER CAP SYSTEMS offer a variety of affordable, collated cap fastening solutions, and set the standard for securing roofing underlayments, housewrap and foamboard. Whether you prefer pneumatic or non-pneumatic delivery, each **STINGER** tool automatically delivers the holding power of a cap with a staple or nail for best practice installation as recommended by manufacturers like DuPont®, Typar®, Grace and Titanium™. And, as many manufacturers move toward warranted systems requiring cap fasteners, it's more important than ever to...

JUST CAP IT.®



www.stingerworld.com

TABLE OF CONTENTS

<u>HAMMER TACKER</u>	5
<u>CAP HAMMERS</u>	6
<u>CAP STAPLERS</u>	8
<u>CAP NAILERS</u>	9
<u>HAND DRIVE CAP FASTENERS</u>	12
<u>CAP SYSTEMS SKU REFERENCE</u>	13
<u>UNDERLAYMENT GUIDE</u>	17
<u>PRODUCT POSITION MATRIX</u>	18


STINGER®

OPTIMUM HOLD

Caps are designed to provide more surface holding area. STINGER's 1" caps provide better holding power than a nail or staple alone, and reduce blow-offs and lateral slippage. More importantly, STINGER caps help seal out moisture that can penetrate sidewall and roofing fabrics. In addition, caps give a soft landing for tools to eliminate damage to the substrate; and with fewer fasteners needed to get the job done, there are fewer fabric punctures to introduce moisture. Builders enjoy an ergonomic benefit too!



CAP STAPLES are a cost effective option for immediate covering and limited open times. For use wherever a nail is not required.



CAP NAILS are ideal for hurricane wind zones and coastal environments, or wherever nails are required by code.

POWERFUL PACKAGING

Vibrant. Cool. Striking. STINGER is sure to catch attention. Tool packaging is bold and informative, and can be displayed on a hook or on the shelf. Pneumatic tools come with a case, and the CS58 Cap Stapler is offered alone or in a StingerPac that includes a CH38 Cap Hammer.

STINGER cap fasteners are packaged for the job. StaplePacs® and NailPacs® offer counts to install 25 square of roofing underlayment or housewrap. The individual rolls of collated caps, staple strips and coil nails are designed in counts that match tool capacity.



JUST CAP IT.

DISTINCTIVE MERCHANDISING

Whether on the shelf or in the aisle, STINGER® makes a statement. Custom planograms allow you to choose the mix that best fits your market and customer requirements, and STINGER aisle merchandisers create a variety of placement opportunities to cross-merchandise for maximum impact.




4' Planogram



CH38 & CH38A Combo Aisle Merchandiser

INFORMATIVE POP

STINGER brochures and headerboards provide valuable product information at point-of-purchase to assist consumers in selecting the best STINGER Cap System for the job.



HAMMER TACKER

STINGER HT38 HAMMER TACKER

The **STINGER HT38 HAMMER TACKER** is designed for installing roofing felt and rolled insulation. The **HT38** provides a dependable STINGER solution for those who prefer to install with staples alone.

The **HT38** is light and easy to maneuver—but constructed with heavy-duty steel for durability. The tool has an anti-slip, ergonomic rubber handle for a firm grip.

The tool features a quick-load magazine that holds 168 21 gauge STINGER 3/8" Galvanized Chisel Point Staples.



#0136450

Tool Weight: 2.1 lbs.

Fastener Capacity: 168 staples

Fastener Type: 3/8" crown staples; 21 gauge

Fastener Length: 1/4" - 3/8"



FOR USE WITH:

3/8" STINGER A-11 STAPLES

- 5000 count
- A-11 Galvanized Chisel Point Staples
- 3/8" crown, 3/8" length
- 21 gauge
- Similar to: Spotnails®, Rapid® A-11, Arrow® T-50



#0940042

CAP HAMMERS

The **STINGER CH38 CAP HAMMER** and **STINGER CH38A AUTOFEED CAP HAMMER** are designed for those who prefer an economical, non-pneumatic solution for delivering the holding power of a cap and staple with the speed and ease of a hammer tacker. They deliver best practice installation of residential roofing felt, housewrap, and rolled insulation, and get the job done for a fraction of the cost of a pneumatic cap stapler - without the additional hassle and expense of a hose, compressor, and power requirements.

CH38 CAP HAMMER



#0136400

CH38A AUTOFEED CAP HAMMER



#0136401

The **STINGER CH38A** Autofeed Cap Hammer has an advanced autofeed feature that doesn't require a trigger - with every swing, the **CH38A** automatically advances the cap and positions it for the staple.



Tool Weight: 2.6 lbs.
Fastener Capacity: 168 caps & staples
Cap Type: Full 1" plastic collated caps
Fastener Type: 3/8" crown staples
Fastener Length: 3/8"



Tool Weight: 2.9 lbs.
Fastener Capacity: 168 caps & staples
Cap Type: Full 1" plastic collated caps
Fastener Type: 3/8" crown staples
Fastener Length: 3/8"

FOR USE WITH:

2016 CT. 3/8" STINGER STAPLEPAC®

- 12 rolls of 168 plastic collated caps
- 24 strips of 84 staples
- Each StaplePac covers approximately 25 square
- For use with STINGER CH38 & CH38A Cap Hammers only



#0136420

CAP STAPLERS

STINGER CS150 CAP STAPLER

The **STINGER CS150** provides production builders with proven performance and best practice for securing foamboard as well as roofing felt, synthetic underlayments, and housewrap.

Formerly marketed as the Crossfire® Cap Stapler, the CS150 bumpfires or sequentially shoots 7/8", 1-1/4", and 1-1/2" staples. It's light and easy to maneuver, and the ergonomic design reduces arm fatigue. The clear basket feeds in seconds, and the large capacity means fewer stops to reload.



#0136010

- SHOTS 7/8", 1-1/4" AND 1-1/2" STAPLES WITH FULL 1" PLASTIC CAPS
- BUMPFIRE/SEQUENTIAL FIRING
- QUICK CLEAR™ LEVER FOR SINGLE STAPLE CLEARING
- COMPACT, ERGONOMIC DESIGN FOR MANEUVERABILITY
- 360° EXHAUST

Tool Weight: 4.2 lbs.

Speed: 5 cap staples per second (max. cycle rate/second)

Fastener Capacity: 200 caps & staples

Cap Type: Full 1" plastic collated caps

Fastener Type: 7/16" crown staples / 18 gauge

Fastener Length: 7/8", 1-1/4" & 1-1/2"



FOR USE WITH:

2000 CT. 7/8", 1-1/4" & 1-1/2" STINGER STAPLEPAC®

- 10 rolls of 200 1" plastic collated caps
- 20 strips of 100 7/8", 1-1/4" or 1-1/2" staples (18 gauge)
- Each StaplePac will cover approximately 25 square
- For use with STINGER CS150 or Crossfire Cap Staplers only



7/8" StaplePac: #0136044

1-1/4" StaplePac: #0136074

1-1/2" StaplePac: #0136094

CAP STAPLERS

STINGER CS58 CAP STAPLER

The **STINGER CS58** sets the pneumatic standard for best practice installation of residential roofing felt, synthetic underlayments, and housewrap. Compact and lightweight, the CS58 is fast and easy to use - an economical, best value system that saves time and labor.



#0136350

- SHOOTS 5/8" STAPLES WITH 1" PLASTIC CAPS
- BUMPFIRE/SEQUENTIAL FIRING
- QUICK CLEAR™ LEVER FOR SINGLE STAPLE CLEARING
- PERFORMANCE BALANCED FOR FAST, EASY MANEUVERING
- DELIVERS BEST PRACTICE INSTALLATION

Tool Weight: 3.9 lbs.

Speed: 5 cap staples per second (max. cycle rate/second)

Fastener Capacity: 200 caps & staples

Cap Type: Full 1" plastic collated caps

Fastener Type: 3/8" crown staples / 20 gauge

Fastener Length: 5/8"



FOR USE WITH:

2000 CT. 5/8" STINGER STAPLEPAC®

- 10 rolls of 200 1" plastic collated caps
- 20 strips of 100 5/8" staples (20 gauge)
- Each StaplePac will cover approximately 25 square
- For use with STINGER CS150 or Crossfire Cap Staplers only



5/8" StaplePac: #0136360

CAP NAILERS

STINGER CN100 CAP NAILER

The **STINGER CN100** is the Best Practice for securing synthetic underlayments, roofing felt, and housewrap. This high production tool shoots plastic caps for residential roofing and sidewall applications, and passes 2012 ICC Building Codes. A key feature is a tool-free depth adjustment. Molded case included.



#0136250

- SHOTS 1" NAILS WITH FULL 1" PLASTIC CAPS
- TOOL-FREE DEPTH OF DRIVE ADJUSTMENT
- BUMPFIRE/SEQUENTIAL FIRING
- CLEAR CAP AND NAIL BASKETS TO VIEW LOADS
- LIGHTWEIGHT, COMPACT DESIGN
- 360° EXHAUST

Tool Weight: 4.9 lbs.

Speed: 5 cap nails per second (max. cycle rate/ second)

Fastener Capacity: 200 caps & nails

Cap Type: Full 1" plastic collated caps

Fastener Type: Full round head; electro-galvanized ring shank

Fastener Length: 1" x .083



FOR USE WITH:

2000 CT. 1" STINGER NAILPAC®

- 10 rolls of 200 1" plastic collated caps
- 10 coils of 200 1" electro-galvanized ring shank nails
- Each NailPac will cover approximately 25 square
- For use with STINGER CN100 Cap Nailer only



#0136260

CAP NAILERS

STINGER RT3 CAP NAILER

The **STINGER RT3** is the ideal pneumatic cap system for securing base sheet to wood decks. Spend a fraction of the time with the **STINGER RT3** - just hold the trigger and start walking. Steel cap nails are pneumatically driven, and there's no need to hammer down raised staples as with base taping. You won't find a faster, easier, or better delivery system anywhere.



- SHOTS 1500 1-1/4" NAILS WITH FULL 1" STEEL CAPS WITHOUT RELOADING
- SPACING AT 6", 9" OR 18" OR MANUAL SPACING
- DRIVEN BY A DURABLE HITACHI® NV50A1
- AIR PREP UNIT FILTERS WATER, REGULATES PRESSURE AND OILS THE MOTOR
- PASSES WIND UPLIFT TESTS REQUIRED FOR BASE SHEET APPLICATION

Spacing: Automatic 6", 9", or 18" spacing; or manual spacing

Speed: 9 times faster than hand drive

Fastener Capacity: 1500 caps / 1500 nails

Cap Type: Full 1" steel collated caps

Fastener Type: Full round head; electro-galvanized ring shank

Fastener Length: 1-1/4"

FOR USE WITH:

3000 CT. 1-1/4" STINGER NAILPAC®
(formerly marketed as RolPac®)

- 2 - 1500 ct. reels of 1" steel caps
- 2 - 1500 ct. coils of 1-1/4" nails
- Wire collation
- For use with STINGER RT3 and RT2 Cap Nailers only



#0136072

CAP NAILERS

HITACHI NV50AP3

The **HITACHI NV50AP3** Cap Nailer is designed with the contractor in mind. This production tool is lightweight and holds more fasteners than many other tools on the market. It shoots steel cap nails utilized in the commercial hot built-up roofing industry, and plastic cap nails for installing roofing underlayments, foamboard and housewrap in residential construction.



#0136004

- **SHOOTS 7/8", 1-1/4" AND 2" NAILS WITH FULL 1" PLASTIC OR STEEL CAPS**
- **TOOL-FREE DEPTH ADJUSTMENT MAKES CONVERTING FROM PLASTIC TO STEEL CAPS FAST AND SIMPLE**
- **SELECTIVE ACTUATION FOR BUMPFIRE/SEQUENTIAL FIRING AT THE FLIP OF AN INTEGRATED SWITCH**
- **EXCEPTIONAL BALANCE**
- **FULLY ADJUSTABLE EXHAUST**

Tool Weight: 5.6 lbs.

Speed: 3 cap nails per second

Fastener Capacity: 350 caps & nails

Cap Type: Full 1" plastic collated caps

Fastener Type: 7/8", 1-1/4" & 2" full round head, electro-galvanized ring shank

FOR USE WITH:

2800 CT. 7/8", 1-1/4" & 2" PROPACS®

- 8 rolls of 350 plastic or steel collated caps
- 8 coils of 350 7/8", 1-1/4" or 2" nails
- Each ProPac will cover approximately 30 square
- HITACHI NV50AP3 Cap Nailer for use with Steel Round-Top® ProPac or Plasti-Top® ProPac only.

PLASTIC

7/8" ProPac: **#0136040**

1-1/4" ProPac: **#0136070**

2" ProPac: **#0136130**

STEEL

7/8" ProPac: **#0136043**




1-1/4" ProPac: **#0136073**

2" ProPac: **#0136033**

HAND DRIVE

For those who want best practice and prefer to hand drive cap nails for roofing underlayments, felt, foamboard and housewrap, STINGER® HandDrive offers a variety of economical plastic and steel cap fastening solutions. Previously sold under the Plasti-Top® and Round-Top® brands, STINGER HandDrive provides full 1" caps with 3/4" - 3" nails.

- Available in 3/4", 7/8", 1-1/4", 1-1/2", 1-3/4", 2", 2-1/2", and 3" lengths
- Electro-galvanized, ring shank nails
- Most economical cap fastener

Label*	Shank		Coating		French/Spanish
Description	Plastic Cap Nails Clous Disques Protecteurs Plastique Clavos con Tapas Plásticas		Electro Galvanized	Électro Galvanisé Electro Galvanizado	
Fastener Image	Ring Shank		Tige Annelée Cuerpo Anillado		
Nail Length	3/4" 1.90cm		 1" plastic cap 2.54 cm protecteurs plastique 2.54 cm tapas plásticas		 0 42928 07607 1
SKU/Item No.	SKU 0135031	CAPS AND NAILS MADE IN CHINA LES BOUCHONS ET LES CLOUS ONT FAIT EN CHINA LASTAPAS Y LOS CLAVOS HICIERON EN CHINA			
	*This new label coming in 2013		Country of Origin		

SMART PACKAGING HAND DRIVE - PLASTIC



2000 ct. Boxes



2500 ct. & 3000 ct. Pails

HAND DRIVE - STEEL*

Counts vary by length



25lb Boxes



50lb Boxes



25lb Pails

*Re-branding as STINGER Hand Drive in 2014

CAP SYSTEMS SKU REFERENCE

TOOLS

SKU#	DESCRIPTION	QTY	CT./MASTER	FASTENER
0136450	STINGER HT38 Hammer Tacker	1	6	A-11 Staples
0136400	STINGER® CH38 Cap Hammer	1	6	3/8" STINGER StaplePac®
0136401	STINGER CH38A Cap Hammer	1	6	3/8" STINGER StaplePac
0136350	STINGER CS58 Cap Stapler	1	1	5/8" STINGER StaplePac
0136010	STINGER CS150 Cap Stapler	1	1	7/8", 1-1/4", 1-1/2" STINGER StaplePac
0136250	STINGER CN100 Cap Nailer	1	1	1" STINGER NailPac®
0136005	STINGER RT3 Cap Nailer	1	1	1-1/4" STINGER RolPac
0136004	Hitachi NV50AP3 Cap Nailer	1	1	7/8", 1-1/4", 1-1/2" ProPac Plastic & ProPac Steel

COLLATED FASTENERS

SKU#	LENGTH	DESCRIPTION*	COATING**	QTY	CT./MASTER	TOOLS
0136420	3/8"	STINGER StaplePac®	-	2016	6	CH38 & CH38A
0136360	5/8"	STINGER StaplePac	-	2000	6	CS58
0136260	1"	STINGER NailPac® - RS	EG	2000	4	CN100
0136072	1-1/4"	STINGER RolPac - RS	EG	3000	1	RT2/RT3
0136044	7/8"	STINGER StaplePac	-	2000	6	CS150
0136074	1-1/4"	STINGER StaplePac	-	2000	6	CS150
0136094	1-1/2"	STINGER StaplePac	-	2000	6	CS150
0136040	7/8"	ProPac Plastic - RS	EG	2800	1	NV50AP3
0136070	1-1/4"	ProPac Plastic - RS	EG	2800	1	NV50AP3
0136130	2"	ProPac Plastic - RS	EG	2800	1	NV50AP3
0136043	7/8"	ProPac Steel - RS	EG	2800	1	NV50AP3
0136073	1-1/4"	ProPac Steel - RS	EG	2800	1	NV50AP3
0136133	2"	ProPac Steel - RS	EG	2800	1	NV50AP3

*RS = ring shank **EG = electro-galvanized

CAP SYSTEMS SKU REFERENCE

HAND DRIVE - PLASTIC

SKU#	FASTENER LENGTH	DESCRIPTION*	COATING**	QTY
0135031	3/4"	Plastic Cap RS Nails - Pail	EG	3000
0135033	3/4"	Plastic Cap RS Nails - Box	EG	2000
0135041	7/8"	Plastic Cap RS Nails - Pail	EG	3000
0135043	7/8"	Plastic Cap RS Nails - Box	EG	2000
0135051	1"	Plastic Cap RS Nails - Pail	EG	3000
0135053	1"	Plastic Cap RS Nails - Box	EG	2000
0135071	1-1/4"	Plastic Cap RS Nails - Pail	EG	2500
0135073	1-1/4"	Plastic Cap RS Nails - Box	EG	2000
0135091	1-1/2"	Plastic Cap RS Nails - Pail	EG	2000
0135093	1-1/2"	Plastic Cap RS Nails - Box	EG	2000
0135111	1-3/4"	Plastic Cap RS Nails - Pail	EG	2000
0135113	1-3/4"	Plastic Cap RS Nails - Box	EG	2000
0135131	2"	Plastic Cap RS Nails - Pail	EG	2000
0135133	2"	Plastic Cap RS Nails - Box	EG	2000
0135151	2-1/2"	Plastic Cap RS Nails - Pail	EG	2000
0135153	2-1/2"	Plastic Cap RS Nails - Box	EG	2000
0135173	3"	Plastic Cap RS Nails - Box	EG	2000

*RS = ring shank **EG = electro-galvanized

CAP SYSTEMS SKU REFERENCE

HAND DRIVE - STEEL

SKU#	FASTENER LENGTH	DESCRIPTION*	COATING**	WEIGHT (LBS)
127030	3/4"	Steel Cap RS Nails - Pail	EG	25
127032	3/4"	Steel Cap RS Nails - Box	EG	50
127040	7/8"	Steel Cap RS Nails - Pail	EG	25
127042	7/8"	Steel Cap RS Nails - Box	EG	50
127043	7/8"	Steel Cap RS Nails - Box	EG	25
127050	1"	Steel Cap RS Nails - Pail	EG	25
127052	1"	Steel Cap RS Nails - Box	EG	50
127053	1"	Steel Cap RS Nails - Box	EG	25
127070	1-1/4"	Steel Cap RS Nails - Pail	EG	25
127072	1-1/4"	Steel Cap RS Nails - Box	EG	50
127073	1-1/4"	Steel Cap RS Nails - Box	EG	25
127090	1-1/2"	Steel Cap RS Nails - Pail	EG	25
127092	1-1/2"	Steel Cap RS Nails - Box	EG	50
127093	1-1/2"	Steel Cap RS Nails - Box	EG	25
127112	1-3/4"	Steel Cap RS Nails - Box	EG	50
127113	1-3/4"	Steel Cap RS Nails - Box	EG	25
127132	2"	Steel Cap RS Nails - Box	EG	50
127133	2"	Steel Cap RS Nails - Box	EG	25
127152	2-1/2"	Steel Cap RS Nails - Box	EG	50
127153	2-1/2"	Steel Cap RS Nails - Box	EG	25
127172	3"	Steel Cap RS Nails - Box	EG	50
127173	3"	Steel Cap RS Nails - Box	EG	25
127193	3-1/2"	Steel Cap RS Nails - Box	EG	25
127203	4"	Steel Cap RS Nails - Box	EG	25
127223	5"	Steel Cap RS Nails - Box	EG	25
127243	6"	Steel Cap RS Nails - Box	EG	25
127263	8"	Steel Cap RS Nails - Box	EG	25

CAP SYSTEMS SKU REFERENCE

HAND DRIVE - STEEL

SKU#	FASTENER LENGTH	DESCRIPTION	COATING	WEIGHT (LBS)
129033	3/4"	Steel Cap Spiral Masonry Nails - Box	Brite	25
129043	7/8"	Steel Cap Spiral Masonry Nails - Box	Brite	25
129053	1"	Steel Cap Spiral Masonry Nails - Box	Brite	25
129073	1-1/4"	Steel Cap Spiral Masonry Nails - Box	Brite	25
129093	1-1/2"	Steel Cap Spiral Masonry Nails - Box	Brite	25
129113	1-3/4"	Steel Cap Spiral Masonry Nails - Box	Brite	25
129133	2"	Steel Cap Spiral Masonry Nails - Box	Brite	25
129153	2-1/2"	Steel Cap Spiral Masonry Nails - Box	Brite	25
129173	3"	Steel Cap Spiral Masonry Nails - Box	Brite	25
129193	3-1/2"	Steel Cap Spiral Masonry Nails - Box	Brite	25
129203	4"	Steel Cap Spiral Masonry Nails - Box	Brite	25

UNDERLAYMENT GUIDE

Housewraps	A-11 Staples	Wide Crown Staples	Roofing Nails	CH38	CH38A	CS58	Crossfire®	NV50AP3	CN100	Hand Drive
CertainTeed CertaWrap™				X	X	X	X	X	X	X
Dow - WEATHERMATE™		X						X	X	X
Dow - WEATHERMATE™ PLUS		X						X	X	X
GreenGuard® Classic Wrap (Pactive)		X	X	X	X	X	X	X	X	X
GreenGuard® Raindrop® (Pactive)		X	X	X	X	X	X	X	X	X
GreenGuard® Ultra Wrap (Pactive)		X	X	X	X	X	X	X	X	X
GreenGuard® Value Wrap (Pactive)		X	X	X	X	X	X	X	X	X
PermaGuard™		X	X	X	X	X	X	X	X	X
PermaPro™ Wrap		X	X	X	X	X	X	X	X	X
PermaWrap®		X	X	X	X	X	X	X	X	X
REX™ (Alpha ProTech)				X	X	X	X	X	X	X
TYPAR®				X	X	X	X	X	X	X
Tyvek® HomeWrap®	X*	X		X	X	X	X	X	X	X
Tyvek® StuccoWrap®	X*	X		X	X	X	X	X	X	X
WeatherTrek®				X	X	X	X	X	X	X
Roofing Underlayments	A-11 Staples	Wide Crown Staples	Roofing Nails	CH38	CH38A	CS58	Crossfire®	NV50AP3	CN100	Hand Drive
15# and 30# felt paper	X	X	X	X	X	X	X	X	X	X
CertainTeed DiamondDeck™			X*					X	X	X
FelTex® System Components		X*	X					X	X	X
GAF Deck-Armor™/Tiger Paw							X	X	X	X
Grace Tri-Flex 30®				X	X	X	X	X	X	X
OC Deck Defense®								X	X	X
Opus® Roof Blanket				X	X	X	X	X	X	X
PALISDAE™								X	X	X
PermaFelt Gold™	X*			X	X	X	X	X	X	X
PermaFelt Silver™	X*						X	X	X	X
REX™ Wrap				X	X	X	X	X	X	X
RoofAquaGuard BREA				X	X	X	X	X	X	X
RoofAquaGuard UDLEX								X	X	X
Roofliner (DuPont™ Tyvek®)		X*		X*	X*	X*	X*	X	X	X
Roofer's Choice				X	X	X	X	X	X	X
RoofTopGuard II®								X	X	X
Sharkskin Comp™			X	X	X	X	X	X	X	X
Sharkskin Ultra™			X	X	X	X	X	X	X	X
Sharkskin Ultra Radiant™			X	X	X	X	X	X	X	X
TITANIUM® UDL - 25								X	X	X
TITANIUM® UDL - 30								X	X	X
TITANIUM® UDL - 50			X	X	X	X	X	X	X	X
Typar® Surround® SR								X	X	X

PRODUCT POSITION MATRIX

			
			
<p>HAMMER TACKER</p> <p>Simple. No cap; less expensive, lowest tech solution for roofing underlayments, felt and housewrap</p>	<p>CAP HAMMER <i>A new system. A new standard.</i></p> <p>Best Value. Airless cap stapling system for securing roofing underlayments, felt and housewrap; no hassle or cost of compressor, hoses</p>	<p>AUTOFEED CAP HAMMER <i>No hose. No air. No trigger. No problem.</i></p> <p>Automatic Delivery. Airless cap stapling system for securing roofing underlayments, felt and housewrap; no hassle or cost of compressor, hoses</p>	<p>CS58 CAP STAPLER <i>Proven Crossfire® Technology.</i></p> <p>Best Value. Pneumatic cap stapling system for securing roofing underlayments, felt and housewrap when a longer length staple is needed; fast and maneuverable</p>
<p>Works with 3/8" crown staples</p>	<p>The first hammer tacker to deliver a cap and staple; airless option - no air, no hose, no problem.</p> <p>Lightweight - 2.6 lbs.</p> <p>5-8 times faster than hand drive</p>	<p>This cap system drives a cap and staple automatically - the advanced autofeed doesn't require a trigger; airless option - no hose, no air, no problem.</p> <p>Lightweight - 2.9 lbs.</p> <p>5-8 times faster than hand drive</p>	<p>Built on proven Crossfire technology; lightweight, compact and maneuverable; requires less air/smaller hose and compressor. Sold alone or in StingerPac</p> <p>Lightweight - 3.9 lbs.</p> <p>Shoots 5 cap staples per second</p>
<p>3/8"</p> <p>Boxes (5,000 count)</p>	<p>3/8" STINGER StaplePac® 2016 count box 6/master - 24 masters/skid</p>	<p>3/8" STINGER StaplePac 2016 count box 6/master - 24 masters/skid</p>	<p>5/8" STINGER StaplePac 2000 count box 6/master - 24 masters/skid</p>
		<p>NV50AP3</p>	
			
<p>CAP STAPLER <i>Felt it. Foam it. Wrap it.</i></p> <p>Fast. Versatile. Pneumatic cap stapling system for securing roofing underlayments, felt, foamboard and housewrap where a nail is not required.</p>	<p>CN100 CAP NAILER <i>Lightweight. Fast. Maneuverable.</i></p> <p>Best Value. Pneumatic cap nailing system for securing roofing underlayments, felt and housewrap</p>	<p>CAP NAILER <i>Just Cap It!</i></p> <p>Residential: Pneumatic cap nailing system for securing roofing underlayments, foamboard and housewrap where a nail is required. Commercial: For securing BUR base sheet.</p>	<p>PLATIC CAP NAILS STEEL CAP NAILS</p> <p>Economical. Hand drive cap nails for roofing underlayments, felt, foamboard and housewrap; previously branded under Plasti-Top® and Round-Top®</p>
<p>The Crossfire has crossed over. Now a part of the STINGER brand, the STINGER CS150 delivers Best Practice installation for securing roofing felt, foamboard and housewrap.</p> <p>Lightweight - 4.2 lbs.</p> <p>Shoots 5 cap staples per second</p> <p>7/8", 1-1/4", 1-1/2" STINGER StaplePac® 2000 count box 6/master - 24 masters/skid</p>	<p>10 times faster than hand drive, ideal for installers where speed and maneuverability is important and a longer length nail needed</p> <p>Lightweight - 4.9 lbs.</p> <p>Shoots 5 cap nails per second</p> <p>1" STINGER NailPac® 2000 count box 4/master - 24 masters/skid</p>	<p>Shoots plastic and steel caps for residential and commercial applications (steel caps required for BUR); manufactured by Hitachi since 1998.</p> <p>Lightweight - 5.52 lbs.</p> <p>Shoots 3 cap nails per second</p> <p>7/8", 1-1/4", 2" ProPac* (steel or plastic) 2800 count box 75 boxes/skid</p>	<p>1" cap</p> <p>3/4", 7/8", 1-1/4", 1-1/2", 1-3/4", 2", 2-1/2", 3" Boxes or pails (counts vary by length) 48/60/64 pails/pallet; 48/64 boxes/pallet</p>

*Re-branding as STINGER NailPac in 2013

*Formerly branded as Plasti-Top® & Round-Top®



National Nail has been serving businesses like yours since 1963. We are an employee-owned manufacturer and distributor of high quality, innovative building product and service solutions for the residential and commercial construction industries.

CAMO®

STINGER®

PRO **FIT**®

MICHIGAN

2964 Clydon Ave SW
Grand Rapids MI 49519
800-968-6245

NEW YORK

5985 Tarbell Rd
Syracuse NY 13206
800-521-1115

GEORGIA

555 Riverside Parkway, Ste. 100
Austell GA 30168
877-312-2388

NATIONALNAIL.COM | STINGERWORLD.COM | CAMOFASTENERS.COM