



WALK POWER MOWERS

TIMEMASTER® / SUPER RECYCLER® / RECYCLER® / E-CYCLER®



*Based on average TraQline dollar share for walk behind mower market from 2015 – July 2017

WHEN YOU WORK SMART, THERE'S MORE TIME TO PLAY

Take the work out of mowing your yard and have more time to enjoy it. Toro® lawn mowers are highly productive and easy to use. And with Toro's proven durability, you'll get more than a beautiful yard — you'll get dependability and reliability you can count on for years to come.

MORE PRODUCTIVITY



30" TIMEMASTER® MOWING DECK

Highly productive deck allows you to reduce mowing time by up to 40%*.

Available on select models.



Iso-Flex™ HANDLE

Shock-absorbing, gliding handle reduces vibrations and enhances maneuverability.

Available on select models.



» BAG ON DEMAND

Quickly switch from mulching to bagging in seconds by flipping the quick-change lever.

Available on select models.



*Time savings via wider cutting path and enhanced speed of TimeMaster® vs. 21" Toro® mower, and will vary due to mowing conditions
^Space savings are in relation to the space consumed by a Toro® 22" Walk-Power Mower that is stored with the handle in the standard operating position.



BLUE MEANS MORE FOR YOU WITH
FEATURE **Smart Features** FROM TORO

Look for this blue icon throughout the brochure pointing you to innovative and smart features from Toro.

MORE EASE-OF-USE



» POWERREVERSE™

The handle responsively provides power to the front wheels which allows you to mow in reverse and maneuver with ease.

Available on select models.



» SMARTSTOW®

Allows you to store your mower upright with no fuel or oil leaks. This saves up to 70%[^] floor space, and makes it easier to clean the underside of the deck.

Available on select models.



» PERSONAL PACE®

The handle responsively provides power to the rear wheels to allow you to mow at your preferred walking speed.

Available on select models.



[^]See warranty for details and limitations.

TIMEMASTER® 30"

BRIGGS & STRATTON® ENGINE

Powerful 10.00 ft-lb 223cc Gross Torque*
Professional Series™ OHV engine* delivers strong
performance and durability.

30" MOWING DECK

Highly productive deck allows you to
reduce mowing time by up to 40%*.

BE THE **ENVY** OF THE
NEIGHBORHOOD

*The gross torque of this engine was laboratory rated at 2600 RPM per SAE J1940 by the engine manufacturer. As configured to meet safety, emission and operating requirements, the actual engine torque on these mowers will be significantly lower.

^Time savings via wider cutting path and enhanced speed of TimeMaster vs. 21" Toro® mower, and will vary due to mowing conditions



DUAL-FORCE™ CUTTING SYSTEM

Two high-lift Atomic® blades circulate, suspend and re-cut clippings into a fine mulch for a superior quality of cut and a healthy, lush lawn.



PERSONAL PACE® WITH TRACTION ASSIST

Self-propel system with a handle that responsively provides power to the rear wheels to allow you to mow at your preferred walking speed. For more challenging areas with uneven terrain, the blue Traction Assist handle can help you stay in control of your mowing path and speed.



2-POINT HEIGHT OF CUT

Easily adjust the deck height at only 2 points for quick customization of your mowing height.



GET IT DONE AND GET ON WITH YOUR WEEKEND

When you have a big yard and a busy schedule, you need Toro's TimeMaster® on your side. It cuts a wider path on every pass so you can finish mowing faster. With a powerful Briggs & Stratton® OHV engine on board, you'll have the perfect tool that you need to have the best yard in the neighborhood.

“This thing rocks! I have 9000 square feet of turf in my yard. My former mow time with the 22" Toro Recycler was 45 - 50 minutes. My new mow time is now 20 minutes! Love it! It cuts beautifully, and my neighbors on all sides of me are dying to try it on their lawns. Thanks Toro!!!”

★★★★★ ConservaRuss via Toro.com | Minneapolis, MN



¹See warranty for details and limitations.



SUPER RECYCLER® 21"

PERSONAL PACE®

The handle responsively provides power to the rear wheels to allow you to mow at your preferred walking speed.

BLUE
FEATURE

SUPER RECYCLER CUTTING SYSTEM

The deck features a uniquely designed cutting blade, a clipping accelerator and kickers that circulate, suspend and re-cut clippings into a fine mulch for a healthy, lush lawn.

GREAT YARDS START HERE



CAST-ALUMINUM DECKS

Durable, rust-free cast aluminum cutting deck converts from mulching, side discharge, or rear bagging without tools.



TORO® ENGINE

Powerful, easy starting, fuel efficient and durable; certified to meet 50-state EPA and CARB emission levels.



» QUICK STOW STORAGE HANDLE

Need to store the mower in tight spaces? Just flip the blue levers to raise the handle.



BUILT TO LAST

Looking for a mower that will stand the test of time? The 21" Super Recycler features a rust-free aluminum cutting deck, premium wheels, Toro® and Honda® engines and other durable components. The Super Recycler® gives you the ultimate in mulching performance.

Iso-Flex™ HANDLE

Model 21381 only



“After owning many brand name lawn mowers over the years I must say I am really pleased at the quality of the cut and how uniform the lawn looks and no bag, the mulching system works great.”

★★★★★ ultrastick via Toro.com | Pierre Fonds, Quebec, Canada



¹See warranty for details and limitations.



RECYCLER® 22"

PERSONAL PACE®

The handle responsively provides power to the rear wheels to allow you to mow at your preferred walking speed.



RECYCLER® CUTTING SYSTEM

Front throw chamber and Atomic® blade lift, suspend and re-cut clippings into a fine mulch for a healthy, lush lawn.

MAKE
MOWING EASY



» BAG ON DEMAND

Quickly switch from mulching to bagging in seconds by flipping the quick-change lever.

Available on select models.



SPIN-STOP™ BLADE STOP SYSTEM

This convenient safety feature stops the blade, not the engine, allowing you to briefly step away from the mower and come back without having to restart the engine.

Available on select models.



ELECTRIC START

Easily start the engine with just the push of a button. There's no need to pull the recoil cord to start the mower.

Available on select models.



YOUR YARD, YOUR WAY

The 22" Recycler® has smart features that make mowing easier. Product offerings include push, front, rear and all-wheel drive options. With available step-up features that include SMARTStow®, Personal Pace®, electric start, Spin-Stop™ Blade Stop System and All-Wheel Drive. Toro has thought of everything to meet your particular needs.

“Great mower! Cuts awesome and is simple to use. Easy on gas and starts in one pull every time!”

★★★★★ Steve081 via Toro.com | Appleton, WI



¹See warranty for details and limitations.



RECYCLER® 22"

POWERVERSE™

**POWERVERSE™ PERSONAL PACE®
SELF-PROPEL SYSTEM**

Personal Pace handle responsively powers front wheels in reverse which allows you to maneuver and mow in reverse with ease.



Iso-Flex™ HANDLE

Shock-absorbing handle reduces jolts and vibrations felt when mowing over uneven terrain. Gliding height range enhances maneuverability and control in more challenging areas of the yard.



RECYCLER® CUTTING SYSTEM

Front throw chamber and Atomic® blade lift, suspend and re-cut clippings into a fine mulch for a healthy, lush lawn.

**BACKING UP
WAS HARD TO DO**



» **SMARTSTOW®**

Allows you to store your mower upright with no fuel or oil leaks. This saves up to 70%[^] floor space, and makes it easier to clean the underside of the deck.

Available on model 20355 only



» **PERSONAL PACE®**

The handle responsively provides power to the rear wheels to allow you to mow at your preferred walking speed.



HIGH WHEEL

Larger rear wheels with rugged tire tread provide improved traction to maneuver over all types of terrain.

THE ULTIMATE EASY MOWER

Save your energy for your next chore or project, your hobbies or your family! PoweReverse™ powers the front wheels in reverse which allows you to maneuver and mow in reverse with ease. And the Iso-Flex™ handle gives you added comfort and control in all mowing conditions. Easy to use...easy to store...easy to maintain!



“The Personal Pace self-propel system adjusted to my speed and the reverse made it a piece of cake to back the mower up. The traction handle gave me a smoother feel especially on rough ground. It took very little effort getting around and under obstacles.”

★★★★★ Twinlet2 via Toro.com | Atlanta, GA



¹See warranty for details and limitations.

[^]Space savings are in relation to the space consumed by a Toro 22" walk power mower.

RECYCLER® 22"

SMARTSTOW®



PERSONAL PACE®

The handle responsively provides power to the rear wheels to allow you to mow at your preferred walking speed.

BLUE
FEATURE

EASY TO STORE

Folds, locks and stores upright in three simple steps.

EASY TO MAINTAIN

Upright storage makes it easier to clean under the deck and provide better access to service the blade.

SAVE SPACE IN YOUR LIFE
FOR **YOUR LIFE**

MEET THE FAMILY THAT STOWS TOGETHER



20340



20339



21329



SMARTSTOW Mower stores upright, reducing the storage footprint needed by up to 70%*.

TAKES UP TO **70%**
LESS SPACE
IN YOUR GARAGE

MAKE MORE ROOM FOR YOUR TOYS

Free up more space in your garage or storage shed with these mowers that take up to 70% less floor space to store*. This unique design features Briggs & Stratton® engine technology that allows these mowers to be stored upright with no fuel or oil leaks, making it much easier to clean under the deck and service the blade.



1 FOLD



2 LOCK



3 STORE

“This is my second Personal Pace Toro lawn mower, the SmartStow feature allows me to get more garage space in my garage and the ability to clean under the mower is a breeze”

★★★★★ Benet57 via Toro.com | Hampton, VA



*See warranty for details and limitations.

*Space savings are in relation to the space consumed by a Toro® 22" Walk-Power Mower that is stored with the handle in the standard operating position.

WALK POWER MOWER SPECIFICATIONS

	RECYCLER® 21"							
U.S. MODELS	21320	21329	20377 CARB 20370	20378 CARB 20371	20379	SMARTSTOW® 20339	20332	20333
ENGINE	6.75 ft-lb Gross Torque² Briggs & Stratton® 163cc w/ Just Check & Add	» 6.25 ft-lb Gross Torque² Briggs & Stratton Mow N™ Stow EXi 150cc w/ Just Check & Add	6.75 ft-lb Gross Torque¹ Kohler® 149cc OHV w/Auto Choke, no oil change required	6.75 ft-lb Gross Torque¹ Kohler® 149cc OHV w/Auto Choke, no oil change required	» Honda® GCV 160cc OHC w/Auto Choke	» 7.25 ft-lb Gross Torque² Briggs & Stratton EXi 163cc w/ ReadyStart² and Just Check & Add	7.25 ft-lb Gross Torque² Briggs & Stratton EXi 163cc w/ ReadyStart and Just Check & Add	7.25 ft-lb Gross Torque² Briggs & Stratton EXi 163cc w/ ReadyStart and Just Check & Add
STARTER	Recoil	Recoil	Recoil	Recoil	Recoil	Recoil	Recoil	Recoil
DRIVE SYSTEM	Push	Push	Variable Speed Front-Wheel Drive	Variable Speed Front-Wheel Drive	Variable Speed Front-Wheel Drive	Variable Speed Front-Wheel Drive	» Personal Pace Rear-Wheel Drive	Personal Pace Rear-Wheel Drive
SPIN-STOP™ BLADE STOP	N/A	N/A	N/A	N/A	N/A	N/A	N/A	» Standard
PERFORMANCE								
CUTTING WIDTH	21" / 53 cm	22" / 56 cm	22" / 56 cm	22" / 56 cm	22" / 56 cm	22" / 56 cm	22" / 56 cm	22" / 56 cm
DECK MATERIAL	Steel	Steel	Steel	Steel	Steel	Steel	Steel	Steel
HEIGHT OF CUT	1.25" - 3.75" / 3.2 - 9.5 cm 2 Point	1.0" - 4.0" 2.5 - 10 cm	1.0" - 4.0" 2.5 - 10 cm	1.0" - 4.0" 2.5 - 10 cm	1.0" - 4.0" 2.5 - 10 cm	1.0" - 4.0" 2.5 - 10 cm	1.0" - 4.0" 2.5 - 10 cm	1.0" - 4.0" 2.5 - 10 cm
MULCH, REAR BAG, SIDE DISCHARGE 3-IN-1	Mulch, Rear Bag <i>Side discharge optional, no tools required</i>	Standard	Standard	Standard	Standard	Standard	Standard	Standard
USER-FRIENDLY FEATURES								
WHEEL HEIGHT	Front 7" / 17.8 cm Rear 11" / 28 cm	Front 8" / 20.3 cm Rear 11" / 28 cm	8" / 20.3 cm	Front 8" / 20.3 cm Rear 11" / 28 cm	Front 8" / 20.3 cm Rear 11" / 28 cm	Front 8" / 20.3 cm Rear 11" / 28 cm	8" / 20.3 cm	8" / 20.3 cm
WASHOUT PORT	N/A	» Standard	Standard	Standard	Standard	Standard	Standard	Standard
HANDLE	1 Piece, Adjustable Height	» SmartStow, 1 Piece, Adjustable Height	1 Piece, Adjustable Height	1 Piece, Adjustable Height	1 Piece, Adjustable Height	» SmartStow, 1 Piece, Adjustable Height	1 Piece, Adjustable Height	1 Piece, Adjustable Height
BAG ON DEMAND	N/A	N/A	N/A	N/A	N/A	N/A	» Standard	Standard
WEIGHT	59 lbs. / 26.8 kg	69 lbs. / 31.3 kg	71 lbs. / 32.2 kg	72 lbs. / 32.7 kg	75 lbs. / 34.0 kg	78 lbs. / 35.4 kg	78 lbs. / 35.4 kg	89 lbs. / 40.4 kg
TORO PERFORMANCE WARRANTY**	3-Year GTS^ 2-Year Full	3-Year GTS^ 2-Year Full	3-Year GTS^ 2-Year Full	3-Year GTS^ 2-Year Full	3-Year GTS^ 2-Year Full	3-Year GTS^ 2-Year Full	3-Year GTS^ 2-Year Full	3-Year GTS^ 2-Year Full

¹The gross torque of this engine was laboratory rated at 2800 RPM per SAE J1940 by the engine manufacturer. ²The gross torque of this engine was laboratory rated at 2600 RPM per SAE J1940 by the engine manufacturer. The gross torque of this engine was laboratory rated at 2600 RPM per SAE J1940 by the engine manufacturer. configured to meet safety, emission and operating requirements, the actual engine torque on these mowers may be significantly lower.

» = Enhanced or step-up feature

**See retailer for warranty details. ^Guaranteed to Start Warranty. See warranty for details and limitations.

RECYCLER® 22"

20334	SMARTSTOW® 20340	PowerReverse™ SMARTSTOW® 20355	PowerReverse™ 20357	20353	20372	20373	20374	20337
7.25 ft-lb Gross Torque² Briggs & Stratton EXi 163cc w/ReadyStart and Just Check & Add	7.25 ft-lb Gross Torque² Briggs & Stratton EXi 163cc w/ ReadyStart and Just Check & Add	7.25 ft-lb Gross Torque² Briggs & Stratton Mow N¹ Stow EXi 163cc w/ Just Check & Add	7.25 ft-lb Gross Torque² Toro® TXP 159cc OHV w/Auto Choke	7.25 ft-lb Gross Torque² Briggs & Stratton EXi 163cc w/ ReadyStart	» 7.25 ft-lb Gross Torque² Toro TXP 159cc OHV w/Auto Choke	7.25 ft-lb Gross Torque² Toro TXP 159cc OHV w/Auto Choke	7.25 ft-lb Gross Torque² Toro TXP 159cc OHV w/Auto Choke	» Honda GCV 160cc OHC w/Auto Choke
» Electric	Recoil	Recoil	Recoil	Recoil	Recoil	Recoil	» Electric	Recoil
Personal Pace Rear-Wheel Drive	Personal Pace Rear-Wheel Drive	» Personal Pace® POWERREVERSE™	Personal Pace® POWERREVERSE™	» Personal Pace All-Wheel Drive w/ Traction Assist	Personal Pace Rear Wheel Drive	Personal Pace Rear-Wheel Drive	Personal Pace Rear-Wheel Drive	Personal Pace Rear-Wheel Drive
N/A	N/A	N/A	N/A	N/A	N/A	» Standard	N/A	N/A
22" / 56 cm	22" / 56 cm	22" / 56 cm	22" / 56 cm	22" / 56 cm	22" / 56 cm	22" / 56 cm	22" / 56 cm	22" / 56 cm
Steel	Steel	Steel	Steel	Steel	Steel	Steel	Steel	Steel
1.0" - 4.0" 2.5 - 10 cm	1.0" - 4.0" 2.5 - 10 cm	1.0" - 4.0" 2.5 - 10 cm	1.0" - 4.0" 2.5 - 10 cm	1.0" - 4.0" 2.5 - 10 cm	1.0" - 4.0" 2.5 - 10 cm	1.0" - 4.0" 2.5 - 10 cm	1.0" - 4.0" 2.5 - 10 cm	1.0" - 4.0" 2.5 - 10 cm
Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard
8" / 20.3 cm	Front 8" / 20.3 cm Rear 11" / 28 cm	Front 8" / 20.3 cm Rear 11" / 28 cm	Front 8" / 20.3 cm Rear 11" / 28 cm	8" / 20.3 cm	8" / 20.3 cm	8" / 20.3 cm	8" / 20.3 cm	8" / 20.3 cm
Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard
1 Piece, Adjustable Height	» SmartStow, 1 Piece, Adjustable Height	» Iso-Flex™ SmartStow, 1 Piece, Adjustable Height	» Iso-Flex™, 1 Piece, Adjustable Height	1 Piece, Adjustable Height	1 Piece, Adjustable Height	1 Piece, Adjustable Height	1 Piece, Adjustable Height	1 Piece, Adjustable Height
Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard
87 lbs. / 39.5 kg	80 lbs. / 36.3 kg	77 lbs. / 34.5 kg	83 lbs. / 37.6 kg	77 lbs. / 34.5 kg	81 lbs. / 36.7 kg	90 lbs. / 40.8 kg	87 lbs. / 39.5 kg	78 lbs. / 35.4 kg
3-Year GTS^ 2-Year Full	3-Year GTS^ 2-Year Full	3-Year GTS^ 2-Year Full	3-Year GTS^ 2-Year Full	3-Year GTS^ 2-Year Full	3-Year GTS^ 2-Year Full	3-Year GTS^ 2-Year Full	3-Year GTS^ 2-Year Full	3-Year GTS^ 2-Year Full

© manufacturer. As

WALK POWER MOWER SPECIFICATIONS (cont.)

	TIMEMASTER® 30"		SUPER RECYCLER 21"			
U.S. MODELS	21199	21200	21381	20382	20383	20384
ENGINE¹	10.00 ft-lb Gross Torque ² Briggs & Stratton® 223cc OHV	10.00 ft-lb Gross Torque ² Briggs & Stratton 223cc OHV	7.25 ft-lb Gross Torque ² Toro® TXP 159cc OHV w/AutoChoke	Honda® GCV 160cc OHC w/AutoChoke	7.25 ft-lb Gross Torque ² Toro® TXP 159cc OHV w/AutoChoke	7.25 ft-lb Gross Torque ² Toro® TXP 159cc OHV w/AutoChoke
STARTER	Recoil	» Electric	Recoil	Recoil	Recoil	» Electric
DRIVE SYSTEM	Personal Pace® Rear- Wheel Drive w/ Traction Assist	Personal Pace Rear-Wheel Drive w/ Traction Assist	Personal Pace Rear-Wheel Drive	Personal Pace Rear-Wheel Drive	Personal Pace Rear-Wheel Drive	Personal Pace Rear-Wheel Drive
SPIN-STOP™ BLADE STOP	Standard	Standard	N/A	N/A	» Standard	N/A
PERFORMANCE						
CUTTING WIDTH	30" / 76 cm	30" / 76 cm	21" / 53 cm	21" / 53 cm	21" / 53 cm	21" / 53 cm
DECK MATERIAL	Steel Deck, Cast- Aluminum Frame	Steel Deck, Cast- Aluminum Frame	Cast-Aluminum	Cast-Aluminum	Cast-Aluminum	Cast-Aluminum
HEIGHT OF CUT	1.25" - 4.25" / 3.2 - 10.0 cm 2-point	1.25" - 4.25" / 3.2 - 10.0 cm 2-point	1.25" - 4.25" / 3.2 - 10.8 cm	1.25" - 4.25" / 3.2 - 10.8 cm	1.25" - 4.25" / 3.2 - 10.8 cm	1.25" - 4.25" / 3.2 - 10.8 cm
MULCH, REAR BAG, SIDE DISCHARGE 3-IN-1	Standard	Standard	Standard	Standard	Standard	Standard
USER-FRIENDLY FEATURES						
WHEEL HEIGHT	Front 8" / 20.3 cm Rear 10" / 25.4 cm	Front 8" / 20.3 cm Rear 10" / 25.4 cm	8" / 20.3 cm	8" / 20.3 cm	8" / 20.3 cm	8" / 20.3 cm
WASHOUT PORT	Standard	Standard	Standard	Standard	Standard	Standard
HANDLE	Quick Stow Storage Handle	Quick Stow Storage Handle	» Iso-Flex™ Adjustable Height	Quick Stow Storage Handle	Quick Stow Storage Handle	Quick Stow Storage Handle
BAG ON DEMAND	N/A	N/A	N/A	N/A	N/A	N/A
WEIGHT	144 lbs. / 65.3 kg	150 lbs. / 68.03 kg	86 lbs. / 39.0 kg	85 lbs. / 38.6 kg	93 lbs. / 42.2 kg	89 lbs. / 40.4 kg
TORO PERFORMANCE WARRANTY**	3-Year GTS [^] 3-Year Full	3-Year GTS [^] 3-Year Full	5-Year GTS [^] 5-Year Full	5-Year GTS [^] 5-Year Full	5-Year GTS [^] 5-Year Full	5-Year GTS [^] 5-Year Full

¹The gross torque of this engine was laboratory rated at 2800 RPM per SAE J1940 by the engine manufacturer. ²The gross torque of this engine was laboratory rated at 2600 RPM per SAE J1940 by the engine manufacturer. As configured to meet safety, emission and operating requirements, the actual engine torque on these mowers may be significantly lower.
» = Enhanced or step-up feature

**See retailer for warranty details. [^]Guaranteed to Start Warranty. See warranty for details and limitations.



REPLACEMENT PARTS & ACCESSORIES

INSIST ON TORO® GENUINE PARTS

Protect the reliability and productivity of your equipment with parts designed specifically for your Toro products. Made from premium materials and engineered to enhance the safety and performance of your Toro equipment, every part we ship comes with a one-year full warranty. Our responsive Toro dealers have the skills, training and commitment to keep your equipment performing at its best. Leveraging their extensive inventory and Toro's impressive 98% fill rate on parts, your Toro dealer leads the industry in parts support.

ENHANCE YOUR MOWER

The lineup of Toro® walk-power mowers won't change how often you mow, but they will change how well you mow. Enhance your mowing experience by adding accessories to your Toro walk- power mower.



GENUINE TORO BLADES

Keeping your lawn mower blade sharp will give you the best quality of cut, and Toro has the right blade for every application and for virtually every turf condition. Using sharp, genuine Toro mower blades will help produce a crisp quality of cut and contribute to the ongoing vitality of your lawn —every time you mow.

PART#	DESCRIPTION	CATEGORY
108-3759-03	Bagging Blade	21" Super Recycler®
108-3762-03	Recycling Blade	21" Super Recycler
131-4547-03	Atomic® Blade	22" Recycler® (FWD, RWD & AWD)
112-8841-03	Atomic Blade	20" Recycler
108-0954-03	Atomic Blade	21" Recycler (Push)
119-0303-03	Standard Blade	20" e-Cycler®
20120P	Blade Kit (includes 2 medium lift blades)	30" TimeMaster
20122P	Atomic Blade Kit (includes 2 Hi-lift blades)	30" TimeMaster

MAINTENANCE KITS

Perform regular maintenance including replacing the air filter, spark plug and oil each season to ensure optimum performance with Toro walk-power mower maintenance kits. Kits include: 18 oz. bottle of oil, replacement air filter, spark plug and gasoline stabilizer.

PART#	DESCRIPTION
20234	Maintenance Kit: Briggs & Stratton® Quantum Engine
20239	Maintenance Kit: Toro Engine (2012 & prior)
20240	Maintenance Kit: Toro Engine (2013 & newer)



NO SPILL™ FUEL CANS

Toro's new No-Spill gas cans set the industry standard for ease of use and professional- quality fuel storage. Uncomplicated and simple to use.

PART#	DESCRIPTION
127-3200	1½ Gallon Gasoline Can
127-3201	2½ Gallon Gasoline Can
127-3202	5 Gallon Gasoline Can
127-3205	Nozzle Replacement
127-3206	6" Flexible Spout Extender



PRODUCT COVER

Protect your investment with a water- abrasion- and tear-resistant cover.

PART#	DESCRIPTION
490-7461	For 30" Toro WPMs (cover w/Toro logo)
490-7462	For All 20"-22" Toro WPMs (cover w/Toro logo)
490-2012	For Toro SmartStow® in storage position (cover w/Toro logo)



LAWN STRIPING KITS

Attaches easily and can be used with or without a bagger. Create everything from simple stripes to an eye-catching work of art.

PART#	DESCRIPTION
20601	For All 20"-22" Toro WPMs
20602	For 30" Toro WPMs



REPLACEMENT PARTS & ACCESSORIES

TORO MESH UTILITY BAG

Use Toro mesh utility bags for personal storage or picking up trash. Hangs conveniently behind consumer or LCE mowers with on/off straps.

PART#	DESCRIPTION
490-7318	Toro Small Walk Behind Bag
490-7322	Large Walk Behind Bag (no logo)
490-7325	Small Walk Behind Bag (no logo)



TRACTION ASSIST HANDLE

Allows you to use your hands to control the speed of Personal Pace® mowers. The fixed assist handle allows you to squeeze the traction bar to adjust the mower speed without changing walking speed. Useful when turning tight corners and mowing hills.

PART#	DESCRIPTION
108-8120	Super Recycler & Recycler® Mowers with Personal Pace® (clamp-on)
131-4590	Recycler Mower with Personal Pace (2015 & newer)



TORO OIL, PREMIUM FUEL TREATMENT & FUEL

To maximize the performance of your Toro product, we highly recommend using Toro oil, which has been specifically formulated for best results.



MAINTENANCE KITS

Perform regular maintenance including replacing the air filter, spark plug and oil each season to ensure optimum performance with Toro walk-power mower maintenance kits. Kits include: 18 oz. bottle of oil, replacement air filter, spark plug and gasoline stabilizer.

PART#	DESCRIPTION
38901	Toro 2-Cycle Oil (2.6 oz. bottle)
38902	Toro 2-Cycle Oil w/Stabilizer (5.2 oz. bottle)
38916	Toro Summer Oil SAE 30 (18 oz. bottle)
38903	Toro Summer Oil SAE 30 (32 oz. bottle)
117-0066	Toro Full Synthetic Oil (32 oz. bottle) SAE30/10W30
131-6572	Toro Premium Fuel Treatment (12 oz. bottle)
131-3823	4-Cycle Engineered Fuel (32 oz. can) 92 Octane / No Ethanol
131-3824	2-Cycle Pre-Mixed Fuel & Oil (32 oz. can) 92 Octane / No Ethanol

PART#	DESCRIPTION
20239	Maintenance Kit: Toro® Engine (2012 & prior)
20240	Maintenance Kit: Toro Engine (2012 & newer)
20234	Maintenance Kit: Briggs & Stratton® Quantum Engine
130-8147	Maintenance Kit: Briggs & Stratton 550EX Engine
130-8148	Maintenance Kit: Briggs & Stratton EXi Engine
130-8146	Maintenance Kit: Briggs & Stratton 875/1000 Engine
130-8134	Maintenance Kit: Honda® GCV 160 Engine (2014 & newer)
130-8135	Maintenance Kit: Honda GCV160LAO S3 Engine (2013 & prior)
130-8141	Maintenance Kit: Kohler® XT & XTX 675 Engine (2013 & 2014)
130-8144	Maintenance Kit: Kohler XT & XTX 675 Engine (2015 & newer)
20234	Maintenance Kit: Tecumseh



HOW TO ORDER:

Your authorized Toro dealer is always your best source for product accessories and parts. You can also visit www.torodealer.com for more information.



OUR DEALERS MAKE THE DIFFERENCE

REAL PEOPLE. REAL SUPPORT.

Our authorized service dealers are trained to keep your Toro® mower performing at its best. By using Genuine Toro parts, they are able to tune and repair your mower so it lasts for years to come.

Here are some basic maintenance tips to consider: *(refer to owner's manual for specific information on your model)*

- Check the blade and engine mounting fasteners, making sure they are all tight.
- Clean/replace air filter periodically.
- Drain and refill engine crankcase with fresh oil. Start engine to allow engine oil to warm up. *(4-cycle models)*
- Clean built-up grass clippings and dirt.
- Clean grass clippings and debris under belt cover and drive belt. *(self-propelled models)*
- Grease rear height adjuster brackets. *(self-propelled models)*
- Sharpen or replace blade annually.

For more tips, go to www.yardcare.com.



TOP 10 REASONS TO BUY FROM A TORO® DEALER

10. Factory-Trained Service Technicians
9. Genuine Toro Parts and Accessories
8. Products Professionally Set Up, Serviced and Ready To Go
7. Competitive Financing Options
6. On-Site Product Demonstrations *(where available)*
5. Best Selection of Products to Fit Your Needs
4. Delivery Available
3. Competitive Prices
2. Experienced, Knowledgeable and Courteous Staff
- And the #1 Reason ...*
1. Locally Owned and Operated

SMART. EASY. CONNECTED.

Manage your Toro equipment with the MyToro® App. Ever wonder how often you should change your oil or which blades you need for your Toro lawn mower? MyToro serves up essential product resources like:

- Manuals & Service Reminders
- Parts & Maintenance Kits
- Video Tutorials
- Weather, Lawn Care Tips and More



Yard Care Help & Tips



Service Notifications



View maintenance how-to videos and illustrated instructions



Add functionality with the Toro Portable Usage Calculator (PUC™)



WHEN WE SAY **COUNT ON IT**, WE MEAN IT

Every product that carries the Toro brand is backed by over 100 years of history, innovation and timeless dependability. We never stop investing in research and development to give our customers the latest features. That's why Toro is one of the best-known, most trusted brands in the business – and why your next mower should be a Toro. We also stand behind our products with a nationwide network of knowledgeable dealers for parts and service support. **Real People. Real Support.**

Smart Features. Proven Dependability.



**LOOK BEFORE
YOU PUMP!**
USE E10 E85 FUEL
Ethanol Percentages
E10 E85 E15 E85

LookBeforeYouPump.com



FOLLOW US!

facebook.com/toro.yard
instagram.com/TheToroCompany
pinterest.com
twitter.com/TheToroCompany
youtube.com/toro

toro.com / toro.ca

490-9930
© 2018 The Toro Company, Bloomington, MN 55420
All rights reserved. Printed in the USA.

Products depicted in this literature are for demonstration purposes only. Actual products offered for sale may vary in use, design, required attachments and safety features. We reserve the right to improve our products and make changes in specifications, design and standard equipment without notice and without incurring obligation. See your dealer for details on all our warranties.

Dealer imprint area