PRODUCT GUIDE



Easy-to-use Expanding Foam Sealants












- Easy-to-use expanding foam sealants
- · Broadest assortment of air-sealing and insulating products
- Increase comfort, safety and efficiency in homes and commercial properties





EASY-TO-USE EXPANDING FOAM SEALANTS



Home Seal

MINIMUM EXPANDING SEALANT

- Fills and seals small cracks and gaps
- Insulates against energy loss
- Water resistant
- Interior / exterior use
- Paintable / sandable
- **UL-listed**



Exclusive All-Season Formula

Cures between 30°-120°F (-1°-49°C)





TRIPLE EXPANDING SEALANT

- 3 times the expansion to fill gaps greater than 1"
- For larger holes and gaps
- Blocks insects and other pests
- Air-tight, weather-resistant seal
- Interior / exterior use
- Paintable / sandable
- Meets ASTM E-84 Class 1
- **UL-listed**



No<mark>#War</mark>o

WINDOW & DOOR SEALANT

- Low pressure formula won't bow window frames or door jambs
- Outperforms fiberglass
- Bright white foam
- Fills / seals / insulates
- Stops drafts / minimizes energy loss
- Meets ASTM E-84 Class 1
- Meets AAMA standards 812-04 for low pressure foams
- **UL-listed**



FLAME RESISTANT SEALANT

- Approved fire block penetration sealant
- Passes ASTM E-814, UL-1715, and UL-94 V-0
- Type V residential fire block
- Flame spread 5, smoke developed 0
- Easy-to-identify orange color
- Seals gaps and cracks, stops air infiltration
- Fast cure, tack-free in about 10 minutes
- Meets ASTM E-84 Class 1
- UL-listed





EXTERIOR FILLER-ADHESIVE

- Black foam is UV resistant
- Directs water flow in and around water gardens
- Fish and plant safe
- Superior adhesive for landscaping projects
- Fills knot holes in trees to seal out pests
- **UL-listed**

MERCHANDISING OPPORTUNITIES

Our exceptional packaging and merchandising opportunities include a wide variety of display options.

Display ready shippers allow for quick set-up and product replenishment.

Eye-catching mini-pallets offer a flexible option for a 192-unit floor display.





192-unit Mini-Pallet #4001000100



Floor Display holds up to 72 cans #4000725437



MULTI-PURPOSE FOAM SEALANT

- Latex-based
- Three times the adhesion strength of the leading competitor
- Performs from 35°F to 120°F
- No mess won't stick to hands, cleans up with soap and water
- Moldable
- Reusable dispensing
- Great for drywall repair
- **UL-listed**



- For the professional contractor or serious do-it-yourselfer
- Gun foams and applicators allow precision controlled bead size, and easy, comfortable dispensing
- 1- and 2-component cylinders and foam systems offer quantity, portability and Class 1 fire resistance for larger jobs

GUN FOAMS & APPLICATORS

Truch reason rea

ALL PURPOSE POLYURETHANE FOAM SEALANT

- Approved Type V residential fireblock sealant
- Meets ASTM E-814, E-84, and UL-1715
- Bright orange foam simplifies inspections
- Class 1 foam
- UL-listed
- Outperforms fiberglass
- Interior / exterior use



WINDOW & DOOR POLYURETHANE FOAM SEALANT

- Exerts virtually no force on frames or jambs
- Provides greater dispensing and control
- Outperforms fiberglass
- Class 1 foam
- Bright white
- Meets ASTM E-84, UL-listed
- Meets AAMA standards 812-04 for low pressure foams



BLACK LANDSCAPING POLYURETHANE FOAM SEALANT

- Won't break down in sunlight
- Excellent for outdoor use
- Black foam won't discolor and blends into shadows
- Safe for plants and fish
- Excellent for ponds and waterfalls
- Great for securing landscape blocks



POLYURETHANE FOAM CLEANER

- Attaches to applicators in order to flush barrel
- Removes uncured foam that accidentally gets on hands, tools and gun foam applicators
- Reusable dispensing
- Zero VOC formula

BUILDER SERIES

CONSTRUCTION ADHESIVES



HEAVY DUTY CONSTRUCTION ADHESIVE

- A dense, super-strong, multi-purpose polyurethane gel foam adhesive
- Yields 10X more than traditional construction adhesive
- Use on drywall, plywood, steel, aluminum, pressuretreated lumber and other surfaces
- Installs faster and use fewer fasteners and won't produce squeeze out
- · Bridges minor gaps on irregular surfaces
- Passes D6464; Exceeds ASTM C557



SUBFLOOR CONSTRUCTION ADHESIVE

- A dense, super-strong polyurethane gel foam adhesive for subfloors
- Yields 10X more than traditional adhesive caulks
- Installs faster
- Use on wood-to-wood assemblies, glued floor systems, plywood, OSB and dimensional and treated lumber
- · Helps prevent floor squeaks and nail pops
- Bonds to wet and frozen lumber
- Exceeds ASTM D3498; Passes ASTM C557; Passes D6464

2-COMPONENT FOAM SYSTEMS

Touch 'n Foam's Professional line also offers portable and disposable spray foam kits. Our Class A fire rated foam bonds to most surfaces, dries in less than 60 seconds, and reduces energy costs up to 28%. Each kit comes with pre-attached hoses, an ergonomic foam

applicator, disposable gloves, safety glasses and detailed instructions.

System 15 Kit (Yields 15 bd. ft.) Use for hole repairs and touch ups (glasses and DVD not included).

System 200 Kit (Yields 200 bd. ft.) Ideal for sealing basement sill plates and rim/band joists.

System 600 Kit (Yields 600 bd. ft.) Perfect for stud wall cavity fills and crawl spaces.



GUN FOAM APPLICATOR



PRECISION FOAM DISPENSER

- Reusable
- Adjustable output
- Teflon coated basket
- Metal barrel & lever
- Plastic tip extension included
- 6 pack display-ready case

1-COMPONENT FOAM SEALANT

FOAM SEALANT

- Fast expansion and quick cure
- Easily portable, fully disposable
- Improves energy efficiency
- Pre-attached hose with wand
- No CFCs
- Up to 15,300 linear feet





FOUCH 'N FOAM

Item No.

4001012412

4001031212

4001020012

4004501212

4004532430

4004532420

4004528700

4004528775

4001110001

4006002506

4006022200

4006062600

Conical Nozzle

Item No.

4004522005

Fan Nozzle 4004522025 Net Wt.

HomeSeal™ Minimum Expanding Sealant

MaxFill™ Triple Expanding Sealant

FireBreak® Flame Resistant Sealant

12 oz.

12 oz.

20 oz.

12 oz.

16 oz.

24 oz.

12 oz.

10 lb.

System 15 Spray Foam, 2-Component System

2.27 lb.

System 200 Spray Foam, 2-Component System

28.43 lb.

System 600 Spray Foam, 2-Component System

Unit Size

5 each

5 each

"A" Cylinder: 44.94 lb.

"B" Cylinder: 40.12 lb.

Gun Foam Applicator – Precision Foam Dispenser

Polyurethane Foam Cleaner

1-Component Foam Sealant

Unit UPC

0 75650 00082 3

0 75650 00031 1

0 75650 00032 8

0 75650 10012 7

Case Pack

12 per case

12 per case

12 per case

12 per case

6 per case

6 per case

12 per case

6 ea. per case

1 ea.

1 ea.

1 ea.

6 pack

6 pack

Case Pack

6 per case

Case Code

1 00 75650 00082 0

1 00 75650 00043 1

1 00 75650 00032 5

3 00 75650 10012 8

1 00 75650 32430 8

1 00 75650 32420 9

1 00 75650 28700 9

1 00 75650 28775 7

1 00 75650 02506 9

Case Code

100 75650 22005 1

100 75650 22025 9

Case Dimensions (in.)

11.50 x 8.75 x 9.25

11.50 x 8.75 x 9.25

11.25 x 8.50 x 12.50

11.50 x 8.75 x 9.25

11.50 x 8.75 x 9.25

11.50 x 6.00 x 9.25

11.50 x 8.75 x 9.25

11.25 x 8.50 x 11.50

11.25 x 8.50 x 11.50

11.25 x 8.50 x 11.50

10.75 x 8.88 x 6.00

11.50 x 8.50 x 5.75

11.25 x 8.25 x 8.50

6.50 x 14.00 x 15.00

7.75 x 7.75 x 14.75

13.25 x 12.00 x 12.75

15.25 x 10.00 x 15.25

12.50 x 12.50 x 18.75

6.69 x 3.69 x 6.19

6.69 x 3.69 x 6.19

Case Dimensions (in.)

Case Dimensions (in.)



0 75650 32430 1 - Individual

0 75650 32420 2 - Individual

0 75650 28700 2

0 75650 28775 0

0 75650 00036 6

0 75650 02506 2

0 75650 22200 3

0 75650 62600 9

0 75650 22005 4

0 75650 22025 2

Unit UPC

Builder Series Subfloor Construction Adhesive (For Gun Applicator Use)

0 75650 32431 8 - Contractor Pack

0 75650 32421 9 - Contractor Pack



