



**PRESSURE WASHER ACCESSORIES**

1-800-864-1649 TOLL FREE



**PRESSURE WASHER  
ACCESSORIES**



**TABLE OF CONTENTS - PRESSURE WASHER ACCESSORIES**

**a. SPECIALTY CLEANING p72-74**

Waterbrooms, flat surface cleaners, telescoping wands, and wet sand-blast kits.




**b. PRESSURE WASHER PUMPS p75**



**c. SPRAY GUNS & LANCES p76-79**

High pressure spray guns, spray gun kits, and molded wands and lances.



**d. Q/C & MEG NOZZLES p80-81**

0°, 15°, 25°, 40°, & chemical quick connect and MEG nozzles.



**e. ROTARY NOZZLES p82-83**

Variable & rotary nozzles.



**f. HIGH PRESSURE HOSES p84**



**g. HIGH PRESSURE FITTINGS p85-89**

Screw-type fittings, garden fittings, q/c fittings, water inlet filters, & chemical injectors.



**H. CHEMICAL p90-91**

Pump saver, pump oil, & pressure washer soap detergents.




\*Product Packaging Legend. Bar-coded & boxed. Clamshell packaging. Flag tagged product. Bulk packaged product.



**WATERBROOMS**

**12" WATER BROOM**

Used for cleaning vast surfaces quickly. Comes in a bubble pack ready for display.



<b>Part#</b>	<b>PK-85400060</b>
<b>Max Pressure</b>	4,000 PSI
<b>Max Flow</b>	3 GPM
<b>Width</b>	12"
<b>Connection</b>	1/4" Quick-Disconnect plug
<b>Nozzles</b>	3
<b>Weight</b>	3.5 lbs

**12" MULTI-USE FLAT SURFACE CLEANER**



Attach to a longwand and clean hard to reach surfaces.



Attach to a gun and lance for cleaning flat surfaces.



Use a high pressure spray gun kit to clean walls.\*



Model#	Max Pressure	Optimal Pressure	
<b>PK-1200WAW</b>	4,000 PSI	Under 2,500 PSI	
Max Flow	Max Temp.	Size	Weight
8.0 GPM	180°F	12"	5.6 lbs

\* Gun kit sold separately.

**Features**

- 4,000 PSI rotary head.
- Durable nylon brush skirt.
- Heavy duty polypropylene cover.
- Welded steel two arm rotary bar.
- Zero wall clearance.



\*Product Packaging Legend.   Bar-coded & boxed.  Clamshell packaging.  Flag tagged product.  Bulk packaged product.



**16" FLAT SURFACE CLEANER**

**Features**

- Easy to handle frame is designed for less operator fatigue.
- Welded steel two arm rotary bar.
- Heavy duty polypropylene cover.
- Welded elbows and assembly.
- Durable nylon brush skirt.
- Zero wall clearance & water flow out eliminates water build-up.

Model#	Max Pressure	Max Flow
<b>PK-1600WAW</b>	4,000 PSI	8.0 GPM
Size	Max Temp.	Weight
16" diameter	180°F	26 lbs.



**WET SANDBLAST KIT**

- Sandblast without the dust of regular sandblasting.
- Use to strip paint, remove rust, graffiti, & stains.
- Use dry silica sand or #1 grit sand.
- Comes with a carbide nozzle for increased durability.



Part#	SBK-400
<b>Max Pressure</b>	3,500 PSI
<b>Max Flow</b>	10 GPM
<b>Weight</b>	9.25 lbs



\*Product Packaging Legend.   Bar-coded & boxed.  Clamshell packaging.  Flag tagged product.  Bulk packaged product.



**SPECIALTY CLEANING PRODUCTS**

**TELESCOPING WANDS**

**Easily clean gutters, rooftops and hard to reach areas, with a telescoping wand.**



Threaded gun for quick removal and easy field repair.



Two aluminum poles and fiberglass outer pole for maximum strength.



Coarse threaded pole lock for a tight grip.



Screw type connection for a solid grip on accessories.



Model#	Max Pressure	Max Flow	Max Temp.	Length	Hose	Weight
<b>PK-85206018</b>	4,000 PSI	8 GPM	200°F	6ft. 6" to 18ft.	1/4"	8.5 lbs
<b>PK-85206024</b>	4,000 PSI	8 GPM	200°F	9ft. to 24ft.	1/4"	10.5 lbs

**TELESCOPING WAND ACCESSORIES**

**GUTTER CLEANER KITS**

Turns wands into efficient gutter cleaners so that gutters can be cleaned from the ground.



Part#	PK-85400033	PK-85400007
<b>Max Pressure</b>	4,000 PSI	4,000 PSI
<b>Outlet</b>	1/4" QC coupler	1/4" QC coupler
<b>Inlet</b>	Male M22	1/4" plug
<b>Weight</b>	0.60 lbs	0.55 lbs

**TELESCOPING WAND, BELT KIT**

Used to support Long Wands, taking stress off the arms and body. For use with all Long Wands. Fits any size (adjustable).



Part#	Telescoping Wand Belt Kit
<b>PK-85400019</b>	Fits all Valley Long Wands

\*Product Packaging Legend.   Bar-coded & boxed.  Clamshell packaging.  Flag tagged product.  Bulk packaged product.

# SIMPLIFY YOUR REPLACEMENT PUMP PROGRAM!



- 2 PUMPS FOR ALL 4HP TO 13HP HORIZONTAL GAS PRESSURE WASHER MODELS.
- FULL COLOR BOXES LIST PUMP SPECS AND STEP-BY-STEP INSTALLATION INSTRUCTIONS!
- COMPLETE WITH OUTLET FITTINGS FOR M22 & QUICK CONNECT HOSES




**1** Comet Axial BXD for 4.0 to 7.0 HP horizontal direct drives with a 3/4" engine shaft.


**2** Comet Triplex ZWDK pump for 8 to 13 HP horizontal direct drives with a 1" engine shaft.



**PUMP PERFORMANCE**



**PUMP PERFORMANCE**



Part#	Model	GPM	PSI	Engine Size
PK-AXPUMP	BXD2528G	2.5	2,900 Max	135 to 200cc
UPC #	RPM	Shaft	Motor	Box Weight
816403003117	3,400	3/4"	Gas	12.2 lbs
Box Size	Pallet QTY	Layers	Units Per Layer	
11.5" x 7.5" x 8.5"	120 pcs	6	20 pcs	

Part#	Model	GPM	PSI	Engine Size
PK-PSNPUMP	ZWDK4036G	4.0	3,700 Max	240 to 390cc
UPC #	RPM	Shaft	Motor	Box Weight
816403003124	3,400	1"	Gas	21.2 lbs
Box Size	Pallet QTY	Layers	Units Per Layer	
13" x 11" x 9"	72 pcs	6	12 pcs	



## HIGH PRESSURE SPRAY GUNS

### 2950 PSI MAX FRONT ENTRY TRIGGER GUN

<b>Part#</b>	<b>PK-12000001</b>
<b>Bulk#</b>	<b>SG-727</b>
<b>Max Pressure</b>	2,950 PSI
<b>Max Temperature</b>	210° F
<b>Max Flow</b>	10.5 GPM
<b>Outlet</b>	1/4" FNPT
<b>Inlet</b>	3/8" FNPT
<b>Weight</b>	0.9 lbs



### 5000 PSI UNIVERSAL TRIGGER GUN & FITTINGS

Ideal for Hot and Cold water applications.  
Comes with 3/8" male QC plug  
& male screw-type adapters.

<b>Part#</b>	<b>PK-12000000</b>
<b>Flag Tag#</b>	<b>SG-750U-FT*</b>
<b>Max Pressure</b>	5,000 PSI
<b>Max Temperature</b>	210° F
<b>Max Flow</b>	10.5 GPM
<b>Outlet</b>	1/4" FNPT
<b>Inlet</b>	3/8" FNPT
<b>Weight</b>	1.41 lbs

**USE WITH  
2,000 - 5,000 PSI  
PRESSURE WASHERS!**



### 4000 PSI MAX UNIVERSAL TRIGGER GUN

Ideal for Hot and Cold water applications.

<b>Part#</b>	<b>SG-920V</b>
<b>Max Pressure</b>	4,000 PSI
<b>Max Temperature</b>	210° F
<b>Max Flow</b>	10.5 GPM
<b>Outlet</b>	1/4" FNPT
<b>Inlet</b>	3/8" FNPT
<b>Weight</b>	1.26 lbs



### 4050 PSI MAX UNIVERSAL TRIGGER GUN

Ideal for Hot and Cold water applications.

<b>Part#</b>	<b>SG-920</b>
<b>Max Pressure</b>	4,050 PSI
<b>Max Temperature</b>	320° F
<b>Max Flow</b>	6.3 GPM
<b>Outlet</b>	1/4" FNPT
<b>Inlet</b>	3/8" FNPT
<b>Weight</b>	1 lbs



\*Product Packaging Legend.  Bar-coded & boxed.  Clamshell packaging.  Flag tagged product.  Bulk packaged product.



**SPRAY GUN KITS**




**ELECTRIC PRESSURE WASHER SPRAY GUN KIT**

- Twist nozzle pattern from 80° fan spray to straight stream.
- Pull nozzle out to dispense soap at low pressure and conveniently pull nozzle in for water at high pressure.
- Female screw-type fittings.
- Two piece molded lance.
- Complete with 25 foot high pressure hose.
- Comes with soap container.

**Part# PK-340000**



**COMPLETE KIT COMES WITH THE FOLLOWING NOZZLES & FITTINGS!**





**GAS POWERED PRESSURE WASHER SPRAY GUN KIT**

- Two piece steel lance.
- 2,950 PSI front entry spray gun.
- Size 030 - 0°, 15°, 40°, & chemical nozzle.
- Male screw-type socket for hose connection.
- 3/8" quick connect coupler for hose connection.

**Part# PK-340001**



**COMPLETE KIT COMES WITH THE FOLLOWING NOZZLES & FITTINGS!**



**GAS POWERED PRESSURE WASHER SPRAY GUN KIT**

- Two piece steel lance.
- 5,000 PSI rear entry spray gun.
- Size 030 - 0°, 15°, 40°, & chemical nozzle.
- Male screw-type socket for hose connection.
- 3/8" quick connect coupler for hose connection.

**Part# PK-340002**



\*Product Packaging Legend.   Bar-coded & boxed.  Clamshell packaging.  Flag tagged product.  Bulk packaged product.





## MOLDED WAND WITH COUPLER

- Plated steel lance with insulated grip.
- Comes with quick connect coupler.
- For use with hot or cold pressure washers.



Part#	MG-18CA	MG-47CA
Length	18" (450 mm)	47" (1200 mm)
Outlet	1/4" QC Coupler	1/4" QC Coupler
Inlet	1/4" MNPT	1/4" MNPT
Weight		

## 30° ANGLE MOLDED WAND WITH COUPLER

- Plated steel lance with insulated grip.
- 30° angled end with quick connect coupler.
- For use with hot or cold pressure washers.



Part#	MG-28BCA	MG-36BCA	MG-59BCA	MG-79BCA
Length	28" (700 mm)	36" (900 mm)	59" (1500 mm)	59" (2000 mm)
Outlet	1/4" QC Coupler	1/4" QC Coupler	1/4" QC Coupler	1/4" QC Coupler
Inlet	1/4" MNPT	1/4" MNPT	1/4" MNPT	1/4" MNPT
Weight				

## FLEX WAND, RUBBER CASING



Part#	PK-13000001
Size	1/4" MNPT x 1/4" MNPT
Color	Black

\*Product Packaging Legend. Bar-coded & boxed. Clamshell packaging. Flag tagged product. Bulk packaged product.



**SPRAY GUN KITS & WANDS**

**4,000 PSI MAX UNIVERSAL TRIGGER GUN ASSEMBLY**

**NEW**



- Comes complete with spray gun, 1/4" QC coupler, 3/8" male QC plug, lance side grip, and comfortable foam handle.

▪ Comes with removable nozzle holder and clip.



Part#	PK-SG-850X
Max Pressure	4,000 PSI
Max Temperature	300° F
Max Flow	8.0 GPM
Outlet	1/4" QC Coupler
Inlet	3/8" QC Plug
Weight	4.0 lbs

**5000 PSI UNIVERSAL TRIGGER GUN & 16" EXTENSION**

**4000 PSI UNIVERSAL TRIGGER GUN & FITTINGS**

Comes with 3/8" male QC plug & male screw-type adapters.



Flag Tag#	SG-750XU-FT*
Max Pressure	5,000 PSI
Max Temperature	210° F
Max Flow	10.5GPM
Outlet	M22 Screw-Type Socket
Inlet	3/8" FNPT
Weight	2.45 lbs

**16" WAND EXTENSION**

Comes with M22 screw-type plug and 1/4" QC coupler.



**USE WITH  
2,000 - 4,000 PSI  
PRESSURE WASHERS!**

Flag Tag#	TP-QCW16-FT*
Outlet	1/4" QC Coupler
Inlet	M22 Screw-Type plug
Weight	0.7 lbs

**MOLDED WAND EXTENSIONS**

Plated steel lance with insulated grip.  
For use with hot or cold pressure washers.



Part#	PK-85202026	PK-13000000
Length	36" (900 mm)	47" (1200 mm)
Outlet	1/4" MNPT	1/4" MNPT
Inlet	1/4" MNPT	1/4" MNPT
Weight	1.32 lbs	1.92 lbs

\*Product Packaging Legend.  Bar-coded & boxed.  Clamshell packaging.  Flag tagged product.  Bulk packaged product.



**QUICK CONNECT NOZZLES**

**QUICK CONNECT SPRAY NOZZLES**



Part#	Size
PK-85201030	030
33-QC0030-FT*	030
33-103900-0030*	030
PK-85201035	035
PK-85201040	040
33-QC0040-FT*	040
33-103900-0040*	040
PK-85201045	045
PK-85201050	050

Part#	Size
PK-85216030	030
33-QC1530-FT*	030
33-103900-1530*	030
PK-85216035	035
PK-85216040	040
33-QC1540-FT*	040
33-103900-1540*	040
PK-85216045	045
PK-85216050	050

Part#	Size
PK-85226030	030
33-QC2530-FT*	030
33-103900-2530*	030
PK-85226035	035
PK-85226040	040
33-QC2540-FT*	040
33-103900-2540*	040
PK-85226045	045
PK-85226050	050

Part#	Size
PK-85241030	030
33-QC4030-FT*	030
33-103900-4030*	030
PK-85241035	035
PK-85241040	040
33-QC4040-FT*	040
33-103900-4040*	040
PK-85241045	045
PK-85241050	050

**QUICK CONNECT SPRAY NOZZLE KITS**

- Quick connect nozzles kits have a 0°, 15°, 40° & Soaper Nozzle.
- Fits most pressure washers with a 1/4" quick connect inlet.
- Comes with nozzle clip and nozzle holder.
- Comes with retail packaging.

Part#	PK-SZ03SNKIT	PK-SZ04SNKIT
Size	030	040



**QUICK CONNECT SOAP NOZZLES**

Used to apply soap and chemicals.



Part#	PK-85266400
Flag Tag#	33-QC6500-FT
Bulk#	33-103900
Inlet	1/4" Quick Connect
Material	Brass, Plastic #40
Weight	0.04 lbs

Part#	PK-8521009
Inlet	1/4" Quick Connect
Long Range Soap Nozzle	




**SPRAY SOAP UP TO 30FT!**


\*Product Packaging Legend.  Bar-coded & boxed.  Clamshell packaging.  Flag tagged product.  Bulk packaged product.




**1/4" MEG NOZZLES**



Part#	Size
PK-85200030	030
PK-85200045	045




Part#	Size
PK-85215030	030
PK-85215040	040
PK-85215045	045
PK-85215050	050
PK-85215060	060
PK-85215070	070



Part#	Size
PK-85225030	030
PK-85225040	040
PK-85225045	045
PK-85225050	050
PK-85225060	060
PK-85225070	070



Part#	Size
PK-85240030	030
PK-85240040	040
PK-85240045	045
PK-85240050	050
PK-85240060	060
PK-85240070	070



**MEG CHEMICAL NOZZLE**

Used to apply soap and chemicals.

<b>Part#</b>	<b>PK-85240300</b>
<b>Inlet</b>	1/4" MNPT
<b>Material</b>	Brass
<b>Weight</b>	0.04 lbs

**NOZZLE SIZE CHART**

Match your PSI with your GPM to determine correct nozzle size.

PSI ▶	1,000	2,000	3,000	4,000	5,000
Size	GPM ▼	GPM ▼	GPM ▼	GPM ▼	GPM ▼
<b>030</b>	1.50	2.12	2.60	3.00	3.35
<b>035</b>	1.75	2.47	3.03	3.50	3.91
<b>040</b>	2.00	2.83	3.46	4.00	4.47
<b>045</b>	2.25	3.18	3.90	4.50	5.03
<b>050</b>	2.50	3.54	4.33	5.00	5.59
<b>060</b>	3.00	4.24	5.20	6.00	6.71
<b>070</b>	3.50	4.95	6.06	7.00	7.83

\*Product Packaging Legend.   Bar-coded & boxed.  Clamshell packaging.  Flag tagged product.  Bulk packaged product.



## VARIABLE & ROTARY NOZZLES

### VARIABLE NOZZLES

▪ Best performance with 1,000 to 3,000 PSI pressure washers.



Part#	PK-16000000	PK-16000001	PK-16000002
Flag Tag#	VN-12-FT	N/A	N/A
Bulk#	VN-12	VN-40	VN-45
Max Pressure	3,000 PSI	3,000 PSI	3,000 PSI
Max Flow	1.58-3.12 GPM	2.00-3.44 GPM	2.32-3.96 GPM
Size	1.05mm #3	1.20mm #4	1.30mm #4.5
Max Temp	140°F	140°F	140°F
Inlet	1/4" FNPT	1/4" FNPT	1/4" FNPT
Nozzle	Brass	Brass	Brass
Weight	0.34 lbs	0.34 lbs	0.34 lbs

### 2,500 PSI ROTARY NOZZLE

▪ Best performance with 1,000 to 2,500 PSI pressure washer.

Part#	PK-85210170
Flag Tag#	RJ-3025-FT
Bulk#	RJ-3025
Max Pressure	2,500 PSI
Max Flow	3.0 GPM
Max Temp	130°F
Inlet	1/4" Quick Connect
Nozzle	Brass
Weight	0.60 lbs



### 3,000 PSI ROTARY NOZZLE



**NEW**



▪ Best performance with 2,000 to 3,000 PSI pressure washer.  
 ▪ Built-in easy to clean water filter extends nozzle life.

▪ Best performance with 2,000 to 3,000 PSI pressure washer.

Part#	PK-85210180
Flag Tag#	RJ-3030-FT
Bulk#	RJ-3030
Max Pressure	3,000 PSI
Max Flow	4.0 GPM
Max Temp	130°F
Inlet	1/4" Quick Connect
Nozzle	Ceramic
Weight	1.15 lbs

Part#	RJ-3030-CS
Flag Tag#	N/A
Bulk#	RJ-3030-QC
Max Pressure	3,000 PSI
Max Flow	4.0 GPM
Max Temp	130°F
Inlet	1/4" Quick Connect
Nozzle	Ceramic
Weight	1.15 lbs

\*Product Packaging Legend.  Bar-coded & boxed.  Clamshell packaging.  Flag tagged product.  Bulk packaged product.



## 3,600 PSI ROTARY NOZZLE



- Best performance with 2,500 to 3,600 PSI pressure washer.
- Built-in easy to clean water filter extends nozzle life.

<b>Part#</b>	<b>PK-85210190</b>
<b>Flag Tag#</b>	RJ-3536-FT
<b>Bulk#</b>	RJ-3536
<b>Max Pressure</b>	3,600 PSI
<b>Max Flow</b>	4.0 GPM
<b>Max Temp</b>	130°F
<b>Inlet</b>	1/4" Quick Connect
<b>Nozzle</b>	Ceramic
<b>Weight</b>	1.30 lbs

## 4,800 PSI ROTARY NOZZLE



- Best performance with 3,600 to 4,800 PSI pressure washer.
- Built-in easy to clean water filter extends nozzle life.

<b>Flag Tag#</b>	RJ-4048-FT
<b>Bulk#</b>	RJ-4048
<b>Max Pressure</b>	4,800 PSI
<b>Max Flow</b>	4.0 GPM
<b>Max Temp</b>	130°F
<b>Inlet</b>	1/4" Quick Connect
<b>Nozzle</b>	Ceramic
<b>Weight</b>	2.00 lbs



## HIGH PRESSURE HOSE

### HIGH PRESSURE HOSE, COLD-WATER

#### 25', 2,600 PSI HIGH PRESSURE HOSE, COLD-WATER

- Steel wire reinforced.
- Complete with M22 screw-type fittings.
- Fabric Reinforced.



<b>Part#</b>	<b>25TPR14-M22</b>
<b>Max Pressure</b>	2,600 PSI
<b>Size</b>	1/4"
<b>Length</b>	25'



#### 25', 3,600 PSI HIGH PRESSURE HOSE, COLD-WATER

- Steel wire reinforced hose.
- Complete with 1/4" brass quick coupler & plug.
- Cut & burn resistant.



<b>Part#</b>	<b>PK-85256126**</b>
<b>Max Pressure</b>	3,600 PSI
<b>Size</b>	5/16"
<b>Length</b>	25'
<b>Max Temp</b>	140°F
<b>Couplers</b>	Brass



### 4,000 PSI HIGH PRESSURE HOSE

#### 100', 4,000 PSI HIGH PRESSURE HOSE

- Steel wire reinforced.
- Complete with 1/4" brass quick coupler & plug.
- Cut & burn resistant.



<b>Part#</b>	<b>100W2-HQC-BLK</b>
<b>Max Pressure</b>	4,000 PSI
<b>Size</b>	3/8"
<b>Length</b>	100'
<b>Max Temp</b>	200°F
<b>Couplers</b>	Brass

#### 50', 4,000 PSI HIGH PRESSURE HOSE

- Steel wire reinforced.
- Complete with 1/4" brass quick coupler & plug.
- Cut & burn resistant.



<b>Part#</b>	<b>PK-85238151**</b>
<b>Max Pressure</b>	4,000 PSI
<b>Size</b>	3/8"
<b>Length</b>	50'
<b>Max Temp</b>	200°F
<b>Couplers</b>	Brass



### 4,000 PSI HIGH PRESSURE HOSE, NON-MARKING

- Steel wire reinforced non-marking hose.
- Complete with 1/4" brass quick coupler & plug.
- Cut & burn resistant.

<b>Part#</b>	<b>PK-85238155**</b>
<b>Max Pressure</b>	4,000 PSI
<b>Size</b>	3/8"
<b>Length</b>	50'
<b>Max Temp</b>	250°F
<b>Couplers</b>	Brass

**NON-MARKING HOSE!**



**\*\*Comes in retail box packaging.**

\*Product Packaging Legend. Bar-coded & boxed. Clamshell packaging. Flag tagged product. Bulk packaged product.



SCREW-TYPE FITTINGS

SCREW-TYPE PLUG



<b>Part#</b>	PK-85300133
<b>Flag Tag#</b>	TP-38M-FT
<b>Bulk</b>	TP-38M
<b>Inlet</b>	3/8" MNPT
<b>Thread</b>	M22 x 1 1/2
<b>Weight</b>	0.1 lbs

SCREW-TYPE COUPLER



<b>Part#</b>	PK-85300136
<b>Flag Tag#</b>	TC-38M-FT
<b>Bulk</b>	TC-38M
<b>Inlet</b>	3/8" MNPT
<b>Thread</b>	M22 x 1 1/2
<b>Weight</b>	0.18 lbs

SCREW-TYPE NIPPLE



<b>Part#</b>	PK-14000000
<b>Flag Tag#</b>	TP-TP-FT
<b>Bulk</b>	33-103125
<b>Size</b>	M22 Male x M22 Male
<b>Weight</b>	

SCREW-TYPE COUPLER



<b>Part#</b>	PK-14000001
<b>Flag Tag#</b>	TC-TC-FT
<b>Bulk</b>	TC-TC
<b>Size</b>	M22 Female x M22 Female
<b>Weight</b>	0.1 lbs

SCREW-TYPE SOCKET



<b>Part#</b>	PK-14000004
<b>Flag Tag#</b>	TC-38F-FT
<b>Bulk</b>	TC-38F
<b>Inlet</b>	3/8" FNPT
<b>Thread</b>	M22 x 1 1/2
<b>Weight</b>	0.18 lbs

SCREW-TYPE PLUG



<b>Part#</b>	PK-14000009	PK-14000005
<b>Flag Tag#</b>	TP-14F-FT	TP-38F-FT
<b>Bulk</b>	TP-14F	TP-38F
<b>Inlet</b>	1/4" FNPT	3/8" FNPT
<b>Thread</b>	M22 x 1 1/2	M22 x 1 1/2
<b>Weight</b>	0.1 lbs	0.1 lbs

SCREW-TYPE QD SOCKET



<b>Flag Tag#</b>	TP-QC-FT
<b>Bulk</b>	TP-QC
<b>Size</b>	M22 plug x 3/8" QC coupler
<b>Weight</b>	

SCREW-TYPE QD PLUG



<b>Flag Tag#</b>	TC-QC-FT
<b>Bulk</b>	33-103123
<b>Size</b>	M22 socket x 3/8" QC plug
<b>Weight</b>	

SCREW-TYPE QD SET

- Convert screw-type to quick connect.
- Complete with M22 plug x QC coupler & M22 socket x quick connect plug.



<b>Part#</b>	PK-14000006
<b>Flag Tag#</b>	QC-TCK-FT
<b>Bulk</b>	N/A
<b>Description</b>	M22 plug x 3/8" QC coupler
<b>Weight</b>	0.1 lbs

\*Product Packaging Legend.  Bar-coded & boxed.  Clamshell packaging.  Flag tagged product.  Bulk packaged product.





## GARDEN HOSE FITTINGS

### GARDEN HOSE FITTINGS

#### GARDEN HOSE QD SOCKET



<b>Flag Tag#</b>	900.138-FT
<b>Bulk</b>	900.138
<b>Size</b>	3/4" FGHT x 1/2" QC
<b>Weight</b>	0.14 lbs

#### GARDEN HOSE QD PLUG



<b>Flag Tag#</b>	900.137-FT
<b>Bulk</b>	900.137
<b>Size</b>	3/4" FGHT x 1/2" QC
<b>Weight</b>	0.1 lbs

#### GARDEN HOSE QD SET

Quickly & easily connect garden hose to a pressure washer.



<b>Part#</b>	PK-14000003
<b>Flag Tag#</b>	900.138.37-FT
<b>Bulk</b>	276099
<b>Coupler Size</b>	3/4" FGHT x 1/2" QC
<b>Plug Size</b>	3/4" FGHT x 1/2" QC
<b>Weight</b>	0.24 lbs

### O-RINGS & FILTERS

#### O-RING & FILTER SET

O-rings for screw-type couplings, two each for 14 & 15mm. O-rings for quick connect, two each for 1/4" & 1/8". Two cone garden hose filters.



<b>Part#</b>	PK-14000007
--------------	-------------

#### O-RING SET


Set of 6 o-rings for 1/4" & 3/8" quick connect.



<b>Part#</b>	PK-85400200
<b>Sizes</b>	4 x 1/4" 2 x 3/8"

#### GARDEN HOSE ADAPTER

Assembly includes garden hose adapter and stainless steel mesh filter.



<b>Part#</b>	PK-14000010
<b>Flag Tag#</b>	300.12
<b>Size</b>	3/4" FGHT x 1/2" MNPT
<b>Weight</b>	0.14 lbs

### BRASS FITTINGS

#### BRASS LIVE SWIVEL



<b>Part#</b>	PK-14000008
<b>Flag Tag#</b>	SW-38B-FT
<b>Bulk</b>	SW-38B
<b>Size</b>	3/8" FNPT x 3/8" MNPT
<b>Weight</b>	0.22 lbs

#### BRASS REDUCER BUSHING



<b>Part#</b>	PK-14000002
<b>Flag Tag#</b>	BR-RB3814-FT
<b>Bulk</b>	BR-RB3814
<b>Size</b>	3/8" MNPT x 1/4" FNPT

\*Product Packaging Legend. Bar-coded & boxed. Clamshell packaging. Flag tagged product. Bulk packaged product.



QUICK CONNECT FITTINGS

QUICK CONNECT FITTINGS

QC PLUG, FNPT



<b>Part#</b>	PK-85300101	PK-85300104
<b>Flag Tag#</b>	QC-314S-FT	QC-316S-FT
<b>Bulk</b>	QC-314S	QC-316S
<b>Thread</b>	1/4" QC x FNPT	3/8" QC x FNPT
<b>Material</b>	Plated Steel	Plated Steel
<b>Weight</b>	0.05 lbs	0.10 lbs

QC PLUG, MNPT



<b>Part#</b>	PK-85300109	PK-85300105
<b>Flag Tag#</b>	QC-314MS-FT	QC-316MS-FT
<b>Bulk</b>	QC-314MS	QC-316MS
<b>Thread</b>	1/4" QC x MNPT	3/8" QC x MNPT
<b>Material</b>	Plated Steel	Plated Steel
<b>Weight</b>	0.05 lbs	0.10 lbs

QC COUPLER, FNPT



<b>Part#</b>	PK-85300102	PK-85300103
<b>Flag Tag#</b>	QC-304-FT	QC-306-FT
<b>Bulk</b>	QC-304	QC-306
<b>Thread</b>	1/4" QC x FNPT	3/8" QC x FNPT
<b>Material</b>	Brass	Brass
<b>Weight</b>	0.15 lbs	0.20 lbs

QC COUPLER, MNPT



<b>Part#</b>	PK-85300107	PK-85300108
<b>Flag Tag#</b>	QC-304M-FT	QC-306M-FT
<b>Bulk</b>	QC-304M	QC-306M
<b>Thread</b>	1/4" QC x MNPT	3/8" QC x MNPT
<b>Material</b>	Brass	Brass
<b>Weight</b>	0.15 lbs	0.20 lbs

3/8" QC COUPLER KIT



<b>Part#</b>	PK-85400201
<b>Kit Contents</b>	<ul style="list-style-type: none"> <li>• 3/8" QC x FNPT plated steel plug</li> <li>• 3/8" QC x FNPT brass coupler</li> </ul>
<b>Weight</b>	0.30 lbs

1/4" & 3/8" QC COUPLER KIT



<b>Part#</b>	PK-85400202
<b>Kit Contents</b>	<ul style="list-style-type: none"> <li>• 1/4" QC x FNPT plated steel plug</li> <li>• 1/4" QC x FNPT brass coupler</li> <li>• 3/8" QC x FNPT plated steel plug</li> <li>• 3/8" QC x FNPT brass coupler</li> </ul>
<b>Weight</b>	0.30 lbs

\*Product Packaging Legend.  Bar-coded & boxed.  Clamshell packaging.  Flag tagged product.  Bulk packaged product.



## PRESSURE GAUGES & FILTERS

### CLEAR BOWL WATER INLET FILTER

- Protects the pump for contaminants in the water.
- Clear bowl to easily view filter.

<b>Part#</b>	<b>PK-85300055</b>
<b>Flag Tag#</b>	WF-1234CB-FT
<b>Max Flow</b>	8 GPM
<b>Max Temperature</b>	175°F
<b>Inlet</b>	3/4" FGHT
<b>Outlet</b>	1/2" MNPT
<b>Port</b>	Dual 1/4" FNPT with plugs
<b>Weight</b>	0.5 lbs



### WATER INLET FILTER

- Protects the pump for contaminants in the water.
- Cap easily unscrews with an allen key to clean out screen.

<b>Part#</b>	<b>PK-85300058</b>
<b>Flag Tag#</b>	IN-1234-AL
<b>Max Flow</b>	10 GPM
<b>Max Temperature</b>	180°F
<b>Inlet</b>	3/4" FGHT
<b>Outlet</b>	1/2" MNPT
<b>Ports</b>	Dual 1/4" FNPT with plugs
<b>Weight</b>	0.55 lbs



### 2.5" PRESSURE GAUGE KIT

Accurately view pressure for all units up to 5,000 PSI.

<b>Part#</b>	<b>PK-QCG-5000</b>
<b>Max Pressure</b>	5,000 PSI
<b>Size</b>	2.5"
<b>Inlet</b>	3/8" QC plug
<b>Outlet</b>	3/8" QC coupler
<b>Weight</b>	0.8 lbs



\*Product Packaging Legend. Bar-coded & boxed. Clamshell packaging. Flag tagged product. Bulk packaged product.



## HIGH PRESSURE CHEMICAL KIT

- Place on the inlet side of the pump.
- Used to provide chemical discharge at pressure washers maximum pressure.

<b>Part#</b>	<b>PK-85400003</b>
<b>Bulk#</b>	85400003
<b>Max Pressure</b>	3,500 PSI
<b>Max Temperature</b>	180°F
<b>Max Flow</b>	8 GPM
<b>Weight</b>	1.05 lbs



## CHEMICAL HOSE ASSEMBLY

Comes with 3 ft hose & chemical suction filter.

<b>Part#</b>	<b>PK-15000000</b>
<b>Flag Tag#</b>	PW-TUBINGK-FT
<b>Bulk#</b>	33-103124
<b>Length</b>	3'
<b>Weight</b>	0.1 lbs



## FLUID ACCESSORIES

### PUMP SAVER SOLUTION

- Lubricates and conditions pump, seals, and extends pump life.
- Protects your pump from freezing over the winter.

<b>Part#</b>	<b>PK-85409041**</b>
<b>Volume</b>	6 oz.

\*\*Shipped in case quantities of 12.



### PUMP OIL

- Ideal for high pressure pumps. Not for engine use.
- Non detergent and non foaming.
- Specially formulated and rated for superior rust protection and oxidation protection.

<b>Part#</b>	<b>PK-85490000**</b>
<b>Volume</b>	1 Liter

\*\*Shipped in case quantities of 12.



### SOAP HOLDER

- Prevents spilling of cleaning solutions.
- Easily mounts to all pressure washer frames.
- Carries a 1 gallon jug.

<b>Part#</b>	<b>PK-85601010</b>
<b>Weight</b>	1.15 lbs



\*Product Packaging Legend. Bar-coded & boxed. Clamshell packaging. Flag tagged product. Bulk packaged product.



**DECREASE YOUR CARBON FOOTPRINT  
WITH COMPACT DESIGN AND  
ENVIRONMENTALLY FRIENDLY SOAP**

**NEW**



**NEW PEG-ABLE CAPS!**



**ONE 6 OZ CONTAINER  
MAKES 2 GALLONS  
OF SOAP!**

**4:1 CONCENTRATES**

- An economical detergent choice.
- Use for larger cleaning jobs.
- Ideal for pressure washing professionals.

**MORE SUD  
IN THE JUG!**

Part #	Chemical	Concentration	6oz Bottle Creates
PK-17000060	House & Siding	4:1 Concentrate	2 Gallons
PK-17000062	Heavy Duty Degreaser	4:1 Concentrate	2 Gallons
PK-17000066	Car Wash	4:1 Concentrate	2 Gallons

\*All detergent is sold in 10 pack cases.

**Environmentally Safe & Biodegradable.  
Foam additives increases dwell time  
of product to penetrate soils.**

**House & Siding**

- All-purpose house cleaner - Ideal for cleaning vinyl, concrete, roofing, patio furniture, & synthetic decks.
- Helps remove unsightly mold & mildew stains.
- Cleans well on all types of siding, wood finishes, aluminum, vinyl, painted or stained surfaces.

**Degreaser**

- Intense cleaning for tough jobs - Engine grease, driveway oil, construction sites, & farm equipment.
- Glycol Ether EB is an active agent in lifting grease and oil soils from surface.

**Vehicle and Boat Wash**

- Gentle wash for automotive finishes.
- Ideal for cleaning all cars, trucks, trailers, ATV's, motorcycles, RV's and boats



\*Product Packaging Legend.  Bar-coded & boxed.  Clamshell packaging.  Flag tagged product.  Bulk packaged product.



PRESSURE WASHER ACCESSORY DISPLAYS



Clamshell Program



Individualized Insert Cards



Ask About Our Stack-Rack

PRESSURE WASHER ACCESSORY DISPLAYS



Flag-Tag Program

Individualized P.O.P Cards



Choose The GPM & PSI That Best Matches Your Pressure Washer

PSI	1.85	2.10	2.35	2.60
1,500	✓	✓	✓	✓
2,000	✓	✓	✓	✓
2,500	✓	✓	✓	✓
3,000	✓	✓	✓	✓



TRAILER JACK DISPLAY



Individualized  
P.O.P Cards

**UNIVERSAL TOP WIND JACK**  
**15" • 2000 LBS** max lift

**SPECIFICATIONS**

- Topwind Handle
- Tubular Mounting
- Max Lift: 2000 lbs (Static Load)
- Support Capacity: 2000 lbs
- Length of Travel: 15"
- Comes with Inner Mounting Collar

**WIND PART #: W-520**

E-Z Slide Brackets



**Maximize Shelf Space  
and Keep Jacks Safe  
and Stable!**





AGRICULTURE HARDWARE DISPLAY

**Enhance Your Point Of Sale With Valley's Display & Packaging Solutions!**



GAUGE DISPLAY

**Can Be Use As a Table Top Display or Be Hung on Pegboard!**

