# valspar if it matters, we're on it.®

# SAFETY DATA SHEET

Revision date 17-Apr-2018

Version 34

Supersedes Date: 20-Oct-2017

Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product identifier Product Code

045.0083081

**Product Name** 

DOOR-TRIM WB ALK SG EN TW

Other means of identification No information available

Recommended use of the chemical and restrictions on use Paint, Coatings

Details of the supplier of the safety data sheet See section 16 for more information

The Valspar Corporation PO Box 1461 Minneapolis, MN 55440

E-mail address

msds@valspar.com

Emergency telephone number United States of America 1-888-345-5732

**Section 2: HAZARDS IDENTIFICATION** 

**Classification** 

Label elements

#### HAZARD STATEMENTS

Not a dangerous substance or mixture according to the Globally Harmonized System (GHS)

PREVENTION

Do not handle until all safety precautions have been read and understood.

#### RESPONSE

Get medical advice/attention if you feel unwell.

#### Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. **Skin** 

Rinse skin with water/shower. If skin irritation occurs: Get medical advice/attention.

#### Inhalation

IF INHALED: Call a POISON CENTER or doctor if you feel unwell.

#### Ingestion

Do NOT induce vomiting. IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.

#### STORAGE

Keep container tightly closed.

#### DISPOSAL

Dispose of contents/containers in accordance with local regulations.

#### HAZARDS NOT OTHERWISE CLASSIFIED (HNOC)

No information available.

#### **OTHER HAZARDS**

Not applicable.

**UNKNOWN ACUTE TOXICITY** .0001% of the mixture consists of ingredient(s) of unknown toxicity.

# Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

| Chemical Name    | CAS No     | weight-% |
|------------------|------------|----------|
| Titanium dioxide | 13463-67-7 | 25 - 50  |

\*The exact percentage (concentration) of composition has been withheld as a trade secret.

# Section 4: FIRST AID MEASURES

#### First Aid Measures

#### General advice

Get medical advice/attention if you feel unwell.

#### Eye contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

#### Skin Contact

Rinse skin with water/shower. If skin irritation occurs: Get medical advice/attention.

#### Inhalation

IF INHALED: Call a POISON CENTER or doctor if you feel unwell.

#### Ingestion

Do NOT induce vomiting. IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.

#### Most important symptoms and effects, both acute and delayed

Symptoms No information available.

#### Indication of any immediate medical attention and special treatment needed

#### Note to physicians

Treat symptomatically.

# Section 5: FIRE FIGHTING MEASURES

#### Suitable extinguishing media

Dry chemical, CO2, water spray or alcohol-resistant foam.

Not to be used for safety reasons: Strong water jet

#### Specific hazards arising from the chemical

Burning produces heavy smoke. Fire may produce irritating and/or toxic gases. In the event of fire and/or explosion do not breathe fumes.

#### Special protective equipment for fire-fighters

Wear self-contained breathing apparatus and protective suit. Cool containers with flooding quantities of water until well after fire is out. Do not allow run-off from fire-fighting to enter drains or water courses.

# Section 6: ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

#### Personal precautions

Avoid breathing vapors or mists. Use personal protective equipment as required.

#### For emergency responders

Use personal protection recommended in Section 8.

#### Environmental precautions

Do not allow into any sewer, on the ground or into any body of water. If the product contaminates lakes, rivers or sewage, inform appropriate authorities in accordance with local regulations. Prevent further leakage or spillage if safe to do so. Local authorities should be advised if significant spillages cannot be contained.

#### Methods and material for containment and cleaning up

#### Methods for containment

Prevent further leakage or spillage if safe to do so.

#### Methods for cleaning up

Dispose of waste product or used containers according to local regulations. Clean with detergents. Avoid solvent cleaners. Dam up. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Pick up and transfer to properly labeled containers. Clean contaminated surface thoroughly.

# Section 7: HANDLING AND STORAGE

#### Precautions for safe handling

#### Advice on safe handling

Use personal protection recommended in Section 8. Never use pressure to empty container. Comply with the health and safety at work laws. Prevent product from entering drains. Use only with adequate ventilation.

#### **General Hygiene Considerations**

When using do not eat, drink or smoke. Wash contaminated clothing before reuse.

#### Conditions for safe storage, including any incompatibilities

#### Storage Conditions

Keep/store only in original container. Store in accordance with local regulations. Keep unauthorized personnel away. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Keep container tightly closed in a dry and well-ventilated place.

#### Incompatible materials

Strong oxidizing agents. Acids.

# Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters

#### Exposure Limits

If S\* appears in the OEL table, it indicates this chemical contains a skin notation.

| Chemical Name    | ACGIH TLV                 | OSHA PEL                             | NIOSH IDLH                   |
|------------------|---------------------------|--------------------------------------|------------------------------|
| Titanium dioxide | TWA: 10 mg/m <sup>3</sup> | TWA: 15 mg/m <sup>3</sup> total dust | IDLH: 5000 mg/m <sup>3</sup> |
| 13463-67-7       |                           |                                      |                              |

#### Appropriate engineering controls

#### Engineering Controls

Ensure adequate ventilation, especially in confined areas. Provide local exhaust ventilation. In case of insufficient ventilation, wear suitable respiratory equipment.

#### Individual protection measures, such as personal protective equipment

#### Eye/face protection

Wear safety glasses with side shields (or goggles).

#### Hand Protection

There is no one glove material or combination of materials that will give unlimited resistance to any individual or combination of chemicals. Ensure that the breakthrough time of the glove material is not exceeded. Refer to glove supplier for information on breakthrough time for specific gloves. The instructions and information provided by the glove manufacturer on use, storage, maintenance and replacement must be followed. Gloves should be replaced regularly and if there is any sign of damage to the glove material. Always ensure that gloves are free from defects and that they are stored and used correctly. The performance or effectiveness of the glove may be reduced by physical / chemical damage and poor maintenance.

#### **Respiratory protection**

In case of inadequate ventilation wear respiratory protection.

#### Thermal Protection

No information available

# Section 9: PHYSICAL AND CHEMICAL PROPERTIES

#### Information on basic physical and chemical properties

| Physical state<br>Appearance<br>Odor<br>Color<br>Odor Threshold<br>pH value<br>Melting point/freezing point<br>Boiling point / boiling range<br>flash point<br>evaporation rate | liquid<br>No information available<br>Slight<br>white<br>No information available<br>No information available<br>No information available<br>No information available °C / °F<br>94 °C / 201 °F<br>No information available |
|---|---|
| Flammability (solid, gas)   | No information available  |
| Flammability Limit in Air   |   |
| Upper flammability limit:   | No information available  |
| Lower flammability limit:   | No information available  |
| Vapor Pressure  | No information available  |
| vapor density   | No information available  |
| Density (Ibs per US gallon)   | 11.21   |
| specific gravity  | No information available  |
| Solubility(ies)   | No information available  |
| Partition coefficient   | No information available  |
| Autoignition temperature  | No information available  |
| Decomposition temperature   | No information available  |
| Kinematic viscosity   | No information available  |

#### **Dynamic viscosity**

No information available

#### Other information

# Section 10: STABILITY AND REACTIVITY

| Reactivity                         | No information available.               |
|------------------------------------|---|
| Chemical stability                 | Stable under normal conditions.         |
| Possibility of Hazardous Reactions | None under normal processing.           |
| Hazardous polymerization           | None under normal processing.           |
| Conditions to avoid                | Heat, flames and sparks.                |
| Incompatible materials             | Strong oxidizing agents. Acids.         |
|                                    | Orah en area estide. Orah en disside (C |

Hazardous Decomposition Products Carbon monoxide. Carbon dioxide (CO2).

# Section 11: TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

Eye contact Not applicable Skin Contact Not applicable Ingestion Not applicable Inhalation Not applicable

Numerical measures of toxicity - Component Information

| Chemical Name    | Oral LD50           | Dermal LD50 | Inhalation LC50 |
|------------------|---------------------|-------------|-----------------|
| Titanium dioxide | > 10000 mg/kg (Rat) | -           | -               |
| 13463-67-7       |                     |             |                 |

Numerical measures of toxicity - Product Information

**UNKNOWN ACUTE TOXICITY** ...0001% of the mixture consists of ingredient(s) of unknown toxicity.

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

#### **Carcinogenicity**

According to IARC, Volume 93, no significant exposure to primary particles of titanium dioxide is thought to occur from use in paints since the pigment is bound to other materials.

| Chemical Name    | ACGIH | IARC     | NTP | OSHA | l |
|------------------|-------|----------|-----|------|---|
| Titanium dioxide |       | Group 2B |     | Х    | ĺ |
| 13463-67-7       |       | -        |     |      | l |

IARC (International Agency for Research on Cancer)

Group 2B - Possibly Carcinogenic to Humans.

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present.

Skin corrosion/irritation Not applicable Serious eye damage/eye irritation Not applicable Skin sensitization Not applicable Respiratory sensitization Not applicable Germ cell mutagenicity Not applicable Carcinogenicity Not applicable

#### Reproductive Toxicity Not applicable Specific target organ toxicity (single exposure) Not applicable Specific target organ toxicity (repeated exposure) Not applicable Aspiration hazard Not applicable

# Section 12: ECOLOGICAL INFORMATION

| Ecotoxicity<br>Environmental precautions   | Prevent product f                                       | rom entering drains.   |  |
|--|---|--|--|
| Persistence and degradability<br>No information available  |   |  |  |
| Bioaccumulation<br>No information available  |   |  |  |
| <u>Mobility</u><br>No information available  |   |  |  |
| Other adverse effects  | No information av                                       | vailable   |  |
|  | Section 13: DI  | SPOSAL CONSIDERAT  | <b>FIONS</b>   |
| Waste treatment methods  |   |  |  |
| Disposal of wastes   | Disposal should b regulations.                          | be in accordance with applical                                       | ble regional, national and local laws and  |
| Contaminated packaging   | Improper disposa<br>containers must b                   | l or reuse of this container ma<br>be scrapped or reconditioned.     | ay be dangerous and illegal. Empty   |
|  | Section 14: T   | RANSPORT INFORMA   | TION   |
|  | DOT_<br>Not regulated                                   | IMDG<br>Not regulated  | IATA<br>Not regulated  |
| 14.3 Hazard Class<br>14.4 Packing Group<br>14.5 Environmental hazard<br>14.6 Special Provisions<br>14.7 Transport in bulk according to | o Annex II of MARPOL 73                                 | 6/78 and the IBC Code  | No information available   |
| ICAO/IATA SP A112); Limited Quanti   | ty (49 CFR 173.150(b), IC<br>2.1.1, ICAO 3.2.2, ADR 2.2 | AO Part 3 Chapter 4, IATA 2.7, II<br>.3.1.5); Does Not Sustain Combi | ; Consumer Commodity (49 CFR 173.150(c),<br>MDG Chapter 3.4); Viscous Liquid (49 CFR<br>ustion (49 CFR 173.120(a), IATA 3.3.1.3, ICAO<br>gerous goods regulations. |
|  | Section 15: RE  | EGULATORY INFORMA  | TION   |

# International Inventories

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL** - Canadian Domestic Substances List

**US Federal Regulations** 

# SARA 311/312 Hazard Categories

All components are listed or exempt

Not all components are listed or

from listing.

exempt from listing

| Acute health hazard               | No |
|-----------------------------------|----|
| Chronic Health Hazard             | No |
| Fire hazard                       | No |
| Sudden release of pressure hazard | No |
| Reactive Hazard                   | No |

### US State Regulations

#### Rule 66 status of product

Not photochemically reactive.

#### **California Proposition 65**

WARNING! This product contains a chemical known in the State of California to cause cancer.

#### U.S. EPA Label information

**EPA Pesticide registration number** Not applicable

#### U.S. State Right-to-Know Regulations

| Chemical Name  |  |
|--|--|
| Water  |  |
| 7732-18-5  |  |
| Titanium dioxide                                       |  |
| 13463-67-7   |  |
| Proprietary Non-Hazardous Ingredient - Proprietary CAS |  |
|  |  |
| Proprietary Inert                                      |  |
|  |  |

# **Section 16: OTHER INFORMATION**

| Revision date<br>Revision Note<br><u>Disclaimer</u><br>The information on this   |  | 3<br>ion available<br>) is based on the present state                                   |
|--|--|---|
| Prepared By  | Product Ste  | wardship  |
| Supplier Address<br>Valspar Consumer<br>Headquarters<br>8725 W. Higgins Rd. Suite<br>1000<br>Chicago, IL 60631<br>773-628-5500 | The Valspar Corporation<br>4999 36th St.<br>Grand Rapids, MI 49512<br>800-253-3957 | Valspar Plasti-Kote<br>1636 Shawson Dr.<br>Mississauga, Ontario L4W 1N7<br>905-671-8333 |
| HMIS_<br>Health hazards<br>* = Chronic Health Haza<br>Flammability<br>Physical hazards<br>Personal Protection                  | o<br>ard<br>1<br>0<br>X  |   |

The information on this Safety Data Sheet (SDS) is based on the present state of our knowledge, current national legislation and guidelines. As the specific conditions of use of the product are outside the supplier's knowledge and control the user is responsible for ensuring that the requirements of relevant legislation are complied with. This SDS should not be construed as any guarantee of the technical performance or suitability for particular applications. UNLESS SUPPLIER AGREES OTHERWISE IN WRITING, SUPPLIER MAKES NO WARRANTIES, EXPRESS OR IMPLIED, AND DISCLAIMS ALL IMPLIED WARRANTIES INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR FREEDOM FROM PATENT INFRINGEMENT. SUPPLIER WILL NOT BE LIABLE FOR ANY SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES.

End of Safety Data Sheet