

Version 4.0	Revision Date 03/12/2018	Print Date 10/17/2018
SECTION 1. PRODUCT AN	D COMPANY IDENTIFICATION	

Material name	:	ZEP 10 MINUTE HAIR CLOG REMOVER OBS
Material number	:	ZHCR64NG
Manufacturer or supplier's	deta	ails
Company	:	Zep Inc.
Address	:	350 Joe Frank Harris Parkway, SE Emerson, GA 30137
Telephone	:	404-352-1680

For SDS Information	:	Compliance Services 1-877-428-9937
For a Medical Emergency	:	877-541-2016 Toll Free - All Calls Recorded
For a Transportation	:	CHEMTREC: 800-424-9300 - All Calls Recorded.
Emergency		In the District of Columbia 202-483-7616

Recommended use of the chemical and restrictions on use

Recommended use : Drain and Sewer Care

SECTION 2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance	liquid	
Colour	light yellow	
Odour	Chlorine	

GHS Classification

Skin corrosion Serious eye damage	: Category 1 : Category 1
GHS label elements	
Hazard pictograms	
Signal word	: Danger
Hazard statements	: H314 Causes severe skin burns and eye damage.
Precautionary statements	 Prevention: P264 Wash skin thoroughly after handling. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. Response: P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.



Version 4.0	Revision Date 03/12/2018	Print Date 10/17/2018
	P303 + P361 + P353 IF ON SKIN immediately all contaminated clot water/shower. P304 + P340 + P310 IF INHALEI and keep comfortable for breathin POISON CENTER/doctor. P305 + P351 + P338 + P310 IF I water for several minutes. Remov and easy to do. Continue rinsing. CENTER/doctor. P363 Wash contaminated clothin Disposal: P501 Dispose of contents/contair regulation.	thing. Rinse skin with D: Remove person to fresh air ng. Immediately call a N EYES: Rinse cautiously with ve contact lenses, if present Immediately call a POISON g before reuse.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous components

Chemical name	CAS-No.	Concentration [%]
sodium hypochlorite	7681-52-9	>= 1 - < 5

The exact percentages of disclosed substances are withheld as trade secrets.

SECTION 4. FIRST AID MEASURES

General advice :	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended.
If inhaled :	If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.
In case of skin contact :	Remove contaminated clothing and shoes. Wash off immediately with plenty of water for at least 15 minutes. Wash contaminated clothing before reuse. If symptoms persist, call a physician.
In case of eye contact :	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses. Protect unharmed eye. If eye irritation persists, consult a specialist.
If swallowed :	Keep respiratory tract clear. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician. DO NOT induce vomiting unless directed to do so by a physician or poison control center.



Version 4.0	Revision Date 03/12/2018	Print Date 10/17/2018
Most important symptoms and effects, both acute and delayed	: Symptoms may include blistering, Causes severe skin burns and eye Review section 2 of SDS to see al	e damage.
Notes to physician	: Treat symptomatically. Symptoms	s may be delayed.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Dry chemical Carbon dioxide (CO2) Alcohol-resistant foam Water spray jet
Unsuitable extinguishing media	:	High volume water jet
Specific hazards during firefighting	:	Do not allow run-off from fire fighting to enter drains or water courses.
Hazardous combustion products	:	No hazardous combustion products are known
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Further information	:	Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
Special protective equipment for firefighters	:	Wear self-contained breathing apparatus for firefighting if necessary.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Use personal protective equipment. Ensure adequate ventilation. Evacuate personnel to safe areas.
Environmental precautions	:	Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.
Methods and materials for containment and cleaning up	:	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling	: Do not breathe vapours/du	ust.
-------------------------	-----------------------------	------



Version 4.0	Revision Date 03/12/2018	Print Date 10/17/2018
	Avoid contact with skin and eyes. For personal protection see section Smoking, eating and drinking should application area. To avoid spills during handling keep Dispose of rinse water in accordanc regulations.	t be prohibited in the bottle on a metal tray.
Conditions for safe storage	 Keep container tightly closed in a dr place. Containers which are opened must l kept upright to prevent leakage. Observe label precautions. Electrical installations / working mate the technological safety standards. 	be carefully resealed and
Materials to avoid	: Do not store near acids.	

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components sodium hypochlorite	CAS-No. 7681-52-9	Value type (Form of exposure) STEL	Control parameters / Permissible concentration 2 mg/m3	Basis US WEEL		
Engineering measures	•	ntilation in all pro				
Personal protective equipme	ent					
Respiratory protection	: In case of ir equipment.	: In case of insufficient ventilation, wear suitable respiratory equipment.				
Hand protection Material Remarks	: The suitabil	 Protective gloves The suitability for a specific workplace should be discussed with the producers of the protective gloves. 				
Eye protection		Tightly fitting safety goggles Wear face-shield and protective suit for abnormal processing problems.				
Skin and body protection	Choose boo	Impervious clothing Choose body protection according to the amount and concentration of the dangerous substance at the work place.				
Hygiene measures	When using	When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.				

Components with workplace control parameters



Version 4.0

Revision Date 03/12/2018

Print Date 10/17/2018

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	liquid
Colour	:	light yellow
Odour	:	Chlorine
Odour Threshold	:	No data available
рН	:	> 13
Melting point/freezing point	:	No data available
Boiling point	:	> 100 °C
Flash point	:	Net a selle
– <i>– – –</i>		Not applicable
Evaporation rate	:	1
Upper explosion limit	:	No data available
Lower explosion limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Density	:	1.059 g/cm3
Solubility(ies)		
Water solubility	:	soluble
Partition coefficient: n- octanol/water	:	No data available
Auto-ignition temperature	:	not determined
Thermal decomposition	:	No data available
Viscosity		
Viscosity, kinematic	:	No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Stable
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No decomposition if stored and applied as directed.
Conditions to avoid	: No data available
Incompatible materials	: Acids Ammonia soft metals
Hazardous decomposition products	: Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke).



Version 4.0

Revision Date 03/12/2018

Print Date 10/17/2018

SECTION 11. TOXICOLOGICAL INFORMATION

Potential Health Effects

Aggravated Medical Condition	:	None known.
Symptoms of Overexposure	:	Symptoms may include blistering, irritation, burns, and pain.

Carcinogenicity:

IARC	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
ACGIH	No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.
OSHA	No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.
NTP	No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Acute toxicity

	Ρ	ro	d	uc	:t:	:
--	---	----	---	----	-----	---

Acute oral toxicity	: Acute toxicity estimate : > 5,000 mg/kg Method: Calculation method
---------------------	---

Skin corrosion/irritation

Product:

Remarks: Extremely corrosive and destructive to tissue.

Serious eye damage/eye irritation

Product:

Remarks: May cause irreversible eye damage.

Respiratory or skin sensitisation

No data available

Germ cell mutagenicity

No data available

Carcinogenicity

No data available

Reproductive toxicity



Version 4.0	Revision Date 03/12/2018	Print Date 10/17/2018

No data available

STOT - single exposure

No data available

STOT - repeated exposure

No data available

Aspiration toxicity

No data available

Further information

Product:

Remarks: No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

No data available	
Persistence and degradability	
No data available Bioaccumulative potential	
Product:	
Partition coefficient: n- : octanol/water	Remarks: No data available
Mobility in soil	
No data available	
Other adverse effects	
No data available <u> Product:</u>	
Regulation	40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances
Remarks	This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).
Additional ecological : information	No data available
	An environmental hazard cannot be excluded in the event of unprofessional handling or disposal., Toxic to aquatic life with long lasting effects.



Version 4.0

Revision Date 03/12/2018

Print Date 10/17/2018

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	 The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of in accordance with local regulations.
Contaminated packaging	 Empty remaining contents. Dispose of as unused product. Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

Transportation Regulation: 49 CFR (USA): UN3266, Corrosive liquid, basic, inorganic, n.o.s., (SODIUM HYPOCHLORITE), 8, III

Transportation Regulation: IMDG (Vessel): UN3266, CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S., (SODIUM HYPOCHLORITE), 8, III

Transportation Regulation: IATA (Cargo Air): UN3266, Corrosive liquid, basic, inorganic, n.o.s., (SODIUM HYPOCHLORITE), 8, III

Transportation Regulation: IATA (Passenger Air): UN3266, Corrosive liquid, basic, inorganic, n.o.s., (SODIUM HYPOCHLORITE), 8, III

Transportation Regulation: TDG (Canada): UN3266, CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S., (SODIUM HYPOCHLORITE), 8, III

The product as delivered to the customer conforms to packaging requirements for shipment by road under US Department of Transportation (DOT) regulations. Additional transportation classifications noted above are for reference only, and not a certification or warranty of the suitability of the packaging for shipment under these alternative transport regulations.

SECTION 15. REGULATORY INFORMATION

TSCA list

: No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity



sion 4.0		Revision Date 03/1	2/2018	Print Date 10/17/2018	
Components		CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)	
potassium hydroxide		1310-58-3	1000	*	
*: Calculated RQ exceeds r	easona	bly attainable upper	limit.		
SARA 304 Extremely Haza	ardous	Substances Report	rtable Quantity		
This material does not contain any components with a section 304 EHS RQ.					
SARA 311/312 Hazards		Skin corrosion or irritation Serious eye damage or eye irritation			
SARA 302		o chemicals in this r quirements of SAR/			
SARA 313	kr		that exceed the th	mical components with preshold (De Minimis) itle III, Section 313.	
California Prop. 65					
		This product does n California to cause reproductive harm.		emicals known to State o cts, or any other	

The components of this product are reported in the following inventories:

TSCA	On TSCA Inventory
DSL	All components of this product are on the Canadian DSL

For information on the country notification status for other regions please contact the manufacturer's regulatory group.

Inventory Acronym and Validity Area Legend:

TSCA (USA), DSL (Canada), NDSL (Canada)

SECTION 16. OTHER INFORMATION




Version 4.0

Revision Date 03/12/2018

Print Date 10/17/2018

Further information



OSHA - GHS Label Information:

Hazard pictograms	
Signal word Hazard statements Precautionary statements	 Danger: Causes severe skin burns and eye damage. Prevention: Wash skin thoroughly after handling. Wear protective gloves/ protective clothing/ eye protection/ face protection. Response: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. Wash contaminated clothing before reuse.

Disposal: Dispose of contents/container in accordance with local regulation.

Version:	4.0
Revision Date:	03/12/2018
Print Date:	10/17/2018

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.

Zep Inc. markets products under well recognized and established brand names such as Zep®, Zep Commercial®,Zep Professional®, Enforcer®, National Chemical[™], Selig[™], Misty®, Next Dimension[™], Petro®, i-Chem®, TimeMist®, TimeWick[™], MicrobeMax®, Country Vet®, Konk®, Original Bike Spirits®, Blue Coral®, Black Magic®, Rain-X®, Niagara National[™], FC Forward Chemicals®,Rexodan®, Mykal[™], and a number of private labeled brands.



Version 4.0

Revision Date 03/12/2018

Print Date 10/17/2018